

Safety data sheet

Page: 1/10

BASF Safety data sheet

Date / Revised: 24.02.2026

Product: **ELASTOLLAN® 1185 A 11WM 000 CN**

Version: 3.0

(30844342/SDS_GEN_TH/EN)

Date of print: 11.05.2026

1. Substance/preparation and manufacturer/supplier identification

Product name:

ELASTOLLAN® 1185 A 11WM 000 CN

Recommended use: Polymer

Manufacturer/supplier:

BASF (Thai) Limited

23rd Floor, Emporium Tower, 622, Sukhumvit 24 Rd.,

Klongton, Klongtoey, Bangkok 10110, THAILAND

Telephone: +66 2624-1999

Telefax number: +66 2664-9254

E-mail address: Thailand-SDS-info@basf.com

Emergency information:

International emergency number:

Telephone: +49 180 2273-112

2. Hazard identification

Classification according to UN GHS 2009

Classification of the substance and mixture:

No need for classification according to GHS criteria for this product.

Label elements and precautionary statement:

The product does not require a hazard warning label in accordance with GHS criteria. The dangerous ingredients are fixed in a polymer matrix.

3. Composition/information on ingredients

Chemical nature

BASF Safety data sheet
Date / Revised: 24.02.2026
Product: **ELASTOLLAN® 1185 A 11WM 000 CN**

Version: 3.0

(30844342/SDS_GEN_TH/EN)

Date of print: 11.05.2026

Substance nature: mixture

Polymer based on: polyurethane, stabilizing agents, plasticizers, additives

Hazardous ingredients

Diphenyltolylphosphat

Content (W/W): $\geq 2.5\%$ - $< 20\%$	Aquatic Acute: Cat. 1
CAS Number: 26444-49-5	Aquatic Chronic: Cat. 3
	Repr. (Testes): Cat. 2 (fertility)
	M-factor acute: 1

triphenyl phosphate

Content (W/W): $\geq 0.1\%$ - $\leq 0.25\%$	Aquatic Acute: Cat. 1
CAS Number: 115-86-6	Aquatic Chronic: Cat. 1
	M-factor acute: 1
	M-factor chronic: 1

4. First-Aid Measures

General advice:

Avoid contact with the skin, eyes and clothing. Remove contaminated clothing.

If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

On skin contact:

Burns caused by molten material require hospital treatment.

On contact with eyes:

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. If irritation develops, seek medical attention.

On ingestion:

Immediately rinse mouth and then drink 200 - 300 ml water, do not induce vomiting, seek medical attention.

Note to physician:

Symptoms: (Further) symptoms and / or effects are not known so far

Hazards: No hazards anticipated.

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, foam, dry powder, carbon dioxide

BASF Safety data sheet
Date / Revised: 24.02.2026
Product: **ELASTOLLAN® 1185 A 11WM 000 CN**

Version: 3.0

(30844342/SDS_GEN_TH/EN)

Date of print: 11.05.2026

Specific hazards:
carbon monoxide, carbon dioxide, hydrogen cyanide, nitrogen oxides, Phosphorus compounds, isocyanate

The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:
Wear a self-contained breathing apparatus.

Further information:
Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:
No special precautions necessary.

Environmental precautions:
Prevent releases of this product into the environment. Comprehensive instructions explaining how to prevent releases of plastics pellets, flakes, and powders to the environment during both use and disposal are provided by the industry program 'Operation Clean Sweep' (OCS).

Methods for cleaning up or taking up:
For small amounts: Sweep/shovel up.
For large amounts: Sweep/shovel up.
For residues: Sweep/shovel up.
Dispose of absorbed material in accordance with regulations.

Additional information: High risk of slipping due to leakage/spillage of product.

7. Handling and Storage

Handling

Provide suitable exhaust ventilation at the drying process and in the area surrounding the melt outlet of processing machines.

Protection against fire and explosion:
No special precautions necessary.

Storage

Segregate from foods and animal feeds.

Suitable materials for containers: Paper/Fibreboard, High density polyethylene (HDPE), Low density polyethylene (LDPE)
Further information on storage conditions: Keep container tightly closed.
From this information no suitability of the materials mentioned above for the design of installations, including containers for permanent storage, can be inferred. Special conditions apply to the selection of materials in this regard, which we can communicate on request.

Storage stability:
Protect against moisture.

8. Exposure controls and personal protection

Components with occupational exposure limits

The substances mentioned are contained only in traces in the product.

Diphenylmethane-4,4'-diisocyanate (MDI), 101-68-8;
TWA value 0.005 ppm (ACGIHTLV)

Personal protective equipment

Respiratory protection:

Breathing protection if breathable aerosols/dust are formed.

Hand protection:

Hand protection not required.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Wearing of closed work clothing is recommended. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied.

9. Physical and Chemical Properties

Form:	granules
Colour:	colourless
Odour:	odourless
Odour threshold:	not determined

pH value:	not applicable
-----------	----------------

softening temperature:	> 120 °C
------------------------	----------

Boiling point:	not applicable
----------------	----------------

Flash point:	not applicable, the product is a solid
--------------	--

Evaporation rate:	Value can be approximated from Henry's Law Constant or vapor pressure.
-------------------	--

BASF Safety data sheet
Date / Revised: 24.02.2026
Product: **ELASTOLLAN® 1185 A 11WM 000 CN**

Version: 3.0

(30844342/SDS_GEN_TH/EN)

Date of print: 11.05.2026

Flammability (solid/gas):	not flammable	(Directive 92/69/EEC, A.10)
Lower explosion limit:	For solids not relevant for classification and labelling.	
Upper explosion limit:	For solids not relevant for classification and labelling.	
Ignition temperature:	> 400 °C	
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
	> 230 °C	
	Thermal decomposition above the indicated temperature is possible.	
	Prolonged thermal loading can result in products of degradation being given off.	
Self ignition:	not self-igniting	
Self heating ability:	It is not a substance capable of spontaneous heating according to UN transport regulations class 4.2.	
SADT:	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	
Explosion hazard:	not explosive	
Fire promoting properties:	not fire-propagating	
Radioactivity:	not radioactive for transport purposes	
Vapour pressure:	not applicable	
Density:	1.12 g/cm ³ (20 °C)	
Relative density:	approx. 1.1 - 1.2 (20 °C)	
Bulk density:	700 kg/m ³	
Relative vapour density (air):	not applicable	
Solubility in water:	insoluble	
Partitioning coefficient n-octanol/water (log Pow):	Study does not need to be conducted.	
Viscosity, dynamic:	not applicable	
Viscosity, kinematic:	not applicable, the product is a solid	

BASF Safety data sheet
Date / Revised: 24.02.2026
Product: **ELASTOLLAN® 1185 A 11WM 000 CN**

Version: 3.0

(30844342/SDS_GEN_TH/EN)

Date of print: 11.05.2026

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

Particle characteristics

Particle size distribution: typically 4.5 - 4.7 mm (standard deviation 0.1 mm)

10. Stability and Reactivity

Conditions to avoid:

No conditions to avoid anticipated.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Thermal decomposition: > 230 °C
Thermal decomposition above the indicated temperature is possible.

Thermal decomposition: Prolonged thermal loading can result in products of degradation being given off.

Substances to avoid:

No substances known that should be avoided.

Corrosion to metals: No corrosive effect on metal.

Reactions with water/air:	Reaction with:	water
	Flammable gases:	no
	Toxic gases:	no

Hazardous reactions:

No hazardous reactions when stored and handled according to instructions.
The product is chemically stable.

Gaseous products of degradation can be given off if the product is greatly overheated.

Possible thermal decomposition products:
carbon monoxide, carbon dioxide, hydrogen cyanide
isocyanates, nitrogen oxides, phosphorous compounds

Chemical stability:

The product is chemically stable.

Reactivity:

No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:
LD50rat (oral): > 5,000 mg/kg

Assessment of acute toxicity

Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. Virtually nontoxic after a single ingestion.

Symptoms

(Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:
Not irritating to the eyes. Not irritating to the skin.

Respiratory/Skin sensitization

Assessment of sensitization:
The chemical structure does not suggest a sensitizing effect.

Germ cell mutagenicity

Assessment of mutagenicity:
The chemical structure does not suggest a specific alert for such an effect.

Carcinogenicity

Assessment of carcinogenicity:
The chemical structure does not suggest a specific alert for such an effect.

Reproductive toxicity

Assessment of reproduction toxicity:
The chemical structure does not suggest a specific alert for such an effect.

Developmental toxicity

Assessment of teratogenicity:
The chemical structure does not suggest a specific alert for such an effect.

Specific target organ toxicity (single exposure)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:
At the present state of knowledge, no negative ecological effects are expected.

Mobility

Assessment transport between environmental compartments:
Adsorption to solid soil phase is not expected.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):
Poorly biodegradable.

Elimination information:
Poorly biodegradable.

Bioaccumulation potential

Assessment bioaccumulation potential:
Does not significantly accumulate in organisms.

Other adverse effects

Adsorbable organically-bound halogen (AOX):
This product contains no organically-bound halogen.

13. Disposal Considerations

Can be used without re-conditioning.
Incinerate in suitable incineration plant, observing local authority regulations.

Contaminated packaging:
Completely emptied packagings can be given for recycling.

14. Transport Information

Domestic transport:

BASF Safety data sheet
Date / Revised: 24.02.2026
Product: **ELASTOLLAN® 1185 A 11WM 000 CN**

Version: 3.0

(30844342/SDS_GEN_TH/EN)

Date of print: 11.05.2026

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
	Marine pollutant: no
Special precautions for user	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

15. Regulatory Information

Other regulations

This BASF material should not be used for the manufacture of materials and articles intended to be used in so-called sensitive application like food contact or drinking water applications, medical devices, toys or consumer goods (e.g., products which will come into contact with the skin).

BASF Safety data sheet

Date / Revised: 24.02.2026

Version: 3.0

Product: **ELASTOLLAN® 1185 A 11WM 000 CN**

(30844342/SDS_GEN_TH/EN)

Date of print: 11.05.2026

If it is intended to use BASF materials for the manufacture of materials and articles in the above-mentioned applications, please contact your BASF Polyurethanes GmbH Sales Manager and Product Stewardship department.

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts.

The methodologies used are mentioned at the respective test results.

Trademark potentially not registered in all countries.

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.