

NANJING RED SUN CO., LTD.

南京红太阳股份有限公司

ADD: 8 DONGFENG ROAD, YAXI, GAOCHUN, NANJING, JIANGSU, CHINA.

地 址: 南京市高淳县桤溪镇东风路 8 号

MATERIAL SAFETY DATA SHEET

Section 1. Chemical Product and Company Identification

Product Name: LAMBDA-CYHALOTHRIN 2.5% EC

Chemical Name (IUPAC): _

(S)-a-cyano-3-phenoxybenzyl(Z)-(1R,3R)-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate

(S)-a-cyano-3-phenoxybenzyl(Z)-(1S,3S)-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate

Chemical Formula:

C₂₃H₁₉ClF₃NO₃

CAS Registry Number:

91465-08-6

Company: Nanjing Red Sun Co., Ltd

Add: 8 Dongfeng Road, Yaxi, Gaochun, Nanjing, Jiangsu, China

Section 2. Composition/Information on Ingredients

Component

LAMBDA-CYHALOTHRIN

Content (%)

Min. 2.5

Section 3. Hazards Identification

May cause irritant if contact with skin and eyes. Avoid inhalation, ingestion, or contact with skin or eyes. Keep out of reach of children.

Section 4. First Aid Measures

Eye Contact: Wash eyes immediately with large amounts of water at least 15 minutes. Get medical attention immediately.

Skin Contact: Remove contaminated clothing, jewelry, and shoes immediately. Wash thoroughly with large amounts of water and soap at least 15 minutes. Get medical attention.

Inhalation: Wearing proper respiratory protection before rescues. Immediately remove the affected victim from exposure to an area of fresh air. If not breathing, give artificial respiration; if breathe difficult, give oxygen. Get medical attention.

Ingestion: If victim is conscious, give 1-2 glasses of water and induce vomiting by touching back of throat with finger. Do NOT induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

Antidote: Atropine.

Section 5. Fire Fighting Measures

Fire and Explosion Hazards: Combustible liquid. Flash point: 95°C.

Firefighting Media: Use water, foam, carbon dioxide, or dry sand to extinguish fires.

Firefighting Precaution: In the event of a fire, wear full protective clothing and

NANJING RED SUN CO., LTD.

南京红太阳股份有限公司

ADD: 8 DONGFENG ROAD, YAXI, GAOCHUN, NANJING, JIANGSU, CHINA.

地 址: 南京市高淳县桤溪镇东风路 8 号

NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode. Keep unnecessary people away. Dike area of fire to prevent material run-off. Decontaminate emergency personnel with soap and water before leaving the fire area. Avoid breathing dusts, vapors and fumes from burning materials. Control run-off water.

Section 6. Accidental Release Measures

In case materials are released, contact emergency response personnel. Keep unnecessary persons away. If emergency response personnel are unavailable, absorb small spills on spill pillows or other suitable absorbing material and place in a sealed container for disposal. Dike large spills and transfer to an appropriate container for disposal. Avoid contact of spilled materials and runoff with soil and surface waterways. Use suitable protective equipment (Section 8). Follow all fire prevention procedures (Section 5).

Section 7. Handling and Storage

Handling Precautions: Avoid inhalation, ingestion, or contact with skin or eyes. Wash thoroughly with soap and water after handling and before eating or smoking. Keep out of the reach of children. The substance may be hazardous to the environment. Avoid release to the environment in circumstances different to normal use.

Storage Precautions: Store in original container and keep closed only. Store in cool, dry and well-ventilated place. Do not use, pour, or store near heat or open flame. Do not contaminate food or feed products. Keep out of reach of children and domestic animals.

Section 8. Exposure Controls/Personal Protection

Engineering Controls: Ventilation equipment should be explosion-resistant if explosive concentrations of material are present. Provide local exhaust or process enclosure ventilation system.

Eye/Face: To protect against accidental eye contact, goggles/face-shield should be worn.

Skin Protection: Rubber gloves should be worn. Wash thoroughly with soap and water after handling.

Respiratory Protection: Ensure good ventilation. For maximum protection, wear a supplied air, full-facepiece respirator, airlined hood, or full-facepiece self-contained breathing apparatus.

Section 9. Physical and Chemical Properties

Appearance	Clear, yellow liquid free of visible impurities
Odor	Slightly aromatic.
Melting Point	Not available
Boiling Point	Not available
Density	0.900 ± 0.006 Kg/L
PH:	4.0-7.0
Flash point	>40 °C
Water content	≤0.8%
Solubility in water	Form emulsion.

NANJING RED SUN CO., LTD.

南京红太阳股份有限公司

ADD: 8 DONGFENG ROAD, YAXI, GAOCHUN, NANJING, JIANGSU, CHINA.

地 址: 南京市高淳县桤溪镇东风路 8 号

Section 10. Stability and Reactivity

Stability: Stable under the normal handling and storage conditions.

Incompatibilities: Avoid mixed with highly reactive chemicals such as strong acid, strong base or strong oxidizing agent.

Hazard Decomposition: The substance decomposes on heating and on burning producing toxic and irritating fumes including carbon oxides, nitrogen oxides and sulfur oxides.

Hazard Polymerization: Will not occur.

Section 11. Toxicological Information

Skin Irritation: Slight eyes irritant

Eye Irritation: Moderate skin irritant

Formulation:

LD50 oral for rat the product ♀: 316mg/kg ♂:430mg/kg

Acute Dermal LD 50: ♀: 2000mg/kg ♂:2000mg/kg

Technical:

LD50 oral for rat for technical grade material used in the product:

♀:92.6mg/kg ♂:92.6mg/kg Acute Dermal LD 50: ♀:>2000mg/kg ♂:>2000mg/kg

Section 12. Ecological Information

Birds Acute oral LD₅₀ for mallard ducks 8.1, quail 82, pheasants 20 mg/kg.

Fish LC₅₀ (96 h) for bluegill sunfish 0.015, trout 0.045 mg/l

Bees Toxic to bees.

Environmental Fate:

Animals In rats, following oral administration, rapidly metabolized by hydrolysis, oxidation and conjugation, forming carbofuran methylol, carbofuran phenol, and their 3-hydroxy and 3-keto derivatives; the metabolites are rapidly excreted.

Plants Metabolites include carbofuran (*q.v.*) and 3-hydroxycarbofuran.

Soil/Environment

In soil, rapidly degraded under both aerobic and anaerobic conditions, DT₅₀ c. 2-5 d; DT₉₀ <3-38 d; the principal metabolite is carbofuran.

Section 13. Disposal Considerations

Disposal of product would be treated, stored, transported, and disposed of according to the local waste regulation authority. Do not flush to surface water or sanitary sewer system.

Section 14. Transport Information

IMO Classification

LAMBDA-CYHALOTHRIN

Class: 3

UN No.: 1993

Packaging Group III

Marine Pollutant

NANJING RED SUN CO., LTD.

南京红太阳股份有限公司

ADD: 8 DONGFENG ROAD, YAXI, GAOCHUN, NANJING, JIANGSU, CHINA.

地 址: 南京市高淳县桤溪镇东风路 8 号

Section 15. Regulator Information

European/International Regulation:

Hazard Symbols:

Risk Phrases:

R 26/28 Very toxic by inhalation and if swallowed.

Safety Phrases:

S 1/2 Keep locked-up and out of reach of children

S 13 Keep away from food, drink and animal feeding stuffs

S 20/21 When using do not eat or drink or smoke.

S 24/25 Avoid contact with skin and eyes

S 36/37 Wear suitable protective clothing, gloves.

S 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Section 16. Other Information

This MSDS summarizes our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company. Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

南京红太阳股份有限公司
NANJING RED SUN CO., LTD.
签名 