

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME : SN-DEFOAMER 1330
SUPPLIER
NAME : SAN NOPCO LIMITED
ADDRESS : 31-1, Shinpomachi, Tokai-city, Aichi Pref. 476-0005 JAPAN
DEPARTMENT : Quality Assurance Dept.
TELEPHONE NUMBER (INFORMATION) : +81-3-3500-3501 (Tokyo Sales Dept.)
+81-75-541-4380 (Osaka Sales Dept.)
FAX NUMBER (INFORMATION) : +81-52-604-0149
EMERGENCY TELEPHONE NUMBER : +81-52-604-0182
SDS No. : 071100504

2. HAZARD IDENTIFICATION (Follow all regulation in your country.)

GHS CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

PHYSICAL HAZARDS

FLAMMABLE LIQUID : No classification

HEALTH HAZARDS

ACUTE TOXICITY (ORAL) : Classification not possible

ACUTE TOXICITY (SKIN) : Classification not possible

ACUTE TOXICITY (INHALATION: GAS) : No classification

ACUTE TOXICITY (INHALATION: VAPOR) : Classification not possible

ACUTE TOXICITY (INHALATION: DUST, MIST) : Category 4

SKIN CORROSION / IRRITATION : Classification not possible

SERIOUS EYE DAMAGES / EYE IRRITATION : Category 2B

RESPIRATORY SENSITIZATION : Classification not possible

SKIN SENSITIZATION : Classification not possible

GERM CELL MUTAGENICITY : Category 2

CARCINOGENICITY : Classification not possible

REPRODUCTIVE TOXICITY : Classification not possible

SPECIFIC TARGET ORGAN TOXICITY; : Classification not possible

SINGLE EXPOSURE

SPECIFIC TARGET ORGAN TOXICITY; : Category 1
REPEATED EXPOSURE (skin)

ASPIRATION HAZARD : Classification not possible

ENVIRONMENTAL HAZARDS

SHORT-TERM (ACUTE) AQUATIC HAZARDS : Classification not possible

LONG-TERM (CHRONIC) AQUATIC HAZARDS : Classification not possible

HAZARDOUS TO THE OZONE LAYER : Classification not possible

GHS LABEL ELEMENTS INCLUDING PRECAUTIONARY STATEMENTS
SYMBOL

SIGNAL WORD

Danger

HAZARD STATEMENT :

- Harmful if inhaled.
- Causes eye irritation.
- Suspected of causing genetics.
- Causes damage to organs through prolonged or repeated exposure.

PRECAUTIONARY STATEMENTS

[PREVENTION]

·Do not handle until "SAFETY DATA SHEETS" has been read and understood well.

·Keep away from flames and heat.

·Avoid inhaling, swallowing, contact with eyes and skin. Wear safety glasses, gloves and face protection.

·Wash hands and face thoroughly and rinse mouth after handling.

[RESPONSE]

·IN CASE OF FIRE : Use carbon dioxide, dry chemical powder and foam for extinction.

·IN CASE OF MAJOR FIRE : Use foam and a large amount of water fog to extinguish.

·IF SWALLOWED : Rinse mouth. Do NOT induce vomiting.

·IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.

·IF ON SKIN : Wash with plenty of soap and water.

·IF IN EYES : Rinse cautiously for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

·IF EXPOSED OR CONCERNED : Get medical advice/attention.

[STORAGE]

·Keep container tightly closed and store in a well-ventilated place.

·Store locked up.

[DISPOSAL]

·Dispose of contents/container in accordance with national and regional regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS (The contents are representative values.)

SUBSTANCE/MIXTURE : Mixture

COMMON NAME(S),SYNONYM(S) OF THE SUBSTANCE

: Mixture of mineral oil, metallic soap, etc

UNIQUE IDENTIFIERS FOR THE SUBSTANCE

: Proprietary

COMPONENTS AND CONTENTS

: Trade secret

COMPONENTS WHICH CONTRIBUTE TO THE CLASSIFICATION OF THE SUBSTANCE AND
HAZARDOUS INGREDIENT (S) – JAPANESE REGULATION–

: Mineral oil (highly-refined oil)	Wt.% 80%
------------------------------------	-------------

4. FIRST AID MEASURES

IF INHALED : ·Remove to fresh air and keep at rest in a position comfortable for breathing.
Get medical advice/attention, if you are experiencing respiratory symptoms.

IF ON SKIN : ·Wash immediately with plenty of soap and water. Get medical advice/attention, if necessary.

IF IN EYES : ·Rinse cautiously for 15 minutes or more. Get medical advice/attention immediately.

IF SWALLOWED : ·After rinsing mouth immediately, give ca. 250ml of milk or water. Get medical advice/attention immediately. Do not induce vomiting.
·Do not give anything by mouth to the victim when not conscious.

5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA : Carbon dioxide, dry chemical powder, foam, water fog

UNSUITABLE EXTINGUISHING MEDIA : Water jet

SPECIFIC EXTINCTION METHOD

- : ·Eliminate all ignition sources, and use suitable extinguishing media.
- Spray water on the surrounding equipment for cooling.

SPECIAL PROTECTIVE ACTION FOR FIRE- FIGHTERS

- : ·Extinguish from the windward to prevent poisonous gas from being inhaled.
- Appropriate protective equipment (gloves, glasses, and mask) must be worn.

6. ACCIDENTAL RELEASE MEASURES**PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES**

- : ·Wear appropriate protective equipment (gloves, safety glasses with side-guard, etc.).

ENVIRONMENTAL PRECAUTIONS

- : ·Do not allow spillage out into the environment causing pollution e.g., rivers, waterways.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

- : ·Keep away from ignition sources.
- Contain spillage by making on embankment of earth, sand, etc., and collect into container(s) by shoveling or vacuuming.
- In case of small spillage, absorb with sand, sawdust, etc.
- In case of very small spillage, wipe clean with the rag, etc.

7. HANDLING AND STORAGE**HANDLING****TECHNICAL MEASURES**

- : ·Handle in a well-ventilated area. Wear impervious gloves, safety glasses with side-guard, etc. Avoid direct contact.
- Set local exhaust or general ventilation of as described in chapter "8. EXPOSURE CONTROLS/PERSONAL PROTECTION".

PRECAUTIONS FOR SAFE HANDLING

- : ·Wash hands and face thoroughly and rinse mouth after handling.
- In case to wash work clothes, gloves, shoes, etc. contaminated with the product, avoid contact with clothes.

CONTACT AVOIDANCE

- : ·Avoid contact with strong oxidizing agents, etc.
- Keep fire away.

STORAGE**CONDITIONS FOR SAFE STORAGE**

- : ·Keep container tightly closed and store in a well-ventilated indoors.
- Set up a Keep Fire Away-No Visitors sign.

PACKAGING MATERIAL

- : ·Avoid synthetic resins such as rubber, vinyl chloride and polystyrene.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**OCCUPATIONAL EXPOSURE LIMITS**

ACGIH : Mineral oil : TWA 5mg/m³(l)

(1)

APPROPRIATE ENGINEERING CONTROLS

- : ·Establish the adequate local exhauster if vapor, dust or mist occurs.
- Establish eye washing and body washing facilities near the work areas.

PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION : ·Not required under normal conditions.

HAND PROTECTION : ·Impervious gloves

EYE/FACE PROTECTION : ·Safety glasses

SKIN AND BODY PROTECTION : ·Work clothes with long sleeves

9. PHYSICAL AND CHEMICAL PROPERTIES (representative values)

APPEARANCE (at 20°C)	
PHYSICAL STATE	: Turbid liquid
COLOR	: Pale straw colored
ODOR	: Specific odor
MELTING POINT/FREEZING POINT	
	: 5°C (41°F) (Freezing point)
BOILING POINT OR INITIAL BOILING POINT AND BOILING RANGE	
	: No data
FLAMMABILITY	: No data
LOWER AND UPPER EXPLOSION LIMIT /FLAMMABILITY LIMIT	
	: No data
FLASH POINT	: 174°C (345.2°F) (Cleveland Open Cup)
AUTO-IGNITION TEMPERATURE	
	: No data
DECOMPOSITION TEMPERATURE	
	: No data
pH	: 5.0 (2% aqueous solution)
KINEMATIC VISCOSITY	: (Viscosity) 170mPa·s (at 25°C)
SOLUBILITY	
WATER SOLUBILITY	: Dispersive
PARTITION COEFFICIENT N-OCTANOL/WATER (LOG VALUE)	
	: No data
VAPOUR PRESSURE	: No data
DENSITY AND/OR RELATIVE DENSITY	
	: 0.89 (at 20°C) (Specific gravity)
RELATIVE VAPOUR DENSITY	
	: No data
PARTICLE CHARACTERISTICS	
	: No data

10. STABILITY AND REACTIVITY

REACTIVITY	: No data
CHEMICAL STABILITY	: Stable under normal conditions.
POSSIBILITY OF HAZARDOUS REACTIONS	
	: Reacts with strong oxidizing agents, etc.
CONDITION TO AVOID	: No data
INCOMPATIBLE MATERIAL	: Strong oxidizing agents, etc.
HAZARDOUS DECOMPOSITION PRODUCTS	
	: No data
OTHERS	: No data

11. TOXICOLOGICAL INFORMATION (DATA for this product or similar product.)

ACUTE TOXICITY [ORAL]		: Classification not possible
No data		
ACUTE TOXICITY [SKIN]		: Classification not possible
No data		
ACUTE TOXICITY [INHALATION: GAS]		: No classification
Not classified by the GHS definition of gas.		
ACUTE TOXICITY [INHALATION: VAPOR]		: Classification not possible
No data		
ACUTE TOXICITY [INHALATION: DUST, MIST]		: Category 4
[Mineral oil(highly-refined oil)]	Category 4	(2)
SKIN CORROSION / IRRITATION		: Classification not possible
No data		
SERIOUS EYE DAMAGE/EYE IRRITATION		: Category 2B
[Mineral oil(highly-refined oil)]	Category 2B	(2)

Date revised : April 12, 2023

RESPIRATORY SENSITIZATION	: Classification not possible	
No data		
SKIN SENSITIZATION	: Classification not possible	
No data		
GERM CELL MUTAGENICITY	: Category 2	(2)
[Mineral oil(highly-refined oil)]		
CARCINOGENICITY	: Classification not possible	
No data		
REPRODUCTIVE TOXICITY	: Classification not possible	
No data		
SPECIFIC TARGET ORGAN TOXICITY –SINGLE EXPOSURE	: Classification not possible	
No data		
SPECIFIC TARGET ORGAN TOXICITY –REPEATED EXPOSURE	: Category 1(skin)	(2)
[Mineral oil(highly-refined oil)]	: Category 1 (skin)	
ASPIRATION HAZARD	: Classification not possible	
No data		

12. ECOLOGICAL INFORMATION (DATA for this product or similar product.)

SHORT-TERM (ACUTE) AQUATIC HAZARDS	: Classification not possible	
ECOTOXICITY : (reference) 48hrLC50= 12,500 mg/L (oryzias latipes) (similar product)		(3)
LONG-TERM (CHRONIC) AQUATIC HAZARDS	: Classification not possible	
No data		
PERSISTENCE AND DEGRADABILITY		
: No data		
BIOACCUMULATION POTENTIAL		
: No data		
MOBILITY IN SOIL		
: No data		
OTHER DATA : No data		
•BOD5= 440,000 mg/L (similar product)		(3)
•CODMn= 371,000 mg/L (similar product)		(3)
HAZARDOUS TO THE OZONE LAYER	: Classification not possible	
No data		

13. DISPOSAL CONSIDERATIONS

•Dispose of contents/container in accordance with national and regional regulations.

14. TRANSPORT INFORMATION

UN NUMBER	: Not applicable
PROPER SHIPPING NAME	: Not applicable
UN CLASS	: Not applicable
PACKING GROUP	: –
ENVIRONMENTAL HAZARDS	: Not applicable
INTERNATIONAL REGULATIONS	
LAND	: Transport in accordance with national and regional regulations (RID, ADR, DOT, etc.).
SEA	: Transport in accordance with IMDG Code.
AIR	: Transport in accordance with ICAO-TI/IATA-DGR.
EMERGENCY RESPONSE GUIDELINE NUMBER	: 171

15. REGULATORY INFORMATION

Regulatory information with regards to this substance in your country or in your region should be examined by your own responsibility.

16. OTHER INFORMATION

REFERENCES

- (1) TLVs and BEIs, ACGIH, 2015
- (2) Results of the GHS classification, National Institute of Technology and Evaluation (NITE)
- (3) Results of Safety Testing Center

NOTICE TO CUSTOMERS

*Please mix until the appearance is uniform before use.

* All specifications which were created based on the information which was available at the time and may be revised at anytime according to new information.

* To the best of our knowledge, the information contained herein is accurate. However, SAN NOPCO LIMITED assumes no liability whatsoever for the accuracy or completeness of the information contained herein. All materials may present unknown health hazards and should be used with caution. Final determination of suitability of any material is the sole responsibility of the user.

CONTACT

COMPANY : SAN NOPCO LIMITED
DEPARTMENT : Sales Department