

Safety data sheet

Page: 1/14

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 18.08.2014

Version: 2.1

Product: **Glucopon® 215 UP**

(ID no. 30530209/SDS_GEN_EU/EN)

Date of print 19.08.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Glucopon® 215 UP

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: surfactants

For the detailed identified uses of the product see appendix of the safety data sheet.

1.3. Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Operating Division Care Chemicals

Telephone: +49 621 60-44676

E-mail address: emd-ems-ehs-masterdata@basf.com

1.4. Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

Eye Dam./Irrit. 1

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 18.08.2014

Version: 2.1

Product: **Glucopon® 215 UP**

(ID no. 30530209/SDS_GEN_EU/EN)

Date of print 19.08.2014

According to Directive 67/548/EEC or 1999/45/EC

Possible Hazards:

Risk of serious damage to eyes.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Pictogram:



Signal Word:

Danger

Hazard Statement:

H318 Causes serious eye damage.

Precautionary Statements (Prevention):

P280 Wear eye/face protection.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

According to Regulation (EC) No 1272/2008 [CLP]

Hazard determining component(s) for labelling: Alkylpolyglycoside C8-10

According to Directive 67/548/EEC or 1999/45/EC

EEC Directives

Hazard symbol(s)

Xi Irritant.



R-phrases(s)

R41 Risk of serious damage to eyes.

S-phrases(s)

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 18.08.2014

Version: 2.1

Product: **Glucopon® 215 UP**

(ID no. 30530209/SDS_GEN_EU/EN)

Date of print 19.08.2014

S25	Avoid contact with eyes.
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S39	Wear eye/face protection.

Hazard determining component(s) for labelling: Alkylpolyglycoside C8-10

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

No specific dangers known, if the regulations/notes for storage and handling are considered.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

Aqueous solution based on: Alkylpolyglycoside C8-10

Hazardous ingredients (GHS)

according to Regulation (EC) No. 1272/2008

D-Glucopyranose, oligomers, decyl octyl glycosides

Content (W/W): $\geq 50\%$ - $\leq 70\%$ Eye Dam./Irrit. 1

CAS Number: 68515-73-1 H318

EC-Number: 500-220-1

REACH registration number: 01-
2119488530-36

Hazardous ingredients

according to Directive 1999/45/EC

D-Glucopyranose, oligomers, decyl octyl glycosides

Content (W/W): $\geq 50\%$ - $\leq 70\%$

CAS Number: 68515-73-1

EC-Number: 500-220-1

REACH registration number: 01-2119488530-36

Hazard symbol(s): Xi

R-phrases(s): 41

For the classifications not written out in full in this section, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

If adverse health effects develop seek medical attention.

If inhaled:
not relevant.

On skin contact:
After contact with skin, wash immediately with plenty of water.

On contact with eyes:
Rinse immediately with plenty of running water (for 10 minutes), seek medical attention from a specialist.

On ingestion:
Rinse mouth and then drink 200-300 ml of water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Hazards: No hazard is expected under intended use and appropriate handling.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat symptomatically.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:
water spray, carbon dioxide, dry powder, foam

5.2. Special hazards arising from the substance or mixture

harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing.

6.2. Environmental precautions

Do not discharge into drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material.

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

Take precautionary measures against static discharges. Avoid all sources of ignition: heat, sparks, open flame.

7.2. Conditions for safe storage, including any incompatibilities

Suitable materials for containers: Stove-lacquer R 78433, High density polyethylene (HDPE)

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

Storage stability:

Storage temperature: 10 - 40 °C

Protect from temperatures below: 10 °C

Below the temperature limit, the product is no longer pumpable.

Protect from temperatures above: 50 °C

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 18.08.2014

Version: 2.1

Product: **Glucopon® 215 UP**

(ID no. 30530209/SDS_GEN_EU/EN)

Date of print 19.08.2014

Components with occupational exposure limits

No occupational exposure limits known.

PNEC

Data refer to the dissolved main component

Components with PNEC

68515-73-1: D-Glucopyranose, oligomers, decyl octyl glycosides

freshwater: 0.176 mg/l

marine water: 0.0176 mg/l

intermittent release: 0.27 mg/l

STP: 560 mg/l

sediment (freshwater): 1.516 mg/kg

sediment (marine water): 0.152 mg/kg

soil: 0.654 mg/kg

oral (secondary poisoning): 111.11 mg/kg

DNEL

Data refer to the dissolved main component

Components with DNEL

68515-73-1: D-Glucopyranose, oligomers, decyl octyl glycosides

worker: Long-term exposure- systemic effects, dermal: 595000 mg/kg

worker: Long-term exposure- systemic effects, Inhalation: 420 mg/m³

consumer: Long-term exposure- systemic effects, dermal: 357000 mg/kg

consumer: Long-term exposure- systemic effects, oral: 35.7 mg/kg

consumer: Long-term exposure- systemic effects, Inhalation: 124 mg/m³**8.2. Exposure controls**Personal protective equipment

Respiratory protection:

Not needed.

Hand protection:

Suitable are protective gloves with the following specification. The recommendation is valid for laboratory conditions, specific workplace conditions must be taken into consideration separately.

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374):

nitrile rubber (NBR) - 0.4 mm coating thickness

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. No eating, drinking, smoking or tobacco use at the place of work. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form:	liquid	
Colour:	yellow	
Odour:	almost odourless	
pH value:	11.5 - 12.5 (water, 20 °C)	(ph-value of APG-220 UP,-230 DK,- 600 UP) (DGF C-IV 3C)
solidification temperature:	<= 10.0 °C	
Melting temperature:	< 0 °C	
boiling temperature:	> 100 °C (1,013.200 hPa)	
Flash point:	210 °C	(DIN ISO 2592)
Evaporation rate:		
	not applicable	
Flammability:	not flammable	
Flammability of Aerosol Products:		
	not applicable, the product does not form flammable aerosoles	
Lower explosion limit:		
	For liquids not relevant for classification and labelling.	
Upper explosion limit:		
	not applicable	
Ignition temperature:	> 300 °C	
Vapour pressure:	< 0.1 hPa	
Density:	1.13 - 1.14 g/cm ³ (20 °C)	(DIN 51757)
Relative vapour density (air):		
	not applicable	
Solubility in water:	soluble	
Solubility (qualitative) solvent(s):	distilled water miscible in all proportions	
Partitioning coefficient n-octanol/water (log K _{ow}):	< 1.77 The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.	
Thermal decomposition:	> 350 °C (DTA)	
Viscosity, dynamic:	500 - 1,500 mPa*s (40.0 °C)	(DIN 53015)

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 18.08.2014

Version: 2.1

Product: **Glucopon® 215 UP**

(ID no. 30530209/SDS_GEN_EU/EN)

Date of print 19.08.2014

Viscosity, kinematic:

not determined

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

9.2. Other information

Surface tension: 29 mN/m

(DIN EN 14370)

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

No further information available.

SECTION 10: Stability and Reactivity**10.1. Reactivity**

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

None if used for intended purpose.

10.4. Conditions to avoid

See MSDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid:

No substances known that should be avoided.

10.6. Hazardous decomposition productsNo hazardous decomposition products known.

SECTION 11: Toxicological Information**11.1. Information on toxicological effects**Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single skin contact.

Virtually nontoxic after a single ingestion.

Experimental/calculated data:

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 18.08.2014

Version: 2.1

Product: **Glucopon® 215 UP**

(ID no. 30530209/SDS_GEN_EU/EN)

Date of print 19.08.2014

LD50 rat (oral): > 5,000 mg/kg (OECD Guideline 401)

LD50 rabbit (dermal): > 2,000 mg/kg (OECD Guideline 402)

Irritation

Assessment of irritating effects:

May cause severe damage to the eyes. Not irritating to the skin.

Experimental/calculated data:

Skin corrosion/irritation rabbit: Slightly irritating. (OECD Guideline 404)

Serious eye damage/irritation rabbit: irreversible damage (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

No sensitizing effect.

Experimental/calculated data:

guinea pig: Non-sensitizing. (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

The substance was not mutagenic in bacteria.

Experimental/calculated data:

Ames-test

Bacteria: negative (OECD Guideline 471)

Carcinogenicity

Assessment of carcinogenicity:

The whole of the information assessable provides no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The information available on the product provides no indication of reproductive toxicity.

Developmental toxicity

Assessment of teratogenicity:

In animal studies the substance did not cause malformations.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No adverse effects were observed after repeated oral exposure in animal studies.

Aspiration hazard

No aspiration hazard expected.

SECTION 12: Ecological Information

12.1. Toxicity

Toxicity to fish:

LC50 > 100 mg/l, Brachydanio rerio (DIN EN ISO 7346-2)

Aquatic invertebrates:

EC50 > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1)

Aquatic plants:

EC50 > 10 - 100 mg/l, Scenedesmus subspicatus (Directive 88/302/EEC, part C, p. 89)

Microorganisms/Effect on activated sludge:

EC0 > 100 mg/l, Pseudomonas putida (OECD Guideline 209)

EC0 > 100 mg/l, Pseudomonas putida (DIN 38412 Part 8)

Chronic toxicity to fish:

No observed effect concentration > 1 - 10 mg/l, Brachydanio rerio (OECD Guideline 204)

Chronic toxicity to aquatic invertebrates:

No observed effect concentration > 1 - 10 mg/l, Daphnia magna (OECD Guideline 202, part 2)

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

Readily biodegradable (according to OECD criteria).

Elimination information:

(Annex III , part A) The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

Significant accumulation in organisms is not to be expected.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface.

Adsorption in soil: Adsorption to solid soil phase is not expected. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

12.5. Results of PBT and vPvB assessment

According to Annex XIV of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria. Self classification

12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

SECTION 14: Transport Information

Land transport

ADR

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

RID

Not classified as a dangerous good under transport regulations

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 18.08.2014

Version: 2.1

Product: **Glucopon® 215 UP**

(ID no. 30530209/SDS_GEN_EU/EN)

Date of print 19.08.2014

UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Inland waterway transport

ADN

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known
Transport in inland waterway vessel:	Not evaluated

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

14.1. UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

SECTION 15: Regulatory Information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

15.2. Chemical Safety Assessment

Chemical Safety Assessment performed

SECTION 16: Other Information

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 18.08.2014

Version: 2.1

Product: **Glucopon® 215 UP**

(ID no. 30530209/SDS_GEN_EU/EN)

Date of print 19.08.2014

Information on intended use: This product is of industrial quality and unless otherwise specified or agreed intended exclusively for industrial use. This includes the mentioned and recommended usage. Any other intended applications should be discussed with the manufacturer. In particular this concerns the application for products that are the object of special standards and regulations.

Full text of the classifications, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, if mentioned in section 2 or 3:

Xi	Irritant.
41	Risk of serious damage to eyes.
Eye Dam./Irrit.	Serious eye damage/eye irritation
H318	Causes serious eye damage.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.