

Safety data sheet

Page: 1/11

BASF Safety data sheet
Date / Revised: 16.05.2025
Product: **Texapon® N 70/MB**

Version: 9.0

(30652975/SDS_GEN_TH/EN)

Date of print: 20.08.2025

1. Substance/preparation and manufacturer/supplier identification

Product name:
Texapon® N 70/MB

Use: cosmetic ingredient

Recommended use: surface active agent

Manufacturer/supplier:
BASF (Thai) Limited
23rd Floor, Emporium Tower, 622, Sukhumvit 24 Rd.,
Klongton, Klongtoey, Bangkok 10110, THAILAND
Telephone: +66 2624-1999
Telefax number: +66 2664-9254
E-mail address: Thailand-SDS-info@basf.com

Emergency information:
International emergency number:
Telephone: +49 180 2273-112

2. Hazard identification

Classification according to UN GHS 2009

Classification of the substance and mixture:
Skin irritation: Cat.2
Serious eye damage: Cat.1
Hazardous to the aquatic environment - acute: Cat.2

Label elements and precautionary statement:

Pictogram:

BASF Safety data sheet
 Date / Revised: 16.05.2025
 Product: **Texapon® N 70/MB**

Version: 9.0

(30652975/SDS_GEN_TH/EN)

Date of print: 20.08.2025



Signal Word:

| Danger

Hazard Statement:

| H318 Causes serious eye damage.

| H315 Causes skin irritation.

| H401 Toxic to aquatic life.

Precautionary Statements (Prevention):

| P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

| P273 Avoid release to the environment.

| P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

| P310 Immediately call a POISON CENTER or physician.

| P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

| P332 + P313 If skin irritation occurs: Get medical attention.

| P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Disposal):

| P501 Dispose of contents and container to hazardous or special waste collection point.

Other hazards which do not result in classification:

No specific dangers known, if the regulations/notes for storage and handling are considered.

3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

Aqueous solution based on:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts (> 1 < 2.5 mol EO)

Hazardous ingredients

(OLIGOMER) Alcohols, C12-14, ethoxylated, sulfates, sodium salts (> 1 < 2.5 mol EO)

Content (W/W): >= 60 % - < 75 % Skin Irrit.: Cat. 2

CAS Number: 68891-38-3 Eye Dam.: Cat. 1

Aquatic Acute: Cat. 2

4. First-Aid Measures

General advice:

If adverse health effects develop seek medical attention.

BASF Safety data sheet
Date / Revised: 16.05.2025
Product: **Texapon® N 70/MB**

Version: 9.0

(30652975/SDS_GEN_TH/EN)

Date of print: 20.08.2025

If inhaled:
not relevant.

On skin contact:
After contact with skin, wash immediately with plenty of water. Change contaminated clothing and shoes.

On contact with eyes:
Rinse immediately with plenty of running water (for 10 minutes), seek medical attention from a specialist.

On ingestion:
Rinse mouth and then drink 200-300 ml of water.

Note to physician:
Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far
Hazards: No hazard is expected under intended use and appropriate handling.
Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, carbon dioxide, dry powder, foam

Unsuitable extinguishing media for safety reasons:
water jet

Specific hazards:
harmful vapours
Generation of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:
Wear a self-contained breathing apparatus.

Further information:
Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:
Use personal protective clothing.

Environmental precautions:
Do not discharge into drains/surface waters/groundwater.

BASF Safety data sheet
Date / Revised: 16.05.2025
Product: **Texapon® N 70/MB**

Version: 9.0

(30652975/SDS_GEN_TH/EN)

Date of print: 20.08.2025

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material.

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Handling

Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

Take precautionary measures against static discharges. Avoid all sources of ignition: heat, sparks, open flame.

Storage

Suitable materials for containers: High density polyethylene (HDPE), Stainless steel 1.4571

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

Store protected against freezing.

Below temperature limit the product properties will change. The property change is reversible by stirring and heating. Bulk shipping (Tank car/truck, container) of the product has to be coordinated with the product owner in advance. Please refer to the technical leaflet for further information. A reduction of the active matter is possible. Please check! Below 10 °C, the product is no longer pumpable.

Storage stability:

Storage temperature: 20 - 40 °C

Protect from temperatures below: 0 °C

The packed product is not damaged by low temperatures or by frost.

Protect from temperatures above: 50 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure controls and personal protection

Components with occupational exposure limits

| No substance specific occupational exposure limits known.

Engineering Controls

Advice on system design:

Ensure adequate ventilation.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate.

BASF Safety data sheet
 Date / Revised: 16.05.2025
 Product: **Texapon® N 70/MB**

Version: 9.0

(30652975/SDS_GEN_TH/EN)

Date of print: 20.08.2025

Hand protection:

Suitable are protective gloves with the following specification. The recommendation is valid for laboratory conditions, specific workplace conditions must be taken into consideration separately. Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): nitrile rubber (NBR) - 0.4 mm coating thickness

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Form:	paste, paste-like	
Colour:	yellowish	
Odour:	odourless	
Odour threshold:	not applicable	
pH value:	7.0 - 9.0 (water, 20 °C)	(DGF-H-III 1)
pour point:	>= 20.0 °C	(DIN ISO 3016)
Melting point:	>= 20.0 °C	
decomposition point:	> 206 °C The substance / product decomposes.	
boiling temperature:	> 100 °C	
Flash point:	> 101 °C Aqueous preparation	
Evaporation rate:	Value can be approximated from Henry's Law Constant or vapor pressure.	
Flammability (solid/gas):	Not flammable.	
Lower explosion limit:	For liquids not relevant for classification and labelling.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Ignition temperature:	250 °C	

BASF Safety data sheet
Date / Revised: 16.05.2025
Product: **Texapon® N 70/MB**

Version: 9.0

(30652975/SDS_GEN_TH/EN)

Date of print: 20.08.2025

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Self ignition: Temperature: 250 °C

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

Vapour pressure: not determined

Density: 1.07 - 1.1 g/cm³ (20 °C) (DGF C-IV 2; QP1100.0; Density)

Relative vapour density (air): not applicable

Solubility in water: soluble
280 g/l
(20 °C)

Solubility (qualitative) solvent(s): distilled water
soluble, forms a gel

Partitioning coefficient n-octanol/water (log Pow): 0.3 (measured)
(23 °C)

Viscosity, dynamic: > 10,000 mPa*s
(20 °C)

Viscosity, kinematic: > 8,000 mm²/s
(20 °C)

Other Information:
If necessary, information on other physical and chemical parameters is indicated in this section.
No further information available.

10. Stability and Reactivity

Conditions to avoid:
See SDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Substances to avoid:
No substances known that should be avoided.

Hazardous reactions:
None if used for intended purpose.

No hazardous decomposition products known.

Chemical stability:
The product is stable if stored and handled as prescribed/indicated.

Reactivity:

No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Assessment of acute toxicity

Virtually nontoxic after a single skin contact.

Virtually nontoxic by inhalation.

Virtually nontoxic after a single ingestion.

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

(Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:

May cause severe damage to the eyes.

Skin contact causes irritation.

Experimental/calculated data:

Skin corrosion/irritation rabbit: Irritant. (OECD Guideline 404)

Serious eye damage/irritation rabbit: irreversible damage (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

No sensitizing effect.

Experimental/calculated data:

guinea pig: Non-sensitizing. (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

The chemical structure does not suggest a specific alert for such an effect.

Experimental/calculated data:

Ames-test

Bacteria: negative (OECD Guideline 471)

Carcinogenicity

Assessment of carcinogenicity:

The whole of the information assessable provides no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The information available on the product provides no indication of reproductive toxicity.

Specific target organ toxicity (single exposure)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The information available on the product provides no indication of toxicity on target organs after repeated exposure.

Aspiration hazard

No aspiration hazard expected.

12. Ecological Information

Ecotoxicity

Toxicity to fish:

LC50 (96 h) 7.1 mg/l, *Brachydanio rerio* (OECD Guideline 203, Flow through.)

The details of the toxic effect relate to the nominal concentration.

Aquatic invertebrates:

EC50 (48 h) 7.4 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

The details of the toxic effect relate to the nominal concentration.

Aquatic plants:

No observed effect concentration (72 h) 0.95 mg/l (growth rate), *Scenedesmus subspicatus* (Algal growth inhibition test)

The statement of the toxic effect relates to the analytically determined concentration.

EC50 (72 h) 27.7 mg/l (growth rate), *Desmodesmus subspicatus* (OECD Guideline 201)

The statement of the toxic effect relates to the analytically determined concentration.

EC10 (72 h) 4.4 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201)

The statement of the toxic effect relates to the analytically determined concentration.

Microorganisms/Effect on activated sludge:

EC10 (16 h) > 10,000 mg/l, *Pseudomonas putida* (DIN 38412 Part 8, static)

The details of the toxic effect relate to the nominal concentration.

Chronic toxicity to fish:

EC10 (28 d) 1.7 mg/l, *Pimephales promelas* (OECD Guideline 210, Flow through.)

The statement of the toxic effect relates to the analytically determined concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d), > 1.19 mg/l, Daphnia magna (OECD Guideline 211, other)

The statement of the toxic effect relates to the analytically determined concentration.

Mobility

Assessment transport between environmental compartments:

The substance will not evaporate into the atmosphere from the water surface.

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Study scientifically not justified.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

Readily biodegradable (according to OECD criteria).

Elimination information:

(Annex III , part A) The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer.

77 % BOD of COD (28 d) (OECD 301D; 92/69/EWG, C.4-E) (aerobic, activated sludge, domestic, non-adapted)

Bioaccumulation potential

Assessment bioaccumulation potential:

Significant accumulation in organisms is not to be expected.

13. Disposal Considerations

Must be disposed of or incinerated in accordance with local regulations.

14. Transport Information

Domestic transport:

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable

BASF Safety data sheet
Date / Revised: 16.05.2025
Product: **Texapon® N 70/MB**

Version: 9.0

(30652975/SDS_GEN_TH/EN)

Date of print: 20.08.2025

UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
	Marine pollutant: no
Special precautions for user	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

15. Regulatory Information**Other regulations**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Information on intended use: This product is of industrial quality and unless otherwise specified or agreed intended exclusively for industrial use. This includes the mentioned and recommended usage. Any other intended applications should be discussed with the manufacturer. In particular this concerns the application for products that are the object of special standards and regulations.

Vertical lines in the left hand margin indicate an amendment from the previous version.

BASF Safety data sheet
Date / Revised: 16.05.2025
Product: **Texapon® N 70/MB**

Version: 9.0

(30652975/SDS_GEN_TH/EN)

Date of print: 20.08.2025

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.