

SAFETY DATA SHEET



NIPASOL M

Page 1

Substance key: 000000051877

Revision Date: 11/26/2025

Version : 9 - 1 / USA

Date of printing :05/31/2026

SECTION 1. IDENTIFICATION

Identification of the company:	Clariant Produkte (Deutschland) GmbH Frankfurt am Main, 65926 Telephone No.: +49 69 305 18000
	Information of the substance/preparation: Product Stewardship, +1-704-331-7710 e-mail: SDS.NORAM@clariant.com
	Emergency tel. number: +1 800-424-9300 CHEMTREC

Trade name: NIPASOL M

Material number: 166903

CAS number: 94-13-3

Synonyms: Product has no synonyms

Primary product use: Personal Care Preservatives

Chemical family: Propyl-4-hydroxybenzoate

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Combustible dust

Other hazards

No additional hazards are known except those derived from the labelling.

GHS label elements

Signal word : Warning

Hazard statements : May form combustible dust concentrations in air.

Precautionary statements : **Prevention:**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P243 Take action to prevent static discharges.
Prevent dust accumulations to minimize explosion hazard.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Substance key: 000000051877

Revision Date: 11/26/2025

Version : 9 - 1 / USA

Date of printing :05/31/2026

Substance name : Propyl-4-hydroxybenzoate

CAS-No. : 94-13-3

Components

This product does not contain any components that require disclosure according to OSHA Hazard Communication Standard (29 CFR 1910.1200).

SECTION 4. FIRST AID MEASURES

- General advice : Get medical advice/ attention if you feel unwell.
Do not leave the victim unattended.
- If inhaled : Move the victim to fresh air.
Give oxygen or artificial respiration if needed.
Get immediate medical advice/ attention.
Never give anything by mouth to an unconscious person.
- Move to fresh air.
If unconscious, place in recovery position and seek medical advice.
Never give anything by mouth to an unconscious person.
Get immediate medical advice/ attention.
- Give oxygen or artificial respiration if needed.
- In case of skin contact : If on skin, rinse well with water.
If on clothes, remove clothes.
If skin irritation occurs, seek medical advice/attention.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
If easy to do, remove contact lens, if worn.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : IF SWALLOWED: Immediately call a POISON CENTER/
doctor.
- Rinse mouth with water.
Do NOT induce vomiting.
Never give anything by mouth to an unconscious person.
Obtain medical attention.
- Most important symptoms and effects, both acute and delayed : The possible health hazards known are those derived from the labelling (see corresponding section) and/or provided in this section.
The possible symptoms known are those derived from the labelling (see section 2).
- Notes to physician : Treat symptomatically.

Substance key: 000000051877

Revision Date: 11/26/2025

Version : 9 - 1 / USA

Date of printing :05/31/2026

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray jet
Alcohol-resistant foam
Dry powder
Carbon dioxide (CO₂)
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Emits toxic fumes under fire conditions. This product presents no unusual fire or explosion hazards while sealed in a shipping container. During usage, if a dust cloud is generated, organic powders have the potential to be explosive with static spark or flame initiation.
- Hazardous combustion products : Carbon oxides
Hydrocarbons
- Further information : Exercise caution when fighting any chemical fire. Use NIOSH approved self-contained breathing apparatus and full protective clothing.
- In the event of fire and/or explosion do not breathe fumes.
Do not allow run-off from fire fighting to enter drains or water courses.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Avoid contact with skin, eyes and clothing.
Ensure adequate ventilation.
Evacuate personnel to safe areas.
Remove all sources of ignition.
Use personal protective equipment.
Refer to protective measures listed in sections 7 and 8.
Avoid breathing dust.
Avoid dust formation.
Utilize recommended protective clothing and equipment.
Contain spill. Spills should be swept or shoveled up and collected for disposal, avoiding the formation of dust. Clean up may be accomplished by flushing with a limited quantity of

Substance key: 000000051877

Revision Date: 11/26/2025

Version : 9 - 1 / USA

Date of printing :05/31/2026

water if appropriate or by removal of contaminated soil. Place material or soil in appropriate waste disposal containers.

Environmental precautions : The product should not be allowed to enter drains, water courses or the soil.

Methods and materials for containment and cleaning up : Avoid dust formation.
Non-sparking tools should be used.
Take measures to prevent the build up of electrostatic charge.
Sweep up and shovel into suitable containers for disposal.
Clean contaminated surface thoroughly.
Treat recovered material as described in the section "Disposal considerations".

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Keep away from heat and sources of ignition.
Observe the general rules of industrial fire protection
Take precautionary measures against build-up of electrostatic charges, e.g earthing during loading and off-loading operations.
Dust can form an explosive mixture in air.
Electrical equipment should be protected to the appropriate standard.
Cool endangered containers with water spray jet.

Advice on safe handling : Avoid breathing vapours.
Avoid contact with skin, eyes and clothing.
Wash thoroughly after handling.

Store in a dry place.
Keep only in the original container.
Do not expose to temperatures exceeding 50 °C/ 122 °F.

Use only with adequate ventilation/personal protection.
For personal protection see section 8.
Avoid contact with skin, eyes and clothing.
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Avoid dust formation.
Take measures to prevent the build up of electrostatic charge.
Ensure all equipment is electrically grounded before beginning transfer operations.
Use only non-sparking tools.

Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.
Handle and open container with care.

Substance key: 000000051877

Revision Date: 11/26/2025

Version : 9 - 1 / USA

Date of printing :05/31/2026

Keep away from sources of ignition - No smoking.

Further information on storage conditions : Keep container closed.

Materials to avoid : not required

Further information on storage stability : Stable under recommended storage conditions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : A system of local and/or general exhaust is recommended where employee exposures are at or above Occupational Exposure Limits (OEL).

Use adequate exhaust ventilation and/or dust collection to keep dust levels below exposure limits.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection
Remarks : Butyl Rubber, PVC Or Neoprene.

Eye protection : Wear safety glasses with side shields or goggles.

Skin and body protection : Wear protective clothing, including long sleeves and gloves, to prevent skin contact.

Protective measures : Observe the usual precautions for handling chemicals. Avoid breathing dust or vapour.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
Use protective skin cream before handling the product.
Wash hands before breaks and at the end of workday.

Substance key: 000000051877

Revision Date: 11/26/2025

Version : 9 - 1 / USA

Date of printing :05/31/2026

Take off immediately all contaminated clothing and wash it before reuse.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	white
Odour	:	almost odourless
Odour Threshold	:	no data available
pH	:	approx. 7 (68 °F / 20 °C) Concentration: 0.4 g/l
Melting point	:	205 °F / 96 °C
Boiling point	:	545 - 603 °F / 285 - 317 °C Method: OECD Test Guideline 103
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	not highly flammable Method: EC/440/2008, A.10 May form explosible dust-air mixture.
Self-ignition	:	no data available
Burning number	:	1 Does not catch fire
Upper explosion limit / upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Vapour pressure	:	0.00034 Pa (68 °F / 20 °C) Method: OECD Test Guideline 104 0.00082 Pa (77 °F / 25 °C) Method: OECD Test Guideline 104 0.00046 Pa (122 °F / 50 °C)

SAFETY DATA SHEET

CLARIANT^E

NIPASOL M

Page 7

Substance key: 000000051877

Revision Date: 11/26/2025

Version : 9 - 1 / USA

Date of printing :05/31/2026

Method: OECD Test Guideline 104

Relative vapour density	:	Not applicable
Relative density	:	no data available
Density	:	approx. 1.287 g/cm ³ (68 °F / 20 °C)
Bulk density	:	approx. 0.75 kg/m ³ (68 °F / 20 °C)
Solubility(ies)		
Water solubility	:	approx. 500 mg/l (68 °F / 20 °C)
Solubility in other solvents	:	not tested.
Partition coefficient: n-octanol/water	:	log Pow: 2.8 (68 °F / 20 °C)
Auto-ignition temperature	:	Not applicable
Decomposition temperature	:	730 °F / 388 °C Heating rate: 3 K/min Method: DSC No decomposition if used as directed. Stable up to the melting point.
Viscosity		
Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	no data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing. There are no chemical groups associated with oxidising properties present in the molecule.
Self-heating substances	:	no data available
Surface tension	:	no data available
Sublimation point	:	Not applicable
Dust explosion class	:	St3
Metal corrosion rate	:	no data available
Minimum ignition energy	:	8 - 10 mJ

Substance key: 000000051877

Revision Date: 11/26/2025

Version : 9 - 1 / USA

Date of printing :05/31/2026

Particle size : < 1 µm
Method: ISO 13320-1

< 4 µm
Method: ISO 13320-1

< 10 µm
Method: ISO 13320-1

< 100 µm
Method: ISO 13320-1

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Possibility of hazardous reactions : The product is not a dust explosion risk as supplied; however the build-up of fine dust can lead to a risk of dust explosions.

Conditions to avoid : Keep away from heat and sources of ignition.

Incompatible materials : not known

Hazardous decomposition products : When handled and stored appropriately, no dangerous decomposition products are known

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Skin contact
Eye contact
Ingestion
Inhalation

Acute toxicity

Not classified

Skin corrosion/irritation

Not classified

Serious eye damage/eye irritation

Not classified

Respiratory or skin sensitisation**Skin sensitisation**

Not classified

Respiratory sensitisation

Not classified

SAFETY DATA SHEET



NIPASOL M

Page 9

Substance key: 000000051877

Revision Date: 11/26/2025

Version : 9 - 1 / USA

Date of printing :05/31/2026

Germ cell mutagenicity

Not classified

Carcinogenicity

Not classified

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified

STOT - single exposure

Not classified

STOT - repeated exposure

Not classified

Aspiration toxicity

Not classified

Product:

no data available

Experience with human exposure

Product:

General Information : The possible symptoms known are those derived from the labelling (see section 2).

Further information

Product:

Remarks : Inhalation of dust causes slight irritation of the respiratory tract.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Persistence and degradability

Product:

Biodegradability : Biodegradation: 91 %

SAFETY DATA SHEET



NIPASOL M

Page 10

Substance key: 000000051877

Revision Date: 11/26/2025

Version : 9 - 1 / USA

Date of printing :05/31/2026

Exposure time: 28 d
Method: OECD Test Guideline 301F
Remarks: Readily biodegradable, according to appropriate OECD test.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Due to the low logPow bioaccumulation is not expected

Mobility in soil

no data available

Other adverse effects

Product:

Results of PBT and vPvB assessment : After consideration of all available toxicity and ecotoxicity data it is concluded that the substance does not fulfil the PBT or vPvB criteria.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource Conservation and Recovery Authorization Act : This product, if discarded as sold, is not a Federal RCRA hazardous waste.

Waste Code : NONE

Waste from residues : Consult local, state, and federal regulations.

Product should be taken to a suitable and authorized waste disposal site in accordance with relevant regulations and if necessary after consultation with the waste disposal operator and/or the competent Authorities

Contaminated packaging : Packaging that cannot be cleaned should be disposed of as product waste

SECTION 14. TRANSPORT INFORMATION

DOT not restricted

IATA not restricted

IMDG not restricted

Substance key: 000000051877

Revision Date: 11/26/2025

Version : 9 - 1 / USA

Date of printing :05/31/2026

SECTION 15. REGULATORY INFORMATION**CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

The components of this product are reported in the following inventories:

TSCA : All components of this product are listed on the TSCA Inventory. However, the primary use of this product is NOT subject to TSCA but rather to FDA and must comply with the FDA regulations.

SECTION 16. OTHER INFORMATION**Further information**

SAFETY DATA SHEET

CLARIANT^E

NIPASOL M

Page 12


Substance key: 000000051877

Revision Date: 11/26/2025

Version : 9 - 1 / USA

Date of printing :05/31/2026

NFPA 704:



Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand

SAFETY DATA SHEET



NIPASOL M

Page 13

Substance key: 000000051877

Revision Date: 11/26/2025

Version : 9 - 1 / USA

Date of printing :05/31/2026

Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Observe all necessary precautions for handling fine powders to control dust. May present dust explosion hazard. Reference exposure limit: ACGIH (TLV) for particulate matter - 10 mg/m³ inhalable particulates, 3 mg/m³ respirable particulates. OSHA Permissible Limit (PEL) for particulate matter: total dust: 15 mg/m³; respirable fraction: 5 mg/m³

For additional information, contact Product Stewardship.

Observe national and local legal requirements

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Revision Date : 11/26/2025

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

US / EN