

Safety data sheet

Page: 1/11

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 15.12.2022

Version: 4.0

Product: **Pluronic® PE 6200**

(ID no. 30044130/SDS_GEN_00/EN)

Date of print 28.01.2023

1. Identification

Product identifier

Pluronic® PE 6200

Chemical name: Oxirane, methyl-, polymer with oxirane

CAS Number: 9003-11-6

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Raw material for the chemical-technical industry

Not recommended use: Secondary direct food contact applications

Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Operating Division Care Chemicals

Telephone: +49 621 60-57579

E-mail address: emd-ems-ehs-masterdata@basf.com

Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 15.12.2022

Version: 4.0

Product: **Pluronic® PE 6200**

(ID no. 30044130/SDS_GEN_00/EN)

Date of print 28.01.2023

Acute Tox. 5 (oral)

| Skin Corr./Irrit. 3

For the classifications not written out in full in this section the full text can be found in section 16.

Label elementsGlobally Harmonized System (GHS)

Signal Word:

Warning

Hazard Statement:

| H316

Causes mild skin irritation.

H303

May be harmful if swallowed.

Precautionary Statements (Response):

P301 + P312

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

| P332 + P313

If skin irritation occurs: Get medical attention.

Other hazardsAccording to UN GHS criteria

No specific dangers known, if the regulations/notes for storage and handling are considered.

3. Composition/Information on Ingredients**Substances**Chemical nature

Oxirane, methyl-, polymer with oxirane

CAS Number: 9003-11-6

For the classifications not written out in full in this section the full text can be found in section 16.

Mixtures

Not applicable

4. First-Aid Measures**Description of first aid measures**

If inhaled:

| Keep patient calm, remove to fresh air, seek medical attention.

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 15.12.2022

Version: 4.0

Product: **Pluronic® PE 6200**

(ID no. 30044130/SDS_GEN_00/EN)

Date of print 28.01.2023

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures**Extinguishing media**

Suitable extinguishing media:
water spray, dry powder, foam

Special hazards arising from the substance or mixture

harmful vapours, carbon oxides

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental Release Measures

High risk of slipping due to leakage/spillage of product.

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Information regarding personal protective measures, see section 8.

Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 15.12.2022

Version: 4.0

Product: **Pluronic® PE 6200**

(ID no. 30044130/SDS_GEN_00/EN)

Date of print 28.01.2023

For large amounts: Dike spillage. Pump off product.

For residues: Pick up with suitable absorbent material.

Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Precautions for safe handling

No special measures necessary provided product is used correctly.

Protection against fire and explosion:

No special precautions necessary.

Conditions for safe storage, including any incompatibilities

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE), Stainless steel 1.4301 (V2), Stainless steel 1.4306 (V2A), Stainless steel 1.4401, Stainless steel 1.4541, Stainless steel 1.4439, Stainless steel 1.4571, Stove-lacquer RDL 50, Stainless steel 1.4539, Stainless steel 1.4361

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

The product is not damaged by low temperatures or by frost.

Protect from temperatures above: 70 °C

Properties of the product change irreversibly on exceeding the limit temperature.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

No substance specific occupational exposure limits known.

Exposure controls

Personal protective equipment

Respiratory protection:

Respiratory protection in case of vapour/aerosol release. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1):
nitrile rubber (NBR) - 0.4 mm coating thickness

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 15.12.2022

Version: 4.0

Product: **Pluronic® PE 6200**

(ID no. 30044130/SDS_GEN_00/EN)

Date of print 28.01.2023

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Wearing of closed work clothing is required additionally to the stated personal protection equipment. No eating, drinking, smoking or tobacco use at the place of work. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form:	liquid	
Colour:	colourless	
Odour:	product specific	
Odour threshold:		
	not determined	
pH value:	approx. 7 (50 g/l, 23 °C)	(DIN EN 1262)
solidification temperature:	approx. -12 °C	(DIN 51583)
Boiling point:	> 250 °C	(internal test)
Flash point:	approx. 270 °C	(ISO 2719)
Evaporation rate:		
	Value can be approximated from Henry's Law Constant or vapor pressure.	
Flammability:	hardly combustible	
Lower explosion limit:		
	For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:		
	For liquids not relevant for classification and labelling.	
Ignition temperature:	> 300 °C	(DIN 51794)
Vapour pressure:	< 0,1 hPa (20 °C)	(estimated)
Density:	approx. 1,04 g/cm ³ (20 °C)	(DIN 51757)
Relative density:	approx. 1,04 (20 °C)	(DIN 51757)
Relative vapour density (air):		
	not determined	
Solubility in water:	soluble	(internal method)
Solubility (qualitative) solvent(s):	aromatic hydrocarbons, distilled water	
	soluble	
Partitioning coefficient n-octanol/water (log Kow):		
	not applicable	
Self ignition:	not self-igniting	

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 15.12.2022

Version: 4.0

Product: **Pluronic® PE 6200**

(ID no. 30044130/SDS_GEN_00/EN)

Date of print 28.01.2023

Thermal decomposition:	> 300 °C (DTA)	
Viscosity, dynamic:	approx. 500 mPa.s (20 °C)	(DIN EN 12092)
	approx. 80 mPa.s (60 °C)	(DIN EN 12092)
Explosion hazard:	not explosive	(other)
Fire promoting properties:	not fire-propagating	

Other information

Self heating ability: It is not a substance capable of spontaneous heating according to UN transport regulations class 4.2.

Miscibility with water:

Surface tension: miscible in all proportions
approx. 38,2 mN/m (DIN EN 14370)
(23 °C; 0,5 g/l)

Grain size distribution: The substance / product is marketed or used in a non solid or granular form.

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity**Reactivity**

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: Corrosive effects to metal are not anticipated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid:

acids, Alkalines, caustics, halogens, reactive chemicals, strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information**Information on toxicological effects**

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 15.12.2022

Version: 4.0

Product: **Pluronic® PE 6200**

(ID no. 30044130/SDS_GEN_00/EN)

Date of print 28.01.2023

Acute toxicity

Experimental/calculated data:

LD50 rat (oral): > 2.000 - 5.000 mg/kg (OECD Guideline 401)

LD50 rabbit (dermal): > 5.000 mg/kg (OECD Guideline 402)

Irritation

Experimental/calculated data:

Skin corrosion/irritation rabbit: Slightly irritating. (Draize test)

Serious eye damage/irritation rabbit: non-irritant (Draize test)

Respiratory/Skin sensitization

Assessment of sensitization:

No sensitizing effect.

Germ cell mutagenicity

Assessment of mutagenicity:

The substance was mutagenic in a bacterial test system. Inconclusive data. As the significance of these findings for human health is not clear at this time, further tests are being initiated. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Carcinogenicity

Assessment of carcinogenicity:

Not classified, due to lack of data.

Reproductive toxicity

Assessment of reproduction toxicity:

Not classified, due to lack of data.

Developmental toxicity

Assessment of teratogenicity:

Not classified, due to lack of data.

Specific target organ toxicity (single exposure)

Remarks: No data available.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Not classified, due to lack of data.

Aspiration hazard

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 15.12.2022

Version: 4.0

Product: **Pluronic® PE 6200**

(ID no. 30044130/SDS_GEN_00/EN)

Date of print 28.01.2023

No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statements on toxicology have been derived from products of a similar structure and composition.

12. Ecological Information

Toxicity

Toxicity to fish:

LC50 (96 h) > 100 mg/l, *Oncorhynchus mykiss* (DIN 38412 Part 15)

Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, *Daphnia magna*

Aquatic plants:

EC50 (72 h) > 100 mg/l (growth rate), *Scenedesmus quadricauda* (Screening test)

Microorganisms/Effect on activated sludge:

Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

Chronic toxicity to fish:

No data available.

Chronic toxicity to aquatic invertebrates:

No data available.

Assessment of terrestrial toxicity:

No data available concerning terrestrial toxicity.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

Readily biodegradable (according to OECD criteria).

Elimination information:

> 60 % CO₂ formation relative to the theoretical value (28 d) (OECD 301B; ISO 9439; 92/69/EEC, C.4-C)

Bioaccumulative potential

Assessment bioaccumulation potential:

Accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface.

Adsorption in soil: Adsorption to solid soil phase is possible.

Safety data sheet according to UN GHS 4th rev.
Date / Revised: 15.12.2022
Product: **Pluronic® PE 6200**

Version: 4.0

(ID no. 30044130/SDS_GEN_00/EN)

Date of print 28.01.2023

Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

Additional information

Add. remarks environm. fate & pathway:

Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:

The product has not been tested. The statements on ecotoxicology have been derived from products of a similar structure and composition. Do not discharge product into the environment without control.

13. Disposal Considerations

Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

14. Transport Information

Land transport

ADR

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

RID

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable

Safety data sheet according to UN GHS 4th rev.
Date / Revised: 15.12.2022
Product: **Pluronic® PE 6200**

Version: 4.0

(ID no. 30044130/SDS_GEN_00/EN)

Date of print 28.01.2023

Transport hazard class(es): Not applicable
Packing group: Not applicable
Environmental hazards: Not applicable
Special precautions for user: None known

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations
UN number or ID number: Not applicable
UN proper shipping name: Not applicable
Transport hazard class(es): Not applicable
Packing group: Not applicable
Environmental hazards: Not applicable
Special precautions for user: None known

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

Not classified as a dangerous good under transport regulations
UN number or ID number: Not applicable
UN proper shipping name: Not applicable
Transport hazard class(es): Not applicable
Packing group: Not applicable
Environmental hazards: Not applicable
Special precautions for user: None known

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations
UN number or ID number: Not applicable
UN proper shipping name: Not applicable
Transport hazard class(es): Not applicable
Packing group: Not applicable
Environmental hazards: Not applicable
Special precautions for user: None known

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 15.12.2022

Version: 4.0

Product: **Pluronic® PE 6200**

(ID no. 30044130/SDS_GEN_00/EN)

Date of print 28.01.2023

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

This product is of industrial quality and unless otherwise specified or agreed intended exclusively for industrial use. This includes the mentioned and recommended usage. Any other intended applications should be discussed with the manufacturer. In particular this concerns the application for products that are the object of special standards and regulations.

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Acute Tox.

Acute toxicity

Skin Corr./Irrit.

Skin corrosion/irritation

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.