

Safety data sheet

Page: 1/10

BASF Safety data sheet
Date / Revised: 09.08.2024
Product: **Povidone K30 S**

Version: 3.0

(30660364/SDS_GEN_TH/EN)

Date of print: 24.12.2024

1. Substance/preparation and manufacturer/supplier identification

Product name:
Povidone K30 S

Use: pharmaceutical excipient

Manufacturer/supplier:
BASF (Thai) Limited
23rd Floor, Emporium Tower, 622, Sukhumvit 24 Rd.,
Klongton, Klongtoey, Bangkok 10110, THAILAND
Telephone: +66 2624-1999
Telefax number: +66 2664-9254
E-mail address: Thailand-SDS-info@basf.com

Emergency information:
International emergency number:
Telephone: +49 180 2273-112

2. Hazard identification

Classification according to UN GHS 2009

Classification of the substance and mixture:
| No need for classification according to GHS criteria for this product.

Label elements and precautionary statement:

The product does not require a hazard warning label in accordance with GHS criteria.

Other hazards which do not result in classification:
| The product is under certain conditions capable of dust explosion.

BASF Safety data sheet
Date / Revised: 09.08.2024
Product: **Povidone K30 S**

Version: 3.0

(30660364/SDS_GEN_TH/EN)

Date of print: 24.12.2024

3. Composition/information on ingredients

Chemical nature

Substance nature: Substance

| 2-Pyrrolidinone, 1-ethenyl-, homopolymer
CAS Number: 9003-39-8

Hazardous ingredients

| formic acid

Content (W/W): > 0 % - < 1 %
CAS Number: 64-18-6

Flam. Liq.: Cat. 3
Acute Tox.: Cat. 3 (Inhalation - vapour)
Acute Tox.: Cat. 4 (oral)
Skin Corr./Irrit.: Cat. 1A
Eye Dam./Irrit.: Cat. 1

4. First-Aid Measures

General advice:

| Remove contaminated clothing.

If inhaled:

| Keep patient calm, remove to fresh air.

On skin contact:

| Wash thoroughly with soap and water

On contact with eyes:

| Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

| Rinse mouth and then drink 200-300 ml of water.

Note to physician:

Symptoms: (Further) symptoms and / or effects are not known so far

| Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Suitable extinguishing media:

| foam, dry powder, water spray

Unsuitable extinguishing media for safety reasons:

| water jet

BASF Safety data sheet
Date / Revised: 09.08.2024
Product: **Povidone K30 S**

Version: 3.0

(30660364/SDS_GEN_TH/EN)

Date of print: 24.12.2024

Additional information:

| Avoid whirling up the material/product because of the danger of dust explosion.

Specific hazards:

harmful vapours, carbon oxides, cyanides, nitrogen oxides

The substances/groups of substances mentioned can be released in case of fire. Dust explosion hazard.

Special protective equipment:

| Wear a self-contained breathing apparatus.

Further information:

| Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

| Cool endangered containers with water-spray.

6. Accidental Release Measures

Personal precautions:

| Use personal protective clothing. Information regarding personal protective measures, see section 8. Avoid dust formation. Avoid contact with the skin, eyes and clothing.

Environmental precautions:

| Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

| For small amounts: Contain with dust binding material and dispose of.

| For large amounts: Sweep/shovel up.

| Dispose of absorbed material in accordance with regulations. Avoid raising dust.

| Additional information: Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition. Avoid dispersal of dust in the air (e.g. by clearing dusty surfaces with compressed air).

7. Handling and Storage

Handling

| Avoid dust formation. Provide exhaust ventilation if dust is formed.

Protection against fire and explosion:

| The product is capable of dust explosion. Avoid dust formation. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Use explosion-proof apparatus and fittings.

Dust explosion class: Dust explosion class 2 (Kst-value 200 up to 300 bar m s-1).

Storage

Further information on storage conditions: Keep container tightly closed and dry.

8. Exposure controls and personal protection

Components with occupational exposure limits

formic acid, 64-18-6;

TWA value 5 ppm (ACGIHTLV)
STEL value 10 ppm (ACGIHTLV)
TWA value 5 ppm (OEL (TH))

Personal protective equipment

Respiratory protection:

Breathing protection if breathable aerosols/dust are formed. Particle filter with low efficiency for solid particles (e.g. EN 143 or 149, Type P1or FFP1)

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Avoid contact with the skin, eyes and clothing. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

9. Physical and Chemical Properties

Form: powder
Colour: white
Odour: almost odourless
Odour threshold: not determined

pH value: 3 - 5
(10 %(m), 20 °C)

melting range: ≥ 130 °C
The substance / product
decomposes.

Boiling point:
not applicable

Flash point:
not applicable, the product is a solid

BASF Safety data sheet
Date / Revised: 09.08.2024
Product: **Povidone K30 S**

Version: 3.0

(30660364/SDS_GEN_TH/EN)

Date of print: 24.12.2024

Evaporation rate:	The product is a non-volatile solid.	
Flammability (solid/gas):	not highly flammable	(VDI 2263, sheet 1, 1.2 (May 1990))
Lower explosion limit:	For solids not relevant for classification and labelling.	
Upper explosion limit:		
Thermal decomposition:	>= 150 °C	(DSC (DIN 51007))
Self heating ability:	It is a substance capable of spontaneous heating according to UN transport regulations class 4.2. Based on test results packaging < 3m ³ are exempted from the classification.	
SADT:	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	
Minimum ignition energy:	10 - 30 mJ (1,013 hPa, 20 °C) Inductivity: 1 mH	(VDI 2263, sheet 1, 2.1.1 (May 1990))
Explosion hazard:	The product is capable of dust explosion. Product is not explosive, however a dust explosion could result from an air / dust mixture.	
Fire promoting properties:	Based on its structural properties the product is not classified as oxidizing.	
Vapour pressure:	negligible	
Density:	approx. 1.2 g/cm ³ (20 °C)	
Bulk density:	approx. 400 - 600 kg/m ³	
Relative vapour density (air):	The product is a non-volatile solid.	
Solubility in water:	fully soluble	
Solubility (qualitative) solvent(s):	organic solvents soluble	
Viscosity, dynamic:	not applicable, the product is a solid	
Viscosity, kinematic:	not applicable, the product is a solid	

10. Stability and Reactivity

Conditions to avoid:

| See SDS section 7 - Handling and storage. Avoid dust formation. Avoid electro-static charge.

Thermal decomposition: $\geq 150\text{ }^{\circ}\text{C}$ (DSC (DIN 51007))

Substances to avoid:

strong alkalis

Corrosion to metals: Corrosive effects to metal are not anticipated.

Hazardous reactions:

| Dust can form an explosive mixture with air.

| Hazardous decomposition products:

| No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

| The product is stable if stored and handled as prescribed/indicated.

Reactivity:

| No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:

LD50rat (oral): $> 2,000\text{ mg/kg}$ (BASF-Test)

Acute inhalation toxicity

LC50 rat (by inhalation): $> 5.2\text{ mg/l}$ 4 h (OECD Guideline 403)

Assessment of acute toxicity

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation.

Symptoms

(Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (Draize test)

Serious eye damage/irritation rabbit: non-irritant (Draize test)

Respiratory/Skin sensitization

Assessment of sensitization:

No data available.

Germ cell mutagenicity

Assessment of mutagenicity:

The substance was not mutagenic in studies with mammals.

Carcinogenicity

Assessment of carcinogenicity:

In long-term animal studies in which the substance was given in high doses by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Assessment of reproduction toxicity:

Lack of data.

Developmental toxicity

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Specific target organ toxicity (single exposure)

Remarks: No applicable information available.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No reliable data was available concerning repeated dose toxicity.

Aspiration hazard

| not applicable

Other relevant toxicity information

The product has not been tested. The statements on toxicology have been derived from products of a similar structure and composition.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

BASF Safety data sheet
Date / Revised: 09.08.2024
Product: **Povidone K30 S**

Version: 3.0

(30660364/SDS_GEN_TH/EN)

Date of print: 24.12.2024

Toxicity to fish:

LC50 (96 h) > 10,000 mg/l, *Leuciscus idus* (DIN 38412 Part 15, static)

Microorganisms/Effect on activated sludge:

EC20 (0.5 h) > 1,995 mg/l, activated sludge, industrial (OECD Guideline 209, aerobic)

Mobility

Assessment transport between environmental compartments:

No data available.

No data available.

Persistence and degradability

Elimination information:

< 10 % DOC reduction (15 d) (OECD Guideline 302 B) (aerobic, activated sludge, industrial) Poorly eliminated from water.

Bioaccumulation potential

Assessment bioaccumulation potential:

Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

Additional information

Add. remarks environm. fate & pathway:

The product has not been tested. The statements on environmental fate and pathway have been derived from products of a similar structure and composition.

Other ecotoxicological advice:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

13. Disposal Considerations

Observe national and local legal requirements.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

14. Transport Information

Domestic transport:

UN number or ID number: UN 3088

UN proper shipping name: SELF-HEATING SOLID, ORGANIC, N.O.S. (1-ETHENYL-2-PYRROLIDINONE, HOMOPOLYMER)

Transport hazard class(es): 4.2

Packing group: III

Environmental hazards: no

BASF Safety data sheet
Date / Revised: 09.08.2024
Product: **Povidone K30 S**

Version: 3.0

(30660364/SDS_GEN_TH/EN)

Date of print: 24.12.2024

Special precautions for
user:

Not dangerous goods of class 4.2 in packages up to 3000 litres
capacity.

Sea transport

IMDG

UN number or ID number: UN 3088

UN proper shipping name: SELF-HEATING SOLID, ORGANIC, N.O.S. (1-ETHENYL-2-PYRROLIDINONE, HOMOPOLYMER)

Transport hazard class(es): 4.2

Packing group: III

Environmental hazards: no

Marine pollutant: NO

Special precautions for
user:

EmS: F-A; S-J

Not dangerous goods of class 4.2 in packages up to 3000 litres
capacity.

Air transport

IATA/ICAO

UN number or ID number: UN 3088

UN proper shipping name: SELF-HEATING SOLID, ORGANIC, N.O.S. (1-ETHENYL-2-PYRROLIDINONE, HOMOPOLYMER)

Transport hazard class(es): 4.2

Packing group: III

Environmental hazards: No Mark as dangerous for the environment is needed

Special precautions for
user:

Not dangerous goods of class 4.2 in packages up to 3000 litres
capacity.

Further information

Not dangerous goods of class 4.2 in packages up to 3000 litres capacity.

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

BASF Safety data sheet
Date / Revised: 09.08.2024
Product: **Povidone K30 S**

Version: 3.0

(30660364/SDS_GEN_TH/EN)

Date of print: 24.12.2024

16. Other Information

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

ORIGINAL CONTROLLED