

Safety data sheet

Page: 1/11

BASF Safety data sheet
Date / Revised: 01.12.2022
Product: **Texapon® OC-P**

Version: 7.0

(30536672/SDS_GEN_TH/EN)

Date of print: 25.02.2026

1. Substance/preparation and manufacturer/supplier identification

Product name:
Texapon® OC-P

Use: surfactants

Manufacturer/supplier:
BASF (Thai) Limited
23rd Floor, Emporium Tower, 622, Sukhumvit 24 Rd.,
Klongton, Klongtoey, Bangkok 10110, THAILAND
Telephone: +66 2624-1999
Telefax number: +66 2664-9254
E-mail address: Thailand-SDS-info@basf.com

Emergency information:
International emergency number:
Telephone: +49 180 2273-112

2. Hazard identification

Classification according to UN GHS 2009

Classification of the substance and mixture:

Flammable solids: Cat.2

Acute toxicity: Cat.5 (oral)

Skin corrosion/irritation: Cat.2

Serious eye damage/eye irritation: Cat.1

Specific target organ toxicity — single exposure: Cat.3 (irritating to respiratory system)

Hazardous to the aquatic environment - acute: Cat.2

Hazardous to the aquatic environment - chronic: Cat.3

Label elements and precautionary statement:

Pictogram:

BASF Safety data sheet
 Date / Revised: 01.12.2022
 Product: **Texapon® OC-P**

Version: 7.0

(30536672/SDS_GEN_TH/EN)

Date of print: 25.02.2026



Signal Word:
 Danger

Hazard Statement:

H228	Flammable solid.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H303	May be harmful if swallowed.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.
H401	Toxic to aquatic life.

Precautionary Statements (Prevention):

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves and eye protection or face protection.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P240	Ground and bond container and receiving equipment.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P310	Immediately call a POISON CENTER or physician.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P303 + P352	IF ON SKIN (or hair): Wash with plenty of soap and water.
P370 + P378	In case of fire: Use water spray, dry powder or foam for extinction.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.
------	---

Other hazards which do not result in classification:

Fine dust can form an inflammable mixture together with air.

3. Composition/information on ingredients

Chemical nature

Substance nature: Substance

BASF Safety data sheet
Date / Revised: 01.12.2022
Product: **Texapon® OC-P**

Version: 7.0

(30536672/SDS_GEN_TH/EN)

Date of print): 25.02.2026

Sulfuric acid, mono-C12-16-alkyl esters, sodium salts
CAS Number: 73296-89-6

4. First-Aid Measures

General advice:

If adverse health effects develop seek medical attention.

If inhaled:

Keep patient calm, remove to fresh air. Seek medical attention.

On skin contact:

After contact with skin, wash immediately with plenty of water. Change contaminated clothing and shoes.

On contact with eyes:

Rinse immediately with plenty of running water (for 10 minutes), seek medical attention from a specialist.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: No hazard is expected under intended use and appropriate handling.

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons:

carbon dioxide

Specific hazards:

harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Avoid dust formation.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable appliance and dispose of.

For large amounts: Contain with dust binding material and dispose of.

Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Handling

Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

Avoid dust formation. Take precautionary measures against static discharges. Avoid all sources of ignition: heat, sparks, open flame.

Storage

Suitable materials for containers: High density polyethylene (HDPE), HDPE fluorinated, Paper/Fibreboard, Low density polyethylene (LDPE)

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

Above temperature limit the product properties change. After exceeding the temperature limit, the product is no longer free-flowing. Please refer to the technical leaflet for further information.

Storage stability:

Storage temperature: $\leq 40\text{ °C}$

Protect from temperatures below: 0 °C

Protect from temperatures above: 50 °C

After exceeding the temperature limit, the product is no longer free-flowing.

8. Exposure controls and personal protection

Components with occupational exposure limits

| No substance specific occupational exposure limits known.

Engineering Controls

Advice on system design:

BASF Safety data sheet
Date / Revised: 01.12.2022
Product: **Texapon® OC-P**

Version: 7.0

(30536672/SDS_GEN_TH/EN)

Date of print): 25.02.2026

If dust formation caused by handling cannot be avoided Staubex equipment for plants may be necessary.
Ensure adequate ventilation.

Personal protective equipment

Respiratory protection:
dust mask when there is inadequate ventilation

Hand protection:

Suitable are protective gloves with the following specification. The recommendation is valid for laboratory conditions, specific workplace conditions must be taken into consideration separately. Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1):
nitrile rubber (NBR) - 0.4 mm coating thickness

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. No eating, drinking, smoking or tobacco use at the place of work. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Form: powder
Colour: yellowish
Odour: odourless
Odour threshold: not applicable

pH value: 7.0 - 10.5 (DGF-H-III 1)
(water, 20 °C)

Melting temperature: > 100 °C
decomposition point: > 187 °C
The substance / product decomposes.

Flash point: 160 °C (Directive 84/449/EEC, A.9)
Evaporation rate: The product is a non-volatile solid.

Flammability (solid/gas): Highly flammable. (Directive 84/449/EEC, A.10)
Lower explosion limit: For solids not relevant for classification and labelling.

BASF Safety data sheet
Date / Revised: 01.12.2022
Product: **Texapon® OC-P**

Version: 7.0

(30536672/SDS_GEN_TH/EN)

Date of print): 25.02.2026

Upper explosion limit:

For solids not relevant for
classification and labelling.

Ignition temperature:

292 °C

Thermal decomposition:

No decomposition if stored and
handled as prescribed/indicated.

Self ignition:

Temperature: 292 °C

Self heating ability:

It is not a substance capable of
spontaneous heating.

Explosion hazard:

not explosive

Fire promoting properties:

not fire-propagating

Vapour pressure:

< 0.001 mbar
(25 °C)

Bulk density:

350 - 600 g/l

Relative vapour density (air):

not applicable

Solubility in water:

soluble
> 250 g/l

Solubility (qualitative) solvent(s):

distilled water
solublePartitioning coefficient n-octanol/water (log Pow): -2.1
(≤ 20 °C)

(Directive 84/449/EEC, A.8)

Viscosity, dynamic:

not applicable, the product is a solid

Viscosity, kinematic:

not applicable, the product is a solid

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.
No further information available.

10. Stability and Reactivity

Conditions to avoid:

See SDS section 7 - Handling and storage.

Thermal decomposition:

No decomposition if stored and handled as
prescribed/indicated.

Substances to avoid:

No substances known that should be avoided.

Hazardous reactions:

None if used for intended purpose.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:

LD50mouse (oral): > 2,000 - 5,000 mg/kg (OECD Guideline 401)

Acute dermal toxicity

LD50 rabbit (dermal): > 2,000 mg/kg

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Assessment of acute toxicity

Virtually nontoxic after a single skin contact.

Virtually nontoxic by inhalation.

Of low toxicity after single ingestion.

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

(Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:

May cause severe damage to the eyes.

Skin contact causes irritation.

Experimental/calculated data:

Skin corrosion/irritation rabbit: Irritant. (OECD Guideline 404)

Serious eye damage/irritation rabbit: irreversible damage (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

Skin sensitizing effects were not observed in animal studies.

Experimental/calculated data:

guinea pig: Non-sensitizing.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Germ cell mutagenicity

Assessment of mutagenicity:
Mutagenicity tests revealed no genotoxic potential.

Experimental/calculated data:
Ames-test
Bacteria: negative (OECD Guideline 471)

Carcinogenicity

Assessment of carcinogenicity:
The whole of the information assessable provides no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:
The information available on the product provides no indication of reproductive toxicity.

Developmental toxicity

Assessment of teratogenicity:
The substance did not cause malformations in animal studies; however, toxicity to development was observed at high doses that were toxic to the parental animals.

Specific target organ toxicity (single exposure)

Causes temporary irritation of the respiratory tract.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
The information available on the product provides no indication of toxicity on target organs after repeated exposure.

Aspiration hazard

No aspiration hazard expected.

12. Ecological Information

Ecotoxicity

Toxicity to fish:
LC50 > 1 - 10 mg/l, *Leuciscus idus* (Screening (style of OECD 203))

Aquatic invertebrates:
EC50 > 1 - 10 mg/l, *Daphnia magna*
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aquatic plants:

BASF Safety data sheet
Date / Revised: 01.12.2022
Product: **Texapon® OC-P**

Version: 7.0

(30536672/SDS_GEN_TH/EN)

Date of print: 25.02.2026

EC50 > 10 - 100 mg/l, *Scenedesmus subspicatus*

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Microorganisms/Effect on activated sludge:

EC0 > 100 mg/l, *Pseudomonas putida* (DIN 38412 Part 27 (draft))

Chronic toxicity to fish:

No observed effect concentration ≤ 1 mg/l, *Pimephales promelas*

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Chronic toxicity to aquatic invertebrates:

No observed effect concentration, ≤ 1 mg/l, *Daphnia magna*

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Mobility

Assessment transport between environmental compartments:

The substance will not evaporate into the atmosphere from the water surface.

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Persistence and degradability

Assessment biodegradation and elimination (H2O):

Readily biodegradable (according to OECD criteria).

Elimination information:

(Annex III , part A) The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer.

Bioaccumulation potential

Assessment bioaccumulation potential:

Accumulation in organisms is not to be expected.

13. Disposal Considerations

Must be disposed of or incinerated in accordance with local regulations.

14. Transport Information

Domestic transport:

UN number or ID number: UN 1325

UN proper shipping name: FLAMMABLE SOLID, ORGANIC, N.O.S. (FATTY ALCOHOL SULFATE)

Transport hazard class(es): 4.1

Packing group: III

Environmental hazards: no

BASF Safety data sheet
Date / Revised: 01.12.2022
Product: **Texapon® OC-P**

Version: 7.0

(30536672/SDS_GEN_TH/EN)

Date of print): 25.02.2026

Special precautions for user: None known

Sea transport

IMDG

UN number or ID number: UN 1325
UN proper shipping name: FLAMMABLE SOLID, ORGANIC, N.O.S. (FATTY ALCOHOL SULFATE)
Transport hazard class(es): 4.1
Packing group: III
Environmental hazards: no
Marine pollutant: NO
Special precautions for user: EmS: F-A; S-G

Air transport

IATA/ICAO

UN number or ID number: UN 1325
UN proper shipping name: FLAMMABLE SOLID, ORGANIC, N.O.S. (FATTY ALCOHOL SULFATE)
Transport hazard class(es): 4.1
Packing group: III
Environmental hazards: No Mark as dangerous for the environment is needed
Special precautions for user: None known

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Information on intended use: This product is of industrial quality and unless otherwise specified or agreed intended exclusively for industrial use. This includes the mentioned and recommended usage. Any other intended applications should be discussed with the manufacturer. In particular this concerns the application for products that are the object of special standards and regulations.

BASF Safety data sheet
Date / Revised: 01.12.2022
Product: **Texapon® OC-P**

Version: 7.0

(30536672/SDS_GEN_TH/EN)

Date of print): 25.02.2026

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

ORIGINAL CONTROLLED