

Safety data sheet

Page: 1/9

BASF Safety data sheet
Date / Revised: 05.01.2020
Product: **Vitamin E 500 BG**

Version: 4.0

(30176617/SDS_GEN_SG/EN)

Date of print 06.01.2020

1. Substance/preparation and manufacturer/supplier identification

Vitamin E 500 BG

Use: food additive(s)

Manufacturer/supplier:

BASF South East Asia Pte Ltd.
7 Temasek Boulevard,
#35-01 Suntec Tower One, 038987, SINGAPORE
Telephone: +65 6 337-0330
Telefax number: +65 6 334-0330
E-mail address: xinhui.khaw@basf.com

Emergency information:

Singapore Emergency Toll-Free Number:
Telephone: 1800-723-1361
International emergency number:
Telephone: +49 180 2273-112

2. Hazard identification

Classification of the substance and mixture:

No need for classification according to GHS criteria for this product.

Label elements and precautionary statement:

The product does not require a hazard warning label in accordance with GHS criteria.

Other hazards which do not result in classification:

The product is under certain conditions capable of dust explosion. The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

3. Composition/information on ingredients

Chemical nature

Blend based on: Vitamin E acetate (Content (W/W): ≥ 50 %), starch, silicic acid

No particular hazards known.

4. First-Aid Measures

General advice:

Remove contaminated clothing. If adverse health effects develop seek medical attention.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

Note to physician:

Symptoms: (Further) symptoms and / or effects are not known so far

Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, carbon dioxide, dry powder, foam

Unsuitable extinguishing media for safety reasons:

water jet

Additional information:

Avoid whirling up the material/product because of the danger of dust explosion.

Specific hazards:

toxic fumes, carbon oxides

Evolution of fumes/fog.

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Cool endangered containers with water-spray.

6. Accidental Release Measures

Personal precautions:

Avoid dust formation. Use personal protective clothing. Information regarding personal protective measures, see section 8.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Sweep/shovel up. Pick up with suitable appliance and dispose of.

For large amounts: Contain with dust binding material and dispose of.

Avoid raising dust. Dispose of absorbed material in accordance with regulations.

Additional information: Dust can form an explosive mixture with air.

7. Handling and Storage

Handling

Provide exhaust ventilation if dust is formed. Take precautionary measures against static discharges.

Protection against fire and explosion:

Avoid dust formation. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Storage

Further information on storage conditions: Containers should be stored tightly sealed in a dry place. Protect against heat.

8. Exposure controls and personal protection

Components with occupational exposure limits

Silicon dioxide, 7631-86-9;
TWA value 10 mg/m³ (OEL (SG))

Personal protective equipment

Respiratory protection:

Particle filter with low efficiency for solid particles (e.g. EN 143 or 149, Type P1 or FFP1) Breathing protection if breathable aerosols/dust are formed.

Hand protection:

Chemical resistant protective gloves (EN 374)

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
 chemical protection overall (f.e. according to EN 13982) if dust is formed.

General safety and hygiene measures:
 Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift.

9. Physical and Chemical Properties

Form: very fine, powder
 Colour: white to cream
 Odour: faint odour
 Odour threshold: not determined

pH value: 4

Melting point: No data available.

Boiling range: The product is a non-volatile solid.

Flash point: not applicable, the product is a solid

Evaporation rate: negligible

Flammability (solid/gas): not highly flammable

Lower explosion limit: For solids not relevant for classification and labelling.

Upper explosion limit: For solids not relevant for classification and labelling.

Thermal decomposition: 220 °C (DSC (DIN 51007))
 Self heating ability: It is not a substance capable of spontaneous heating according to UN transport regulations class 4.2. (VDI 2263, sheet 1, 1.4.1)

Explosion hazard: Product is not explosive, however a dust explosion could result from an air / dust mixture.

Fire promoting properties: not fire-propagating

Vapour pressure: negligible

Bulk density: approx. 500 kg/m³

Relative vapour density (air): The product is a non-volatile solid.

BASF Safety data sheet
Date / Revised: 05.01.2020
Product: **Vitamin E 500 BG**

Version: 4.0

(30176617/SDS_GEN_SG/EN)

Date of print 06.01.2020

Solubility in water: slightly soluble
Partitioning coefficient n-octanol/water (log Pow):
not applicable for mixtures

Viscosity, dynamic:
not applicable, the product is a solid

10. Stability and Reactivity

Conditions to avoid:
Avoid dust formation. Avoid electro-static charge. Avoid moisture.

Thermal decomposition: 220 °C (DSC (DIN 51007))

Substances to avoid:
acids, alkalies

Corrosion to metals: No corrosive effect on metal.

Hazardous reactions:
Dust explosion hazard.

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:
Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact.

Information on: Vitamin E Acetate
Experimental/calculated data:
LD50 rat (oral): > 10,000 mg/kg (BASF-Test)

Information on: Silicon dioxide
Experimental/calculated data:
LD50 rat (oral): > 5,000 mg/kg (OECD Guideline 401)
No mortality was observed. other TS

Irritation

Assessment of irritating effects:
Not irritating to eyes and skin.

Respiratory/Skin sensitization

Assessment of sensitization:

Based on available Data, the classification criteria are not met.

Information on: Vitamin E Acetate

Experimental/calculated data:

photo-allergy test guinea pig: Non-sensitizing.

Germ cell mutagenicity

Assessment of mutagenicity:

Based on the ingredients, there is no suspicion of a mutagenic effect.

Carcinogenicity

Assessment of carcinogenicity:

Based on available Data, the classification criteria are not met.

Reproductive toxicity

Assessment of reproduction toxicity:

No reliable data are available concerning reproduction toxicity.

Developmental toxicity

Assessment of teratogenicity:

Based on available Data, the classification criteria are not met.

Specific target organ toxicity (single exposure):

Remarks: Based on available Data, the classification criteria are not met.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Based on available Data, the classification criteria are not met.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components. Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Vitamin E acetate**Assessment of aquatic toxicity:**

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Information on: Vitamin E Acetate**Toxicity to fish:**

LC50 (96 h) > 11 mg/l, *Oncorhynchus mykiss* (OECD Guideline 203, static)

The statement of the toxic effect relates to the analytically determined concentration. No toxic effects occur within the range of solubility.

Information on: Vitamin E Acetate**Aquatic invertebrates:**

EC50 (48 h) > 20.6 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

The statement of the toxic effect relates to the analytically determined concentration. No toxic effects occur within the range of solubility.

Information on: Vitamin E Acetate**Aquatic plants:**

EC50 (72 h) > 27.8 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201, static)

The statement of the toxic effect relates to the analytically determined concentration. No toxic effects occur within the range of solubility.

Information on: Vitamin E Acetate**Microorganisms/Effect on activated sludge:**

EC20 (30 min) > 927 mg/l, activated sludge, domestic (DIN EN ISO 8192, aquatic)

The details of the toxic effect relate to the nominal concentration.

Mobility**Assessment transport between environmental compartments:**

No data available.

Persistence and degradability**Assessment biodegradation and elimination (H₂O):**

The product has not been tested.

Bioaccumulation potential**Assessment bioaccumulation potential:**

The product has not been tested. The statement has been derived from the properties of the individual components.

Additional information

Other ecotoxicological advice:

The product has not been tested. The statement has been derived from the properties of the individual components.

13. Disposal Considerations

Observe national and local legal requirements.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

14. Transport Information

Domestic transport:

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

BASF Safety data sheet
Date / Revised: 05.01.2020
Product: **Vitamin E 500 BG**

Version: 4.0

(30176617/SDS_GEN_SG/EN)

Date of print 06.01.2020

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

ORIGINAL CONTROLLED