

Safety data sheet

Page: 1/8

BASF Safety data sheet
Date / Revised: 15.02.2016
Product: **Vitamin E Acetate 98%**

Version: 3.0

(30574840/SDS_GEN_TH/EN)

Date of print 03.04.2020

1. Substance/preparation and manufacturer/supplier identification

Vitamin E Acetate 98%

Use: Vitamin

Manufacturer/supplier:

BASF SE
67056 Ludwigshafen
GERMANY
Operating Division Nutrition and Health
Telephone: +49 621 60-48434
Telefax number: +49 621 60 66-48434
E-mail address: EN-global-safety-data@basf.com

Emergency information:

International emergency number:
Telephone: +49 180 2273-112

2. Hazard identification

Classification according to UN GHS 2009

Classification of the substance and mixture:

No need for classification according to GHS criteria for this product.

Label elements and precautionary statement:

The product does not require a hazard warning label in accordance with GHS criteria.

Other hazards which do not result in classification:

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria. Mop up spills with non-flammable adsorbents (e.g. vermiculite, spill mats). Soiled textiles / cleaning rags / adsorbents and Silica are

BASF Safety data sheet
Date / Revised: 15.02.2016
Product: **Vitamin E Acetate 98%**

Version: 3.0

(30574840/SDS_GEN_TH/EN)

Date of print 03.04.2020

capable of self ignition and should be wetted with water and must be disposed of in a safe manner.
High risk of slipping due to leakage/spillage of product.

3. Composition/information on ingredients

Chemical nature

Vitamin E Acetate

CAS Number: 7695-91-2

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink plenty of water.

Note to physician:

Symptoms: No significant reaction of the human body to the product known.

Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, carbon dioxide, dry powder, alcohol-resistant foam

Unsuitable extinguishing media for safety reasons:

water jet

Specific hazards:

2-propenal, harmful vapours, carbon oxides

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire. Burning produces harmful and toxic fumes.

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Cool endangered containers with water-spray.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Information regarding personal protective measures see, section 8.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Contain with absorbent material (e.g. sand, silica gel, acid binder, general purpose binder, sawdust).

For large amounts: Dike spillage. Pump off product.

Mop up spills with non-flammable adsorbents (e.g. vermiculite, spill mats). Soiled textiles / cleaning rags / adsorbents and Silica are capable of self ignition and should be wetted with water and must be disposed of in a safe manner. Dispose of absorbed material in accordance with regulations.

Additional information: High risk of slipping due to leakage/spillage of product.

7. Handling and Storage

Handling

No special measures necessary provided product is used correctly.

Protection against fire and explosion:

Take precautionary measures against static discharges. Avoid all sources of ignition: heat, sparks, open flame. Soiled textiles / cleaning rags / adsorbents and Silica are capable of self ignition and should be wetted with water and must be disposed of in a safe manner.

Storage

Further information on storage conditions: Containers should be stored tightly sealed in a dry place. Protect against heat.

Storage stability:

Storage temperature: $\leq 25\text{ }^{\circ}\text{C}$

8. Exposure controls and personal protection

Components with occupational exposure limits

| No occupational exposure limits known.

Personal protective equipment

Respiratory protection:

Respiratory protection in case of vapour/aerosol release. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

BASF Safety data sheet
Date / Revised: 15.02.2016
Product: **Vitamin E Acetate 98%**

Version: 3.0

(30574840/SDS_GEN_TH/EN)

Date of print 03.04.2020

Hand protection:
Chemical resistant protective gloves (EN 374)

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
Body protection must be chosen based on level of activity and exposure.

General safety and hygiene measures:
Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

9. Physical and Chemical Properties

Form: oily
Colour: colourless to amber
Odour: almost odourless
Odour threshold: not determined

pH value: not applicable

Freezing point: < -20 °C
Boiling point: > 300 °C

Flash point: 257 °C (DIN EN 22719; ISO 2719, closed cup)

Evaporation rate: Value can be approximated from Henry's Law Constant or vapor pressure.

Flammability (solid/gas): hardly combustible
Lower explosion limit:

For liquids not relevant for classification and labelling.

Upper explosion limit: For liquids not relevant for classification and labelling.

Ignition temperature: 382 °C (DIN EN 14522)

Thermal decomposition: 430 °C (DTA)

Self ignition: Risk of self-ignition when a large surface area is produced due to fine dispersion.

Explosion hazard: Based on the chemical structure there is no indicating of explosive properties.

BASF Safety data sheet
Date / Revised: 15.02.2016
Product: **Vitamin E Acetate 98%**

Version: 3.0

(30574840/SDS_GEN_TH/EN)

Date of print 03.04.2020

Fire promoting properties: Based on its structural properties the product is not classified as oxidizing.

Vapour pressure: < 0.000001 hPa (calculated)
(25 °C)

Density: 0.98 g/cm³
(20 °C)
Literature data.

Relative vapour density (air):
No data available.

Solubility in water: sparingly soluble
< 0.8 mg/l
(20 °C)

Partitioning coefficient n-octanol/water (log Pow): 12.25 (calculated)
(25 °C)

Viscosity, kinematic: 5,706 mm²/s (OECD 114)
(20 °C)
701 mm²/s (OECD 114)
(40 °C)

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section., No further information available.

10. Stability and Reactivity

Conditions to avoid:

Avoid direct sunlight. Avoid heat.

Thermal decomposition: 430 °C (DTA)

Substances to avoid:

strong alkalies, strong oxidizing agents

Corrosion to metals: No corrosive effect on metal.

Hazardous reactions:

When finely distributed, self-ignition is possible.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): > 10,000 mg/kg (BASF-Test)

LD50 rat (dermal): > 3,000 mg/kg

Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

Skin sensitizing effects were not observed in animal studies.

Experimental/calculated data:

photo-allergy test guinea pig: Non-sensitizing.

Germ cell mutagenicity

Assessment of mutagenicity:

No mutagenic effect was found in various tests with bacteria and mammals.

Carcinogenicity

Assessment of carcinogenicity:

In long-term animal studies in which the substance was given in high doses by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Specific target organ toxicity (single exposure):

Assessment of STOT single:

Based on available Data, the classification criteria are not met.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Repeated oral uptake of the substance did not cause substance-related effects.

Aspiration hazard

no classification possible (no data available)

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:

LC50 (96 h) > 11 mg/l, *Oncorhynchus mykiss* (OECD Guideline 203, static)

The statement of the toxic effect relates to the analytically determined concentration. No toxic effects occur within the range of solubility.

Aquatic invertebrates:

EC50 (48 h) > 20.6 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

The statement of the toxic effect relates to the analytically determined concentration. No toxic effects occur within the range of solubility.

Aquatic plants:

EC50 (72 h) > 27.8 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201, static)

The statement of the toxic effect relates to the analytically determined concentration. No toxic effects occur within the range of solubility.

Chronic toxicity to fish:

No observed effect concentration (28 d) > 100 mg/l, *Oncorhynchus mykiss* (OECD Guideline 215, semistatic)

Mobility

Assessment transport between environmental compartments:

The substance will slowly evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is expected.

Persistence and degradability

Elimination information:

30 - 40 % BOD of the ThOD (28 d) (OECD 301F; ISO 9408; 92/69/EEC, C.4-D) (aerobic, activated sludge, domestic)

Assessment of stability in water:

In contact with water the substance will hydrolyse slowly.

Bioaccumulation potential

Assessment bioaccumulation potential:

BASF Safety data sheet
Date / Revised: 15.02.2016
Product: **Vitamin E Acetate 98%**

Version: 3.0

(30574840/SDS_GEN_TH/EN)

Date of print 03.04.2020

Accumulation in organisms is not to be expected.

13. Disposal Considerations

Observe national and local legal requirements.

14. Transport Information

Domestic transport:

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.