

MATERIAL SAFETY DATA SHEET

SECTION 1 – PRODUCT IDENTIFICATION AND COMPANY

Product Name: Carbaryl

Molecular Weight: 201.2

SECTION 2 - COMPOSITION, INFORMATION ON INGREDIENTS

Components contributing to hazard:

Chemical Entity	Porportion (%)
Carbaryl	85
other ingredient determined not to be hazardous	Balanced Up to 100%

SECTION 3 - HAZARDS IDENTIFICATION

Safety Phrases S2 - Keep out of reach of children.

SECTION 4 - FIRST AID MEASURES

Wash material off the skin in flowing water or shower with soap. If irritation persists, consult a physician immediately.

Immediately flush with copious amount of water for at least 15 minutes. If irritation persists, consult a physician.

SECTION 5 - FIRE FIGHTING MEASURES

- Use water, dry chemical powder or carbon dioxide in extinguishing.
- Fire fighters should wear self-contained breathing apparatus (SCBA). Evacuate non essential personnel.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Avoid contact with the spilled material or contaminated surfaces. Extinguish or remove sources of ignition. When dealing with spills do not eat, drink or smoke and wear protective clothing and equipment as described in Deal with all spillages immediately. If contamination of drains, streams, watercourses, etc. is unavoidable, warn the local water authority.

SECTION 7 - HANDLING AND STORAGE

KEEP OUT OF REACH OF CHILDREN

จารุณี ปัญญางาม
SALES & REGISTRATION MANAGER

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

- The use of local exhaust ventilations is recommended. Containers should be kept tightly closed.
- Make available emergency showers and eye washes in a work area.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance, Physical state, Form, Colour, Odour: White

Flammability: Not flammable.

SECTION 10 - STABILITY AND REACTIVITY

Avoid sources of ignition and extreme heat.

SECTION 11 - TOXICOLOGICAL INFORMATION

All data is for technical material.

Acute oral LD50: 264 mg/kg in male rats.

Acute dermal LD50: > 4000 mg/kg in rats. > 2000 mg/kg in rabbits.

SECTION 12 - ECOLOGICAL INFORMATION

Birds: Minimally toxic to birds. Acute oral LD50: > 2179 mg/kg (young mallard ducks). > 2230 mg/kg (Japanese quail). > 2000 mg/kg (young pheasants). 1000 - 3000 mg/kg (pigeons).

SECTION 13 - DISPOSAL CONSIDERATIONS

Triple or preferably pressure rinse containers spray tank.

Add rinsings to Do chemicals on-site. If recycling, clean containers to recycler or designated collection.

Empty containers and product should not be burnt.

Dispose of a reputable waste disposal contractor.

SECTION 14 - TRANSPORT INFORMATION

Not Applicable


SECTION 15 - REGULATORY INFORMATION

Risk phrases: Harmful if Swallowed

Safety phrases: Keep out of reach of children

SECTION 16 - OTHER INFORMATION

Information contained herein is based on the present state of our knowledge as is intended to describe our products from the point of view of safety requirements.



จารุณี ปัญางาม
SALES & REGISTRATION MANAGER