

Bangkok Office :

22 Soi Sukhumvit 42, Sukhumvit Rd., Prakanong, Klongtoey, Bangkok 10110 Thailand

Tel: (02) 390-2061/86 Fax: (02) 712-2094 <http://www.sanyo-kasei.co.th>

Rayong Factory :

Rojana industrial Park- Rayong, 5/5 Moo 11, Tambol Nongbua, Amphur Bankhai, Rayong 21120 Thailand

Tel: (038) 627-050 Fax: (038) 946-072 <http://www.sanyo-kasei.co.th>

SANMORIN OT-70N, Sanyo Kasei (Thailand) Ltd. , SDS No. 5346510055120006

Prepared Date : May 30, 2025

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME : SANMORIN OT-70N
SDS No. : 5346510055120006
MANUFACTURER
NAME : Sanyo Kasei (Thailand) Ltd.
ADDRESS : 22 Soi Sukhumvit42, Sukhumvit Rd., Prakanong, Klongtoey, Bangkok 10110, Thailand
EMERGENCY TELEPHONE NUMBER : +66-(0)-3862-7050-9
TELEPHONE NUMBER (INFORMATION) : +66-(0)-2390-2061-68, +66-(0)-2390-2091-98
FAX NUMBER : +66-(0)-2712-2094

2. HAZARD IDENTIFICATION (Follow all regulation in your country.)

GHS CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

PHYSICAL HAZARDS

FLAMMABLE LIQUID : No classification

HEALTH HAZARDS

ACUTE TOXICITY (ORAL) : Classification not possible

ACUTE TOXICITY (SKIN) : Classification not possible

ACUTE TOXICITY (INHALATION: GAS) : No classification

ACUTE TOXICITY (INHALATION: VAPOUR) : Classification not possible

ACUTE TOXICITY (INHALATION: DUST, MIST) : Classification not possible

SKIN CORROSION / IRRITATION : Category 2

SERIOUS EYE DAMAGES / EYE IRRITATION : Category 2A

RESPIRATORY SENSITIZATION : Classification not possible

SKIN SENSITIZATION : Classification not possible

GERM CELL MUTAGENICITY : Classification not possible

CARCINOGENICITY : Classification not possible

REPRODUCTIVE TOXICITY : Classification not possible

SPECIFIC TARGET ORGAN TOXICITY; : Classification not possible

SINGLE EXPOSURE

SPECIFIC TARGET ORGAN TOXICITY; : Classification not possible

REPEATED EXPOSURE

ASPIRATION HAZARD : Classification not possible

ENVIRONMENTAL HAZARDS

SHORT-TERM (ACUTE) AQUATIC HAZARDS : Category 3

LONG-TERM (CHRONIC) AQUATIC HAZARDS : Classification not possible

HAZARDOUS TO THE OZONE LAYER : Classification not possible

GHS LABEL ELEMENTS INCLUDING PRECAUTIONARY STATEMENTS

SYMBOL :



SIGNAL WORD : Warning

HAZARD STATEMENT :

- Causes skin irritation.
- Causes serious eye irritation.
- Harmful to aquatic life.

PRECAUTIONARY STATEMENTS

[PREVENTION]

- Do not handle until "SAFETY DATA SHEETS" has been read and understood well.
- Keep away from flames and heat.
- Avoid inhaling, swallowing, contact with eyes and skin. Wear safety glasses, gloves and face protection.
- Wash hands and face thoroughly and rinse mouth after handling.
- Avoid release to the environment.

[RESPONSE]

- IN CASE OF FIRE : Use carbon dioxide, dry chemical powder and foam for extinction.
- IN CASE OF MAJOR FIRE : Use foam and a large amount of water fog to extinguish.
- IF SWALLOWED : Rinse mouth. Do NOT induce vomiting.
- IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.

- IF ON SKIN : Wash with plenty of soap and water.
- IF IN EYES : Rinse cautiously for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

[STORAGE]

- IF EXPOSED OR CONCERNED : Get medical advice/attention.

[DISPOSAL]

- Keep container tightly closed and store in a well-ventilated place.
- Dispose of contents/container in accordance with national and regional regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS (The contents are representative values.)

SUBSTANCE/MIXTURE : Mixture

COMMON NAME(S), SYNONYM(S) OF THE SUBSTANCE

: —

UNIQUE IDENTIFIERS FOR THE SUBSTANCE

: Proprietary

COMPONENTS AND CONTENTS

	Wt. %
: Sodium dioctyl sulfosuccinate	70%
Propyleneglycol	16%
Water	14%

COMPONENTS WHICH CONTRIBUTE TO THE CLASSIFICATION OF THE SUBSTANCE AND
HAZARDOUS INGREDIENT (S) — JAPANESE REGULATION —

	Wt. %
: Sodium 1,4-bis[(2-ethylhexyl)oxy]-1,4-dioxobutane-2-sulfonate	67%
1,2-Propanediol	16%
2-Ethyl-1-hexanol	0.7%

4. FIRST AID MEASURES

- IF INHALED : • Remove to fresh air and keep at rest in a position comfortable for breathing.
Get medical advice/attention, if you are experiencing respiratory symptoms.
- IF ON SKIN : • Wash immediately with plenty of soap and water. Get medical advice/attention,
if necessary.
- IF IN EYES : • Rinse cautiously for 15 minutes or more. Get medical advice/attention
immediately.
- IF SWALLOWED : • After rinsing mouth immediately, give ca. 250ml of milk or water. Get medical
advice/attention immediately. Do not induce vomiting.
• Do not give anything by mouth to the victim when not conscious.

5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA : Carbon dioxide, dry chemical powder, foam, water fog

UNSUITABLE EXTINGUISHING MEDIA : -

SPECIFIC EXTINCTION METHOD

- Eliminate all ignition sources, and use suitable extinguishing media.
- Spray water on the surrounding equipment for cooling.

SPECIAL PROTECTIVE ACTION FOR FIRE- FIGHTERS

- Extinguish from the windward to prevent poisonous gas from being inhaled.
- Appropriate protective equipment (gloves, glasses, and mask) must be worn.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

- Wear appropriate protective equipment (gloves, safety goggle, etc.).
- The spilled area is slippery.

ENVIRONMENTAL PRECAUTIONS

- Do not allow spillage out into the environment causing pollution e.g., rivers,
waterways.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

- Contain spillage by making on embankment of earth, sand, etc., and collect
into container(s) by shoveling or vacuuming.
- In case of small spillage, absorb with sand, sawdust, etc.
- In case of very small spillage, wipe clean with the rag, etc.

7. HANDLING AND STORAGE

HANDLING

TECHNICAL MEASURES

- Handle in a well-ventilated area. Wear safety glasses, gloves and face
protection, etc. Avoid direct contact.
- Set local exhaust or general ventilation of as described in chapter "8.
EXPOSURE CONTROLS/PERSONAL PROTECTION".

PRECAUTIONS FOR SAFE HANDLING

- Wash hands and face thoroughly and rinse mouth after handling.
- In case to wash work clothes, gloves, shoes, etc. contaminated with the
product, avoid contact with clothes.

CONTACT AVOIDANCE

- Avoid contact with strong oxidizing agents, etc.
- Keep fire away.

STORAGE

CONDITIONS FOR SAFE STORAGE

- Keep container tightly closed and store in a well-ventilated place.

PACKAGING MATERIAL

- Store in original containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS

ACGIH : Not established (1)

APPROPRIATE ENGINEERING CONTROLS

- Establish the adequate local exhauster if vapor, dust or mist occurs.
- Establish eye washing and body washing facilities near the work areas.

PERSONAL PROTECTIVE EQUIPMENT

- RESPIRATORY PROTECTION : • Not required under normal conditions.
- HAND PROTECTION : • Impervious gloves
- EYE/FACE PROTECTION : • Safety glasses
- SKIN AND BODY PROTECTION : • Work clothes with long sleeves

9. PHYSICAL AND CHEMICAL PROPERTIES (representative values)

APPEARANCE (at 20° C)

- PHYSICAL STATE : Liquid
- COLOR : Colorless ~ Pale yellow
- ODOR : Specific odor

MELTING POINT / FREEZING POINT

: (Pour point)Below -5° C (23°F)

BOILING POINT OR INITIAL BOILING POINT AND BOILING RANGE

: 100° C (212°F) (water)

FLAMMABILITY : No data

LOWER AND UPPER EXPLOSION LIMIT / FLAMMABILITY LIMIT

: Lower limit : 2.6vol.%, Upper limit : 12.5vol.% (propylene glycol) (2)

FLASH POINT : Not combustible (water of the product boils) (Cleveland Open Cup)

AUTO-IGNITION TEMPERATURE

: 371° C (700°F) (propylene glycol) (2)

DECOMPOSITION TEMPERATURE

: No data

pH : 6.0 (1% aqueous solution)

KINEMATIC VISCOSITY : No data

SOLUBILITY

WATER SOLUBILITY : Soluble

PARTITION COEFFICIENT N-OCTANOL / WATER (LOG VALUE)

: No data

VAPOUR PRESSURE : 0.129mmHg (25° C) (propylene glycol) (2)

DENSITY AND / OR RELATIVE DENSITY

: 1.08 (at 20° C)(Specific gravity)

RELATIVE VAPOUR DENSITY

: No data

PARTICLE CHARACTERISTICS

: No data

10. STABILITY AND REACTIVITY

REACTIVITY : No data

CHEMICAL STABILITY : Stable under normal conditions.

POSSIBILITY OF HAZARDOUS REACTIONS

: Reacts with strong oxidizing agents, etc.

CONDITION TO AVOID : No data

INCOMPATIBLE MATERIALS : Strong oxidizing agents, etc.

HAZARDOUS DECOMPOSITION PRODUCTS

: No data

OTHERS : No data

11. TOXICOLOGICAL INFORMATION (DATA for this product or similar product.)

ACUTE TOXICITY [ORAL] : Classification not possible

No data

ACUTE TOXICITY [SKIN] : Classification not possible

No data

ACUTE TOXICITY [INHALATION: GAS] : No classification

Not classified by the GHS definition of gas.

ACUTE TOXICITY [INHALATION: VAPOUR] : Classification not possible

No data

ACUTE TOXICITY [INHALATION: DUST, MIST] : Classification not possible

No data

SKIN CORROSION / IRRITATION : Category 2

[2-Ethyl-1-hexanol] Category 2 (3)

[Sodium dioctyl sulfosuccinate] Category 2 (4)

SERIOUS EYE DAMAGE/EYE IRRITATION : Category 2A

[2-Ethyl-1-hexanol] Category 2A (3)

[Sodium dioctyl sulfosuccinate] Category 2A (4)

RESPIRATORY SENSITIZATION : Classification not possible

No data

SKIN SENSITIZATION : Classification not possible

No data

GERM CELL MUTAGENICITY : Classification not possible

No data

CARCINOGENICITY : Classification not possible

No data

REPRODUCTIVE TOXICITY : Classification not possible

[2-Ethyl-1-hexanol] Category 2 (3)

SPECIFIC TARGET ORGAN TOXICITY; SINGLE EXPOSURE : Classification not possible

No data

SPECIFIC TARGET ORGAN TOXICITY; REPEATED EXPOSURE : Classification not possible

No data

ASPIRATION HAZARD : Classification not possible

No data

12. ECOLOGICAL INFORMATION (DATA for this product or similar product.)

SHORT-TERM (ACUTE) AQUATIC HAZARDS	: Category 3	
[2-Ethyl-1-hexanol]	Category 2	(3)
[Sodium dioctyl sulfosuccinate]	Category 3	(4)
ECOTOXICITY	: No data	
LONG-TERM (CHRONIC) AQUATIC HAZARDS	: Classification not possible	
PERSISTENCE AND DEGRADABILITY		
	: No data	
BIOACCUMULATION POTENTIAL		
	: No data	
MOBILITY IN SOIL		
	: No data	
OTHER DATA	: No data	
• BOD ₅ = 680 mg/L (1,000ppm aqueous solution) (JIS K 0102-21,32 • 3)		(5)
• CODMn= 191 mg/L (1,000ppm aqueous solution) (JIS K 0102-17)		(5)
HAZARDOUS TO THE OZONE LAYER	: Classification not possible	
No data		

13. DISPOSAL CONSIDERATIONS

•Dispose of contents/container in accordance with national and regional regulations.

14. TRANSPORT INFORMATION

UN NUMBER	: Not applicable
PROPER SHIPPING NAME	: Not applicable
UN CLASS	: Not applicable
PACKING GROUP	: -
ENVIRONMENTAL HAZARDS	: Not applicable
INTERNATIONAL REGULATIONS	
LAND	: Transport in accordance with national and regional regulations (RID, ADR, DOT, etc.).
SEA	: Transport in accordance with IMDG Code.
AIR	: Transport in accordance with ICAO-TI/IATA-DGR.
EMERGENCY RESPONSE GUIDELINE NUMBER	: 171

15. REGULATORY INFORMATION

INTERNATIONAL REGULATIONS	
UNITED STATES INVENTORY (TSCA 8B)	
	: All components are listed or authorized to exempt from registration.
CANADA INVENTORY (DSL)	: All components are listed or authorized to exempt from registration.
AUSTRALIA INVENTORY (AIIS)	
	: All components are listed or authorized to exempt from registration.
CHINA INVENTORY (IECSC)	: All components are listed or authorized to exempt from registration.
JAPAN INVENTORY (ENCS)	: All components are listed or authorized to exempt from registration.
PHILIPPINES INVENTORY (PICCS)	
	: All components are listed or authorized to exempt from registration.
KOREA INVENTORY (ECL)	: All components are listed or authorized to exempt from registration.

16. OTHER INFORMATION

REFERENCES

- (1) : TLVs and BEIs, ACGIH, 2021
- (2) : Chemical Risk Information Platform (CHRIP), NITE
- (3) : Result of the the GHS classification, National Institute of Technology and Evaluation (NITE)
- (4) : MSDS Authoring Guide(2010) for GHS of Japan Surfactant Industry Association (JSIA)
- (5) : Results of Safety Testing Center

*All specifications which were created based on the information which was available at the time and may be revised at anytime according to new information.

*To the best of our knowledge, the information contained herein is accurate. However, Sanyo Kasei (Thailand) Ltd. assumes no liability whatsoever for the accuracy or completeness of the information contained herein. All materials may present unknown health hazards and should be used with caution. Final determination of suitability of any material is the sole responsibility of the user.

CONTACT

COMPANY : Sanyo Kasei (Thailand) Ltd.
DEPARTMENT : Sales & Marketing Department

ORIGINAL CONTROLLED