React II

le wagon

Highlights from Gifs app

Controlled components

The user **types** in an **input**,
The change triggers a **setState( )**
The **state** re-defines the **input value**

```
class SearchBar extends Component {
  constructor(props) {
    super(props)
    this.state = { term: '' };
  }

  render() {
    return (
      <input
        value={this.state.term}
        onChange={e => this.setState({term: e.target.value})} />
    );
  }
}
```

React state as the **single source of truth**

List patterns

Map over an array of **props**

Pass props to **children**

React needs a unique **key** by child

(think of a DB index)

```
const GifList = (props) => {
  return (
    <div className="gif-list">
      {props.gifs.map((gif) => {
        return <Gif key={gif.id} id={gif.id} />;
      })}
    </div>
  );
};
```

Handling null

Initial state might hold **null values**
Handle it with an **if statement**

```
const Gif = (props) => {
  // [...]
  if (!props.id) {
    return <p>Loading...</p>;
  }

  return <img src={url} className="gif" />;
};;
```

this binding (1)

```
class SearchBar extends Component {
  constructor(props) {
    super(props);
    this.state = { term: '' };
  }

  handleChange(event) {
    this.setState({ term: event.target.value });
  ⚠️ // TypeError: Cannot read property 'setState' of undefined
  }

  render() {
    return (
      <input
        value={this.state.term}
        onChange={this.handleChange}
      />
    );
  }
}
```

this binding (2)

```
class SearchBar extends Component {
  constructor(props) {
    super(props);
    this.state = { term: '' };
  }

  handleChange(event) {
    this.setState({ term: event.target.value });
  }

  render() {
    return (
      <input
        value={this.state.term}
        onChange={this.handleChange.bind(this)}
      />
    );
  }
}
```

this binding (3)

```
class SearchBar extends Component {
  constructor(props) {
    super(props);
    this.state = { term: '' };
  }

  handleChange = (event) => {
    this.setState({ term: event.target.value });
  }

  render() {
    return (
      <input
        value={this.state.term}
        onChange={this.handleChange}
      />
    );
  }
}
```

⚠️ requires **babel-plugin-transform-class-properties**

Components lifecycle

Life in the DOM

The life of a component
begins when it's **inserted** in the DOM
ends when the component **leaves** the DOM

DOM load

Component's
MOUNTING

Component's
life

Component's
UNMOUNTING

Mounting

When a component is **inserted** in the DOM
The following methods are successively called:

```
constructor()
componentWillMount()
render()
componentDidMount()
```

DOM load

Component's
life

Component's
MOUNTING

Component's
UNMOUNTING

Updating props

During its life, when it receives **new props** from its parent
The following methods are successively called:

```
componentWillReceiveProps()
shouldComponentUpdate()
componentWillUpdate() (*)
render() (*)
componentDidUpdate() (*)
```

(*) only if **shouldComponentUpdate()** returns **true**!

DOM load

Component's **life**

Component's
MOUNTING

Component's
UNMOUNTING

Updating state

During its life, whenever **this.setState()** is called:
The following methods are successively called:

shouldComponentUpdate()
componentWillUpdate() (*)
render() (*)
componentDidUpdate() (*)

(*) only if **shouldComponentUpdate()** returns **true**!

DOM load

Component's life

Component's
MOUNTING

Component's
UNMOUNTING

Unmounting

When a component is being **removed** from the DOM
The following method is called:

`componentWillUnmount()`

DOM load

Component's
MOUNTING

Component's
**life**

Component's
UNMOUNTING

Behind the scenes: Rendering Optimization

Problem

Whenever a **browser** is asked to perform a change in the DOM it takes an incompressible amount of time to **redraw** the screen.

The **browser's rendering pipeline** has 5 steps:

We don't want the browser going through all these steps if the result displayed to the user ends up **unchanged**.

Solution

**Minimize** and **batch** the DOM changes that make redraws necessary.

React embraces this idea with its **Virtual DOM**

Virtual DOM

When a component receives new props or state
The **render( )** method of the component is called.

React builds a "Virtual DOM" and compares it to the DOM
with a **diff algorithm** going through the nodes.

setState()   render()   Effective diff

Patch

React applies only the **diff** as a **patch** to the actual DOM

React spares the **browser** from going through all the steps of the **pixel pipeline** for the **unchanged nodes**

Patch applied to the DOM

Reconciliation

On a component re-render, React builds the corresponding **subtree** and goes through reconciliation.

If root **types** differ, React builds a **whole new tree** from scratch. Old DOM nodes are destroyed, components **unmounted**.

If not, it compares DOM elements based on their **attributes**. The **key** attribute is compared first.

🔑

Go further

You can optimize even further:

By default, a **parent** component's **re-rendering** triggers the re-rendering of **all of its children**.

You can make use of the **shouldComponentUpdate()** lifecycle method to **skip this re-rendering process when adequate**.

👮⛔

Go further

Don't re-render a gif if it has the same **id** as before!

```jsx
class Gif extends Component {
  shouldComponentUpdate(nextProps, nextState) {
    return this.props.id !== nextProps.id;
  }

  render() {
    if (!this.props.id) {
      return <p>Loading...</p>;
    }

    // [...]
    return <img alt="" src={url} className="gif" [...] />;
  }
};
```

Good to know

By default, **shouldComponentUpdate()** returns **true**
Don't try comparing **this.props** with **nextProps**
(they'll always be 2 different objects)
Compare **values** (or identifiers) instead

```
// DON'T 👎
shouldComponentUpdate(nextProps, nextState) {
  return this.props !== nextProps;
}
```

```
// DO 👍
shouldComponentUpdate(nextProps, nextState) {
  return this.props.id !== nextProps.id;
}
```

Take away

Under the hood, React has a pretty efficient way of optimising the re-rendering process in the browser.

React builds a **Virtual DOM** and runs a **diff algorithm** to spare memory allocation and rendering time.

Its efficiency mainly lies in the early comparison of DOM nodes' **types** and **keys**

You can go further and skip this process by overriding the `shouldComponentUpdate()` lifecycle method

Tools

Code sandbox

https://codesandbox.io/s/new

create-react-app

A package to generate new React apps out of the box

```
yarn global add create-react-app
# gives you a create-react-app binary
```

```
cd ~/code/<github_username>
create-react-app my-app && cd $_
# creates the app with a given configuration
# cd into the project
```

```
yarn start
# launches webpack-dev-server
# open your browser at http://localhost:3000
```

```
yarn eject
# to override default config -- cannot be undone ⚠️
# will appear in your package.json
```

Production

To deploy your front-end app on **gh-pages**:

```
yarn add gh-pages --dev
# add the module in your project
```

```
webpack -p
# create your production bundle
```

```
gh-pages -d dist
# deploy
```

Go to https://<github_username>.github.io/<project>

Scripts

To enjoy simpler yarn commands:

```
// package.json
// [...]
  "scripts": {
    "start": "webpack-dev-server",
    "deploy": "webpack -p && gh-pages -d dist"
  },
// [...]
```

gives you

```
yarn start  # to start a server on localhost:8080
yarn deploy # to deploy on GitHub pages
```

Your turn!