11.1 Relations

Benjamin Basseri

January 10, 2025

Problem 1

Let $A = \{0, 1, 2, 3, 4, 5\}$. Write out the relation R that expresses $>$ on A. Then illustrate it with a diagram.

Include all the ordered pairs where the first coordinate is strictly greater than the second coordinate:

$$R = \{(1,0), (2,1), (2,0), (3,2), (3,1), (3,0), \ldots, (5,1), (5,0)\}$$

Problem 2

Let $A = \{1, 2, 3, 4, 5, 6\}$. Write out the relation R that expresses $\mid$ (divides) on A. Then illustrate it with a diagram.

First note that 1 divides everything, so $(1, x)$ will be in R for all $x \in A$. 2 divides itself, 4, and 6, 3 divides itself and 6, and the rest only divide themselves:

$$R = \{(1,1), (1,2), \ldots, (1,6), (2,2), (2,4), (2,6), (3,3), (3,6), (4,4), (5,5), (6,6)\}$$

Problem 3

Let $A = \{0, 1, 2, 3, 4, 5\}$. Write out the relation R that expresses $\geq$ on A. Then illustrate it with a diagram.

$$R = \{(0,0), (1,1), (1,0), (2,2), (2,1), (2,0), \ldots, (5,1), (5,0)\}$$

Problem 4

Here is a diagram for a relation R on a set A. Write the sets A and R.

The set A are the letters 0 through 5. We see that relation is reflexive and symmetric but not transitive. It appears to be similar to the 'same parity' relation but missing some elements.

$$R = \{(0,0), (1,1), \ldots, (5,5), (0,4), (4,0), (1,3), (3,1), (2,4), (4,2), (1,5), (5,1)\}$$

Problem 5

Here is a diagram for a relation R on a set A. Write the sets A and R.

The set A are the nodes on the graph:

$$A = \{0, 1, 2, 3, 4, 5\}$$

The set R is the ordered pairs for the arrows:

$$R = \{(1,2), (2,5), (3,3), (4,2), (4,3), (5,0)\}$$

Problem 6

Congruence modulo 5 is a relation on the set $\mathbb{Z}$. In this relation xRy means $x \equiv y \pmod 5$. Write out the set R in set-builder notation.

Elements of R are ordered pairs (x,y), since $R \subseteq \mathbb{Z} \times \mathbb{Z}$. We also need to specify that a pair (x,y) belongs to R only if x and y are congruent mod 5:

$$R = \{(x,y) \in \mathbb{Z}^2 \mid x \equiv y \pmod 5\}$$

Problem 7

Write the relation ¡ on the set $\mathbb{Z}$ as a subset R of $\mathbb{Z} \times Z$. This is an infinite set, so you will have to use set builder notation.

$$R = \{(x,y) \in \mathbb{Z}^2 \mid x < y\}$$

Problem 8

Let $A = \{1, 2, 3, 4, 5, 6\}$. Observe that $\varnothing \subseteq A \times A$, so $R = \varnothing$ is a relation on A. Draw a diagram for this relation.

The diagram would be a graph with nodes 1 through 6, no edges (since there are no relationships in the set).

Problem 9

Let $A = \{1, 2, 3, 4, 5, 6\}$. How many different relations are there on the set A?

Any subset of $A \times A$ qualifies as a relation, so the answer will be $|\mathcal{P}(A \times A)|$. Since $|A| = 6$ the product $|A \times A| = 36$, and $|\mathcal{P}(A \times A)| = 2^{36}$.

Problem 10

Consider the subset $R = (\mathbb{R} \times \mathbb{R}) - \{(x, x) : x \in \mathbb{R}\} \subseteq \mathbb{R} \times \mathbb{R}$. What familiar relation on $\mathbb{R}$ is this? Explain.

The relation R starts with all ordered pairs in $\mathbb{R}^2$ but then removes the pairs with the same value on both coordinates. So every real number has this relationship to every other real number but not itself. That's the $\neq$ relation.

Problem 11

Given a finite set A, how many different relations are there on A?

As we saw in a previous problem, it's the number of subsets the product $A \times A$ has: $|\mathcal{P}(A \times A)|$.