

## Fengh Medical Co.,Ltd.

Address: D3, No.6 Dongsheng West Road, Jiangyin National High-tech Zone, Jiangsu, China

Website: www.fenghmedical.com

E-mail: enquiry.obd@fenghmedical.com

Phone/WhatsApp: +86 180 1530 2028



## **Company Profile**

Started with its first stapler used in China in 2013, Fengh has since then been witnessed a rapid growth, not only in sales in a continuously increasing number of countries on every continent, but also in such new value-added endeavors as technical innovation and procedure development.

Fengh has consistently invested a double-digit percentage of its annual revenue in technical innovations over the past 5 years. Now with a couple of dozen patents granted and more than 200 innovations filed, Fengh has successfully emerged as a leading innovation-driven enterprise in China, committed to researching, developing, manufacturing and marketing products for minimally invasive and laparoscopic surgery procedures.

Rooted in China, the biggest developing economy with a significantly large portion of its population aging and/or in poverty, Fengh understands how important it is to offer healthcare professionals and ultimately patients, the products and solutions well balanced with good quality and more affordable price. To that end, Fengh has been taking tremendous effort to consolidate its supply chain in different countries, streamline its state-of-the-art manufacturing facilities and enhance its quality management systems in Wu Xi, Su Zhou and Shang Hai, the most advanced areas in China. Today, tens of thousands of healthcare professionals and patients around the world are benefiting from Fengh's products, which they are happy with and we are proud of.

Focus on quality, invest in innovations and care about patients! This is the fundamental credo that keeps growing Fengh.

Let us grow together with a growing Fengh.



**Shanghai**Domestic Sales & Marketing
Overseas Sales & Marketing



Jiangyin (HQ)
Manufacturing, HR, Supply chain
Management, Admin, Compliance etc.



Nanjing
Manufacturing,
Supply chain Management



Suzhou Research & Development, Intellectual Property management



## CONTENT

- Company Profile
- Disposable Powered Articulating Endoscopic Linear Cutter Stapler & Reloads
- Disposable Endoscopic Linear Cutter Stapler & Reloads
- Disposable Endoscopic Trocar
- Disposable Endoscopic Specimen Retrieval Bags
- Disposable Endoscopic Ligating Loops
- Disposable Linear Cutter Stapler & Reloads
- Disposable Linear Stapler & Reloads
- Disposable Curved Cutter Stapler and Reloads
- Disposable Circular Staplers
- Disposable Hemorrhoidal Staplers
- Disposable Skin Stapler & Reloads







## Lunar™F

#### Disposable Powered Articulating Endoscopic Linear Cutter Stapler (60mm)



Code	Shaft Length	Shaft Length Maximum Firings	
FSAS60	280mm	12	3
FSAM60	340mm	12	3
FSAL60	440mm	12	3

#### Disposable Powered Articulating Endoscopic Linear Cutter Stapler (45mm)



Code	Shaft Length	Maximum Firings	Pcs / Carton
FSAS45	280mm	12	3
FSAM45	340mm	12	3
FSAL45	440mm	12	3




## **F** Series

#### Disposable Powered Articulating Endoscopic Linear Cutter Stapler (60mm)



Code	Shaft Length	Maximum Firings	Pcs / Carton
FSMS60	280mm	12	3
FSMM60	340mm	12	3
FSML60	440mm	12	3

#### Disposable Powered Articulating Endoscopic Linear Cutter Stapler (45mm)



Code	Shaft Length	Shaft Length Maximum Firings	
FSMS45	280mm	12	3
FSMM45	340mm	12	3
FSML45	440mm	12	3



## **D** Series

#### Disposable Powered Articulating Endoscopic Linear Cutter Stapler (60mm)



Code	Shaft Length	Maximum Firings	Pcs / Carton
DSMS60	280mm	12	3
DSMM60	340mm	12	3
DSML60	440mm	12	3

#### Disposable Powered Articulating Endoscopic Linear Cutter Stapler (45mm)



Code	Shaft Length	Maximum Firings	Pcs / Carton
DSMS45	280mm	12	3
DSMM45	340mm	12	3
DSML45	440mm	12	3



#### Disposable Powered Articulating Endoscopic Linear Cutter Stapler Reloads (60mm)



Model	Color	Rows	Tissue Type	Open Staple Height	Closed Staple Height	Pcs / Carton
FMCC60	Gray	6	Mesentery	2.0mm	0.75mm	72
FMCW60	White	6	Vascular	2.5mm	1.0mm	72
FMCB60	Blue	6	Standard	3.5mm	1.5mm	72
FMCY60	Gold	6	Standard/Thick	3.8mm	1.8mm	72
FMCG60	Green	6	Thick	4.1mm	2.0mm	72
FMCX60	Black	6	Very Thick	4.4mm	2.3mm	72

#### Disposable Powered Articulating Endoscopic Linear Cutter Stapler Reloads (45mm)



Model	Color	Rows	Tissue Type	Open Staple Height	Closed Staple Height	Pcs / Carton
FMCC45	Gray	6	Mesentery	2.0mm	0.75mm	72
FMCW45	White	6	Vascular	2.5mm	1.0mm	72
FMCB45	Blue	6	Standard	3.5mm	1.5mm	72
FMCY45	Gold	6	Standard/Thick	3.8mm	1.8mm	72
FMCG45	Green	6	Thick	4.1mm	2.0mm	72
FMCX45	Black	6	Very Thick	4.4mm	2.3mm	72



#### Disposable Powered Articulating Endoscopic Linear Cutter Stapler Reloads (60mm)



Model	Color	Rows	Tissue Type	Open Staple Height	Closed Staple Height	Pcs / Carton
FACC60	Gray	6	Mesentery	2.0mm	0.75mm	72
FACW60	White	6	Vascular	2.5mm	1.0mm	72
FACB60	Blue	6	Standard	3.5mm	1.5mm	72
FACY60	Gold	6	Standard/Thick	3.8mm	1.8mm	72
FACG60	Green	6	Thick	4.1mm	2.0mm	72
FACX60	Black	6	Very Thick	4.4mm	2.3mm	72

#### Disposable Powered Articulating Endoscopic Linear Cutter Stapler Reloads (45mm)




Model	Color	Rows	Tissue Type	Open Staple Height	Closed Staple Height	Pcs / Carton
FACC45	Gray	6	Mesentery	2.0mm	0.75mm	72
FACW45	White	6	Vascular	2.5mm	1.0mm	72
FA CB45	Blue	6	Standard	3.5mm	1.5mm	72
FACY45	Gold	6	Standard/Thick	3.8mm	1.8mm	72
FACG45	Green	6	Thick	4.1mm	2.0mm	72
FACX45	Black	6	Very Thick	4.4mm	2.3mm	72




## **FR Series**

#### Disposable Endoscopic Linear Cutter Stapler (60mm Articulating)










Model	Shaft Length	Articulation	Maximum Firings	Pcs / Carton
FRES60	280mm	Yes	12	3
FREM60	340mm	Yes	12	3
FREL60	440mm	Yes	12	3

#### Disposable Endoscopic Linear Cutter Stapler (45mm Articulating)









Model	Shaft Length	Articulation	Maximum Firings	Pcs / Carton
FRES45	280mm	Yes	12	3
FREM45	340mm	Yes	12	3
FREL45	440mm	Yes	12	3

## **A Series**

#### Disposable Endoscopic Linear Cutter Stapler (60mm Straight)





Model	Shaft Length	Articulation	Maximum Firings	Pcs / Carton
FAES60	280mm	No	12	3
FAEM60	340mm	No	12	3



## **DR Series**

#### Disposable Endoscopic Linear Cutter Stapler (60mm Articulating)







Model	Shaft Length	Articulation	Maximum Firings	Pcs / Carton
DRES60	280mm	Yes	12	3
DREM60	340mm	Yes	12	3
DREL60	440mm	Yes	12	3

#### Disposable Endoscopic Linear Cutter Stapler (45mm Articulating)







Model	Shaft Length	Articu <b>l</b> ation	Maximum Firings	Pcs / Carton
DRES45	280mm	Yes	12	3
DREM45	340mm	Yes	12	3
DREL45	440mm	Yes	12	3



#### Disposable Endoscopic Linear Cutter Stapler Reloads (60mm)



Model	Color	Rows	Tissue Type	Open Staple Height	Closed Staple Height	Pcs / Carton
FACU60	Gray	6	Mesentery	2.0mm	0.75mm	72
FACV60	White	6	Vascular	2.5mm	1.0mm	72
FACS60	Blue	6	Standard	3.5mm	1.5mm	72
FACM60	Gold	6	Standard/Thick	3.8mm	1.8mm	72
FACT60	Green	6	Thick	4.1mm	2.0mm	72
FACH60	Black	6	Very Thick	4.4mm	2.3mm	72

Disposable Endoscopic Linear Cutter Stapler Reloads (45mm)



Model	Color	Rows	Tissue Type	Open Staple Height	Closed Staple Height	Pcs / Carton
FACU45	Gray	6	Mesentery	2.0mm	0.75mm	72
FACV45	White	6	Vascular	2.5mm	1.0mm	72
FACS45	Blue	6	Standard	3.5mm	1.5mm	72
FACM45	Gold	6	Standard/Thick	3.8mm	1.8mm	72
FACT45	Green	6	Thick	4.1mm	2.0mm	72
FACH45	Black	6	Very Thick	4.4mm	2.3mm	72

#### **Reloads Comparison Table**

Codes	Color	Rows of staple	Tissue Type applied	Lengh of stapling line	Open Stsple Height	Closed Staple Height	
FACU45	C		Managhama	45mm	200000	0.75	
FACU60	Gray	6	Mesentery	60mm	2.0mm	0.75mm	
FACV45	White	6	Vascular	45mm	2.5mm	1.0mm	
FACV60	willte	0	vasculai	60mm	2.511111	1.0111111	
FACS45	Blue	6	Standard	45mm	3.5mm	1.5mm	
FACS60	blue	0	Standard	60mm	3.311111	1.011111	
FACM45	Gold	6	Standard/Thick	45mm	3.8mm	1.8mm	
FACM60	Gold	0	Standard/Trick	60mm	3.011111	mmo.1	
FACT45	Green	6	Thick	45mm	4.1mm	2.0mm	
FACT60	Green	0	THICK	60mm	4.1111111	2.0mm	
FACH45	- N		V =1.1	45mm			
FACH60	Black	6 Very Thick		60mm	4.4mm	2.3mm	



#### Disposable Endoscopic Linear Cutter Stapler Reloads (60mm)



Model	Color	Rows	Tissue Type	Open Staple Height	Closed Staple Height	Pcs / Carton
FRCU60	Gray	6	Mesentery	2.0mm	0.75mm	72
FRCV60	White	6	Vascular	2.5mm	1.0mm	72
FRCS60	Blue	6	Standard	3.5mm	1.5mm	72
FRCM60	Gold	6	Standard/Thick	3.8mm	1.8mm	72
FRCT60	Green	6	Thick	4.1mm	2.0mm	72
FRCH60	Black	6	Very Thick	4.4mm	2.3mm	72

#### Disposable Endoscopic Linear Cutter Stapler Reloads (45mm)



Model	Color	Rows	Tissue Type	Open Staple Height	Closed Staple Height	Pcs / Carton
FRCU45	Gray	6	Mesentery	2.0mm	0.75mm	72
FRCV45	White	6	Vascular	2.5mm	1.0mm	72
FRCS45	Blue	6	Standard	3.5mm	1.5mm	72
FRCM45	Gold	6	Standard/Thick	3.8mm	1.8mm	72
FRCT45	Green	6	Thick	4.1mm	2.0mm	72
FRCH45	Black	6	Very Thick	4.4mm	2.3mm	72

#### **Reloads Comparison Table**

Codes	Color	Rows of staple	Tissue Type applied	Lengh of stapling line	Open Stsple Height	Closed Staple Height	
FRCU60	Curre		Managhama	45mm	2.0	0.75	
FRCU45	Gray	6	Mesentery	60mm	2.0mm	0.75mm	
FRCV60	White	6	Vascular	45mm	2.5mm	1.0mm	
FRCV45	vviiite	0	vasculai	60mm	2.311111	1.0111111	
FRCS60	Blue	6	Standard	45mm	3.5mm	1.5mm	
FRCS45	bjue	0	Standard	60mm	5.511111	1.511111	
FRCM60	Gold	6	Standard/Thick	45mm	3.8mm	1.8mm	
FRCM45	Gold	0	Standard/Trick	60mm	3.011111		
FRCT60	Croon	6	Thick	45mm	4.1mm	2.0mm	
FRCT45	Green	0	THICK	60mm	4,1111111	2.0111111	
FRCH45	<b>5</b> 1 1		V 71:1	45mm			
FRCH60	Black	6	Very Thick	60mm	4.4mm	2.3mm	



#### Disposable Endoscopic Trocar - P Series



Model	Size	Obturator Material	Shaft Length	Pcs / Carton
FLPC5	5mm	PC	100mm	16
FLPC10	10mm	PC	100mm	16
FLPC12	12mm	PC	100mm	16

#### Disposable Endoscopic Trocar Sleeve - P Series



Model	Size	Sleeve	Shaft Length	Pcs / Carton
F5LP	5mm	Stability	100mm	16
F10LP	10mm	Stability	100mm	16
F12LP	12mm	Stability	100mm	16



#### Disposable Endoscopic Trocar - Flagship Series

- 1. Ergonomic designed ,widely used in minimally invasive surgery
- 2. Bladeless and 0°/30° optical
- 3. Multiple sizes for your good choice



Model	Size	Obturator Material	Shaft Length	Pcs / Carton
BLTC5	5mm	Stainless Steel	100mm	16
BLTC10	10mm	Stainless Steel	100mm	16
BLTC12	12mm	Stainless Steel	100mm	16

#### Disposable Endoscopic Trocar Sleeve - Flagship Series



Model	Size	Obturator Material	Shaft Length	Pcs / Carton
B5LT	5mm	Stainless Steel	100mm	16
B10LT	10mm	Stainless Steel	100mm	16
B12LT	12mm	Stainless Steel	100mm	16



#### Disposable Endoscopic Trocar - T Series

- 1. Ergonomic designed , widely used in minimally invasive surgery
- 2. Bladeless and 0° opstical
- 3. 3 sizes for your good choice



Code	Shaft Diameter	Sleeve	Shaft Length	Qty / Box
FLTC5	5mm	Stability	100mm	1
FLTC10	10mm	Stability	100mm	1
FLTC12	12mm	Stability	100mm	1

#### Disposable Endoscopic Trocar Sleeves - T Series

Code	Shaft Diameter	Sleeve	Shaft Length	Qty / Box
F5LT	5mm	Stability	100mm	1
F10LT	10mm	Stability	100mm	1
F12LT	12mm	Stability	100mm	1



#### Disposable Endoscopic Specimen Retrieval Bags

- 1.Unique designed
- 2. Nylon and PU bag for your good choice
- 3.3 sizes for your option



Model	Capacity	Description	Diameter	Pcs / Carton
FRC1-10	80ml	100 x 100mm with New Net Bag (PC tube)	10mm	12
FRC4-10	150ml	120 x 150mm with New Net Bag (PC tube)	10mm	12
FRC6-12	1200ml	150 x 240mm with New Net Bag (PC tube)	12mm	12
HRC1-10	80ml	100 x 100mm with PU Bag (PC tube)	10mm	12
HRC4-10	150ml	120 x 150mm with PU Bag (PC tube)	10mm	12
HRC6-10	1200ml	150 x 240mm with PU Bag (PC tube)	10mm	12


Model	Capacity	Description	Diameter	Pcs / Carton
FTC1-10	80ml	100 x 100mm with New Net Bag (Stainless Steel tube*)	10mm	12
FTC4-10	150ml	120 x 150mm with New Net Bag (Stainless Steel tube*)	10mm	12
HTC1-10	80ml	100 x 100mm with PU Bag (Stainless Steel tube*)	10mm	12
HTC4-10	150ml	120 x 150mm with PU Bag (Stainless Steel tube*)	10mm	12
HTC6-10	1200ml	150 x 240mm with PU Bag (Stainless Steel tube*)	10mm	12

#### **Disposable Endoscopic Ligating Loops**





3. The perfect solutions of making knot under endoscope







#### **Disposable Linear Cutter Stapler**

- 1. The cutter is made by imported stainless steel 440
- 2. Tissue retaining button designed to protect good firing and good staple formed
- 3. 55mm, 75mm, 100mm sizes for your good choice



Model	Color	Tissue Type	Open Staple Height	Closed Staple Height	Maximum Firings	Pcs / Carton
FALC(S)-55	Blue	Standard	3.85mm	1.5mm	8	12
FALC(T)-55	Green	Thick	4.5mm	2.0mm	8	12
FALC(S)-75	Blue	Standard	3.85mm	1.5mm	8	12
FALC(M)-75	Gold	Standard/Thick	4.2mm	1.8mm	8	12
FALC(T)-75	Green	Thick	4.5mm	2.0mm	8	12
FALC(S)-100	Blue	Standard	3.85mm	1.5mm	8	10
FALC(T)-100	Green	Thick	4.5mm	2.0mm	8	10

#### Disposable Linear Cutter Stapler Reloads



Model	Color	Rows	Tissue Type	Open Staple Height	Closed Staple Height	Pcs / Carton
FALC(S)-55-DC	Blue	4	Standard	3.85mm	1.5mm	48
FALC(T) -55-DC	Green	4	Thick	4.5mm	2.0mm	48
FALC(S)-75-DC	Blue	4	Standard	3.85mm	1.5mm	48
FALC(M)-75-DC	Gold	4	Standard/Thick	4.2mm	1.8mm	48
FALC(T) -75-DC	Green	4	Thick	4.5mm	2.0mm	48
FALC(S)-100-DC	Blue	4	Standard	3.85mm	1.5mm	48
FALC(T)-100-DC	Green	4	Thick	4.5mm	2.0mm	48



#### **Disposable Linear Stapler**

- 1. Automatic remote manual pin placement
- 2. Special anvil design for cutting operating of Doctor's knife
- 3.30mm, 45mm, 60mm, 90mm sizes for your good choice



Model	Color	Tissue Type	Open Staple Height	Closed Staple Height	Reload included	Pcs / Carton
FLS(V)-30	White	Vascular	2.5mm	1.0mm	FLS(V)-30-DC	3
FLS(S)-30	Blue	Standard	3.5mm	1.5mm	FLS(S)-30-DC	3
FLS(T)-30	Green	Thick	4.8mm	2.0mm	FLS(T)-30-DC	3
FLS(S)-45	Blue	Standard	3.5mm	1.5mm	FLS(S)-45-DC	3
FLS(T)-45	Green	Thick	4.8mm	2.0mm	FLS(T)-45-DC	3
FLS(S)-60	Blue	Standard	3.5mm	1.5mm	FLS(S)-60-DC	3
FLS(T)-60	Green	Thick	4.8mm	2mm	FLS(T)-60-DC	3
FLS(S)-90	Blue	Standard	3.5mm	1.5mm	FLS(S)-90-DC	3
FLS(T)-90	Green	Thick	4.8mm	2.0mm	FLS(T)-90-DC	3

#### **Disposable Linear Stapler Reloads**





Model	Color	Tissue Type	Open Staple Height	Closed Staple Height	Pcs / Carton
FLS(V)-30-DC	White	Vascular	2.5mm	1.0mm	96
FLS(S)-30-DC	Blue	Standard	3.5mm	1.5mm	96
FLS(T)-30-DC	Green	Thick	4.8mm	2.0mm	96
FLS(S)-45-DC	Blue	Standard	3.5mm	1.5mm	96
FLS(T)-45-DC	Green	Thick	4.8mm	2.0mm	96
FLS(S)-60-DC	Blue	Standard	3.5mm	1.5mm	96
FLS(T)-60-DC	Green	Thick	4.8mm	2.0mm	96
FLS(S)-90-DC	Blue	Standard	3.5mm	1.5mm	96
FLS(T)-90-DC	Green	Thick	4.8mm	2.0mm	96



#### **Disposable Curved Cutter Staplers**



Model	Color	Open Staple Height	Closed Staple Height	Reload Included	Pcs / Carton
FCS(T)-45	Green	4.7mm	2.0mm	FCS(T)-45-DC	3

#### **Disposable Curved Cutter Stapler Reloads**



Model	Color	Open Staple Height	Closed Staple Height	Pcs / Carton
FCS(T)-45-DC	Green	4.7mm	2.0mm	96

#### **Disposable Circular Staplers**



Model	Lumen	Shaft Length	Head Diameter	Height	Closed Staple Height	Pcs / Carton
FAEEA-21	12.2mm	44.5cm	21mm	5mm	1.0-2.5mm adjustable	12
FAEEA-25	16.2mm	44.5cm	25mm	5mm	1.0-2.5mm adjustable	12
FAEEA-26	17.2mm	44.5cm	26mm	5mm	1.0-2.5mm adjustable	12
FAEEA-29	20.2mm	44.5cm	29mm	5mm	1.0-2.5mm adjustable	12
FAEEA-32	23.2mm	44.5cm	32mm	5mm	1.0-2.5mm adjustable	12
FAEEA-33	24.2mm	44.5cm	33mm	5mm	1.0-2.5mm adjustable	12



#### Disposable Skin Stapler&Reloads

- 1. Ergonomic designed and unique MINI special style
- 2. Full sizes owned
- 3.316L suture staples adapted to medical implants standard







FS(S)-35 FS(M)-35

Model	Staples	Closed Staple Height(mm)	Closed Staple Width(mm)	Pcs / Carton
FS(S)-35	35R	3.6	5.4	80
FS(M)-35	35W	4.0	7.0	80
HS(S)-35	35R	3.6	5.4	80
HS(M)-35	35W	4.0	7.0	80

#### **Staple Remover**




)	SRM
Pcs / Carton	

Model	Pcs / Carton
SRL	300
SRM	300

#### Disposable Hemorrhoidal Staplers(PPH Set)



Model	Size	Description	Pcs / Carton
FAPPH-32	32	includes Hemorrholdal circular stapler 32mm,34mm suture threader,circular anal dilator and purse string	3
FAPPH-34	34	anoscope	3





# Ultrasound Activated Scalpel System



#### Intelligent

- Works intelligently, adjusting the energy output according to different tissue, better performance of cutting and coagulating
- Self inspection guarantees safe surgical operation

#### Effective

- Finish cutting and coagulating at same time
- Made of higher grade materials, easy to hold and operate, multi-functionality in a single device

#### Safe

- CE certificate
- Able to deal with 5mm vessels
- No electricity in body
- Main Unit runs stably, guaranteeing shears work safely and offer outstanding clinical performance

#### Precise

- Less injury to tissue

Founded in 2010, Hocer Medical is one of the leading providers of ultrasound surgery systems in China.

Headquartered in Beijing China, Hocer Medical also possesses R&D subsidiaries in Virginia USA, manufacturing facility in Tianjin, sales and marketing office in Shanghai.

Hocer Medical developed the ultrasound surgery system IScalpelTM. These products are widely used in clinical surgery. All these products have CE certificates.



# **Scalpel** Ultrasound Activated Scalpel System

Product Pictures	Product Model	Description	Package
**************************************	USG10Plus	Generator	1 unit/box
	USE36	5.5mm ultrasonic multi-purpose shears, 36cm	3 unit/box
	USE23	5.5mm ultrasonic multi-purpose shears, 23cm	3 unit/box
	USE14	5.5mm ultrasonic multi-purpose shears, 14cm	3 unit/box
	HP25	Handpiece	1 unit/box
	GP212	Foot Switch	1 unit/box

Headquarters Beijing, China Building No.1, Courtyard No.10, East Area, Xibeiwang East Road, Haidian District,

Beijing, China

Tel: +86 10 5940 3190

Sales Center Shanghai, China Room 2610, Shanghai Mart, No. 2299, Yanan West Road, Shanghai, China

Tel: +86 21 6209 8660

Manufacturing Center Tianjin, China A1-01 East, Building No. 17, Haiyun Street No. 80, TEDA Economic Development Area,

Tianjin, China

Tel: +86 22 5985 8261

Operation Center

800 East Leigh Street, Richmond, USA

Virginia, USA Tel: +1 804 828 5390