# ICHTHYOSAUROMORPH TAXONOMY

## Benjamin Moon

Version 0.3.89.20190509

## ICHTHYOSAUROMORPHA Motani et al., 2015

## HUPEHSUCHIA Carroll & Dong, 1991

## Eohupehsuchus brevicollis Chen et al, 2014b

\* 2014b Eohupehsuchus brevicollis Chen et al.; p 4 [Jialingjiang Formation (Upper Spathian, Lower Triassic); Yangping, Yuan'an County, Hubei Province, China].

## Eretmorhipis carrolldongi Chen et al., 2015

- 1991 Hupehsuchia n. g., n. s.; p 143 [Jialingjiang Formation (Upper Spathian, Lower Triassic); Tuling, Baihechuan, Xunjian District, Nanzhang County, Hubei Province, China].
- \* 2015 *Eretmorhipis carrolldongi* Chen et al.; p 4 [Jialingjiang Formation (Upper Spathian, Lower Triassic); Yingzhishang, Yuan'an County, Hubei Province, China].

## Hupehsuchus nanchangensis Young & Dong, 1972

Nanchangosaurus suni Wang, 1959

Parahupehsuchus longus Chen et al., 2014a

## ICHTHYOSAURIFORMES Motani et al., 2015

#### Acamptonectes densus Fischer et al., 2012

\* 2012 Acamptonectes densus Fischer et al.; p 3 [Speeton Clay Formation—Simbiskites concinnus/staffi ammonite biozones (basal—upper Hauterivian, Lower Cretaceous); Speeton, Yorkshire, UK and Cremlingen, Lower Saxony, Germany].

#### Aegirosaurus leptospondylus (Wagner, 1853)

\* 2000 Aegirosaurus leptospondylus (Wagner); p 504 [Solnhofen Formation (Tithonian, Upper Jurassic); Borscheim and Langenaltheim, Bavaria, Germany].

### Arthropterygius chrisorum (Russell, 1993)

- \* 1993 Ophthalmosaurus chrisorum Russell; p 198 [Ringnes Formation (Oxfordian–Kimeridgian, Upper Jurassic); Cape Grassy, Melville Island, Canada (76° 9 4 N, 113° 30 W = UTM WGS84 12X 433220 8453461)]
  - 2019 Arthropterygius chrisorum (Russell); Zverkov & Prilepskaya, p 15.
  - 2019 Palvennia hoybergeti (pars) (Russell); Zverkov & Prilepskaya, p 15 [Slottsmøya Member, Agardfjellet Formation (Titonian, Upper Jurassic); Spitsbergen, Svalbard].
- ? 2019 Keilhauia nui Delsett et al.; p 15.
- ? 2019 Ophthalmosauridae indet.; Zverkov & Prilepskaya, tbl 1.

#### *Arthropterygius hoybergeti* (Druckenmiller *et al.*, 2012)

- \* 2012 Palvennia hoybergeti Druckenmiller et al.; p 326 [Slottsmøya Member, Agardfjellet Formation (Middle Volgian, Upper Jurassic); Spitsbergen, Svalbard (UTM WGS84 33N 0518775 8696150)].
  - 2018 Palvennia hoybergeti Druckenmiller et al..
  - 2019 Arthropterygius hoybergeti (Druckenmiller et al.); p 31.

#### Arthropterygius lundi (Roberts et al., 2014)

- \* 2014 *Janusaurus lundi* Roberts *et al.*; p 4 [Slottsmøya Member, Agardfjellet Formation (Tithonia, Upper Jurassic); Spitsbergen, Svalbard (UTM WGS84 N78 20.264 E15 50.044)].
  - 2019 Arthropterygius lundi (Roberts et al.); p 40.

### Athabascasaurus bitumineus Druckenmiller & Maxwell, 2010

Barracudasauroides panxianensis (Jiang et al., 2006)

Besanosaurus leptorhynchus Dal Sasso & Pinna, 1996

Brachypterygius alekseevi (Arkhangelsky, 2001) Brachypterygius extremus (Boulenger, 1904)

- \* 1904 *Ichthyosaurus extremus* Boulenger [Kimmeridge Clay Formation (Kimmeridgian); Weymouth, Dorset, UK].
  - 1976 *Grendelius mordax* McGowan [*Aulacostephanus autissiodorensis* Ammonite Biozone, Kimmeridge Clay Formation (Kimmeridgian); Norfolk, UK].

Brachypterygius pseudoscythica (Efimov, 1998)

Californosaurus perrini (Merriam, 1902)

Callawayia neoscapularis (McGowan, 1994)

Cartorhynchus lenticarpus Motani et al., 2015

Caypullisaurus bonapartei Fernández, 1997

Cetarthrosaurus walkeri Seeley, 1873

Chacaicosaurus cayi Fernández, 1994

Chaohusaurus chaoxianensis (Chen, 1985) Chaohusaurus geishanensis Young & Dong, 1972 Chaohusaurus zhangjiawanensis Chen et al., 2013

Contectopalatus atavus (Quenstedt, 1852)

Cymbospondylus buchseri Sander, 1989 Cymbospondylus nichollsi Fröbisch et al., 2006 Cymbospondylus petrinus Leidy, 1868 Cymbospondylus piscosus? Leidy, 1868

Dearcmhara shawcrossi Brusatte et al., 2015

Eurhinosaurus longirostris (Mantell, 1851)

Excalibosaurus costini McGowan, 1986

Gengasaurus nicosiai Paparella et al., 2016

Grippia longirostris Wiman, 1929

Guizhouichthyosaurus tangae Cao & Luo in Yin et al., 2000 Guizhouichthyosaurus wolonggangense (Chen et al., 2007)

Gulosaurus helmi Cuthbertson et al., 2013

Hauffiopteryx typicus Maisch, 2008

Himalayasaurus tibetensis Young & Dong, 1972

Hudsonelpidia brevirostris McGowan, 1995

Ichthyosaurus acutirostris Owen, 1840 Ichthyosaurus anningae Lomax & Massare, 2015 Ichthyosaurus breviceps Owen, 1881 Ichthyosaurus communis Conybeare, 1822 Ichthyosaurus conybeari Lydekker, 1888 Ichthyosaurus larkini Lomax & Massare, 2017 Ichthyosaurus somersetensis Lomax & Massare, 2017

## Isfjordosaurus minor (Wiman, 1910)

#### Keihauia nui? Delsett et al., 2017

Keihauia nui Delsett et al.; p 7 [Slottsmøya Member, Agardfjellet Formation 2017 (lower Berriasian, Lower Cretaceous); northside of Janusfjellet, Spitsbergen, Svalbard (UTM WGS84 33X 0518847 8696044 = 78.33637° N, 015.83513° E)].

2019 Arthropterygius chrisorum (Russell); Zverkov & Prilepskaya, p 15.

#### Leninia stellans Fischer et al., 2014b

Leptonectes moorei McGowan & Milner, 1999

Leptonectes solei (McGowan, 1993)

Leptonectes tenuirostris (Conybeare, 1822)

Macgowania janiceps (McGowan, 1996)

Maiaspondylus lindoei Maxwell & Caldwell, 2006

Malawania anachronus Fischer et al., 2013

Mikadocephalus gracilirostris Maisch & Matzke, 1997

Mixosaurus cornalianus (Bassani, 1886)

Mixosaurus kuhnschneyderi (Brinkmann, 1998)

Mixosaurus xindianensis Chen & Cheng, 2010

Mollesaurus periallus Fernández, 1999

## Muiscasaurus catheti Maxwell et al., 2016

Muiscasaurus catheti Maxwell et al.; p 3 [Arcillolitas abigarradas Member, Paja Formation (Barremian-Aptian, Lower Cretaceous); Vereda Llanitos, Sáchica, Boyacá, Colombia (UTM WGS84 18N 662859 616018 = 05.5713000° N, 073.5296833° W)].

Nannopterygius enthekiodon (Hulke, 1871)

Ophthalmosaurus icenicus Seeley, 1874

*Ophthalmosaurus natans* (Marsh, 1879)

Ophthalmosaurus yasykovi (Efimov, 1999a)

Paraophthalmosaurus kabanovi (Efimov, 1999a)

Paraophthalmosaurus sevaljeviensis Arkhangelsky, 1997

Parvinatator wapitiensis Nicholls & Brinkman, 1995

Pervushovisaurus bannovkensis Arkhangelsky, 1998 Pervushovisaurus campylodon (Carter, 1846)

1846 Ichthyosaurus campylodon Carter.

Myopterygius campylodon (Carter); Huene. 1922

1972 Platypterygius campylodon (Carter); McGowan.

2016 Pervushovisaurus campylodon (Carter); Fischer, p 8 [(Cambridge Greensand Member,) West Melbury Marly Chalk Formation (Cenomanian, Upper Cretaceous); Cambridgeshire and Kent, UK].

Pessopteryx nisseri Wiman, 1910

Phalarodon callawayi Schmitz et al., 2004 Phalarodon fraasi Merriam, 1910

*Phalarodon major* Huene, 1916

Phantomosaurus neubigi (Sander, 1997)

Platypterygius americanus Nace, 1939

1939 Myopterygius americanus Nace [Mowry Shale Member, Graneros Formation; Crook County, Wyoming.]

1968 Myopterygius americanus Nace; Romer.

1972 Platypterygius americanus (Nace); McGowan. Platypterygius australis (M'Coy, 1867)

Platypterygius hauthali (Huene, 1927)

Platypterygius hercynicus Kuhn, 1946

Platypterygius ochevi Arkhangelsky et al., 2008

Platypterygius platydactylus (Broili, 1907)

Platypterygius sachicarum Páramo, 1997

Protoichthyosaurus applebyi Lomax et al., Lomax et al. 2017 Protoichthyosaurus prostaxalis Appleby, Appleby 1979

Qianichthyosaurus xingyiensis Ji, Jiang & Motani in Yang et al., 2013 Qianichthyosaurus zhoui Li, 1999

Quasianosteosaurus vikinghoegdai Maisch & Matzke, 2003

Sclerocormus parviceps Jiang et al., 2016

Shastasaurus alexandrae Merriam, 1902

Shastasaurus liangae (Yin in Yin et al., 2000)

Shastasaurus pacificus Merriam, 1895

Shastasaurus sikkaniensis (Nicholls & Manabe, 2004)

Shonisaurus popularis Camp, 1976

Simbirskiasaurus birjukovi Otschev & Efimov, 1985

Sisteronia seeleyi Fischer et al., 2014a

Stenopterygius aaleniensis Maxwell et al., 2012

Stenopterygius quadriscissus (Quenstedt, 1858)

Stenopterygius triscissus (Quenstedt, 1858)

Stenopterygius uniter Huene, 1931b

Suevoleviathan disinteger (Huene, 1926)

Suevoleviathan integer (Bronn, 1844)

Sveltonectes insolitus Fischer et al., 2011

*Temnodontosaurus azerguensis* Martin et al., 2012

Temnodontosaurus crassimanus (Blake, 1876)

Temnodontosaurus eurycephalus McGowan, 1974

Temnodontosaurus nuertingensis (Huene, 1931a)

Temnodontosaurus platyodon (Conybeare, 1822)

Temnodontosaurus trigonus (Theodori, 1843)

Thaisaurus chonglakmanii Mazin et al., 1991

Thalattoarchon saurophagis Fröbisch et al., 2013

Tholodus schmidi Meyer, 1849

Toretocnemus californicus Merriam, 1903

Toretocnemus zitteli (Merriam, 1903)

Undorosaurus gorodischensis Efimov, 1999b

\* 1999b Undorosaurus gorodischensis Efimov; p 51.

2019 Cryopterygius kristiansenae Druckenmiller et al.; p 313 [Slottsmøya Member, Agardfjellet Formation (Middle Volgian, Upper Jurassic); Spitsbergen, Svalbard

(UTM WGS84 33N 0518842 8696067)].

2019 *Undorosaurus gorodishensis* Efimov; p 5.

## Undorosaurus kielanae (Tyborowski, 2016)

\* 2016 *Cryopterygius kielanae* Tyborowski; p 793 [Sławno Limestone Member, Kcynia Formation (uppermost Lower Tithonian = Middle Volgian, Upper Jurassic); Owadów-Brzezinki Quarry, Sławno, Poland (UTM WGS84 34U 439831 5692022 = 51.3762583° N, 020.1355167° E)].

? 2019 *Undorosaurus kielanae* (Tyborowski); p 5.

*Undorosauru nessovi* Efimov, 1999*b* 

Undorosaurus trautscholdi Arkhangelsky & Zverkov, 2014

Cryopterygius kristiansenae Druckenmiller et al., 2012

Utatsusaurus hataii Shikama et al., 1978

#### Wahlisaurus massarae Lomax, 2016

\* 2016 *Wahlisaurus massarae* Lomax; p 2 [Barnstone Member?, Scunthorpe Mudstone Formation?, Pre-*planorbis* or *Psiloceras planorbis* beds (lowermost Hettangian, Lower Jurassic); Normanton Hills, Normanton on Soar, UK].

Wimanius odontopalatus Maisch & Matzke, 1998

Xinminosaurus catactes Jiang et al., 2008

## References

- APPLEBY, R.M. 1979. The affinities of Liassic and later ichthyosaurs. *Palaeontology*, **22**, 921—946.
- ARKHANGELSKY, M.S. 1997. On a new genus of ichthyosaurs from the Lower Volgian Substage of the Saratov, Volga Region. *Paleontologicheskii Zhurnal*, **1997**, 87–91.
- ———— 2001. On a new ichthyosaur of the genus *Otschevia* from the Volgian Stage of the Volga region near Ulyanovsk. *Paleontological Journal*, **35**, 629—635.
- & ZVERKOV, N.G. 2014. On a new ichthyosaur of the genus Undorosaurus. Proceedings of the Zoological Institute RAS, 318, 187—196.
- ————, AVERIANOV, A.O., PERVUSHOV, E.M., RATNIKOV, V.Y. & ZOZYREV, N.Y. 2008. On ichthyosaur remains from the Cretaceous of the Voronezh Region. *Paleontological Journal*, **42**, 287—291. DOI: 10.1134/S0031030108030106.
- BARDET, N. & FERNÁNDEZ, M.S. 2000. A new ichthyosaur from the Upper Jurassic lithographic limestones of Bavaria. *Journal of Paleontology*, **74**, 503—511. doi: 10.1666/0022—3360(2000)074\&1t;0503:ANIFTU\>2.0.
- BASSANI, F. 1886. Sui fossili e sull'età degli schisti bituminosi triasici di Besano in lombardia. *Atti della Società Italiana di Scienza Naturali*, **29**, 1–58.
- BLAKE, J.F. 1876. The Yorkshire Lias. Order Ichthyopterygia. Ed. by R. Tate & J.F. Blake. London: Von Voorst, pp. 253—254. 475 pp.
- Boulenger, G.A. 1904. Exhibition of, and remarks upon, a paddle of a new species of ichthyosaur. *Proceedings of the Zoological Society of London*, **1904**, 424–426.
- Brinkmann, W. 1998. Sangiorgiosaurus N. G.—eine Neue Mixosaurier Gattung (Mixosauridae, Ichthyosauria) Mit Quetschzähnen Aus Der Grenzbitumenzone (mitteltrias) Des Monte San Giorgio (schweiz, Kanton Tessin). Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen, 207, 125—
- Broili, F. 1907. Ein Neuer *Ichthyosaurus* Aus Der Norddeutschen Kreide. *Palaeontographica*, **54**, 139—162.
- Bronn, H.G. 1844. Über Ichthyosauren in Den Lias-schiefern Der Gegend Von Boll in Württemberg. Neues Jahrbuch für Mineralogie, Geognosie, Geologie und Petrefakten-Kunde, 1844, 385—408.
- BRUSATTE, S.L., YOUNG, M.T., CHALLANDS, T.J., CLARK, N.D.L., FISCHER, V., FRASER, N.C., LISTON, J.J., MACFADYEN, C.C.J., ROSS, D.A., WALSH, S. & WILKINSON, M. 2015. Ichthyosaurs from the Jurassic of Skye, Scotland. Scottish Journal of Geology, 51, 43–55. DOI: 10.1144/sjg2014-018.
- CAMP, C.L. 1976. Vorläufige Mitteilung Über Große Ichthyosaurier Aus Der Oberen Trias Von Nevada. Sitzungberichte der Österrichischen Akademie der Wissenschaften, **185**, 125—134.
- CARROLL, R.L. & DONG, Z.M. 1991. *Hupehsuchus*, an enigmatic aquatic reptile from the Triassic of China, and the problem of establishing relationships. *Philosophical Transactions of the Royal Society B: Biological Sciences*, **331**, 131–153.

- CARTER, A.M. 1846. Notice of the jaws of an *Ichthyosaurus* from the chalk in the neighbourhood of Cambridge. *Report of the British Association for the Advancement of Science*, **15**, 60.
- CHEN, L. 1985. Ichthyosaurs from the Lower Triassic of Chao County, Anhui. *Regional Geology of China*, **15**, 139—146.
- CHEN, X. & CHENG, L. 2010. A new species of *Mixosaurus* (Reptilia: Ichthyosauria) from the Middle Triassic of Pu'an, Guizhou, China. *Acta Palaeontologica Sinica*, **2010**, 251—260.
- ———, SANDER, P.M., CHENG, L. & WANG, X. 2013. A new Triassic primitive ichthyosaur from Yuanan, South China. *Acta Geologica Sinica*, **87**, 672—677. doi: 10.1111/1755—6724.12078.
- ————, MOTANI, R., CHENG, L., JIANG, D.-Y. & RIEPPEL, O.C. 2014a. A carapace-like bony 'body tube' in an Early Triassic marine reptile and the onset of marine tetrapod predation. *PLoS ONE*, **9**, e94396.
- 2014b. A small short-necked hupehsuchian from the Lower Triassic of Hubei Province, China. *PLoS ONE*, **9**, e0115244. doi: 10.1371/journal.pone.0115244.
- 2015. A new specimen of Carroll's mystery hupehsuchian from the Lower Triassic of China. *PLoS ONE*, **10**, e0126024. DOI: 10.1371/journal.pone.0126024.
- CONYBEARE, W.D. 1822. Additional notices on the fossil genera *Ichthyosaurus* and *Plesiosaurus*. *Transactions of the Geological Society of London*, **1**, 103—123. doi: 10.1144/transgslb.1.1.103.
- CUTHBERTSON, R.S., RUSSELL, A.P. & ANDERSON, J.S. 2013. Cranial morphology and relationships of a new grippidian (Ichthyopterygia) from the Vega-Phroso Siltstone Member (Lower Triassic) of British Columbia, Canada. *Journal of Vertebrate Paleontology*, **33**, 831—847. doi: 10.1080/02724634. 2013.755989.
- DAL SASSO, C. & PINNA, G. 1996. Besanosaurus leptorhynchus n. gen. n. sp., a new shastasaurid ichthyosaur from the Middle Triassic of Besano (Lombardy, N. Italy). Paleontologia Lombarda, 4, 1—22.
- Delsett, L.L., Roberts, A.J., Druckenmiller, P.S. & Hurum, J.H. 2017. A new ophthalmosaurid (Ichthyosauria) from Svalbard, Norway, and evolution of the ichthyopterygian pelvic girdle. *PLoS ONE*, **12**, e0169971. doi: 10. 1371/journal.pone.0169971.
- ———, DRUCKENMILLER, P.S., ROBERTS, A.J. & HURUM, J.H. 2018. A new specimen of *Palvennia hoybergeti*: implications for cranial and pectoral girdle anatomy in ophthalmosaurid ichthyosaurs. *Peerl*, **6**, e5776. DOI: 10.7717/peerj. 5776.
- DRUCKENMILLER, P.S. & MAXWELL, E.E. 2010. A new Lower Cretaceous (lower Albian) ichthyosaur genus from the Clearwater Formation, Alberta, Canada. Canadian Journal of Earth Sciences, 47, 1037—1053. DOI: 10.1139/E10-028.

- ————, HURUM, J.H., KNUTSEN, E.M. & NAKREM, H.A. 2012. Two new ophthalmosaurids (Reptilia: Ichthyosauria) from the Agardhfjellet Formation (Upper Jurassic: Volgian/Tithonian), Svalbard, Norway. Norwegian Journal of Geology, **92**, 311—339
- EFIMOV, V.M. 1998. The ichthyosaur *Otschevia pseudoscythica* gen. et sp. nov. from the Upper Jurassic of Ulyanovsk Volga. *Paleontologicheskii Zhurnal*, **1998**, 82–86.
- ———1999a. Ichthyosaurs of a new genus Yasykovia from the Upper Jurassic strata of European Russia. Paleontoloqicheskii Zhurnal, 1999, 91—98.
- ————1999b. A new family of ichthyosaurs, the Undorosauridae fam. nov. from the Volgian Stage of the European part of Russia. *Paleontologicheskii Zhurnal*, **1999**, 174—181.
- FERNÁNDEZ, M.S. 1994. A new long-snouted ichthyosaur from the Early Bajocian of Neuquén Basin (Argentina). *Ameghiniana*, **31**, 291—297.
- ————1997. A new ichthyosaur from the Tithonian (Late Jurassic) of the Neuquén Basin, northwestern Patagonia, Argentina. *Journal of Paleontology*, 71, 479—484.
- FISCHER, V. 2016. Taxonomy of *Platypterygius campylodon* and the diversity of the last ichthyosaurs. *PeerJ*, **4**, e2604. DOI: 10.7717/peerj.2604.
- P. 2011. A new Barremian (Early Cretaceous) ichthyosaur from western Russia. *Journal of Vertebrate Paleontology*, 31, 1010—1025. DOI: 10.1080/02724634.2011.595464.
- , Maisch, M.W., Naish, D., Kosma, R., Liston, J.J., Joger, U., Krüger, F.J., Pérez, J.P., Tainsh, J. & Appleby, R.M. 2012. New ophthalmosaurid ichthyosaurs from the European Lower Cretaceous demonstrate extensive ichthyosaur survival across the Jurassic—Cretaceous boundary. *PLoS ONE*, 7, e29234. doi: 10.1371/journal.pone.0029234.
- , APPLEBY, R.M., NAISH, D., LISTON, J.J., RIDING, J.B., BRINDLEY, S. & GODEFROIT, P. 2013. A basal thunnosaurian from Iraq reveals disparate phylogenetic origins for Cretaceous ichthyosaurs. *Biology Letters*, **9**, 20130021. DOI: 10.1098/rsb1.2013.0021.
- ————, BARDET, N., GUIOMAR, M. & GODEFROIT, P. 2014a. High diversity in Cretaceous ichthyosaurs from Europe prior to their extinction. *PLoS ONE*, **9**, e84709. doi: 10.1371/ journal.pone.0084709.
- ————, ARKHANGELSKY, M.S., USPENSKY, G.N., STENSHIN, I.M. & GODEFROIT, P. 2014b. A new Lower Cretaceous ichthyosaur from Russia reveals skull shape conservatism within Ophthalmosaurinae. *Geological Magazine*, **151**, 60—70. doi: 10.1017/S0016756812000994.
- FRÖBISCH, N.B., SANDER, P.M. & RIEPPEL, O.C. 2006. A new species of *Cymbospondylus* (Diapsida, Ichthyosauria) from the Middle Triassic of Nevada and a re-evaluation of the skull osteology of the genus. *Zoological Journal of the Linnean*

- Society, **147**, 515—538. doi: 10 . 1111 / j . 1096 3642.2006.00225.x.
- ————, FRÖBISCH, J., SANDER, P.M., SCHMITZ, L. & RIEPPEL, O.C. 2013. Macropredatory ichthyosaur from the Middle Triassic and the origin of modern trophic networks. *Proceedings of the National Academy of Sciences*, **110**, 1393—1397. DOI: 10.1073/pnas.1216750110.
- - osaurus quadriscissus. Centralblatt für Mineralogie, Geologie und Paläontologie, Abteilung B, **1922**, 277—282.
- ————1926. Neue Ichthyosaurierfunde Aus Dem Schwäbischen Lias. Neues Jahrbuch für Mineralogie, Geologie und Paläontologie, Beilage-Band B, **55**, 66—86.
- ——— 1927. Beiträge Zur Kenntnis Mariner Mesozoischer Wirbeltiere in Argentina. Centralblatt für Mineralogie, Geologie und Paläontologie, Abteilung B, 1927, 22—29.
- ———— 1931a. Neue Ichthyosaurier Aus Württemburg. Neues Jahrbuch für Mineralogie, Geologie und Paläontologie, Beilage-Band B, 65, 305—320.
- 1931b. Neue Studien Über Ichthyosaurier Aus Holzmaden. Abhandlungen der Senckenbergischen Naturforschenden Gesellschaft, **42**, 345—382.
- HULKE, J.W. 1871. Note on an *Ichthyosaurus (I. enthekiodon*) from Kimmeridge bay, Dorset. *Quarterly Journal of the Geological Society*, **27**, 440—441. DOI: 10.1144/GSL.JGS. 1871.027.01–02.52.
- JIANG, D.-Y., SCHMITZ, L., HAO, W. & SUN, Y.-L. 2006. A new mixo-saurid ichthyosaur from the Middle Triassic of China. *Journal of Vertebrate Paleontology*, 26, 60–69. DOI: 10.1671/0272-4634 (2006) 26[60: ANMIFT] 2.0.00; 2.
- ———, MOTANI, R., HAO, W., SCHMITZ, L., RIEPPEL, O.C., SUN, Y.-L. & SUN, Z.-Y. 2008. New primitive ichthyosaurian (Reptilia, Diapsida) from the Middle Triassic of Panxian, Guizhou, southwestern China and its position in the Triassic biotic recovery. *Progress in Natural Science*, **18**, 1315—1319. DOI: 10.1016/j.pnsc.2008.01.039.
- PEL, O., FRASER, N.C., CHENG, J., KELLEY, N.P., Fu, W.-L. & ZHANG, R. 2016. A large aberrant stem ichthyosauriform indicating early rise and demise of ichthyosauromorphs in the wake of the end-Permian extinction. *Scientific Reports*, **6**, 26232. DOI: 10.1038/srep26232.
- Kuhn, O. 1946. Ein skelett von *Ichthyosaurus* (*Platypterygius*) hercynicus n. sp. aus dem aptium von gitter. Berichte der Naturforschenden Gesellschaft Bamberg, **29**, 69—82.
- Leidy, J. 1868. Notice of some reptilian remains from Nevada. *Proceedings of the Academy of Natural Sciences of Philadelphia*, **20**, 177–178.
- Li, C. 1999. Ichthyosaur from Guizhou, China. *Chinese Science Bulletin*, **44**, 1329—1333. DOI: 10.1007/BF02885856.
- LOMAX, D.R. 2016. A new leptonectid ichthyosaur from the Lower Jurassic (Hettangian) of Nottinghamshire, England, UK, and the taxonomic usefulness of the ichthyosaurian coracoid. Journal of Systematic Palaeontology, 15, 387—401. DOI: 10.1080/14772019.2016.1183149.

- ——— & MASSARE, J.A. 2015. A new species of Ichthyosaurus from the Lower Jurassic of West Dorset, England, U.K. Journal of Vertebrate Paleontology, e903260.
- & MISTRY, R.T. 2017. The taxonomic utility of forefin morphology in Lower Jurassic ichthyosaurus: Protoichthyosaurus and Ichthyosaurus. Journal of Vertebrate Paleontology, 37, e1361433. DOI: 10.1080/02724634. 2017.1361433.
- LYDEKKER, R. 1888. Note on the classification of the lchthyopterygia (with a notice of two new species). *Geological Magazine*, **5**, 309–313. DOI: 10.1017/S0016756800181968.
- M'Coy, F. 1867. On the occurrence of *Ichthyosaurus* and *Plesio-saurus* in Australia. *Annals and Magazine of Natural History*, **19**, 1–3.
- MAISCH, M.W. 2008. Revision der gattung *Stenopterygius* jaekel, 1904 emend. von Huene, 1922 (Reptilia: Ichthyosauria) aus dem unteren jura westeuropas. *Palaeodiversity*, **1**, 227—271.
  - & MATZKE, A.T. 1997. Mikadocephalus gracilirostris n. gen., n. sp., a new ichthyosaur from the Grenzbitumenzone (Anisian-Ladinian) of Monte San Giorgio (switzerland). Paläontologische Zeitschrift, 71, 267—289. Doi: 10.1007/ BFØ2988496.
  - & 1998. Observations on Triassic ichthyosaurs. Part II. a new ichthyosaur with palatal teeth from Monte San Giorgio. Neues Jahrbuch für Geologie und Paläontologie, Monatshefte, 1998, 26–41.
- Mantell, G.A. 1851. Petrifactions and Their Teachings; Or, a Hand-book to the Gallery of Organic Remains of the British Museum. London: Henry G. Bohn.
- MARSH, O.C. 1879. A new order of extinct reptiles (Sauranodonta) from the Jurassic Formation of the Rocky Mountains. *Annals and Magazine of Natural History*, **3**, 175—176.
- MARTIN, J.E., FISCHER, V., VINCENT, P. & SUAN, G. 2012. A longirostrine *Temnodontosaurus* (Ichthyosauria) with comments on Early Jurassic ichthyosaur niche partitioning and disparity. *Palaeontology*, **55**, 995—1005. DOI: 10.1111/j.1475-4983.2012.01159.x.
- Maxwell, E.E. & Caldwell, M.W. 2006. A new genus of ichthyosaur from the Lower Cretaceous of western Canada. *Palaeontology*, **49**, 1043—1052. doi: 10.1111/j.1475—4983.2006.00589.x.
  - ———, FERNÁNDEZ, M.S. & SCHOCH, R.R. 2012. First diagnostic marine reptile remains from the Aalenian (Middle Jurassic): a new ichthyosaur from southwestern Germany. PLoS ONE, 7, e41692. DOI: 10.1371/journal.pone. 0041692.
- ————, DICK, D.G., PADILLA, S. & Luz PARRA, M. 2016. A new ophthalmosaurid ichthyosaur from the Early Cretaceous of Colombia. *Papers in Palaeontology*, **2**, 59—70. doi: 10.1002/spp2.1030.

- MAZIN, J.-M., SUTEETHORN, V., BUFFETAUT, E., JAEGER, J.-J. & ELMCKE-INGAVAT, R. 1991. Preliminary description of Thaisaurus chonglakmanii n. g., n. sp., a new ichthyopterygian (Reptilia) from the Early Triassic of thailand. Comptes rendus de l'Académie des sciences. Série 2, Mécanique, Physique, Chimie, Sciences de l'univers, Sciences de la Terre, 313, 1207—1212.
- McGowan, C. 1972. The systematics of Cretaceous ichthyosaurs with particular reference to the material from North America. Contributions to Geology, University of Wyoming, 2, 9–29.
- ———— 1974. A revision of the longipinnate ichthyosaurs of the Lower Jurassic of England, with descriptions of two new species. Life Sciences Contributions of the Royal Ontario Museum, 97, 1—37.
- ————1976. The description and phenetic relationships of a new ichthyosaur genus from the Upper Jurassic of England. Canadian Journal of Earth Sciences, 13, 668–683. DOI: 10.1139/e76-070.
- 1986. A putative ancestor for the swordfish-like ichthyosaur Eurhinosaurus. Nature, 322, 454—456. DOI: 10.1038/322454a0.
- ———— 1993. A new species of large, long-snouted ichthyosaur from the English lower Lias. *Canadian Journal of Earth Sciences*, **30**, 1197—1204. DOI: 10.1139/e93–101.
- ———— 1994. The taxonomic status of the Upper Liassic ichthyosaur Eurhinosaurus Iongirostris. Palaeontology, 37, 747—753.
- ———1995. A remarkable small ichthyosaur from the Upper Triassic of British Columbia, representing a new genus and species. Canadian Journal of Earth Sciences, 32, 292—303. poi: 10, 1139/e95–024.
- ———1996. A new and typically Jurassic ichthyosaur from the Upper Triassic of British Columbia. Canadian Journal of Earth Sciences, 33, 24—32. DOI: 10.1139/e96-003.
- & MILNER, A.C. 1999. A new Pliensbachian ichthyosaur from Dorset, England. *Palaeontology*, **42**, 761–768. DOI: 10.1111/1475-4983.00096.
- MERRIAM, J.C. 1895. On some reptilian remains from the Triassic of northern California. *American Journal of Science*, **50**, 55—57. DOI: 10.2475/ajs.s3–50.295.55.
- ———— 1902. Triassic Ichthyopterygia from California and Nevada. University of California, Bulletin of the Department of Geology, 3, 63—108.
- ———— 1903. New ichthyosauria from the Upper Triassic of California. *University of California, Bulletin of the Department of Geology*, **3**, 249—263.
- ———— 1910. The skull and dentition of a primitive ichthyosaurian from the Middle Triassic. University of California, Bulletin of the Department of Geology, 5, 1—11.
- MEYER, H. von 1849. Fossile fische aus dem muchelkalk von jena, querfurt und esperstädt. *Palaeontographica*, **1**, 195–208.
- MOTANI, R., JIANG, D.-Y., CHEN, G., TINTORI, A., RIEPPEL, O., JI, C. & HUANG, J.-D. 2015. A basal ichthyosauriform with a short snout from the Lower Triassic of China. *Nature*, **517**, 485—488. doi: 10.1038/nature13866.
- NACE, R.L. 1939. A new ichthyosaur from the Upper Cretaceous mowry Formation of Wyoming. *American Journal of Science*, **237**, 673–686. doi: 10.2475/ajs.237.9.673.

- NICHOLLS, E.L. & BRINKMAN, D.B. 1995. Vertebrate Fossils and the Evolution of Scientific Concepts. A New Ichthyosaur from the Triassic Sulphur Mountain Formation of British Columbia. Ed. by W.A.S. Sarjeant. London: Gordon and Breach Publishers, pp. 521–535. 622 pp.
- & MANABE, M. 2004. Giant ichthyosaurs of the Triassic—a new species of Shonisaurus from the pardonet Formation (Norian: Late Triassic) of British Columbia. Journal of Vertebrate Paleontology, 24, 838—849. DOI: 10.1671/0272—4634(2004)024[0838:GIOTTN]2.0.CO:2.
- Otschev, V.G. & Efimov, V.M. 1985. A new genus of ichthyosaur from the Ulyanovsk Volga region. *Paleontologicheskii Zhurnal*, **1985**, 76–80.
- OWEN, R. 1840. Report on British fossil reptiles. Part i. Report of the British Association for the Advancement of Science, 9, 43–126.
- ———1881. A monograph of the fossil Reptilia of the Liassic Formations. Part third. Ichthyosaurus. Monograph of the Palaeontographical Society, 35, 83—134.
- Paparella, I., Maxwell, E.E., Cipriani, A., Roncacè & Caldwell, M.W. 2016. The first ophthalmosaurid ichthyosaur from the Upper Jurassic of the Umbrian—Marchean Apennines (Marche, Central Italy). *Geological Magazine*, **154**, 837—858. doi: 10.1017/S0016756816000455.
- PÁRAMO, M.E. 1997. *Platypterygius sachicarum* (Reptilia, Ichthyosauria) nueva especie del crétacio do Colombia. *Revista Ingeominas*, **6**, 1–12.
- QUENSTEDT, F.A. 1852. *Handbuch Der Petrefaktenkunde.* German. Tübingen: Verlag der H. Laupp'schenn Buchhandlung.
- ———— 1858. *Der Jura*. German. Tübingen: Verlag der H. Laupp'schenn Buchhandlung.
- ROBERTS, A.J., DRUCKENMILLER, P.S., SAETRE, G.-P. & HURUM, J.H. 2014. A new Upper Jurassic ophthalmosaurid ichthyosaur from the Slottsmøya Member, Agardhfjellet Formation or central Spitsbergen. *PLoS ONE*, **9**, e103152.

- ROMER, A.S. 1968. An ichthyosaur skull from the Cretaceous of Wyoming. *Contributions to Geology, University of Wyoming*, **7**, 27–41.
- Russell, D. 1993. Jurassic Marine Reptiles from Cape Grassy, Melville Island, Arctic Circle. 195—201. In *The Geology of Melville Island, Arctic Canada*. Ed. by R.L. Christie & N.J. Mc-Millan. *Bulletin of the Geological Survey of Canada*, **450**, 195—201.
- SANDER, P.M. 1989. The large ichthyosaur *Cymbospondylus buch*seri, sp. nov., from the Middle Triassic of Monte San Giorgio (switzerland), with a survey of the genus in Europe. *Journal* of *Vertebrate Paleontology*, **9**, 163—173. DOI: 10.1080/ 02724634.1989.10011750.
- ———— 1997. Ancient Marine Reptiles. The Paleobiogeography of Shastasaurus. Ed. by J.M. Callaway & E.L. Nicholls. San Diego, California: Academic Press, pp. 17—43. 501 pp.
- Schmitz, L., Sander, P.M., Storrs, G.W. & Rieppel, O.C. 2004. New Mixosauridae (Ichthyosauria) from the Middle Triassic of the Augusta Mountains (Nevada, USA) and their implications for mixosaur taxonomy. *Palaeontographica Abteilung A: Paläozoologie*——*Stratigraphie*, **270**, 133—162.
- Seeley, H.G. 1873. On *Cetarthrosaurus walkeri* (seeley), an ichthyosaurian from the Cambridge upper greensand. *Quarterly Journal of the Geological Society*, **29**, 505–507. DOI: 10.1144/GSL.JGS.1873.029.01–02.43.
- ————1874. On the pectoral arch and fore limb of *Ophthal-mosaurus*, a new ichthyosaurian genus from the Oxford Clay. *Quarterly Journal of the Geological Society*, **30**, 696—707. DOI: 10.1144/GSL.JGS.1874.030.01—04.64.
- SHIKAMA, T., KAMEI, T. & MURATA, M. 1978. Early Triassic Ichthyosaurus, Utatsusaurus hataii gen. et sp. nov., from the kitakami massif, northeast Japan. Science Reports of Tohoku University (Geology), 48, 77—97.
- THEODORI, C. von 1843. Über einem kolossalen Ichthyosaurus trigonodon. Gelehrte Anzeigen der Bayerischen Akademie der Wissenschaften, 16, 906—911.

- Tyborowski, D. 2016. A new ophthalmosaurid ichthyosaur from the Late Jurassic of Owadów-Brzezinki Quarry, Poland. *Acta Palaeontologica Polonica*, **61**, 791–803. DOI: 10.4202/app.00252, 2016.
- Wagner, A. 1853. Die characteristic einer neuen art von *Ichthy-osaurus* aus den lithographischen schiefern und eines zahnes von *Polyptychodon* aus dom gründsandstein von kelheim. *Bulletin der königliche Akademie der Wissenschaft, Gelehrte Anzeigen*, 3, 25–35.
- WANG, K. 1959. Ueber eine neue fossile reptilform von provinz hupeh, China. Acta Palaeontologica Sinica, 7, 47—52.
- WIMAN, C. 1910. Ichthyosaurier aus der trias Spitzbergens. *Bulletin of the Geological Institute of Upsala*, **10**, 124–148.
- ———— 1929. Eine neue marine reptilien-ordnung aus der trias Spitzbergens. Bulletin of the Geological Institute of Upsala, 22, 1—14.
- YANG, P.-F., JI, C., JIANG, D.-Y., MOTANI, R., TINTORI, A., SUN, Y.-L. & SUN, Z.-Y. 2013. A new species of *Qianichthyosaurus* (Reptilia: Ichthyosauria) from Xingyi Fauna (Ladinian, Middle Triassic) of Guizhou. Acta Scientiarum Naturalium Universitatis Pekinensis, 49, 1002—1008.
- YIN, G., ZHOU, X., CAO, Z., Yu, Y. & Luo, Y. 2000. A preliminary study on the Early Late Triassic marine reptiles from Guanling, Guizhou, China. *Geology, Geochemistry*, **28**, 1–23.
- YOUNG, C.-C. & DONG, Z.M. 1972. On the Triassic marine reptiles of China. *Memoires of the Nanjing Institute of Geology and Palaeontology*, **9**, 1—34.
- ZVERKOV, N.G. & EFIMOV, V.M. 2019. Revision of *Undorosaurus*, a mysterious Late Jurassic ichthyosaur of the Boreal Realm. *Journal of Systematic Palaeontology*, 1—31. DOI: 10 . 1080/14772019, 2018, 1515793.
  - ———— & PRILEPSKAYA, N.E. 2019. A prevalence of *Arthro-pterygius* (Ichthyosauria: Ophthalmosauridae) in the Late Jurassic—earliest Cretaceous of the Boreal Realm. *Peerl*, **7**, e6799. DOI: 10.7717/peerj.6799.