CASA0011 Coursework 1 - Systematic Experimentation (SugarScape)

2026-02-25

Declaration of Authorship

Date: 05 March 2026 (Thurs)

Student Number: 25049107

I, Tee Chin Min Benjamin, pledge my honour that the work presented in this assessment is my own. Where information has been derived from other sources, I confirm that this has been indicated in the work. AI (claude.ai) has been used to develop possible ideas for expanding the SugarScape model and for refining Netlogo code for analysis.

Systematic Experimentation – SugarScape

1. Aim

This study investigates how spatial resource distribution and intergenerational wealth transfers shape inequality. Two NetLogo SugarScape models were adapted to examine these mechanisms separately. **SugarScape 2 evaluates how resource concentration (1 peak versus 4 peaks) affects survivability and inequality within a single generation. SugarScape 3 introduces wealth and location inheritance to understand how intergenerational transfers interact with geography to amplify or dampen inequality over time**. Inequality is measured in both using the Gini coefficient[1].

2. Background

Economic inequality remains a persistent structural challenge. Piketty and Goldhammer (2014) document rising wealth inequality across advanced economies, driven by returns to capital exceeding economic growth. Geography plays a foundational role in shaping these dynamics. Krugman (1991) shows how spatial clustering of economic activity creates self-reinforcing regional inequality while Chetty *et al.* (2014) demonstrate that a child's place of birth remains one of the strongest predictors of economic mobility in the United States. These findings suggest that spatial resource distribution can imposes structural constraints that individual ability alone cannot overcome. Understanding why inequality emerges and what sustains it is relevant for policymakers designing redistributive interventions.

Intergenerational transfers compound these effects. Nekoei and Seim (2023) find that inheritances may initially reduce inequality but reverse over time as wealthier heirs accumulate more while poorer heirs deplete transfers.

Because such dynamics are difficult to isolate using traditional econometric methods, agent-based models provide a useful alternative for examining path dependence and emergent inequality (Farmer and Foley, 2009). SugarScape (Epstein and Axtell, 1996) offers a useful framework for investigating how geography and inheritance jointly influence wealth stratification.

3. Methods

3.1 Model Modifications

SugarScape 2 (Constant Growback) and 3 (Wealth Distribution) from the NetLogo Models Library (Wilensky, 1999a, 1999b) were modified to share a common 50×50 landscape and agent trait ranges.

Resource maps were generated programmatically with 1–4 symmetric *hills*, using concentric sugar rings (1-4) scaled to maintain approximately constant total sugar (~3,700). Agents were assigned random *vision* (1-3), *metabolism* (1–3) and *initial endowment* (10–25).

SugarScape 3 further introduces:

[1]The Gini coefficient measures the inequality of a frequency distribution such as income or wealth levels (Hasell, 2023). A Gini coefficient of 0 reflects perfect equality, where all income or wealth values are the same. In contrast, a Gini coefficient of 1 (or 100%) reflects maximal inequality among values, where a single individual has all the income or wealth while all others have none.

1. **Wealth Inheritance:** An *inheritance-rate* (0–1) transfers a fraction of a dying agent's sugar to offspring. Only agents above median wealth pass on sugar, simulating capital preservation opportunities available only to wealthier populations.
2. **Location Inheritance:** An *inherit-location?* toggle allows offspring to spawn near the parent (within 3 patches) rather than at a random location.

Additional reporters were added to track *inequality (Gini), wealth, survival,* and *mortality*. Full code is in the Appendix.

3.2 Key Assumptions

SugarScape 2 models within-generation competition without replacement. Agents compete for resources and die permanently when sugar reaches zero. With no replacement, the population declines.

SugarScape 3 introduces finite lifespans with *max-age* (60-80) and one-to-one replacement, maintaining a constant population. With *inheritance-rate* set to zero, each generation begins without accumulated advantage. Increasing *inheritance-rate* introduces compounding effects.

All experiments used 400 initial agents and 10 repetitions per parameter combination and 1,000 ticks. Both models assumed constant growback (1 sugar per tick up to patch maximum), without trade, and movement toward the highest-sugar visible patch.

3.3 Experimental Design

Experiment 1 (S2): num-hills was varied from 1 to 4 (Figure 1) to examine spatial concentration effects.



Figure 1: **Figure 1: Number of Hills (from 1 to 4) with total sugar held approximately constant**

Experiment 2 (S3): inheritance-rate was varied at intervals of 0.25 between 0.00 and 1.00, with *inherit-location?* toggled on and off, holding geography constant with *num-hills = 2*.

4. Results

4.1 Experiment 1: Resource Concentration and Inequality (S2)

Figure 2 shows how the Gini coefficient changes over time for each hill configuration. All configurations begin with Gini at approximately **0.122** and rise sharply in the first 100 ticks as agents compete for resources and weaker agents die off. The trajectories then

plateau. The 1-hill configuration reaches the highest final Gini **(0.448)**, while the 4-hill configuration reaches the lowest **(0.354)**, with 2-hill and 3-hill configurations falling in between.



With total sugar held constant, survival rates were broadly similar across configurations, suggesting that resource geography affects the distribution of wealth rather than overall carrying capacity. Mean wealth increased from **959** in the 1-hill setup to **1,117** in the 4-hill setup.

Table 1: Summary Metrics for Experiment 1 (S2)

Hills	Gini	Survival	Mean Wealth	Mean Vision	Mean Metabolism
1	0.448 ± 0.021	0.51 ± 0.01	959 ± 45	2.1	1.5
2	0.424 ± 0.023	0.51 ± 0.02	1034 ± 48	2.1	1.6
3	0.383 ± 0.018	0.51 ± 0.02	1067 ± 25	2.1	1.5
4	0.354 ± 0.023	0.53 ± 0.01	1117 ± 46	2.2	1.5

4.2 Experiment 2: Inheritance and Inequality (S3)

The introduction of wealth and location inheritance reveals a complex, non-linear relationship between intergenerational transfers and wealth stratification.

4.2.1 Wealth Inheritance only

Figure 3 plots Gini trajectories under varying *inheritance-rate* (0.00-1.00) without location inheritance. At moderate *inheritance-rate* (0.25-0.50), the Gini is lower than the no-inheritance baseline, falling from **0.458** to **0.43**1 at *inheritance-rate = 0.50*. However, at higher *inheritance-rate* (0.75-1.00), the Gini rises sharply above the baseline reaching up to **0.551** at full *inheritance-rate* (1.00).

Figure 3: Gini Over Time by Inheritance Rate (S3a, Without Location Inheritance)



This U-shaped pattern reflects two competing dynamics. Moderate inheritance acts as insurance where offspring of above-median agents receive a buffer that reduces the impact of unfavourable random traits, compressing the wealth distribution. At higher *inheritance-rate* the larger transfers create persistent wealth differences where wealth compounds across generations faster than it dissipates. *Mean wealth* rises significantly from **35** at baseline to **183** at full *inheritance-rate* (Table 2). *Death rate* decreases monotonically from **9.6** to **7.5**, with fewer starvation deaths as *inheritance-rate* increases, corroborating the insurance effect.

Table 2: Summary Metrics for Experiment 2 (S3a - Without location inheritance)

Inherit. Rate	Gini	Mean Wealth	Mean Vision	Mean Metabolism	Death Rate	Age Deaths	Starve. Deaths
0.0	0.458 ± 0.008	35 ± 2	2.1	1.7	9.6 ± 0.2	4270	5265
0.25	0.426 ± 0.013	42 ± 1	2.0	1.8	8.9 ± 0.4	4185	4436
0.5	0.431 ± 0.009	56 ± 1	2.1	1.8	8.0 ± 0.3	4336	3704
0.75	0.452 ± 0.010	82 ± 3	2.0	1.8	7.8 ± 0.3	4536	3114
1.0	0.551 ± 0.009	183 ± 5	2.1	1.9	7.5 ± 0.3	4753	2682

4.2.2 Wealth and Location Inheritance

Enabling location inheritance generally reduces inequality compared to wealth inheritance alone (Figure 4 and 5). At the wealth inheritance baseline, simply allowing offspring to start near their parent's location reduces the Gini from **0.458** to **0.396**. This occurs because offspring of successful agents are born near productive resource hills, reducing "search cost" and starvation risk, uplifting the broader base of agents.

Figure 5 illustrates how location inheritance significantly accelerates wealth accumulation. At full *inheritance-rate* (1.0), *mean wealth* nearly doubles from **183** (without location inheritance) to **342** (with location inheritance). This accumulation is driven by improvements

in mortality where *starvation deaths* drop from **5,265** to **4,028** when location inheritance is added, allowing more agents to survive until they die of old age.

Figure 4: Gini Over Time by Inheritance Rate (S3b, With Location Inheritance)



Table 3: Summary Metrics for Experiment 2 (S3b - With location inheritance)

Inherit. Rate	Gini	Mean Wealth	Mean Vision	Mean Metabolism	Death Rate	Age Deaths	Starve. Deaths
0.0	0.396 ± 0.011	39 ± 2	2.0	1.7	7.4 ± 0.3	4371	4028
0.25	0.373 ± 0.010	48 ± 2	2.0	1.8	6.8 ± 0.3	4388	3456
0.5	0.375 ± 0.009	66 ± 3	2.0	1.9	6.5 ± 0.2	4697	3009
0.75	0.414 ± 0.012	108 ± 2	2.0	1.9	6.6 ± 0.2	4797	2829
1.0	0.541 ± 0.004	342 ± 9	2.0	1.9	6.8 ± 0.3	4768	2956

Figure 5: Effect of Location Inheritance Across Metrics (S3)



Note: Values represent the mean outcome at t=1000 across 10 repetitions per parameter combination.

4.2.2 Comparison between experiments

The experiments reveal that geography establishes a structural baseline range of inequality generated through spatial competition, within which intergenerational mechanisms operate.

At low to moderate inheritance rates (0.25–0.50), inequality falls below the spatial-only baseline as modest transfers buffer stochastic disadvantage and compress dispersion, even while mean wealth rises. Once inheritance exceeds a threshold (≥ 0.75), accumulation dominates: wealth persists and compounds across generations faster than it dissipates. Inequality then surpasses the spatial baseline, reaching 0.551 at full inheritance without location persistence and 0.541 with it. Intergenerational transmission therefore operates as a regime-switching mechanism, dampening geography-driven inequality at moderate levels but transforming it into durable stratification at high levels.

While the Gini coefficient provides a consistent basis for comparison across models, it captures different structural forms of inequality. In SugarScape 2, inequality reflects

competitive selection within a single generation, driven by spatial concentration and trait variation. In SugarScape 3a, the Gini captures capital persistence, where wealth differences compound across generations. In SugarScape 3b, inequality becomes spatially embedded, reflecting the intergenerational transmission of both capital and locational advantage. Thus, similar Gini values across experiments may reflect fundamentally different generative mechanisms.

5. Discussion

5.1 Wealth inheritance dynamics (Insurance vs Accumulation)

The results highlight an interesting dual-nature of wealth inheritance. At low levels, it functions as a social safety net, reducing the number of "stochastic deaths" caused by poor trait draws (e.g., high metabolism or poor location endowment). However, as *inheritance-rate* approaches 1.0, the system transitions into a dynastic regime. Wealth becomes less a signal of agent fitness (vision or metabolism) but of ancestral luck.

The model also showed that location inheritance can function as a powerful wealth multiplier. When agents inherit both sugar and proximity to resource hills, mean wealth at full inheritance nearly doubled. This mirrors structural advantages in real-world systems that allow the wealthy to compound gains through passive proximity to opportunities, while the poor are forced to perform with near-flawless efficiency to achieve similar outcomes.

5.2 Limitations and Sensitivities

While the model provides insights into the mechanics of wealth stratification, several limitations must be noted.

- **Constant Population:** The model utilizes a one-to-one replacement system upon agent death (*hatch 1*). In real-world systems, birth rates often correlate inversely with wealth, which could create steeper inequality trajectories.
- **Static Resource Hills:** In a more dynamic environment, resource depletion or shifting climates could force migration, potentially disrupting the "location inheritance" advantage.
- **Trait Sensitivity:** The Gini trajectories are highly sensitive to the metabolism and vision ratio. If metabolism were increased relative to sugar grow-back rates, the "insurance effect" of moderate inheritance might disappear, as even a small inheritance would be insufficient to prevent risk of starvation.
- **Limitations of the Gini coefficient:** While the Gini coefficient provides a consistent basis for comparing inequality across spatial and inheritance regimes, it captures only the dispersion of wealth at a given moment, and does not distinguish between inequality arising from competitive selection and that arising from dynastic persistence. In high-inheritance scenarios, measured inequality may resemble or even fall below spatial-only baselines, yet wealth becomes increasingly decoupled from agent traits and more dependent on inherited position. The Gini therefore detects distributional change but not the underlying mechanism generating it. Future extensions could incorporate mobility (e.g. Rank-Rank slope (Venator, 2015; Van Der Erve *et al.*, 2024)) or lineage-based measures to better capture structural persistence.

6. Conclusion

This study shows that spatial resource distribution establishes a structural baseline for inequality, but intergenerational transmission shapes how that inequality evolves. In the absence of inheritance, inequality reflects spatial competition and trait-based selection. Introducing wealth transfers produces a non-linear effect where moderate inheritance reduces inequality by buffering agents against stochastic disadvantage, while high inheritance generates compounding effects that exceeds the inequality produced by geography alone.

Location inheritance reinforces these dynamics by lowering survival risk near productive resource clusters and accelerating wealth accumulation. As inheritance rate increases, wealth becomes progressively detached from individual traits and more dependent on inherited position within the spatial landscape.

These findings suggest that inequality is shaped not only by unequal access to space, but by the mechanisms that allow advantage to persist and accumulate across generations. Policies aimed at reducing inequality must therefore address both spatial disparities in opportunity and the channels through which unfair wealth and locational advantages are transmitted.

Additional Diagrams

Screenshot of Netlogo Interface under Experiment 1 (S2)



Full Netlogo Code under Experiment 1 (S2)

```
;; Sugarscape Geography Model
;; Adapted from Sugarscape 2 Constant Growback
;; Investigates how the spatial distribution of resource hills
;; affects survivability and inequality.

globals [
  gini-index-reserve
  lorenz-points
  total-sugar-budget
]

turtles-own [
  sugar
  metabolism
  vision
  vision-points
]

patches-own [
  psugar
  max-psugar
]

;;
;; Setup Procedures
;;

to setup
  clear-all
  setup-patches
  create-turtles initial-population [ turtle-setup ]
  update-lorenz-and-gini
  reset-ticks
end

to turtle-setup ;; turtle procedure
  set color red
  set shape "circle"
  move-to one-of patches with [not any? other turtles-here]
  set sugar random-in-range 10 20
  set metabolism random-in-range 1 3
  set vision random-in-range 1 3
  set vision-points []
  foreach (range 1 (vision + 1)) [ n ->
    set vision-points sentence vision-points (list (list 0 n) (list n 0) (list 0 (- n)) (list (- n) 0))
  ]
end

to setup-patches
  let hill-centers get-hill-centers

  let sugar-per-hill 4000 / num-hills

  ;; Correction factors to compensate for grid discretization
  let correction 1.0
  if num-hills = 1 [ set correction 0.925 ]
  if num-hills = 2 [ set correction 1.099 ]
  if num-hills = 3 [ set correction 1.022 ]
  if num-hills = 4 [ set correction 0.995 ]

  let w sqrt (sugar-per-hill * correction / (30 * 3.14159))

  ask patches [
    let min-dist 9999
    foreach hill-centers [ center-coords ->
      let cx item 0 center-coords
      let cy item 1 center-coords
      let d distancexy cx cy
      if d < min-dist [ set min-dist d ]
    ]
    ifelse min-dist <= w [ set max-psugar 4 ] [
      ifelse min-dist <= 2 * w [ set max-psugar 3 ] [
        ifelse min-dist <= 3 * w [ set max-psugar 2 ] [
          ifelse min-dist <= 4 * w [ set max-psugar 1 ] [
            set max-psugar 0
          ]
        ]
      ]
    ]
    set psugar max-psugar
    patch-recolor
  ]

  set total-sugar-budget sum [max-psugar] of patches
end

to-report get-hill-centers
  if num-hills = 1 [
    report (list (list 25 25))
  ]
  if num-hills = 2 [
    report (list (list 15 25) (list 35 25))
  ]
  if num-hills = 3 [
    report (list (list 25 35) (list 15 15) (list 35 15))
  ]
  ;; num-hills = 4 or fallback
  report (list (list 15 15) (list 35 15) (list 15 35) (list 35 35))
end

;;
;; Runtime Procedures
;;

to go
  if not any? turtles [ stop ]
  ask patches [
    patch-growback
    patch-recolor
  ]
  ask turtles [
    turtle-move
    turtle-eat
    if sugar <= 0 [ die ]
  ]
  update-lorenz-and-gini
  tick
end

to turtle-move
  let move-candidates (patch-set patch-here (patches at-points vision-points) with [not any? turtles-here])
  let possible-winners move-candidates with-max [psugar]
  if any? possible-winners [
    move-to min-one-of possible-winners [distance myself]
  ]
end

to turtle-eat
  set sugar (sugar - metabolism + psugar)
  set psugar 0
end

to patch-recolor
  set pcolor (yellow + 4.9 - psugar)
end
```

```
to patch-growback
  set psugar min (list max-psugar (psugar + 1))
end

;;
;; Lorenz Curve and Gini Coefficient
;;

to update-lorenz-and-gini
  let num-people count turtles
  if num-people = 0 [ set gini-index-reserve 0 set lorenz-points [] stop ]
  let sorted-wealths sort [sugar] of turtles
  let total-wealth sum sorted-wealths
  if total-wealth = 0 [ set gini-index-reserve 0 set lorenz-points [] stop ]
  let wealth-sum-so-far 0
  let index 0
  set gini-index-reserve 0
  set lorenz-points []
  repeat num-people [
    set wealth-sum-so-far (wealth-sum-so-far + item index sorted-wealths)
    set lorenz-points lput ((wealth-sum-so-far / total-wealth) * 100) lorenz-points
    set index (index + 1)
    set gini-index-reserve
      gini-index-reserve +
      (index / num-people) -
      (wealth-sum-so-far / total-wealth)
  ]
end

;;
;; Reporters for BehaviorSpace
;;

to-report gini
  report (gini-index-reserve / count turtles) * 2
end

to-report population
  report count turtles
end

to-report mean-wealth
  ifelse any? turtles [ report mean [sugar] of turtles ] [ report 0 ]
end

to-report median-wealth
  ifelse any? turtles [ report median [sugar] of turtles ] [ report 0 ]
end

to-report mean-vision
  ifelse any? turtles [ report mean [vision] of turtles ] [ report 0 ]
end

to-report mean-metabolism
  ifelse any? turtles [ report mean [metabolism] of turtles ] [ report 0 ]
end

to-report wealth-sd
  ifelse count turtles > 1 [ report standard-deviation [sugar] of turtles ] [ report 0 ]
end

to-report survival-rate
  report count turtles / initial-population
end

;;
;; Utilities
```

```
;;

to-report random-in-range [low high]
  report low + random (high - low + 1)
end
```

Screenshot of Netlogo Interface under Experiment 2 (S3)



Full Netlogo Code under Experiment 2 (S3)

```
globals [
  gini-index-reserve
  lorenz-points
  total-sugar-budget
  deaths-this-period
  death-rate-value
  starvation-deaths
  old-age-deaths
  total-inheritance
  inheritance-count
]

turtles-own [
  sugar          ;; the amount of sugar this turtle has
  metabolism     ;; the amount of sugar that each turtles loses each tick
  vision         ;; the distance that this turtle can see in the horizontal and vertical directions
  vision-points  ;; the points that this turtle can see in relative to it's current position (based on vision)
  age            ;; the current age of this turtle (in ticks)
  max-age        ;; the age at which this turtle will die of natural causes
]

patches-own [
  psugar          ;; the amount of sugar on this patch
  max-psugar      ;; the maximum amount of sugar that can be on this patch
]

;;
;; Setup Procedures
;;

to setup
  if maximum-sugar-endowment <= minimum-sugar-endowment [
    user-message "Oops: the maximum-sugar-endowment must be larger than the minimum-sugar-endowment"
    stop
  ]
  clear-all

  set total-inheritance 0
  set inheritance-count 0
  set starvation-deaths 0
  set old-age-deaths 0

  create-turtles initial-population [ turtle-setup ]
  setup-patches
  update-lorenz-and-gini
  reset-ticks
end

to turtle-setup
  set color red
  set shape "circle"
  move-to one-of patches with [not any? other turtles-here]
  set sugar random-in-range minimum-sugar-endowment maximum-sugar-endowment
  set metabolism random-in-range 1 3
  set max-age random-in-range 60 80
  set age 0
  set vision random-in-range 1 3
  set vision-points []
  foreach (range 1 (vision + 1)) [ n ->
    set vision-points sentence vision-points (list (list 0 n) (list n 0) (list 0 (- n)) (list (- n) 0))
  ]
end

to turtle-setup-inherit [parent-sugar parent-x parent-y]
  set color red
  set shape "circle"

  ;; Location inheritance
  ifelse inherit-location? [
    let nearby-patches patches with [
      not any? turtles-here and
      distancexy parent-x parent-y <= 3
    ]
    ifelse any? nearby-patches [
      move-to one-of nearby-patches
    ] [
      let free-patches patches with [not any? other turtles-here]
      if any? free-patches [ move-to one-of free-patches ]
    ]
  ] [
    let free-patches patches with [not any? other turtles-here]
    if any? free-patches [ move-to one-of free-patches ]
  ]

  ;; Wealth inheritance
  let inherited-sugar parent-sugar * inheritance-rate
  let base-endowment random-in-range minimum-sugar-endowment maximum-sugar-endowment
  set sugar inherited-sugar + base-endowment

  ;; Traits always randomized (same ranges as S2)
  set metabolism random-in-range 1 3
  set max-age random-in-range 60 80
  set age 0
  set vision random-in-range  1 3
  set vision-points []
  foreach (range 1 (vision + 1)) [ n ->
    set vision-points sentence vision-points (list (list 0 n) (list n 0) (list 0 (- n)) (list (- n) 0))
  ]
end

;;
;; Programmatic hill generation (same as Model A)
;;

to setup-patches
  let hill-centers get-hill-centers

  let sugar-per-hill 4000 / num-hills

  ;; Correction factors to compensate for grid discretization
  let correction 1.0
  if num-hills = 1 [ set correction 0.925 ]
  if num-hills = 2 [ set correction 1.099 ]
  if num-hills = 3 [ set correction 1.022 ]
  if num-hills = 4 [ set correction 0.996 ]

  let w sqrt (sugar-per-hill * correction / (30 * 3.14159))

  ask patches [
    let min-dist 9999
    foreach hill-centers [ center-coords ->
      let cx item 0 center-coords
      let cy item 1 center-coords
      let d distancexy cx cy
      if d < min-dist [ set min-dist d ]
    ]
    ifelse min-dist <= w [ set max-psugar 4 ] [
      ifelse min-dist <= 2 * w [ set max-psugar 3 ] [
        ifelse min-dist <= 3 * w [ set max-psugar 2 ] [
          ifelse min-dist <= 4 * w [ set max-psugar 1 ] [
            set max-psugar 0
          ]
        ]
      ]
    ]
    set psugar max-psugar
    patch-recolor
  ]

  set total-sugar-budget sum [max-psugar] of patches

end

to-report get-hill-centers
  if num-hills = 1 [
    report (list (list 25 25))
  ]
  if num-hills = 2 [
    report (list (list 15 25) (list 35 25))
  ]
  if num-hills = 3 [
    report (list (list 25 35) (list 15 15) (list 35 15))
  ]
  ;; num-hills = 4 or fallback
  report (list (list 15 15) (list 35 15) (list 15 35) (list 35 35))
end

;;
;; Runtime Procedures
;;

to go

  if ticks mod 50 = 0 and ticks > 0 [
    set death-rate-value deaths-this-period / 50
    set deaths-this-period 0
  ]

  if not any? turtles [ stop ]
  ask patches [
    patch-growback
    patch-recolor
  ]
  ask turtles [
    turtle-move
    turtle-eat
    set age (age + 1)

    if sugar <= 0 or age > max-age [
      ifelse sugar <= 0
      [ set starvation-deaths starvation-deaths + 1 ]
      [ set old-age-deaths old-age-deaths + 1 ]

      set deaths-this-period deaths-this-period + 1

      let my-sugar sugar
      let my-x xcor
      let my-y ycor
      let passable-sugar 0
      let sorted-wealths sort [sugar] of turtles
      let med-wealth item (floor (count turtles / 2)) sorted-wealths
      if my-sugar > med-wealth [
        set passable-sugar my-sugar
      ]
      set total-inheritance total-inheritance + (passable-sugar * inheritance-rate)
      set inheritance-count inheritance-count + 1
      hatch 1 [ turtle-setup-inherit passable-sugar my-x my-y ]
      die
    ]
  ]
  update-lorenz-and-gini
  tick
end

to turtle-move
  let move-candidates (patch-set patch-here (patches at-points vision-points) with [not any? turtles-here])
  let possible-winners move-candidates with-max [psugar]
  if any? possible-winners [
    move-to min-one-of possible-winners [distance myself]
  ]
end

to turtle-eat
  set sugar (sugar - metabolism + psugar)
  set psugar 0
end

to patch-recolor
  set pcolor (yellow + 4.9 - psugar)
end

to patch-growback
  set psugar min (list max-psugar (psugar + 1))
end

to update-lorenz-and-gini
  let num-people count turtles
  if num-people = 0 [
    set gini-index-reserve 0
    set lorenz-points []
  ]
  if num-people > 0 [
    let sorted-wealths sort [sugar] of turtles
    let total-wealth sum sorted-wealths
    if total-wealth <= 0 [
      set gini-index-reserve 0
      set lorenz-points []
    ]
    if total-wealth > 0 [
      let wealth-sum-so-far 0
      let index 0
      set gini-index-reserve 0
      set lorenz-points []
      repeat num-people [
        set wealth-sum-so-far (wealth-sum-so-far + item index sorted-wealths)
        set lorenz-points lput ((wealth-sum-so-far / total-wealth) * 100) lorenz-points
        set index (index + 1)
        set gini-index-reserve
          gini-index-reserve +
          (index / num-people) -
          (wealth-sum-so-far / total-wealth)
      ]
    ]
  ]
end

;;
;; Reporters for BehaviorSpace
;;

to-report gini
  ifelse count turtles > 0 [
    report (gini-index-reserve / count turtles) * 2
  ] [
    report 0
  ]
end

to-report population
  report count turtles
end

to-report mean-wealth
  ifelse any? turtles [ report mean [sugar] of turtles ] [ report 0 ]
end

to-report mean-vision
  ifelse any? turtles [ report mean [vision] of turtles ] [ report 0 ]
end
```

```
to-report mean-metabolism
  ifelse any? turtles [ report mean [metabolism] of turtles ] [ report 0 ]
end

to-report wealth-sd
  ifelse count turtles > 1 [ report standard-deviation [sugar] of turtles ] [ report 0 ]
end

to-report mean-age
  ifelse any? turtles [ report mean [age] of turtles ] [ report 0 ]
end

to-report death-rate
  report death-rate-value
end

to-report age-deaths
  report old-age-deaths
end

to-report starve-deaths
  report starvation-deaths
end

to-report avg-inheritance
  ifelse inheritance-count > 0 [
    report total-inheritance / inheritance-count
  ] [
    report 0
  ]
end

;;
;; Utilities
;;

to-report random-in-range [low high]
  report low + random (high - low + 1)
end


; Copyright 2009 Uri Wilensky.
; See Info tab for full copyright and license.
```

References

Chetty, R. *et al.* (2014) 'Where is the land of Opportunity? The Geography of Intergenerational Mobility in the United States *', *The Quarterly Journal of Economics*, 129(4), pp. 1553–1623. doi: 10.1093/qje/qju022.

Epstein, J. M. and Axtell, R. L. (1996) *Growing Artificial Societies: Social Science from the Bottom Up*. The MIT Press. doi: 10.7551/mitpress/3374.001.0001.

Farmer, J. D. and Foley, D. (2009) 'The economy needs agent-based modelling', *Nature*, 460(7256), pp. 685–686. doi: 10.1038/460685a.

Hasell, J. (2023) 'Measuring inequality: What is the Gini coefficient?', *Our World in Data*. Available at: https://ourworldindata.org/what-is-the-gini-coefficient (Accessed: 24 February 2026).

Krugman, P. (1991) 'Increasing Returns and Economic Geography'.

Nekoei, A. and Seim, D. (2023) 'How Do Inheritances Shape Wealth Inequality? Theory and Evidence from Sweden', *The Review of Economic Studies*, 90(1), pp. 463–498. doi: 10.1093/restud/rdac016.

Piketty, T. and Goldhammer, A. (2014) 'The Metamorphoses of Capital', in *Capital in the Twenty-First Century*. Harvard University Press, pp. 113–139. Available at: https://www.jstor.org/stable/j.ctt6wpqbc.7.

Van Der Erve, L. *et al.* (2024) 'Intergenerational mobility in the UK', *Oxford Open Economics*, 3(Supplement_1), pp. i684–i708. doi: 10.1093/ooec/odad064.

Venator, J. (2015) 'Measuring relative mobility, part 1', *Brookings*. Available at: https://www.brookings.edu/articles/measuring-relative-mobility-part-1/ (Accessed: 24 February 2026).

Wilensky, U. (1999a) 'NetLogo Models Library: Sugarscape 2 Constant Growback'. Evanston, IL: Center for Connected Learning; Computer-Based Modeling, Northwestern University. Available at: https://ccl.northwestern.edu/netlogo/models/Sugarscape2ConstantGrowback.

Wilensky, U. (1999b) 'NetLogo Models Library: Sugarscape 3 Wealth Distribution'. Evanston, IL: Center for Connected Learning; Computer-Based Modeling, Northwestern University. Available at: https://ccl.northwestern.edu/netlogo/models/Sugarscape3WealthDistribution.