



APP CRS	Rwy Ldg	9400
178°	TDZE	35
	Apt Elev	36

RNAV (RNP) Z RWY 18R
VALLEY INTL (HRL)

RNP AR APCH - GPS. Authorization required. From ELPRM, EBCIL, LESEY, STDNM, VARYU: RF	MALSR AS	MISSED APPROACH: Climb to 500 then climbing left turn to 2000 direct RELAX and hold.
For uncompensated Baro-VNAV systems, procedure NA below -1°C or above 54°C. When local altimeter setting not received, procedure NA. For inop ALS, increase RNP 0.11 all Cats visibility to RVR 4000 and RNP 0.30 all Cats visibility to RVR 4500.		

ATIS 124.85	VALLEY APP CON 120.7 279.5	HARLINGEN TOWER★ 119.3 (CTAF) 0 317.6	GND CON 121.7	UNICOM 122.95
----------------	-------------------------------	--	------------------	------------------



500	2000	RELAX	VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 71).	CIXEN 1400
See planview for multiple IF locations.				
4.1 NM				
CATEGORY	A	B	C	D
RNP 0.11 DA	285/24		250 (300-½)	
RNP 0.30 DA	345/24		310 (400-½)	
AUTHORIZATION REQUIRED				