



IFR ALTERNATE AIRPORT MINIMUMS

Pilots must review the IFR Alternate Minimums Notes to determine alternate airport suitability.

⚠️ NA designation on the approach chart means that pilots may not use that approach as an alternate due to unmonitored facility, absence of weather reporting service, or lack of adequate navigation coverage. Approaches with the ⚠️ NA designation are not listed in this section. ⚠️ designation on the approach chart indicates that the approach procedure has non-standard minimums (for aircraft other than helicopters) or restrictions (for all users) for its use as an alternate. A procedure is not authorized for alternate flight planning purposes when local weather is not available.

MILITARY USERS NOTE: For IFR alternate airport and minima planning, refer to appropriate service directives.

Alternate Minima (ref: 14 CFR 91.169)

	Precision Approach	Non-Precision Approach
Standard	600-2	800-2
⚠️ Non-Standard or restrictions	As indicated below	As indicated below
Helicopters	For the selected approach: Ceiling: 200' above published ceiling Visibility: the greater of 1 SM visibility or the published visibility	

Note: For alternate airport flight planning purposes, precision approach operations include: ILS, PAR, and GLS, and Non-Precision approach operations include NDB, VOR, LOC, TACAN, LDA, ASR, RNAV (GPS) and RNAV (RNP).

NAME ALTERNATE MINIMUMS
BABELTHUAP ISLAND, PW
PALAU INTL (ROR) (PTRO)..... **NDB Rwy 9¹**
RNAV (GPS) Rwy 9
RNAV (GPS) Rwy 27

NA except standard for operators with approved weather reporting service.
¹Cat A, B 900-2, Cat C 900-2½, Cat D 900-2¾.

HANA, HI
HANA (HNM) (PHHN)..... **RNAV (GPS) Rwy 26**
Cat A 900-2, Cat B 1100-2.

HILO, HI
HILO INTL (ITO) (PHTO)..... **ILS or LOC Rwy 26¹²**
RNAV (GPS) Rwy 21³
RNAV (GPS) Rwy 26³
VOR-B³
VOR/DME or TACAN Rwy 26³
VOR/DME or TACAN-A³

¹NA when control tower closed.
²LOC Cat C 900-2½, Cat D 1300-3.
³Cat C 900-2½, Cat D 1300-3.

NAME ALTERNATE MINIMUMS
HONOLULU, HI
DANIEL K INOUE
INTL (HNL) (PHNL)..... **LOC Rwy 4R¹**
LOC Rwy 8L²
RNAV (GPS) Rwy 4L³
RNAV (GPS) Rwy 8R⁴
RNAV (GPS) Y Rwy 4R⁵
RNAV (GPS) Y Rwy 8L²
VOR or TACAN Rwy 4R⁶
VOR or TACAN Rwy 8R⁷
VOR or TACAN-A⁴
VOR or TACAN-B⁴

¹Cat C 800-2½, Cat D 1400-3.
²Cat C 900-2½, Cat D 1300-3.
³Cat C 900-2½, Cat D 1400-3, Cat E 2000-3.
⁴Cat C 900-2½, Cat D 1400-3, Cat E 2100-3.
⁵Cat C 900-2½.
⁶Cat C 900-2½, Cat D 1400-3.
⁷Cat C 900-2½, Cat D 1300-3, Cat E 2000-3.

29 OCT 2026 to 24 DEC 2026

29 OCT 2026 to 24 DEC 2026

NAME

ALTERNATE MINIMUMS

NAME

ALTERNATE MINIMUMS

TAMUNING, GU

GUAM

INTL (GUM) (PGUM)..... ILS or LOC Rwy 6L¹

ILS or LOC Rwy 6R¹

RNAV (GPS) Y Rwy 24L²

RNAV (GPS) Y Rwy 24R³

VOR or TACAN Rwy 24R³

¹LOC Cat A, B 1200-2, Cat C, D 1200-3.

²Cat A, B 900-2, Cat C 900-2¾, Cat D 900-3.

³Cat A, B 900-2, Cat C, D 900-2½.

TINIAN ISLAND, MP

FRANCISCO MANGLONA BORJA

TINIAN INTL (TNI) (PGWT).....RNAV (GPS) Rwy 8

RNAV (GPS) Rwy 26

NA when local weather not available.

Cat D 800-2½.

WENO ISLAND, FM

CHUUK INTL (TKK) (PTKK).....NDB Rwy 4¹

NDB Rwy 22²³

RNAV (GPS) Rwy 4²⁴

RNAV (GPS) Rwy 22²⁵

¹NA except for operators with approved weather reporting service. Cat A, B, C, D 800-2½.

²NA except standard for operators with approved weather reporting service.

³Cat C, D 800-2½.

⁴Cat A, B, C, D 800-3.

⁵Cat A, B 900-2, Cat C 900-2½, Cat D 900-2¾.

YAP ISLAND, FM

YAP INTL (T11) (PTYA).....NDB Rwy 7¹

NDB Rwy 25²

NDB/DME Rwy 25²

¹Cat D 800-2¼.

²Cat A, B 1000-2, Cat C, D 1000-3.

29 OCT 2026 to 24 DEC 2026

29 OCT 2026 to 24 DEC 2026