

SECURE COMMUNICATIONS AT THE SPEED OF CYBER

Graph Compactification for Efficient Program Comprehension and Analysis

Suresh C. Kothari
Richardson Professor
Department of Electrical and Computer Engineering

Ben Holland, Iowa State University

Acknowledgement: Team members at Iowa State University and EnSoft, DARPA contracts FA8750-12-2-0126 & FA8750-15-2-0080

SECURE COMMUNICATIONS AT THE SPEED OF CYBER

Intuition: Efficient Path-Sensitive Analysis


- A large number of paths could be partitioned into a small number of groups.
- All Paths in a group are equivalent have the same execution behavior w.r.t. the property to be verified.
- Efficient computation by examining only one path from each group.
- Challenge: How can the groups be formed without examining each path at least once?




MILCOM 2016 Irrelevant Branch Conditions

SECURE COMMUNICATIONS AT THE SPEED OF CYBER

BALTIMORE, MD • NOVEMBER 1-3, 2016




C₂ irrelevant to path-sensitive analysis w.r.t. E₁ and E₂



Remove the irrelevant branch conditions to avoid unnecessary path explosion & simplify the path feasibility check.

paths reduced from 8 to 4



conditions for feasibility check reduced from 3 to 2

SECURE COMMUNICATIONS AT THE SPEED OF CYBER

