

Results

01 • LOGISTIC REGRESSION

predict a yes/no outcome


Table 1. Coefficients

	Log-odds (B)	Odds ratio (OR)
(Intercept)	−6.59 (2.92)	< 0.01 [< 0.01, 0.24]
pre_score	0.08 (0.04)	1.08 [1.01, 1.18]
age	0.03 (0.03)	1.03 [0.98, 1.09]
group: b	1.24 (0.72)	3.46 [0.87, 15.44]
Num.Obs.	40	
Nagelkerke R ²	0.28	
Omnibus χ^2	9.54 (p .023)	
Log.Lik.	−22.95	
AIC	53.91	
BIC	60.66	

Table 2. Classification

Predicted \ Observed	no	yes	% correct
no	13	7	65.0%
yes	7	13	65.0%

Figure. Classifier performance



How to read this test

Each predictor's odds ratio tells how the odds of the outcome change per unit (>1 increases, <1 decreases); a term carries weight when its OR confidence interval excludes 1, and the inline omnibus χ^2 (with its p) tests the model as a whole. Model fit and the ROC/AUC show how well it classifies overall. Your significance threshold (α) is 0.05.

APA template: Predictor pre_score was associated with the outcome, OR=1.08, 95% CI [1.01, 1.18], $p = .035$ (AUC=.76).

After export · optional feedback — an anonymous, optional satisfaction survey — opens a short Google Form in a new tab

[How did it go? — Share feedback →](#)