

Results

01 • PLS-SEM

variance-based structural model

Table 1. Measurement model (outer loadings / weights)

Construct → Item	Loading / weight	t	p
	.87	31.19	< .001
	.60	9.42	< .001
	.76	18.78	< .001
	.90	63.67	< .001
	.89	63.38	< .001
	.91	69.44	< .001
	.56	5.28	< .001
	.76	13.83	< .001
	.91	33.06	< .001

Table 2. Reliability & convergent validity (per construct)

Construct	α	ρ _A	CR (ρ _C)	AVE
visual	.63	.72	.79	.56
textual	.88	.89	.93	.81
speed	.69	.89	.80	.57

Table 3. Discriminant validity — HTMT (construct × construct)

	visual	textual	speed
visual			
textual	.42		
speed	.47	.29	

Table 4. Structural paths

Path	β	t	p	95% CI	f ²
visual → textual	.35	6.31	< .001	[.24, .46]	
textual → speed	.12	1.97	.049	[.00, .24]	
visual → speed	.35	6.72	< .001	[.25, .45]	

Table 5. Structural model quality (per endogenous construct)


Construct	R ²	R ² _{adj}	Q ²
textual	.12	.12	-0.02
speed	.17	.16	-0.00

Table 6. Indirect effects (mediation)

Path	Estimate	SE	boot 95% CI	p
visual → textual → speed	.04	0.02	[.00, .10]	.088

HTMT is a construct-by-construct matrix (not a per-construct value) — columns expand to the number of constructs in the model; HTMT < .85/.90 supports discriminant validity (Henseler, Ringle & Sarstedt, 2015). Significance comes from bootstrapping (percentile 95% CIs, 5000 resamples); R² and Q² assess the structural model (f²: ~0.02 small, 0.15 medium, 0.35 large; Cohen, 1988). PLS-SEM deliberately has no global fit indices (CFI/TLI/RMSEA) — judge it by reliability & validity, then R²/Q²/f² (Hair et al., 2019). The indirect-effects table appears only when the drawn paths form a chain (X → M → Y). Formative constructs suppress AVE/HTMT and are judged by indicator weights, VIF, and redundancy convergent validity. Moderation is planned for a later version.

Figure. Model



How to read this test

Like CB-SEM but variance-based and prediction-oriented (good for smaller samples / formative constructs). PLS-SEM does not use CB-SEM global fit indices (CFI/TLI/RMSEA) — judge it instead by reliability & validity (CR, AVE, HTMT), then R², Q² (predictive relevance) and f², with SRMR the only commonly reported approximate fit index. Read the bootstrapped path coefficients (β, p); f² is each path's effect size (~0.02 small, 0.15 medium, 0.35 large).

APA template: In the PLS-SEM, the path from X to Y gave $\beta=$ __, $p=$ __ (bootstrap); $R^2Y=$ __.

After export · optional feedback — an anonymous, optional satisfaction survey — opens a short Google Form in a new tab

[How did it go? — Share feedback →](#)