


1 Repeated-measures ANOVA

Condition	N	M	SD
score_t1	60	59.55	5.45
score_t2	60	62.42	5.89
score_t3	60	64.83	6.04

Source	SS	df	MS	F	p	partial η^2 [95% CI]
Condition	836.30	1.78	471.04	78.51	<.001	0.57 [0.48, 1.00]

Effect	W	p	GG ε	HF ε
condition	0.87	.020	0.89	0.91

Pair	Mdiff	SE	padj	95% CI
score_t1 - score_t2	-2.86	0.42	<.001	[-3.90, -1.83]
score_t1 - score_t3	-5.27	0.35	<.001	[-6.14, -4.41]
score_t2 - score_t3	-2.41	0.48	<.001	[-3.60, -1.22]



Tests whether the average differs across conditions measured on the same people. Check sphericity first — if violated, read the corrected F/p. A significant result means conditions differ; post-hoc tests show which. Your significance

threshold (α) is 0.05.

A repeated-measures ANOVA (GG-corrected) gave $F(1.78, 104.75) = 78.51$, $p < .001$, partial $\eta^2 = .57$ [.48, 1.00].

Statistical basis: Repeated-measures ANOVA (F-test for within-subjects conditions) (Fisher, R. A. (1925). *Statistical Methods for Research Workers*. Oliver & Boyd.); Mauchly's test of sphericity (rendered above the correction) (Mauchly, J. W. (1940). "Significance test for sphericity of a normal n-variate distribution." *The Annals of Mathematical Statistics*, 11(2), 204-209.); Greenhouse-Geisser correction (sphericity violated) (Greenhouse, S. W., Geisser, S. (1959). "On methods in the analysis of profile data." *Psychometrika*, 24(2), 95-112.); Huynh-Feldt correction (sphericity violated) (Huynh, H., Feldt, L. S. (1976). "Estimation of the Box correction for degrees of freedom from sample data in randomized block and split-plot designs." *Journal of Educational Statistics*, 1(1), 69-82.); Estimated marginal means for post-hoc comparisons (Lenth RV (2024). *emmeans: Estimated Marginal Means, aka Least-Squares Means*. R package.).