


1 Logistic regression

	Log-odds (B)	Odds ratio (OR)
(Intercept)	-6.59 (2.92)	< 0.01 [< 0.01, 0.24]
pre_score	0.08 (0.04)	1.08 [1.01, 1.18]
age	0.03 (0.03)	1.03 [0.98, 1.09]
group: b	1.24 (0.72)	3.46 [0.87, 15.44]
Num.Obs.	40	
Nagelkerke R ²	0.28	
Omnibus χ^2	9.54 (p .023)	
Log.Lik.	-22.95	
AIC	53.91	
BIC	60.66	
Accuracy	65.0%	
Sensitivity	65.0%	
Specificity	65.0%	
AUC [95% CI]	.76 [.61, .91]	
Predicted \ Observed	no	yes
no	13	7
yes	7	13



Each predictor's odds ratio tells how the odds of the outcome change per unit (>1 increases, <1 decreases); a term carries weight when its OR confidence interval excludes 1, and the inline omnibus χ^2 (with its p) tests the model as a whole. Model fit and the ROC/AUC show how well it classifies overall, alongside accuracy (overall % correct), sensitivity (% of actual events correctly predicted), and specificity (% of actual non-events correctly predicted). Your significance threshold (α) is 0.05.

Predictor pre_score was associated with the outcome, OR=1.08, 95% CI [1.01, 1.18], p = .035 (AUC=.76).

Statistical basis: Logistic regression coefficients (log-odds / odds ratios) (R Core Team (2026). R: A Language and Environment for Statistical Computing. R Foundation for Statistical Computing, Vienna.); Nagelkerke pseudo- R^2 (Lüdtke D, Ben-Shachar MS, Patil I, Waggoner P, Makowski D (2021). "performance: An R Package for Assessment, Comparison and Testing of Statistical Models." Journal of Open Source Software, 6(60), 3139.); ROC curve / AUC

(Robin X, Turck N, Hainard A, et al. (2011). "pROC: an open-source package for R and S+ to analyze and compare ROC curves." BMC Bioinformatics, 12, 77.).