


1 Composite reliability (CR)

Construct	CR	AVE	ω	α
visual	.61	.37	.61	.63
textual	.89	.72	.89	.88
speed	.69	.42	.69	.69



CR (Composite Reliability) measures how reliably a set of items captures its construct (0–1); $\geq .70$ is the conventional threshold (Nunnally, 1978; Bagozzi & Yi, 1988). CR is computed from the CFA loadings via `semTools::compRelSEM()` — for a congeneric (unidimensional) factor CR equals McDonald’s ω , so the two columns will always match. AVE is shown alongside for quick convergent-validity reference ($\geq .50$; Fornell & Larcker, 1981) — for the full discriminant-validity assessment (Fornell–Larcker + HTMT matrices) run the AVE card. α (Cronbach’s) is a secondary/legacy coefficient — it assumes tau-equivalence (equal loadings) and is a lower bound when loadings differ (McNeish, 2018). All cutoffs are labelled guidelines, not pass/fail gates. Applies to reflective constructs only.

Composite reliability for visual was not satisfactory ($CR = .61 \geq .70$).

Statistical basis: CR (composite reliability) $\geq .70$ acceptable (Nunnally, J. C. (1978). *Psychometric Theory* (2nd ed.). McGraw-Hill.); CR $\geq .70$ threshold, independent corroboration (Bagozzi, R. P., Yi, Y. (1988). "On the evaluation of structural equation models." *Journal of the Academy of Marketing Science*,

16(1), 74-94.); AVE shown alongside for convergent-validity reference ($\geq .50$) (Fornell, C., Larcker, D. F. (1981). "Evaluating structural equation models with unobservable variables and measurement error." *Journal of Marketing Research*, 18(1), 39-50.); α retained as a secondary/legacy coefficient (lower bound when loadings differ) (McNeish, D. (2018). "Thanks coefficient alpha, we'll take it from here." *Psychological Methods*, 23(3), 412-433.).