From: Fauci, Anthony (NIH/NIAID) [E]

Sent: Tue, 4 Feb 2020 13:05:59 +0000

To: Cassetti, Cristina (NIH/NIAID) [E]

Subject: FW: 2019-nCoV: potential infection on CD4 cells.

Attachments: Insert positions in HIV gp120.pdf

Please have someone respond to this person.

Anthony S. Fauci, MD
Director
National Institute of Allergy and Infectious Diseases
Building 31, Room 7A-03
31 Center Drive, MSC 2520
National Institutes of Health
Bethesda, MD 20892-2520
Phone:
(b) (6)
FAX: (301) 496-4409

E-mail: (b) (6)

The information in this e-mail and any of its attachments is confidential and may contain sensitive information. It should not be used by anyone who is not the original intended recipient. If you have received this e-mail in error please inform the sender and delete it from your mailbox or any other storage devices. The National Institute of Allergy and Infectious Diseases (NIAID) shall not accept liability for any statements made that are the sender's own and not expressly made on behalf of the NIAID by one of its representatives.

From: (b) (6)
Sent: Tuesday, February 4, 2020 2:07 AM

To: Fauci, Anthony (NIH/NIAID) [E] (b) (6) **Subject:** 2019-nCoV: potential infection on CD4 cells.

Dear Dr. Fauci.

As you realized the Indian researcher published a paper few days ago entitled "Uncanny similarity of unique inserts in the 2019-nCoV spike protein to HIV-1 gp120 and Gag", which was latterly withdrawn due to the controversial indication. I did a quick SWISS-MODEL online calculation. Page 1-3 of the attachment show the flexible loops of insertion "1", "2", and "3" originally from V4, V5 and V1 of HIV-1 gp120, respectively. But they are in presence on the spike protein of both bat and 2019 coronavirus (page 4 and 6). These insertions are potential CD4 binding domains (no proof yet but highly likely) and spatially won't interfere with ACE-2 binding domain (both SARS and 2019 coronavirus target ACE-2, page 5 and 6). In another word, the 2019 virus could be potentially dual-targeting, infecting the lung and potentially CD4 T cells too (like HIV, see page 6)!

It is **VERY URGENT** to have clinicians follow up the confirmed cases such as by isolating their CD4 cells and doing RT-PCR. Please reach out to them. Research labs including mine after obtaining Spike protein of 2019-nCoV shall examine its interaction with CD4.