

#### MONASH INFORMATION TECHNOLOGY

# FIT2004 Algorithms and Data Structures

Ian Wern Han Lim lim.wern.han@monash.edu

Referencing materials by Nathan Companez, Aamir Cheema, Arun Konagurthu and Lloyd Allison





# Faculty of Information Technology, Monash University

#### COMMONWEALTH OF AUSTRALIA

Copyright Regulations 1969

This material has been reproduced and communicated to you by or on behalf of Monash University pursuant to Part VB of the Copyright Act 1968 (the Act). The material in this communication may be subject to copyright under the Act. Any further reproduction or communication of this material by you may be the subject of copyright protection under the Act. Do not remove this notice



Ready?

# Agenda



# Agenda

String retrieval

Tries and suffix tries





Let us begin...

# String retrieval



String retrieval is one of the oldest retrieval task in the world...



- String retrieval is one of the oldest retrieval task in the world...
- Anything can be represented as a string



- String retrieval is one of the oldest retrieval task in the world...
- Anything can be represented as a string
  - DNA sequence
  - Images (RGB)
  - Keys
  - ... and many more!

# String retrieval



So how can we search for string very fast?



- So how can we search for string very fast?
  - Sort the strings
  - Binary search for what you want



- So how can we search for string very fast?
  - Sort the strings
  - Binary search for what you want
  - What is our complexity?
    - N = number of strings
    - M = average length the string (instead of the longest)



- So how can we search for string very fast?
  - Sort the strings
    - O(MN log N) using merge sort... because O(M) for string comparison
    - O(MN) using radix sort
  - Binary search for what you want
  - What is our complexity?
    - N = number of strings
    - M = average length the string (instead of the longest)



- So how can we search for string very fast?
  - Sort the strings
    - O(MN log N) using merge sort... because O(M) for string comparison
    - O(MN) using radix sort
  - Binary search for what you want
    - O(M log N)... again O(M) for string comparison
  - What is our complexity?
    - N = number of strings
    - M = average length the string (instead of the longest)



# Questions?

# Efficient string retrieval



When we search, we would need to go through every character of a string. Thus, we can use a special data structure that organise it according to characters...



- When we search, we would need to go through every character of a string. Thus, we can use a special data structure that organise it according to characters...
- We use reTRIEval tree






- When we search, we would need to go through every character of a string. Thus, we can use a special data structure that organise it according to characters...
- We use reTRIEval tree
  - A tree
  - M-child per node





- When we search, we would need to go through every character of a string. Thus, we can use a special data structure that organise it according to characters...
- We use reTRIEval tree
  - A tree
  - M-child per nodeM = number of unique character







- Let assume we have the following words:
  - Taco
  - Taro
  - Tarot
  - Coco
  - Chobo




- Let assume we have the following words:
  - Taco
  - Taro
  - Tarot
  - Coco
  - Chobo
  - What is the trie?

# Efficient string retrieval




- Taco
- Taro
- Tarot
- Coco
- Chobo
- What is the trie?



# Efficient string retrieval




- Taco\$
- Taro\$
- Tarot\$
- Coco\$
- Chobo\$
- What is the trie?



# Efficient string retrieval




- Taco\$
- Taro\$
- Tarot\$
- Coco\$
- Chobo\$
- What is the trie?
- So how do we make it?



# Efficient string retrieval




- Taco\$
- Taro\$
- Tarot\$
- Coco\$
- Chobo\$
- What is the trie?
- So how do we make it?
  - Step by step...






- Let assume we have the following words:
  - Taco\$
  - Taro\$
  - Tarot\$
  - Coco\$
  - Chobo\$
  - What is the trie?
  - So how do we make it?
    - Step by step...






- Let assume we have the following words:
  - Taco\$
  - Taro\$
  - Tarot\$
  - Coco\$
  - Chobo\$
  - What is the trie?
  - So how do we make it?
    - Step by step...






- Let assume we have the following words:
  - Taco\$
  - Taro\$
  - Tarot\$
  - Coco\$
  - Chobo\$
  - What is the trie?
  - So how do we make it?
    - Step by step...






- Let assume we have the following words:
  - Taco\$
  - Taro\$
  - Tarot\$
  - Coco\$
  - Chobo\$
  - What is the trie?
  - So how do we make it?
    - Step by step...



# Efficient string retrieval



- Taco\$
- Taro\$
- Tarot\$
- Coco\$
- Chobo\$
- What is the trie?
- So how do we make it?
  - Step by step...




# Efficient string retrieval



#### So steps?

- For each word
- Start from root
- Go through character by character




# Efficient string retrieval



#### So steps?


- For each word
- Start from root
- Go through character
   by character
  - If character exist, follow through
  - If character doesn't exist, create new node and move to it



# Efficient string retrieval



 The proper representation is character at the edge




# Efficient string retrieval



 The proper representation is character at the edge

Both are accepted for your exam!




# Efficient string retrieval



 The proper representation is character at the edge

Both are accepted for your exam!

This is also consistent with the graph representation






Questions?

## Efficient string retrieval




So how do we search for retrieval?



### Efficient string retrieval




So how do we search for retrieval?



Efficient string retrieval




So how do we search for retrieval?



Efficient string retrieval


So how do we search for retrieval?




Efficient string retrieval




So how do we search for retrieval?




Efficient string retrieval






Efficient string retrieval


So how do we search for retrieval?



Efficient string retrieval




Search for "coco\u00e9"



Efficient string retrieval

MONASH University

- So how do we search for retrieval?
  - Search for "coco\$"so we found it!






# Questions?


### Efficient string retrieval




So how do we search for retrieval?





Efficient string retrieval







Efficient string retrieval







Efficient string retrieval







Efficient string retrieval






Efficient string retrieval







Efficient string retrieval




Search for "taro<u>t</u>"



Efficient string retrieval




Search for "tarot\u00e5"



Efficient string retrieval

So how do we search for retrieval?

– Search for "tarot\$"
Found!






# Questions?


## Efficient string retrieval




So how do we search for retrieval?




Efficient string retrieval






Efficient string retrieval

So how do we search for retrieval?





## Efficient string retrieval

So how do we search for retrieval?



Efficient string retrieval






Efficient string retrieval

So how do we search for retrieval?

Search for "cow"Not found T.T






# Questions?

### Efficient string retrieval




So how do we search for retrieval?



Efficient string retrieval




So how do we search for retrieval?




Efficient string retrieval




So how do we search for retrieval?




Efficient string retrieval





Efficient string retrieval


So how do we search for retrieval?



Efficient string retrieval


So how do we search for retrieval?

– Search for "tar\u00e5"




### Efficient string retrieval

- So how do we search for retrieval?
  - Search for "tar\$" Not found =(









### Efficient string retrieval

- So how do we search for retrieval?
  - Search for "tar\$"Not found =(Need those \$\$\$










Questions?

## Efficient string retrieval



So how do we search for retrieval?

– Complexity?




## Efficient string retrieval



So how do we search for retrieval?

Complexity?
 O(M) where M is the length of the search string...




### Efficient string retrieval



So how do we search for retrieval?

Complexity?
 O(M) where M is the length of the search string... This is the worst




### Efficient string retrieval



So how do we search for retrieval?

Complexity?
O(M) where M is the length of the search string... This is the worst...
O(1) best when the first character isn't found





# Questions?

# Efficient string retrieval



How to implement it?

## Efficient string retrieval



How to implement it? With OOP!

### Efficient string retrieval



- How to implement it? With OOP!
  - Node class

### Efficient string retrieval



- How to implement it? With OOP!
  - Node class

- Then we need to code the traversal from the root
  - If a link exist, travel through it
     This is O(1) due to the array data structure



# Questions?

# Efficient string retrieval



### Efficient string retrieval



- Better for string search than BST/ AVL
- More versatile than hash table





- Better for string search than BST/ AVL
- More versatile than hash table
- Search is O(M), where M is length of string





- Better for string search than BST/ AVL
- More versatile than hash table
- Search is O(M), where M is length of string
- Can sort very quickly by traversing the string
  - The edges/ links are in-order (from a to z)
  - This is O(MN)

### Efficient string retrieval



#### Benefits?

- Better for string search than BST/ AVL
- More versatile than hash table
- Search is O(M), where M is length of string
- Can sort very quickly by traversing the string
  - The edges/ links are in-order (from a to z)
  - This is O(MN)

### Disadvantage?

### Efficient string retrieval



#### Benefits?

- Better for string search than BST/ AVL
- More versatile than hash table
- Search is O(M), where M is length of string
- Can sort very quickly by traversing the string
  - The edges/ links are in-order (from a to z)
  - This is O(MN)

### Disadvantage?

- At times can be slower than hash table
- Wasted space if the self.link array is left empty most of the time



# Questions?

# Usage?



Height of the trie = length of the longest string

# Usage?



- Height of the trie = length of the longest string
- Complexity is based on the length of the string we are inserting/ deleting/ searching

# Usage?



- Height of the trie = length of the longest string
- Complexity is based on the length of the string we are inserting/ deleting/ searching
- We can search for the prefix of strings!
  - Useful for auto correct/ auto complete

# Usage?



- Height of the trie = length of the longest string
- Complexity is based on the length of the string we are inserting/ deleting/ searching
- We can search for the prefix of strings!
  - Useful for auto correct/ auto complete
  - And many other applications!



# Questions?



- Same as a trie
- But for suffixes

### For suffixes



Can you make a suffix trie for apple?




- Can you make a suffix trie for apple?
- List all the suffixes
  - Apple\$
  - Pple\$
  - Ple\$
  - Le\$
  - E\$



- Can you make a suffix trie for apple?
- List all the suffixes
  - Apple\$
  - Pple\$
  - Ple\$
  - Le\$
  - E\$
- Then we just make the trie like earlier




- Can you make a suffix trie for apple?
- List all the suffixes
  - Apple\$
  - Pple\$
  - Ple\$
  - Le\$
  - E\$
- Then we just make the trie like earlier
- Is this right?






- Can you make a suffix trie for apple?
- List all the suffixes
  - Apple\$
  - Pple\$
  - Ple\$
  - Le\$
  - E\$
- Then we just make the trie like earlier
- Is this right?NO! CYCLE!so this is wrong...





- Can you make a suffix trie for apple?
- List all the suffixes
  - Apple\$
  - Pple\$
  - Ple\$
  - Le\$
  - E\$
- Then we just make the trie like earlier





# Questions?



- Same as earlier
- But more goodies now!



- Same as earlier
- But more goodies now!
  - We can now find substring substring = prefix of a suffix



- Same as earlier
- But more goodies now!
  - We can now find substring substring = prefix of a suffix
  - We can find the number of occurrences as well



- Same as earlier
- But more goodies now!
  - We can now find substring substring = prefix of a suffix
  - We can find the number of occurrences as well Number of leave nodes!
     Same for substrings!



- Same as earlier
- But more goodies now!
  - We can now find substring substring = prefix of a suffix
  - We can find the number of occurrences as well Number of leave nodes!
     Same for substrings!
  - Finding longest repeated substring



- Same as earlier
- But more goodies now!
  - We can now find substring substring = prefix of a suffix
  - We can find the number of occurrences as well Number of leave nodes!
     Same for substrings!
  - Finding longest repeated substring
     Deepest node with at least 2 children



- Same as earlier
- But more goodies now!
  - We can now find substring substring = prefix of a suffix
  - We can find the number of occurrences as well Number of leave nodes!
     Same for substrings!
  - Finding longest repeated substring
     Deepest node with at least 2 children



- Same as earlier
- But more goodies now!
  - We can now find substring substring = prefix of a suffix
  - We can find the number of occurrences as well Number of leave nodes!
     Same for substrings!
  - Finding longest repeated substring
     Deepest node with at least 2 children



- Same as earlier
- But more goodies now!
  - We can now find substring substring = prefix of a suffix
  - We can find the number of occurrences as well Number of leave nodes!
     Same for substrings!
  - Finding longest repeated substring
     Deepest node with at least 2 children
- And many more...



# Questions?

# Applications?



Space complexity?



- Space complexity?
  - O(N^2)



- Space complexity?
  - $O(N^2)$
  - N suffixes, longest suffix is N character



- Space complexity?
  - $O(N^2)$
  - N suffixes, longest suffix is N character
  - Have N number of leaves!



# Questions?

## A tree, not a trie



What is a suffix tree?

## A tree, not a trie



What is a suffix tree?



## A tree, not a trie



What is a suffix tree?



Suffix Trie

**Suffix Tree** 

## A tree, not a trie




- What is a suffix tree?
  - Using our same example

## A tree, not a trie



- What is a suffix tree?
  - Using our same example




## A tree, not a trie



What is a suffix tree?

Using our same example

What is our space complexity?



## A tree, not a trie




What is a suffix tree?

Using our same example

What is our space complexity?

 O(N^2) still because we still store the characters all



## A tree, not a trie




What is a suffix tree?

Using our same example

What is our space complexity?

 O(N^2) still because we still store the characters all

- When asked in the exam...
  - Draw a suffix trie
  - Then compress to suffix tree



## A tree, not a trie



- What is a suffix tree?
  - Using our same example
- What is our space complexity?
  - O(N^2) still because we still store the characters all
- applies sald
- When asked in the exam…
  - Draw a suffix trie
  - Then compress to suffix tree
- Note: Some like to separate out the \$ node



# Questions?

## A tree, not a trie



Space complexity O(N^2)

## A tree, not a trie




- Space complexity O(N^2)
- Can we do better?

## A tree, not a trie



Space complexity O(N^2)




## A tree, not a trie



Space complexity O(N^2)

Can we do better?

Our string is apple\$




## A tree, not a trie



Space complexity O(N^2)

Can we do better?

Our string is apple\$



а	р	р	ı	е	\$
0	1	2	3	4	5

## A tree, not a trie




Space complexity O(N^2)

Can we do better?

Our string is apple\$

As our suffixes are continuous we can compress them!



а	р	р	ı	е	\$
0	1	2	3	4	5

## A tree, not a trie




Space complexity O(N^2)

Can we do better?

Our string is apple\$

As our suffixes are continuous we can compress them!



а	р	р	- 1	е	\$
0	1	2	3	4	5

## A tree, not a trie




Space complexity O(N^2)

Can we do better?

Our string is apple\$

As our suffixes are continuous we can compress them!




а	р	р	1	е	\$
0	1	2	3	4	5

## A tree, not a trie



Space complexity O(N^2)

- Our string is apple\$
  - As our suffixes are continuous we can compress them!
  - So each we can just store [start, end]




а	р	р	- 1	е	\$
0	1	2	3	4	5

## A tree, not a trie



Space complexity O(N^2)

- Our string is apple\$
  - As our suffixes are continuous we can compress them!
  - So each we can just store [start, end]




а	р	р	- 1	е	\$
0	1	2	3	4	5

## A tree, not a trie



Space complexity O(N^2)

- Our string is apple\$
  - As our suffixes are continuous we can compress them!
  - So each we can just store [start, end]
- Space complexity?




а	р	р	1	е	\$
0	1	2	3	4	5

## A tree, not a trie



Space complexity O(N^2)

- Our string is apple\$
  - As our suffixes are continuous we can compress them!
  - So each we can just store [start, end]
- Space complexity?
  - O(N)




а	р	р	ı	е	\$
0	1	2	3	4	5

## A tree, not a trie



Space complexity O(N^2)

- Our string is apple\$
  - As our suffixes are continuous we can compress them!
  - So each we can just store [start, end]



	Space	comp	lexity?
--	-------	------	---------

- O(N)
- N leaves
- Each non-leaf node has at least 2 children


а	р	р	1	е	\$
0	1	2	3	4	5

## A tree, not a trie



## Space complexity?

- -O(N)
- N leaves
- Each non-leaf node
   has at least 2 children
- Total number of node = O(N + N/2 + N/4 + ...)= O(N)




а	р	р	1	е	\$
0	1	2	3	4	5

## A tree, not a trie



## Space complexity?

- O(N)
- N leaves
- Each non-leaf node
   has at least 2 children
- Total number of node
  - = O(N + N/2 + N/4 + ...)
  - = O(N)
  - \* cause we go till root which is 1 from leaves




а	р	р	- 1	е	\$
0	1	2	3	4	5

## A tree, not a trie



- Space complexity?
  - O(N)
  - N leaves
  - Each non-leaf node
     has at least 2 children
  - Total number of node = O(N + N/2 + N/4 + ...)= O(N)
- Time complexity remains
   O(N^2) as we still need to
   insert every suffix with N
   character max



а	р	р	1	е	\$
0	1	2	3	4	5

## A tree, not a trie



- Space complexity?
  - O(N)
  - N leaves
  - Each non-leaf node
     has at least 2 children
  - Total number of node= O(N + N/2 + N/4 + ...)= O(N)
- Time complexity remains
   O(N^2) as we still need to
   insert every suffix with N
   character max

We learn the hax called Ukkonen's algorithm (1995) in FIT3155 to do in O(N)



# Questions?

## Data Structure via OOP



Let us try to implement it!

#### Data Structure via OOP



- Let us try to implement it!
- As a class activity
- ... and some of the same functions

#### Data Structure via OOP



- Let us try to implement it!
- As a class activity
- ... and some of the same functions
  - Better than you searching online and not understanding what is happening

#### Data Structure via OOP



- Let us try to implement it!
- As a class activity
- ... and some of the same functions
  - Better than you searching online and not understanding what is happening
  - But 2 implementation
    - Iterative
    - Recursive (efficient)



# Questions?



# Thank You