


MODERN MEDICINE IN BRITAIN (c1900–PRESENT)

Genetics, The Antibiotic Revolution & The National Health Service



Archival Photographic Plate • Contemporary Primary Record • Modern Medicine & High-Technology Healthcare

CORE SPECIFICATION ENQUIRIES

- L16:** Genetics, DNA & The Human Genome Project
- L17:** Lifestyle Factors & Diagnostic Technology
- L18:** Magic Bullets, High-Tech Treatments & The NHS
- L19:** Antibiotics: Fleming, Florey & Chain (Penicillin)
- L20:** Case Study: Public Health & Lung Cancer

HISTORICAL MECHANISMS & CONCEPTS

- Molecular Genetics:** DNA double helix & gene therapies
- Non-Invasive Diagnostics:** X-Rays, CT scans, MRI, Ultrasound
- Targeted Pharmacology:** Synthetic chemical magic bullets
- Mass Industrial Scale:** US War Production Board penicillin
- Universal Access:** NHS free healthcare at point of delivery

EDEXCEL PAPER 1 EXAMINATION BLUEPRINT

- Q3:** Similarity / Difference across Eras [4m]
- Q4:** Causal Analysis / Explain Why [12m]
- Q5/Q6:** 16-Mark Synoptic Essay [+4 SPaG]
- Assessment Objective 1:** Technological and legislative evidence
- Assessment Objective 2:** Weighing institutional vs individual factors

KEY CHRONOLOGY & CAUSAL TURNING POINTS

PEARSON EDEXCEL SPECIFICATION TIMELINE

CHRONOLOGY: PHASE 1 • EARLY DEVELOPMENTS

1895

Wilhelm Röntgen accidentally discovers X-rays in Würzburg.

1909

Paul Ehrlich and Sahachiro Hata discover Salvarsan 606 for syphilis (first magic bullet).

1928

Alexander Fleming discovers penicillin mold destroying Staphylococcus bacteria.

1932

Gerhard Domagk discovers Prontosil, curing puerperal fever and blood poisoning.

CHRONOLOGY: PHASE 2 • TURNING POINTS & CRISES

1941

Howard Florey and Ernst Chain successfully test penicillin on Albert Alexander.

1948

National Health Service (NHS) launched across Britain under Minister Aneurin Bevan.

1950

Doll and Hill publish epidemiological study linking cigarette smoking to lung cancer.

1953

Francis Crick and James Watson discover the double-helix structure of DNA.

CHRONOLOGY: PHASE 3 • INSTITUTIONAL EVOLUTION

1972

Godfrey Hounsfield develops the first clinical CT scanner at EMI Laboratories.

2003

The Human Genome Project completes sequencing of all 3 billion DNA base pairs.

2007

UK Government passes ban on smoking in all enclosed public work and social venues.

ERA 4 • LESSON 1 PEARSON EDEXCEL GCSE HISTORY • PAPER 1 (1H10/11)

KT4.1: Ideas on Causes: Genetics, DNA & The Human Genome Project (c.1953–present)

Specification Anchor: Ideas about the cause of disease and illness: genetic factors and the discovery of the structure of DNA; the Human Genome Project.

Historical Context & Origins

[1.1] By the opening decades of the twentieth century, Louis Pasteur and Robert Koch's Germ Theory had conquered infectious medicine, explaining how external bacteria caused cholera, tuberculosis, and anthrax. Yet physicians were confronted by a profound biological mystery: why did fatal illnesses such as cystic fibrosis, sickle cell anemia, and hemophilia recur relentlessly across generations of the same family without any microbial infection? In 1900, European botanists rediscovered the forgotten 1866 hybridization experiments of Augustinian monk Gregor Mendel, which demonstrated that physical characteristics were transmitted from parents to offspring in precise mathematical ratios via invisible biological units termed "genes."

[1.2] Medical researchers recognized that humanity possessed an internal biological blueprint; however, the physical nature of the gene remained an impenetrable enigma. Microscopic staining revealed thread-like chromosomes inside the cell nucleus, but biochemists were locked in debate over whether genetic blueprints were stored in complex chromosomal proteins or in a puzzling, overlooked nucleic acid called deoxyribonucleic acid (DNA). Without deciphering the molecular geometry of DNA, doctors could neither explain how genetic information replicated during cellular division nor comprehend how microscopic copying errors caused catastrophic hereditary mutations.

Escalation & Core Developments


[2.1] In January 1951, physical chemist Rosalind Franklin joined King's College London, bringing world-class expertise in X-ray crystallography—a demanding technique whereby high-energy X-ray beams were diffracted through crystallized biological fibers onto photographic film. Working alongside PhD student Raymond Gosling in a damp, subterranean basement laboratory, Franklin perfected a micro-camera setup, exposing calf thymus DNA to 62 continuous hours of radiation under controlled humidity. In May 1952, Franklin captured "Photograph 51" (Source A), a stark, razor-sharp diffraction image displaying an unmistakable dark X-shaped cross of reflections that mathematically proved DNA formed a double-stranded helical cylinder.

[2.2] Severe institutional discord paralyzed the King's biophysics unit. Maurice Wilkins, a senior physicist who mistakenly regarded Franklin as his technical assistant rather than an independent investigator, clashed with her rigorous empirical standards. In January 1953, without Franklin's knowledge or permission, Wilkins showed Photograph 51 to James Watson, an ambitious 24-year-old American biologist visiting from Cambridge. Watson later recorded that his jaw dropped and his pulse raced upon viewing the print: the distinct X-cross pattern immediately provided Watson and his Cambridge collaborator Francis Crick with the exact mathematical dimensions required to solve the molecule.

SOURCE A CONTEMPORARY VISUAL EVIDENCE

c1900–present

Rosalind Franklin's Photograph 51 (May 1952)



"Photograph 51: X-ray diffraction photograph of crystallized DNA, taken by Rosalind Franklin and Raymond Gosling at King's College London in May 1952."

Provenance: Primary photographic diffraction plate produced in May 1952 at the Medical Research Council Biophysics Unit, King's College London (Accession: MRC-KCL-51) / Science Museum London.

Hinge Question: How does the sharp X-pattern in Franklin's X-ray photograph mathematically prove that DNA is a helical coil rather than a flat chain, and why was this physical evidence critical for Watson and Crick's model?

PRIMARY EXCERPT

SCIENTIFIC JOURNAL
ANNOUNCEMENTApril
1953

Molecular Structure of Nucleic Acids (DNA)

"We wish to suggest a structure for the salt of deoxyribose nucleic acid (D.N.A.). This structure has two helical chains each coiled round the same axis. It has not escaped our notice that the specific pairing we have postulated immediately suggests a possible copying mechanism for the genetic material."

J. D. Watson & F. H. C. Crick • Nature, Vol. 171 (Cambridge, 25 April 1953) 1953

Hinge Question: Why was understanding the double-helix copying mechanism essential for later genetic breakthroughs like the Human Genome Project and targeted cancer therapies?

KEY SPECIFICATION TERMINOLOGY & DISCIPLINARY CONCEPTS

DNA: Deoxyribonucleic Acid: the double-helix molecule carrying the genetic instructions for life.

Photograph 51: Rosalind Franklin (with Raymond Gosling) at King's College London in May 1952.

What did Photograph 51 reveal: An X-shaped diffraction cross proving DNA is a double-stranded helix.

CORE VOCABULARY

Detailed Forensic Evidence


[3.1] Armed with Franklin's experimental measurements, Watson and Crick spent frantic weeks in their Cambridge Free School Lane laboratory assembling sheet-metal cutouts and brass wire rods on an upright stand. In March 1953, they completed a magnificent three-dimensional model (Source B) revealing that DNA was a "double helix"—two antiparallel sugar-phosphate backbones intertwined around a central axis, linked by complementary nitrogenous base pairs: Adenine (A) bonded strictly to Thymine (T), and Cytosine (C) bonded strictly to Guanine (G). This base-pairing rule instantly solved the mechanism of biological reproduction: during cell division, the two strands unzip, and each acts as a template to synthesize an identical replica. Watson and Crick famously burst into The Eagle pub, proclaiming they had discovered "the secret of life."

[3.2] Deciphering the structure of DNA was the catalyst for the greatest collaborative expedition in biomedical history: the Human Genome Project. Launched in 1990 as an international public consortium led by James Watson and Francis Collins and co-funded by the UK Wellcome Trust Sanger Institute, researchers across Britain, the United States, France, Germany, and Japan spent thirteen years decoding the genetic instruction manual. Completed in April 2003, the project successfully mapped all 3 billion chemical base pairs across humanity's 20,000–25,000 genes, establishing a digital reference sequence that allows geneticists to pinpoint specific faulty mutations responsible for over 4,000 inherited disorders, including the BRCA1 and BRCA2 genes that elevate breast and ovarian cancer risk.

SOURCE B ARCHIVAL RECORD & ANALYSIS

c1900–present

Watson and Crick's 1953 Double Helix Model



"The original 1953 double-helix molecular model built from sheet-metal bases and brass rods by James Watson and Francis Crick, preserved at the Science Museum, London."

Provenance: Primary laboratory artifact constructed in March 1953 at the Cavendish Laboratory, Cambridge University. Science Museum London Collection (Accession: 1976-410).

Hinge Question: Why was proving the exact base-pairing mechanism (A-T and C-G) the decisive breakthrough in understanding how genetic hereditary information replicates and passes between generations?

Historical Significance & Verdict

[4.1] The genetic revolution fundamentally transformed modern clinical practice from reactive symptom management into predictive, personalized medicine. Armed with genomic sequencing, contemporary doctors no longer rely on standardized treatments; instead, individuals carrying faulty hereditary mutations can undergo preventative blood screening, enabling life-saving prophylactic surgery such as double mastectomies decades before malignant tumors form. Furthermore, the twenty-first century witnessed the emergence of synthetic gene therapy and CRISPR-Cas9 molecular editing, allowing clinical geneticists to repair defective cystic fibrosis genes and treat sickle cell disease at the cellular level.

[4.2] Historiographers and medical ethicists actively debate the clinical reality versus the therapeutic hype of genetics. Medical historians emphasize the persistent "Diagnostic-Therapeutic Lag": while sequencing a patient's genome is now rapid and inexpensive, developing safe, effective gene therapies remains extraordinarily complex, costly, and ethically contested. Furthermore, the historiographical narrative surrounding the discovery of DNA has undergone profound revision: while Watson, Crick, and Wilkins received the 1962 Nobel Prize in Physiology or Medicine, Rosalind Franklin tragically passed away from ovarian cancer in 1958 at age 37, unacknowledged during her lifetime for generating the foundational experimental evidence that made the double helix model possible.

KEY FIGURE

1920–1958



Rosalind Franklin

PHYSICAL CHEMIST & X-RAY CRYSTALLOGRAPHER

Captured "Photograph 51" in 1952 at King's College London, providing the definitive experimental evidence proving the double-helix structure of DNA.

STRATEGIC DECISIONS & CONTRIBUTIONS:

- **Photograph 51 (1952):** Captured iconic X-ray diffraction image demonstrating helical dimensions and phosphate backbone of DNA.
- **Crucial Proof:** Her rigorous crystallographic calculations enabled Watson and Crick to complete their 3D molecular model.
- **Posthumous Recognition:** Died of ovarian cancer at age 37, before the Nobel Prize was awarded in 1962.

HISTORICAL CONCEPT

GENOMICS

The DNA Revolution & The Human Genome Project

In 1953, James Watson and Francis Crick, building on Rosalind Franklin's X-ray crystallography, discovered the double-helix structure of DNA. This revealed that heredity was governed by a universal chemical code of four bases (A, T, C, G). Between 1990 and 2003, the international Human Genome Project successfully mapped all 3 billion base pairs, allowing modern physicians to identify genetic predispositions to breast cancer (BRCA1/2) and develop bespoke gene therapies.

Exam Anchor: Modern medicine shifted from treating external bacterial invaders to correcting internal cellular and genetic flaws.

KEY ENQUIRY CHECK • IDEAS ON CAUSES: GENETICS, DNA & THE HUMAN GENOME PROJECT (C.1953–PRESENT)

1. Causal Recall: Explain one key cause explored in this enquiry.

2. Historical Analysis: How did contemporary individuals respond to this challenge?

3. Evaluative Hinge: Assess the extent of change compared to earlier periods.

CHECK YOUR UNDERSTANDING

KT4.2: Lifestyle Factors & The Technological Revolution in Diagnosis (c.1900–present)


Specification Anchor: Ideas about the cause of disease and illness: lifestyle factors (smoking, diet, alcohol); improvements in diagnosis: laboratories, X-rays, scans (CT, MRI), endoscopes, monitors.

Historical Context & Origins

[1.1] In 1900, infectious diseases—tuberculosis, pneumonia, cholera, and diphtheria—were the undisputed executioners of British citizens, holding average life expectancy to just 46 for men and 50 for women. Over the subsequent six decades, clean municipal water, compulsory childhood immunizations, and the mass deployment of antibiotics brought bacterial epidemics under historic control. However, as citizens lived decades longer into old age, Britain underwent a profound "epidemiological transition": the leading causes of national mortality shifted decisively from external microbial pathogens to non-communicable, chronic lifestyle illnesses—coronary heart disease, cerebrovascular strokes, hypertension, and malignant tumors.

[1.2] Medical surveillance revealed that modern consumer behaviors directly poisoned human organs from within. Epidemiologists isolated four primary lifestyle culprits: commercial cigarette smoking, which flooded delicate lung tissue with tar and carbon monoxide; excessive alcohol consumption, causing irreversible cirrhosis of the liver and cardiovascular failure; sedentary diets high in saturated fats and refined sugars, sparking an epidemic of obesity and type 2 diabetes; and overexposure to ultraviolet (UV) radiation from sunbeds and sunlight, driving malignant melanoma skin cancers. Unlike medieval miasma or Victorian filth, twentieth-century medicine recognized that individuals' daily personal choices were degrading their internal bodily systems.

SOURCE A CONTEMPORARY VISUAL EVIDENCE c1900–present The First Clinical X-Ray: Bertha Röntgen's Hand (1895)



"Hand mit Ringen: The historic X-ray photograph of Anna Bertha Röntgen's hand taken by Wilhelm Conrad Röntgen on 22 December 1895 at the University of Würzburg."

Provenance: Primary photographic glass plate produced on 22 December 1895 at the Institute of Physics, University of Würzburg, Germany. Deutsches Museum / Science Museum London.

Hinge Question: How did Röntgen's discovery of X-rays fundamentally overturn thousands of years of medical diagnosis by allowing physicians to view internal pathology without making an incision?

Escalation & Core Developments

[2.1] Recognizing that internal organs were deteriorating was useless unless physicians could peer inside living bodies without inflicting trauma. The diagnostic revolution ignited unexpectedly in Würzburg, Germany, on 8 November 1895. Physicist Wilhelm Röntgen, experimenting with high-voltage electrical discharges inside an evacuated glass Crookes tube, noticed that a cardboard screen coated with barium platinocyanide fluoresced green in his darkened laboratory, despite the tube being shielded in thick black cardboard. Röntgen realized an unknown, highly penetrating form of electromagnetic radiation was escaping the glass, christening the phenomenon "X-rays" using the mathematical variable for the unknown.

[2.2] Röntgen sequestered himself in his laboratory for seven weeks to investigate the rays. On 22 December 1895, he summoned his apprehensive wife Bertha to place her hand over a photographic glass plate while exposing it to the beam for fifteen minutes. The developed plate revealed an astounding, eerie spectacle: the living skeletal architecture of Bertha's fingers (Source A), with her dark gold wedding ring floating distinctly around her ring finger. Bertha famously recoiled, weeping: "I have seen my death!" News spread across the globe within days; within months, British voluntary hospitals installed primitive X-ray apparatus to locate bullet fragments and diagnose bone fractures. During World War I, Polish-French scientist Marie Curie mobilized twenty mobile radiology cars ("petites Curies"), driving diagnostic X-ray units directly to front-line Casualty Clearing Stations to locate shrapnel before fatal gas gangrene set in.

PRIMARY EXCERPT

PHYSICO-MEDICAL SOCIETY
PROCEEDINGS

December
1895

On a New Kind of Rays (X-Strahlen)

"If the discharge of a fairly large induction coil be made to pass through a Hittorf vacuum-tube, and if one covers the tube with a fairly close mantle of thin black cardboard, one observes in a completely darkened room that paper coated with barium platinocyanide lights up with brilliant fluorescence, even at a distance of two meters."

Wilhelm Conrad Röntgen • Würzburg Physico-Medical Society (December 1895)

Hinge Question: How did Röntgen's discovery of non-invasive radiographic imaging revolutionize military and civilian surgery within months of publication?

KEY SPECIFICATION TERMINOLOGY & DISCIPLINARY CONCEPTS

What did Wilhelm Röntgen discover in 1895: X-rays: penetrating electromagnetic radiation that reveals internal skeletal structure.

"petites Curies": Mobile X-ray ambulance vehicles operated by Marie Curie during WWI to locate shrapnel in wounded soldiers.

the CT scanner in 1971: British engineer Godfrey Hounsfield at EMI Central Research Laboratories.

CORE VOCABULARY

Detailed Forensic Evidence


[3.1] Despite their brilliance, conventional 2D X-rays suffered from a catastrophic diagnostic blind spot: dense bones cast intense white shadows that obscured underlying soft tissues, rendering brain tumors, blood clots, and liver carcinomas virtually invisible. In 1967, British electrical engineer Godfrey Hounsfield, working at the Central Research Laboratories of EMI (Electric & Musical Industries –the British record label enriched by the global commercial success of The Beatles), devised an ingenious solution: Computerized Tomography (CT). Hounsfield realized that by rotating an X-ray tube 360 degrees around a patient while linked to a digital computer, thousands of individual tissue density measurements could be mathematically reconstructed into razor-sharp cross-sectional "slices" of internal organs.

[3.2] In October 1971, Hounsfield installed his prototype clinical CT scanner (Source B) at Atkinson Morley Hospital in Wimbledon, London. The scanner's first patient was a woman suffering from a suspected intracranial lesion; within minutes, the computer screen displayed a dark, unmistakable circular tumor in her left frontal lobe. The neurosurgeon operated with millimeter precision and successfully excised the growth. The CT scanner triggered an explosion in diagnostic technology: in the late 1970s and 1980s, Raymond Damadian and Sir Peter Mansfield developed Magnetic Resonance Imaging (MRI), utilizing magnetic fields and radio waves to render soft tissue organs with zero radiation exposure, alongside flexible fiber-optic endoscopes that allowed gastroenterologists to inspect internal stomachs and intestines directly.

SOURCE B ARCHIVAL RECORD & ANALYSIS

c1900–present

Godfrey Hounsfield's Prototype EMI CT Scanner (1971)



"The original prototype EMI brain CT scanner apparatus developed by Godfrey Hounsfield in 1971, featuring the rotating X-ray source and detector assembly, preserved at the Science Museum."

Provenance: Primary engineering prototype developed at EMI Central Research Laboratories, Hayes, and clinically tested at Atkinson Morley Hospital in October 1971. Science Museum London Collection.

Hinge Question: In what way did computerized axial tomography (CT scanning) overcome the fundamental 2D flattening limitation of traditional Röntgen X-rays when diagnosing soft-tissue brain tumours?

Historical Significance & Verdict

[4.1] The twentieth-century diagnostic revolution dismantled the ancient reliance on subjective symptom guesswork. In 1900, a physician examining an ailing patient was restricted to external bedside senses: tapping the chest (percussion), smelling urine, taking a pulse, and asking about pain before subjecting the patient to perilous exploratory surgery. By 2000, medical diagnosis had shifted decisively to non-invasive, objective laboratory and imaging technology. Physicians deployed automated biochemical blood analyzers to measure liver enzymes, dynamic ultrasound to monitor developing fetuses, and continuous digital ECG cardiac telemetry, eliminating dangerous exploratory laparotomies and diagnosing fatal carcinomas before physical symptoms ever manifested.

[4.2] Historiographers debate whether technological diagnostics have created clinical alienation and unsustainable healthcare costs. Medical historians argue that excessive reliance on imaging machines has degraded the traditional doctor-patient consultation, reducing human patients to numerical lab readouts and digital scans—a clinical detachment that Thomas Sydenham campaigned against in 1676. Furthermore, health economists emphasize the staggering financial inequality created by multimillion-pound CT and MRI suites, generating regional disparities between elite metropolitan teaching hospitals and under-resourced district clinics across the National Health Service.

KEY FIGURE

1845–1923



Wilhelm Röntgen

PROFESSOR OF PHYSICS AT WÜRZBURG

Discovered X-rays in 1895, revolutionizing medical diagnosis by enabling doctors to inspect internal bone fractures and foreign objects non-invasively.

STRATEGIC DECISIONS & CONTRIBUTIONS:

- **Discovered X-Rays (1895):** Noticed barium platinocyanide screens glowing while experimenting with cathode ray tubes in dark room.
- **First Medical Radiograph:** Photographed his wife Anna Bertha's hand, clearly displaying her finger bones and wedding ring.
- **Refused Patent:** Deliberately refused to patent his discovery so the entire medical profession could build X-ray units freely.

HISTORICAL CONCEPT

MEDICAL TECHNOLOGY

Non-Invasive Diagnostic Technology: From X-Rays to MRI

Throughout history, diagnosis depended on subjective bedside observation or surgical exploratory laparotomy. The 20th century transformed diagnosis through non-invasive physical imaging: Wilhelm Röntgen's X-rays (1895) allowed bone visualization; Godfrey Hounsfield's CT scanners (1972) created 3D cross-sectional tissue slices; and MRI scanners (1977) used magnetic fields and radio waves to visualize soft brain tissue and tumors without ionizing radiation.

Core Pedagogical Point: Diagnostic imaging eliminated exploratory surgery and allowed early disease detection before symptoms manifest.

KEY ENQUIRY CHECK • LIFESTYLE FACTORS & THE TECHNOLOGICAL REVOLUTION IN DIAGNOSIS (C.1900–PRESENT)

1. Causal Recall: Explain one key cause explored in this enquiry.

2. Historical Analysis: How did contemporary individuals respond to this challenge?

3. Evaluative Hinge: Assess the extent of change compared to earlier periods.

CHECK YOUR UNDERSTANDING

ERA 4 • LESSON 3 PEARSON EDEXCEL GCSE HISTORY • PAPER 1 (1H10/11)

KT4.3: The Search for Magic Bullets, High-Tech Treatments & The Birth of the NHS
(1909–1948)

Specification Anchor: Advances in medicines: magic bullets (Salvarsan 606, Prontosil); high-tech medical and surgical treatments; public health: the National Health Service (1948).

Historical Context & Origins

[1.1] By the opening decade of the twentieth century, bacteriology had successfully unmasked the microbial culprits behind tuberculosis, cholera, and diphtheria. Yet physicians found themselves crippled by an agonizing limitation known as the *Diagnostic-Therapeutic Lag*: while a doctor could place a sputum slide under a microscope and diagnose a bacterial infection with scientific precision, they possessed zero medicines to kill the invading pathogens inside the human body. Existing chemical antiseptics like carbolic acid, mercury, and arsenic were blunt, indiscriminate poisons that destroyed human blood cells, liver tissue, and kidneys just as swiftly as they destroyed bacteria.

[1.2] A brilliant German physician named Paul Ehrlich, who had previously worked with Robert Koch staining bacteria with synthetic chemical dyes, proposed an audacious hypothesis: the *Zauberkegel*, or "magic bullet." Ehrlich noticed that certain synthetic aniline dyes attached themselves selectively to specific bacterial cells while leaving surrounding human cells completely unstained. Ehrlich reasoned that if a lethal toxin could be chemically bonded to a selective dye molecule, it would behave like a guided missile – hunting down and annihilating the targeted pathogen inside the bloodstream without inflicting harm upon the patient.


Escalation & Core Developments

[2.1] Ehrlich focused his magic bullet research on *Treponema pallidum*, the corkscrew-shaped spirochete responsible for syphilis—a devastating, disfiguring venereal disease that haunted European society, causing paralysis, blindness, and dementia. Ehrlich established an intensive research laboratory in Frankfurt, joined in 1908 by meticulous Japanese bacteriologist Sahachiro Hata. Testing hundreds of synthetic arsenic derivatives on infected rabbits, compound after compound proved either ineffective or lethal. Finally, in 1909, Hata systematically re-examined compound number 606 (arsphenamine), discovering that it completely cured infected animals without killing them. Branded as **Salvarsan 606 (Source A)**, it became humanity's first synthetic chemical "magic bullet," proving that synthetic pharmacology could eradicate specific bacterial infections inside a living patient.

[2.2] In 1932, German pathologist Gerhard Domagk achieved the next therapeutic breakthrough with **Prontosil**, a bright red industrial dye. Domagk demonstrated that Prontosil cured mice infected with lethal *Streptococcus*; when his own six-year-old daughter Hildegard contracted fatal blood poisoning from an infected embroidery needle, Domagk took the desperate gamble of injecting her with Prontosil, curing her within days. Researchers at the Pasteur Institute soon realized that the active therapeutic agent inside Prontosil was a simple chemical called *sulphonamide*. Sulphonamides dramatically reduced maternal deaths from puerperal childbed fever and cured bacterial pneumonia, but they caused severe kidney damage and could not kill a broad spectrum of virulent pathogens.

SOURCE A CONTEMPORARY VISUAL EVIDENCE c1900–present

Paul Ehrlich and Sahachiro Hata in their Frankfurt Laboratory (1909)




"Paul Ehrlich examining chemical test tubes in his Frankfurt laboratory in 1909, during the systematic research that led to the discovery of Salvarsan 606 with Sahachiro Hata."

Provenance: Primary archival photograph taken in 1909 at the Royal Institute for Experimental Therapy, Frankfurt, Germany. Paul Ehrlich Institute / Wellcome Collection Archive (Shelfmark: ICV No 18274).

Hinge Question: How did Ehrlich's concept of a synthetic 'magic bullet'?

SOURCE B HISTORICAL PRIMARY EVIDENCE c1900–present

1948 Ministry of Health NHS Information Leaflet



"The original public leaflet distributed to every British household in June 1948 by the Ministry of Health, announcing the launch of the free National Health Service on 5th July."

Provenance: Official government publication issued by His Majesty's Stationery Office (HMSO) and the Ministry of Health, London, June 1948. The National Archives, Kew (Shelfmark: MH 55/927).

Hinge Question: How does the universal entitlement outlined in this

KEY SPECIFICATION TERMINOLOGY & DISCIPLINARY CONCEPTS

a "magic bullet": A chemical compound that targets and destroys specific disease-causing microbes without harming the patient's body cells.

Salvarsan 606: The first synthetic magic bullet, discovered in 1909 by Paul Ehrlich and Sahachiro Hata, which cured syphilis.

Prontosil: A red dye derivative discovered in 1932 by Gerhard Domagk that cured streptococcal infections (first sulfonamide).

CORE VOCABULARY

Detailed Forensic Evidence


[3.1] While laboratory science advanced, interwar Britain remained scarred by grotesque healthcare inequality. Prior to 1948, medical treatment was overwhelmingly private, commercial, or dependent on charitable philanthropy. David Lloyd George's 1911 National Insurance Act provided basic GP coverage for low-paid working men, but completely excluded their wives, children, and elderly relatives. Millions of working-class women suffered untreated prolapses, dental decay, and gynecological trauma in silence, while calling a private doctor or entering a voluntary hospital could plunge an entire family into financial ruin. Voluntary charitable hospitals were perpetually bankrupt, while municipal public-assistance infirmaries were grim, underfunded Victorian workhouses.

[3.2] The collective solidarity of the Second World War shattered this unequal order. In December 1942, civil servant William Beveridge published his famous social report, proclaiming that post-war reconstruction required slaying "Five Giant Evils": Want, Disease, Ignorance, Squalor, and Idleness. Following Labour's landslide election victory in July 1945, Prime Minister Clement Attlee appointed fiery former Welsh coal miner Aneurin Bevan as Minister of Health. Bevan faced bitter, venomous resistance from the British Medical Association (BMA), whose affluent private physicians denounced state-funded healthcare as "medical dictatorship." Bevan outmaneuvered the doctors through astute political compromise: he permitted hospital consultants to continue private fee-paying practice inside state hospitals, famously admitting he had "stuffed their mouths with gold." In June 1948, Bevan prepared the nation by distributing an official household information leaflet (Source B) to every family in Britain, explaining the revolutionary scope of free, universal healthcare.

SOURCE C ARCHIVAL RECORD & ANALYSIS

c1900–present

Archival Photograph: Paul Ehrlich in his Frankfurt Laboratory Developing Salvarsan 606 (1909)



"Paul Ehrlich examining chemical test tubes in his Frankfurt laboratory in 1909, during the systematic research that led to the discovery of Salvarsan 606 with Sahachiro Hata."

Provenance: Primary archival photograph taken in 1909 at the Royal Institute for Experimental Therapy, Frankfurt, Germany. Paul Ehrlich Institute / Wellcome Collection Archive (Shelfmark: ICV No 18274).

Hinge Question: How did Ehrlich's concept of a synthetic 'magic bullet' represent a radical departure from traditional botanical remedies and universal germ-killing antiseptics like carbolic acid?

Historical Significance & Verdict

[4.1] On Monday, 5 July 1948, Aneurin Bevan arrived at Park Hospital in Davyhulme, Manchester, to inaugurate the National Health Service. Meeting 13-year-old Sylvia Diggory, the very first NHS patient, Bevan formally enacted a monumental social principle: comprehensive healthcare—encompassing family doctors, specialists, surgical operations, dental care, opticians, and emergency ambulances—free at the point of clinical delivery, funded not through private insurance premiums, but through progressive central taxation. Within months, millions of impoverished women, children, and elderly citizens received spectacles, dentures, and life-saving surgical treatments for the first time in their lives, establishing healthcare as a fundamental human right.

[4.2] Historiographers debate the economic sustainability and ideological compromises of the NHS. Social historians celebrate the 1948 settlement as Britain's greatest civilizing accomplishment, demonstrating that state intervention abolished the Victorian terror of medical poverty. Conversely, economic historians argue that Bevan severely underestimated public demand: within nine months of opening, the NHS dispensed 8.5 million pairs of spectacles and millions of dental plates, triggering a colossal financial crisis that forced the government to introduce prescription and dental charges in 1951, prompting Bevan's dramatic Cabinet resignation. In the modern era, the exponential cost of cutting-edge chemotherapy, organ transplantation, and robotic surgery continues to strain Bevan's founding vision of universal, tax-funded care.

KEY FIGURE

1854–1915



Paul Ehrlich

GERMAN PHYSICIAN & IMMUNOLOGIST

Pioneered targeted chemotherapy by discovering Salvarsan 606 (1909), the first "magic bullet" that destroyed specific syphilis microbes inside human tissue.

STRATEGIC DECISIONS & CONTRIBUTIONS:

- **Chemical Affinity Concept:** Hypothesized that synthetic chemical dyes could seek out and kill specific microbes without harming host cells.
- **Salvarsan 606 (1909):** Screened hundreds of arsenic compounds with Sahachiro Hata, identifying compound 606 as cure for syphilis.
- **Founded Chemotherapy:** Established the principle of targeted synthetic pharmacology that led directly to Domagk's Prontosil (1932).

HISTORICAL CONCEPT

PHARMACOLOGY

Magic Bullets vs Broad-Spectrum Antibiotics

Before 1900, antiseptic chemicals like carbolic acid killed bacteria on contact, but also destroyed living human flesh, meaning they could not be injected internally. Paul Ehrlich invented the concept of "magic bullets": synthetic chemicals targeting specific pathogens like Salvarsan 606 for syphilis. Fleming, Florey, and Chain revolutionized this by developing penicillin, a natural antibiotic produced by fungi that safely cured broad-spectrum bacterial infections.

Key Distinction: Magic bullets are synthetic chemical compounds; antibiotics are natural antimicrobial substances produced by microorganisms.

KEY ENQUIRY CHECK • THE SEARCH FOR MAGIC BULLETS, HIGH-TECH TREATMENTS & THE BIRTH OF THE NHS (1909–1948)

CHECK YOUR UNDERSTANDING

1. Causal Recall: Explain one key cause explored in this enquiry.

2. Historical Analysis: How did contemporary individuals respond to this challenge?

3. Evaluative Hinge: Assess the extent of change compared to earlier periods.

KT4.4: Case Study 1: The Antibiotic Revolution: Fleming, Florey & Chain and Penicillin (1928–1945)

Specification Anchor: Advances in medicines: antibiotics; the development of penicillin, the work of Fleming, Florey and Chain; mass production.

Historical Context & Origins

[1.1] During the First World War, Scottish bacteriologist Alexander Fleming served as a medical officer in military field hospitals in Boulogne, France. Amidst the carnage, Fleming witnessed thousands of young soldiers perish from wound sepsis, gas gangrene, and blood poisoning. Fleming recognized that standard chemical antiseptics like carbolic acid did more harm than good inside deep, jagged shrapnel lacerations, because chemical toxins destroyed the patient's protective white blood cells faster than they eliminated anaerobic soil bacteria. Fleming dedicated his post-war career at St Mary's Hospital, London, to discovering an antibacterial agent capable of killing virulent pathogens without harming human tissue.

[1.2] In late August 1928, Fleming was investigating *Staphylococcus* bacteria in his cluttered second-floor laboratory in Paddington. Before departing on a family holiday to Suffolk, Fleming stacked his agar culture dishes on a bench in the corner of the room. While he was away, a series of extraordinary environmental flukes occurred: fungal spores from a mycologist's laboratory on the floor below drifted up through the drafty stairwell, landing on an uncovered culture plate. An unseasonable cold snap allowed the fungal spores to germinate, followed by warm weather that encouraged the surrounding *Staphylococcus* bacteria to multiply.


Escalation & Core Developments

[2.1] Returning to his workbench on Monday, 3 September 1928, Fleming began sorting through his culture plates before plunging them into a bath of lysol disinfectant. Examining one contaminated dish (Source A), he uttered a celebrated understated phrase: "That's funny." Around a ring of fluffy blue-green mold, a clear translucent halo had formed where colonies of golden *Staphylococcus* bacteria had been completely dissolved and killed. Fleming identified the mold as *Penicillium notatum*, naming its antibacterial secretion **Penicillin**. In June 1929, Fleming published his findings in the *British Journal of Experimental Pathology*; however, because he was a bacteriologist rather than a biochemist, he lacked the chemical apparatus to isolate the pure, unstable substance from the mold broth, and medical journals largely dismissed his paper as a laboratory curiosity.

[2.2] A decade later, in 1938, an interdisciplinary scientific research team at Oxford University reopened Fleming's forgotten paper. Led by Australian professor of pathology Howard Florey, brilliant German-Jewish refugee biochemist Ernst Chain, and ingenious laboratory engineer Norman Heatley, the Oxford team set out to isolate pure penicillin. Operating in the cash-starved Sir William Dunn School of Pathology, the team faced immense technical roadblocks: penicillin broke down rapidly when exposed to air, light, or mild temperature changes. Heatley improvised brilliant biochemical apparatus using hospital bedpans, porcelain dairy churns, milk bottles, and bathtubs, utilizing ether solvent extraction and a vacuum freeze-drying apparatus to yield tiny pinches of precious brown penicillin powder.

SOURCE A CONTEMPORARY VISUAL EVIDENCE c1900–present

Alexander Fleming's Original 1928 Penicillin Culture Plate




"Alexander Fleming examining culture plates in his laboratory at St Mary's Hospital, London, where he discovered *Penicillium notatum* in September 1928."

Provenance: Primary photographic record captured in 1928 at the Inoculation Department, St Mary's Hospital, Paddington, London. Imperial War Museum Collection / Wellcome Collection (L0005721).

Hinge Question: Why was Fleming unable to translate his brilliant 1928 laboratory observation of penicillin's antibacterial halo into an injectable medicine for human clinical patients?

SOURCE B HISTORICAL PRIMARY EVIDENCE c1900–present

Industrial Penicillin Fermentation and Culture Racks (1944)



"Laboratory worker inspecting rows of penicillin culture bottles stacked on incubator shelves in 1944, prior to the widespread transition to deep-tank fermentation vats."

Provenance: Primary industrial photograph captured in 1944 at a specialized wartime penicillin production facility. National Archives / Wellcome Historical Medical Collection (Shelfmark: M0011832).

Hinge Question: Why was the industrial transition from surface culture bottles to 10,000-gallon aerated deep-tank fermentation vats the decisive factor in saving thousands of Allied soldiers in 1944?

KEY SPECIFICATION TERMINOLOGY & DISCIPLINARY CONCEPTS

Alexander Fleming discover penicillin: September 1928 at St Mary's Hospital, Paddington, London.

Fleming abandon penicillin research after 1929: He was a bacteriologist who could not chemically isolate or stabilize the unstable active substance.

the core leaders of the Oxford research team: Howard Florey (pathologist), Ernst Chain (biochemist), and Norman Heatley (apparatus engineer).

CORE VOCABULARY

Detailed Forensic Evidence

[3.1] In May 1940, the Oxford team conducted a definitive animal experiment: eight mice were injected with lethal doses of virulent *Streptococcus*; four were administered penicillin, while four were left untreated. By the following morning, the four untreated mice were dead, while the four penicillin-treated mice were scurrying healthily around their cage. In February 1941, the team undertook their first clinical trial on Albert Alexander, a 43-year-old Oxford police constable who had scratched his face on a rose thorn; the wound had become infected with *Staphylococcus* and *Streptococcus*, causing massive facial abscesses, severe sepsis, and the surgical loss of one eye.

[3.2] Florey and Chain administered pure penicillin intravenously. Within twenty-four hours, Alexander's fever subsided and his horrific infection began clearing; however, the team possessed only minute quantities of the drug. They cultivated penicillin using specialized laboratory glassware racks (Source B) and recycled the drug by painstakingly collecting and recrystallizing Alexander's urine, but the supply ran out after five days. Deprived of the antibiotic, Alexander suffered a rapid relapse and died in March 1941. The tragic trial provided indisputable proof: penicillin was a non-toxic miracle cure, but it required industrial-scale mass production. With British pharmaceutical factories overwhelmed by wartime munitions and German blitz bombing, Florey and Heatley flew to the neutral United States in July 1941 to seek corporate and governmental backing.

Historical Significance & Verdict


[4.1] In Peoria, Illinois, at the US Department of Agriculture Northern Regional Research Laboratory, American scientists engineered revolutionary industrial breakthroughs. They discovered that culturing the mold in *corn steep liquor* (a byproduct of cornstarch processing) boosted penicillin yields twenty-fold, while a rotting cantaloupe melon from a local grocery market provided *Penicillium chrysogenum*, producing 200 times more penicillin. Backed by the US War Production Board and pharmaceutical titans (Pfizer, Merck, Squibb), American factories constructed 10,000-gallon deep-tank fermentation vats pumped with sterile oxygen. By D-Day on 6 June 1944, Allied medical units possessed 2.3 million doses of penicillin, treating every wounded casualty on the Normandy beaches and reducing amputations and deaths from bacterial sepsis to under 1%.

[4.2] Historiographers debate the relative roles of Fleming's individual serendipity versus Florey and Chain's team science and military industrialization. In 1945, Fleming, Florey, and Chain were jointly awarded the Nobel Prize; yet contemporary British newspapers mythologized Fleming as a lone Scottish genius, largely ignoring the biochemical heroism of Florey, Chain, and Heatley. In the twenty-first century, the antibiotic revolution faces its gravest existential crisis: Fleming presciently warned in his 1945 Nobel lecture that underdosing would breed bacterial resistance. Decades of over-prescribing in human medicine and livestock farming have spawned drug-resistant "superbugs" like MRSA (Methicillin-Resistant *Staphylococcus Aureus*), confronting modern medicine with the terrifying prospect of a post-antibiotic era.

SOURCE C ARCHIVAL RECORD & ANALYSIS

c1900–present

Archival Photograph: Sir Alexander Fleming in his Laboratory at St Mary's Hospital (c.1943)



"Sir Alexander Fleming seated at his workbench in the Inoculation Department at St Mary's Hospital, London, examining culture plates of *Penicillium notatum*."

Provenance: Primary photographic record captured in 1928 at the Inoculation Department, St Mary's Hospital, Paddington, London. Imperial War Museum Collection / Wellcome Collection (L0005721).

Hinge Question: Why was Fleming unable to translate his brilliant 1928 laboratory observation of penicillin's antibacterial halo into an injectable medicine for human clinical patients?

KEY FIGURE

1881–1955



Alexander Fleming

SCOTTISH BACTERIOLOGIST AT ST MARY'S HOSPITAL

Discovered the antibiotic properties of penicillin in 1928 when *Penicillium notatum* spore contaminated a *Staphylococcus* culture dish.

STRATEGIC DECISIONS & CONTRIBUTIONS:

- **1928 Accidental Discovery:** Observed clear halo where penicillin mould spores had dissolved bacterial colonies on agar plate.
- **Proved Non-Toxicity:** Demonstrated that raw penicillin juice killed lethal bacteria without damaging human white blood cells.
- **Published Findings (1929):** Published discovery in British Journal of Experimental Pathology, but lacked chemical resources to purify it.

HISTORICAL CONCEPT

INDUSTRIAL PRODUCTION

The Industrial Scale of Penicillin: Florey, Chain & WWII

Fleming discovered penicillin in 1928, but could not extract enough stable liquid to treat humans. In 1938, Oxford scientists Howard Florey and Ernst Chain purified penicillin, testing it on Albert Alexander in 1941. With British factories bombed by the Luftwaffe, Florey traveled to the United States. The US War Production Board enlisted massive pharmaceutical giants (Pfizer) to brew penicillin in 14-tank corn-steep liquor vats, producing 2.3 million doses for D-Day (1944).

Historiographical Factor: Industrial mass-production, government wartime

KEY ENQUIRY CHECK • CASE STUDY 1: THE ANTIBIOTIC REVOLUTION: FLEMING, FLOREY & CHAIN AND PENICILLIN (1928–1945)

CHECK YOUR UNDERSTANDING

1. Causal Recall: Explain one key cause explored in this enquiry.

2. Historical Analysis: How did contemporary individuals respond to this challenge?

3. Evaluative Hinge: Assess the extent of change compared to earlier periods.

Historical Context & Origins

[1.2] During the First and Second World Wars, military commanders issued free cigarette rations to soldiers in trenches and combat stations to alleviate anxiety, hooking entire generations on nicotine. In the interwar and post-war years, commercial tobacco corporations mounted aggressive advertising campaigns across print newspapers, cinema reels, and roadside billboards, associating smoking with athleticism, Hollywood glamour, and social sophistication. Bizarrely, tobacco companies actively weaponized the medical profession to deceive the public, running advertisements (Source A) featuring actors dressed as white-coated doctors claiming that "More Doctors Smoke Camels," reassuring citizens that tobacco was soothing to the throat and perfectly harmless.

[2.2] In September 1950, Doll and Hill dropped a scientific bombshell in the *British Medical Journal* (BMJ): heavy cigarette smokers were fifty times more likely to contract lung cancer than non-smokers, with the statistical risk rising in direct proportion to the number of cigarettes smoked per day. To silence skeptical tobacco executives, in October 1951 Doll and Hill launched the monumental British Doctors Study, tracking the smoking habits and cause of death of over 40,000 registered British physicians over several decades. Within three years, the prospective study proved conclusively that smoking caused lung cancer, chronic obstructive pulmonary disease (COPD), and coronary heart disease. Stunned by his own forensic data, Richard Doll extinguished his pipe and never smoked again.

Detailed Forensic Evidence

[3.1] The clinical battle against lung cancer in modern Britain relies upon an advanced multi-disciplinary arsenal of high-tech diagnostics. Because lung tissue possesses no sensory pain receptors, early carcinomas grow silently; by the time patients exhibit overt symptoms—a persistent cough, hemoptysis (coughing up blood), and rapid weight loss—the tumor has typically metastasized to the regional lymph nodes, liver, or brain. Modern oncology deploys low-dose helical CT chest scans to detect microscopic pulmonary nodules before they spread, flexible fiber-optic bronchoscopes inserted through the trachea to biopsy suspicious lesions, and Positron Emission Tomography (PET-CT) scans using radioactive glucose tracers to illuminate active, metabolizing cancer cells throughout the body.

[3.2] Once staged, oncologists combine four cutting-edge treatment modalities: surgery, radiotherapy, chemotherapy, and immunotherapy. In early stages (Stages I and II), thoracic surgeons perform minimally invasive video-assisted thoracoscopic surgery (VATS) or robotic lobectomies, excising the cancerous lung lobe through keyhole incisions with reduced surgical trauma. For advanced or inoperable tumors, clinical teams deploy computer-guided stereotactic radiotherapy beams that obliterate tumor cells while sparing adjacent heart and spinal tissue, alongside platinum-based chemotherapy. In the twenty-first century, oncology was revolutionized by *immunotherapy* (checkpoint inhibitor drugs like pembrolizumab), which genetically trains the patient's own immune T-cells to identify and destroy cancer cells.

Historical Significance & Verdict

[4.1] Despite billions invested in clinical oncology, lung cancer remains notoriously difficult to cure, with five-year survival rates lingering around 16–20%. Consequently, the decisive historical battle was fought not in the surgical operating theatre, but in Parliament through preventative state regulation—representing the complete, permanent destruction of Victorian *laissez-faire*. Over fifty years, the British government executed an escalating legislative squeeze against tobacco: banning television cigarette advertising in 1965, mandating health warning labels in 1971, raising punitive tobacco taxation, prohibiting smoking in all enclosed public places and workplaces under the Health Act 2007, and enforcing standardized plain olive-green packaging (Source B) (Pantone 448 C) with graphic diseased-lung photographs in 2016.

[4.2] Historiographers debate the speed of government intervention versus individual civil liberty and commercial lobbying. Critical historians emphasize that successive British governments dragged their feet for decades following Doll and Hill's 1950 breakthrough, addicted to billions in annual tobacco tax revenues and intimidated by the ferocious political lobbying of Imperial Tobacco. Conversely, public health historians celebrate state intervention as one of the greatest preventative triumphs in human history: smoking prevalence among British adult males plummeted from 65% in 1950 to under 13% today. Furthermore, the 2024 legislative push for a "smoke-free generation"—prohibiting tobacco sales to anyone born after 2009—marks the ultimate triumph of compulsory state intervention in modern medicine.

SOURCE B ARCHIVAL RECORD & ANALYSIS

c1900–present

Modern Cigarette Packet with Mandatory Government Health Warning



"A modern cigarette packet showing prominent, compulsory government health warnings ("Smoking kills") mandated under public health legislation to deter consumers."

Provenance: Contemporary photograph of standardized commercial tobacco packaging compliant with UK and EU tobacco control directives. Public Health England / Department of Health Archive.

Hinge Question: How does the transition from unregulated commercial advertising (Source A) to state-mandated plain packaging (Source B) illustrate the changing role of government intervention in 20th- and 21st-century public health?

KEY FIGURE

1897–1960



Aneurin Bevan

MINISTER OF HEALTH IN ATTLEE LABOUR GOVERNMENT

Welsh statesman who founded the National Health Service in 1948, overcoming fierce BMA doctor opposition to guarantee universal healthcare.

STRATEGIC DECISIONS & CONTRIBUTIONS:

- **Founded the NHS (5 July 1948):** Established healthcare free at the point of need, funded entirely by central taxation.
- **Overcame BMA Resistance:** "Stuffed their mouths with gold" by permitting senior hospital consultants to retain lucrative private patients.
- **Nationalized Hospitals:** Brought 2,688 voluntary and municipal hospitals into single unified national healthcare system.

HISTORICAL CONCEPT

PREVENTIVE LEGISLATION

Public Health & Lifestyle: The Anti-Smoking Crusade

In the 20th century, causes of mortality shifted from infectious epidemics to chronic lifestyle diseases. In 1950, Richard Doll and Austin Bradford Hill proved scientifically that smoking tobacco was directly causal to lung cancer. British governments responded with comprehensive statutory intervention: banning cigarette advertising on television (1965), imposing heavy fiscal taxation, mandating graphic health warnings (2002), and banning smoking in enclosed public spaces (2007).

Modern Public Health Principle: Government action transitioned from

KEY ENQUIRY CHECK • CASE STUDY 2: PUBLIC HEALTH & THE FIGHT AGAINST LUNG CANCER (C.1950–PRESENT)

CHECK YOUR UNDERSTANDING

1. Causal Recall: Explain one key cause explored in this enquiry.

2. Historical Analysis: How did contemporary individuals respond to this challenge?

3. Evaluative Hinge: Assess the extent of change compared to earlier periods.

MODERN MEDICINE & HIGH-TECHNOLOGY HEALTHCARE: REVISION SPINE & EXAM STRATEGY (c1900–present)

Comprehensive revision index of pivotal chronology, core specification concepts, and Edexcel examination question frameworks.

MODERN MEDICINE & HIGH-TECHNOLOGY HEALTHCARE • PIVOTAL CHRONOLOGICAL SEQUENCE & CAUSAL TURNING POINTS			PAPER 1 CHRONOLOGY RECALL
Date	Pivotal Milestone	Historical Significance & Causal Consequence	
1895	Wilhelm Röntgen accidentally discovers X-rays in Würzburg.	Wilhelm Röntgen accidentally discovers X-rays in Würzburg.	
1909	Paul Ehrlich and Sahachiro Hata discover Salvarsan 606 for syphilis (first magic bullet).	Paul Ehrlich and Sahachiro Hata discover Salvarsan 606 for syphilis (first magic bullet).	
1928	Alexander Fleming discovers penicillin mold destroying Staphylococcus bacteria.	Alexander Fleming discovers penicillin mold destroying Staphylococcus bacteria.	
1932	Gerhard Domagk discovers Prontosil, curing puerperal fever and blood poisoning.	Gerhard Domagk discovers Prontosil, curing puerperal fever and blood poisoning.	
1941	Howard Florey and Ernst Chain successfully test penicillin on Albert Alexander.	Howard Florey and Ernst Chain successfully test penicillin on Albert Alexander.	
1948	National Health Service (NHS) launched across Britain under Minister Aneurin Bevan.	National Health Service (NHS) launched across Britain under Minister Aneurin Bevan.	
1950	Doll and Hill publish epidemiological study linking cigarette smoking to lung cancer.	Doll and Hill publish epidemiological study linking cigarette smoking to lung cancer.	
1953	Francis Crick and James Watson discover the double-helix structure of DNA.	Francis Crick and James Watson discover the double-helix structure of DNA.	
1972	Godfrey Hounsfield develops the first clinical CT scanner at EMI Laboratories.	Godfrey Hounsfield develops the first clinical CT scanner at EMI Laboratories.	
2003	The Human Genome Project completes sequencing of all 3 billion DNA base pairs.	The Human Genome Project completes sequencing of all 3 billion DNA base pairs.	
2007	UK Government passes ban on smoking in all enclosed public work and social venues.	UK Government passes ban on smoking in all enclosed public work and social venues.	

CORE SPECIFICATION CONCEPTS (C1900–PRESENT)

- **The DNA Revolution & The Human Genome Project:** Modern medicine shifted from treating external bacterial invaders to correcting internal cellular and genetic flaws.
- **Non-Invasive Diagnostic Technology:** Diagnostic imaging eliminated exploratory surgery and allowed early disease detection before symptoms manifest.
- **Magic Bullets vs Broad-Spectrum Antibiotics:** Key Distinction: Magic bullets are synthetic chemical compounds; antibiotics are natural antimicrobial substances produced by microorganisms.
- **The Industrial Scale of Penicillin:** Industrial mass-production, government wartime finance, and US chemical technology turned penicillin into a reality.
- **Public Health & Lifestyle:** Government action transitioned from sanitary infrastructure (sewers) to public education and behavioral regulation.

EDExcel PAPER 1 EXAMINATION FRAMEWORK

SECTION B • 32 MARKS

Q3: Explain one similarity / difference between... [4 Marks]
Strategy: Identify 1 valid conceptual link across eras • Support with precise detail from both specified periods.

Q4: Explain why [change/continuity occurred]... [12 Marks]
Strategy: 3 PEEL paragraphs • Use 2 stimulus points + own knowledge • Link with causal connectives.

Q5/Q6: Evaluative Essay [16 Marks + 4 SPaG]
Strategy: Criteria-led introduction • 3 balanced PEEL paragraphs weighing stated factor vs alternatives • Weighed verdict.

INTERACTIVE DIGITAL RETRIEVAL HUB

MODERN MEDICINE & HIGH-TECHNOLOGY HEALTHCARE KNOWLEDGE QUIZ & FLASHCARDS

Scan the QR code with any smartphone or tablet camera to launch the interactive, self-marking retrieval bank for this era. Test your rapid recall across key individuals, turning points, anatomical discoveries, and treatment breakthroughs with instant model answers and scoring.

- 20 Specification Recall Questions
- Instant Self-Marking & Explanations
- Digital Leitner Flashcard Deck



SCAN FOR MOBILE QUIZ