

“The Web Design Workshop” Decal – Spring 2014

Programming Handout 2

Goals:

1. Linking to a CSS file
2. Styling your elements

Before we begin, create an HTML page with the following code. Save it as *index.html*.

```
<html>
  <head>
    <title>My Website</title>
  </head>
  <body>
    <div id="box">
      <div id="title">Welcome to my Website!</div>
      <div id="subtitle">About Me</div>
      <div id="body">Some text about myself</div>
    </div>
  </body>
</html>
```

1 – Linking to a CSS file

1. Inside your `<head></head>` tags, under your `<title></title>` tags, insert the following tag:

```
<link rel="stylesheet" type="text/css" href="site.css">
```

This will link your *index.html* to a CSS file called *site.css* in the **same file directory** as *index.html*.

2. Now, open a new file (in Sublime, this is *File* → *New File*). Save it in the **same file directory** as *index.html*, and call it *site.css*.

Let's start coding in *site.css*!

2 – Styling your elements

1. Let's style the element with id *box*.


Notice that *box* wraps around the elements with ids *title*, *subtitle*, *body*. When you style *box*, you essentially style **everything** inside the *box* element as well, unless you override the styles in the inner elements. This makes it convenient to mass-style and position elements.

Let's type the following in *site.css*:

```
#box {  
    color: #333;  
    font-family: Arial, Verdana, sans-serif;  
}
```

We are just setting the **font-family** for our element, and giving a **dark gray color** (#333). In the web development world, dark gray (#333) is often preferred over black (#000) since it is less striking and works well with a lot of designs.


We get this:



Welcome to my Website!
About Me
Some text about myself!

2. Let's add some **border** to this *box* element! Let's also **center** all our text.

```
#box {  
    color: #333;  
    font-family: Arial, Verdana, sans-serif;  
    border: 1px solid #ccc;  
    text-align: center;  
}
```




Looks nice! Notice our **border** stretches the entire page.

Say we want breathing room for our text. We won't cover too much of it today, but there is a CSS property called **padding**. It will add some space/padding all around our *box* element if we add it in. Let's do that.

3. Let's add some padding.

```
#box {  
    color: #333;  
    font-family: Arial, Verdana, sans-serif;  
    border: 1px solid #ccc;
```


```
text-align: center;  
padding: 25px;  
}
```



Looks much nicer, right? With padding, we add **breathing room** between our content and our border.

4. Finally, let's style our *title* element. Below our styles for `#box { ... }`, let's add the following styles:

```
#title {  
  font-weight: bold;  
  margin-bottom: 20px;  
}
```



Nice! What did we do? We **bolded** our title text to make it stand out, and we added a new property which we will learn next week: **margin-bottom**. This also adds breathing room, or space, between the title and subtitle.

For now, know that **margins** and **padding**s add *breathing room* to your elements.

Congratulations! You have just tackled CSS. Let's review what we learned:

- We link to a CSS file with the `<link ... >` tag
- We selected an element by *ID* in CSS
- We added styles to our element

- Color
 - Font-Family
 - Border
 - Text-Align
- We added breathing room to our elements
 - Padding
 - Margin