



Endpoints

[Jump to bottom](#)

Brian Ward edited this page on Mar 26 · [18 revisions](#)

Endpoint: attendance

URL: `https://statsapi.mlb.com/api/{ver}/attendance`

Required Parameters

- teamId
- leagueId
- leagueListId

All Parameters

- ver
- teamId
- leagueId
- season
- date
- leagueListId
- gameType
- fields

Endpoint: awards

URL: `https://statsapi.mlb.com/api/{ver}/awards{awardId}{recipients}`

Required Parameters

- *None*

All Parameters

- ver
- awardId
- recipients
- sportId
- leagueId
- season
- hydrate
- fields

Note

Call awards endpoint with no parameters to return a list of awardIds.

Endpoint: conferences

URL: `https://statsapi.mlb.com/api/{ver}/conferences`

Required Parameters

- *None*

All Parameters

- ver
- conferenceId
- season
- fields

Endpoint: **divisions**

URL: **`https://statsapi.mlb.com/api/{ver}/divisions`**

Required Parameters

- *None*

All Parameters

- ver
- divisionId
- leagueId
- sportId
- season

Note

Call divisions endpoint with no parameters to return a list of divisions.

Endpoint: **draft**

URL: **`https://statsapi.mlb.com/api/{ver}/draft{prospects}{year}{latest}`**

Required Parameters

- *None*

All Parameters

- ver
- prospects
- year
- latest
- limit
- fields
- round

- name
- school
- state
- country
- position
- teamId
- playerId
- bisPlayerId

Note

No query parameters are honored when "latest" endpoint is queried (year is still required).
Prospects and Latest cannot be used together.

Endpoint: game

URL:

`https://statsapi.mlb.com/api/{ver}/game/{gamePk}/feed/live`

Required Parameters

- gamePk

All Parameters

- ver
- gamePk
- timecode
- hydrate
- fields

Endpoint: game_diff

URL:

`https://statsapi.mlb.com/api/{ver}/game/{gamePk}/feed/live/diffPatch`

Required Parameters

- gamePk
- startTimecode + endTimecode

All Parameters

- ver
- gamePk
- startTimecode
- endTimecode

Endpoint: game_timestamps

URL:

`https://statsapi.mlb.com/api/{ver}/game/{gamePk}/feed/live/timestamps`

Required Parameters

- gamePk

All Parameters

- ver
- gamePk

Endpoint: game_changes

URL: **`https://statsapi.mlb.com/api/{ver}/game/changes`**

Required Parameters

- updatedSince

All Parameters

- ver
- updatedSince
- sportId
- gameType
- season
- fields

Endpoint: **game_contextMetrics**

URL:

`https://statsapi.mlb.com/api/{ver}/game/{gamePk}/contextMetrics`

Required Parameters

- gamePk

All Parameters

- ver
- gamePk
- timecode
- fields

Endpoint: **game_winProbability**

URL:

`https://statsapi.mlb.com/api/{ver}/game/{gamePk}/winProbability`

Required Parameters

- gamePk

All Parameters

- ver
- gamePk
- timecode
- fields

Note

If you only want the current win probability for each team, try the `game_contextMetrics` endpoint instead.

Endpoint: `game_boxscore`

URL:

`https://statsapi.mlb.com/api/{ver}/game/{gamePk}/boxscore`

Required Parameters

- gamePk

All Parameters

- ver
- gamePk
- timecode
- fields

Endpoint: `game_content`

URL:

`https://statsapi.mlb.com/api/{ver}/game/{gamePk}/content`

Required Parameters

- gamePk

All Parameters

- ver
- gamePk
- highlightLimit

Endpoint: **game_color**

URL:

`https://statsapi.mlb.com/api/{ver}/game/{gamePk}/feed/color`

Required Parameters

- gamePk

All Parameters

- ver
- gamePk
- timecode
- fields

Endpoint: **game_color_diff**

URL:

`https://statsapi.mlb.com/api/{ver}/game/{gamePk}/feed/color/diffPatch`

Required Parameters

- gamePk
- startTimeCode + endTimeCode

All Parameters

- ver
- gamePk

- startTimecode
- endTimecode

Endpoint: **game_color_timestamps**

URL:

`https://statsapi.mlb.com/api/{ver}/game/{gamePk}/feed/color/timestamps`

Required Parameters

- gamePk

All Parameters

- ver
- gamePk

Endpoint: **game_linescore**

URL:

`https://statsapi.mlb.com/api/{ver}/game/{gamePk}/linescore`

Required Parameters

- gamePk

All Parameters

- ver
- gamePk
- timecode
- fields

Endpoint: `game_playByPlay`

URL:

`https://statsapi.mlb.com/api/{ver}/game/{gamePk}/playByPlay`

Required Parameters

- `gamePk`

All Parameters

- `ver`
- `gamePk`
- `timecode`
- `fields`

Endpoint: `game_uniforms`

URL: `https://statsapi.mlb.com/api/{ver}/uniforms/game`

Required Parameters

- `gamePks`

All Parameters

- `ver`
- `gamePks`
- `fields`

Endpoint: `gamePace`

URL: `https://statsapi.mlb.com/api/{ver}/gamePace`

Required Parameters

- season

All Parameters

- ver
- season
- teamIds
- leagueIds
- leagueListId
- sportId
- gameType
- startDate
- endDate
- venueIds
- orgType
- includeChildren
- fields

Endpoint: **highLow**

URL: **`https://statsapi.mlb.com/api/{ver}/highLow/{orgType}`**

Required Parameters

- orgType
- sortStat + season

All Parameters

- ver
- orgType
- statGroup
- sortStat
- season
- gameType
- teamId

- leagueId
- sportId
- limit
- fields

Note

Valid values for orgType parameter: player, team, division, league, sport, types.

Endpoint: homeRunDerby

URL:

`https://statsapi.mlb.com/api/{ver}/homeRunDerby/{gamePk}{bracket}{pool}`

Required Parameters

- gamePk

All Parameters

- ver
- gamePk
- bracket
- pool
- fields

Endpoint: League

URL: `https://statsapi.mlb.com/api/{ver}/league`

Required Parameters

- sportId
- leagueId

All Parameters

- ver
- sportId
- leagueIds
- seasons
- fields

Endpoint: league_allStarBallot

URL:

`https://statsapi.mlb.com/api/{ver}/league/{leagueId}/allStarBallot`

Required Parameters

- leagueId
- season

All Parameters

- ver
- leagueId
- season
- fields

Endpoint: league_allStarWriteIns

URL:

`https://statsapi.mlb.com/api/{ver}/league/{leagueId}/allStarWriteIns`

Required Parameters

- leagueId
- season

All Parameters

- ver
- leagueId
- season
- fields

Endpoint: league_allStarFinalVote

URL:

`https://statsapi.mlb.com/api/{ver}/league/{leagueId}/allStarFinalVote`

Required Parameters

- leagueId
- season

All Parameters

- ver
- leagueId
- season
- fields

Endpoint: people

URL: `https://statsapi.mlb.com/api/{ver}/people`

Required Parameters

- personIds

All Parameters

- ver
- personIds

- hydrate
- fields

Endpoint: **people_changes**

URL: **`https://statsapi.mlb.com/api/{ver}/people/changes`**

Required Parameters

- *None*

All Parameters

- ver
- updatedSince
- fields

Endpoint: **people_freeAgents**

URL: **`https://statsapi.mlb.com/api/{ver}/people/freeAgents`**

Required Parameters

- leagueId

All Parameters

- ver
- leagueId
- order
- hydrate
- fields

Endpoint: person

URL: `https://statsapi.mlb.com/api/{ver}/people/{personId}`

Required Parameters

- personId

All Parameters

- ver
- personId
- hydrate
- fields

Endpoint: person_stats

URL:

`https://statsapi.mlb.com/api/{ver}/people/{personId}/stats/game/{gamePk}`

Required Parameters

- personId
- gamePk

All Parameters

- ver
- personId
- gamePk
- fields

Note

Specify "current" instead of a gamePk for a player's current game stats.

Endpoint: jobs

URL: <https://statsapi.mlb.com/api/{ver}/jobs>

Required Parameters

- jobType

All Parameters

- ver
- jobType
- sportId
- date
- fields

Endpoint: jobs_umpires

URL: <https://statsapi.mlb.com/api/{ver}/jobs/umpires>

Required Parameters

- *None*

All Parameters

- ver
- sportId
- date
- fields

Endpoint: jobs_umpire_games

URL:

<https://statsapi.mlb.com/api/{ver}/jobs/umpires/games/{umpireId}>

Required Parameters

- umpireId
- season

All Parameters

- ver
- umpireId
- season
- fields

Endpoint: jobs_datacasters

URL: <https://statsapi.mlb.com/api/{ver}/jobs/datacasters>

Required Parameters

- *None*

All Parameters

- ver
- sportId
- date
- fields

Endpoint: jobs_officialScorers

URL:
<https://statsapi.mlb.com/api/{ver}/jobs/officialScorers>

Required Parameters

- *None*

All Parameters

- ver
- timecode
- fields

Endpoint: **schedule**

URL: `https://statsapi.mlb.com/api/{ver}/schedule`

Required Parameters

- sportId
- gamePk
- gamePks

All Parameters

- ver
- scheduleType
- eventTypes
- hydrate
- teamId
- leagueId
- sportId
- gamePk
- gamePks
- venuels
- gameTypes
- date
- startDate
- endDate
- opponentId
- fields
- season

Endpoint: `schedule_tied`

URL: `https://statsapi.mlb.com/api/{ver}/schedule/games/tied`

Required Parameters

- `season`

All Parameters

- `ver`
- `gameTypes`
- `season`
- `hydrate`
- `fields`

Endpoint: `schedule_postseason`

URL: `https://statsapi.mlb.com/api/{ver}/schedule/postseason`

Required Parameters

- *None*

All Parameters

- `ver`
- `gameTypes`
- `seriesNumber`
- `teamId`
- `sportId`
- `season`
- `hydrate`
- `fields`

Endpoint: `schedule_postseason_series`

URL:

`https://statsapi.mlb.com/api/{ver}/schedule/postseason/series`

Required Parameters

- *None*

All Parameters

- `ver`
- `gameTypes`
- `seriesNumber`
- `teamId`
- `sportId`
- `season`
- `fields`

Endpoint: `schedule_postseason_tuneIn`

URL:

`https://statsapi.mlb.com/api/{ver}/schedule/postseason/tuneIn`

Required Parameters

- *None*

All Parameters

- `ver`
- `teamId`
- `sportId`
- `season`
- `hydrate`

- fields

Note

The schedule_postseason_tuneIn endpoint appears to return no data.

Endpoint: seasons

URL: `https://statsapi.mlb.com/api/{ver}/seasons{all}`

Required Parameters

- sportId
- divisionId
- leagueId

All Parameters

- ver
- all
- season
- sportId
- divisionId
- leagueId
- fields

Note

Include "all" parameter with value of True to query all seasons. The divisionId and leagueId parameters are supported when "all" is used.

Endpoint: season

URL: `https://statsapi.mlb.com/api/{ver}/seasons/{seasonId}`

Required Parameters

- seasonId
- sportId

All Parameters

- ver
- seasonId
- sportId
- fields

Endpoint: sports

URL: **`https://statsapi.mlb.com/api/{ver}/sports`**

Required Parameters

- *None*

All Parameters

- ver
- sportId
- fields

Endpoint: sports_players

URL:
`https://statsapi.mlb.com/api/{ver}/sports/{sportId}/players`

Required Parameters

- sportId
- season

All Parameters

- ver
- sportId
- season
- gameType
- fields

Endpoint: standings

URL: **`https://statsapi.mlb.com/api/{ver}/standings`**

Required Parameters

- leagueId

All Parameters

- ver
- leagueId
- season
- standingsTypes
- date
- hydrate
- fields

Endpoint: stats

URL: **`https://statsapi.mlb.com/api/{ver}/stats`**

Required Parameters

- stats + group

All Parameters

- ver
- stats

- playerPool
- position
- teamId
- leagueId
- limit
- offset
- group
- gameType
- season
- sportIds
- sortStat
- order
- hydrate
- fields
- personId
- metrics
- startDate
- endDate

Note

If no limit is specified, the response will be limited to 50 records.

Endpoint: stats_leaders

URL: **`https://statsapi.mlb.com/api/{ver}/stats/leaders`**

Required Parameters

- leaderCategories

All Parameters

- ver
- leaderCategories
- playerPool

- leaderGameTypes
- statGroup
- season
- leagueId
- sportId
- hydrate
- limit
- fields
- statType

Note

If excluding season parameter to get all time leaders, include statType=statsSingleSeason or you will likely not get any results.

Endpoint: stats_streaks

URL: <https://statsapi.mlb.com/api/{ver}/stats/streaks>

Required Parameters

- streakType + streakSpan + season + sportId + limit

All Parameters

- ver
- streakType
- streakSpan
- gameType
- season
- sportId
- limit
- hydrate
- fields

Note

Valid streakType values: "hittingStreakOverall" "hittingStreakHome" "hittingStreakAway" "onBaseOverall" "onBaseHome" "onBaseAway". Valid streakSpan values: "career" "season" "currentStreak" "currentStreakInSeason" "notable" "notableInSeason".

Endpoint: teams

URL: `https://statsapi.mlb.com/api/{ver}/teams`

Required Parameters

- *None*

All Parameters

- ver
- season
- activeStatus
- leaguelds
- sportId
- sportIds
- gameType
- hydrate
- fields

Endpoint: teams_history

URL: `https://statsapi.mlb.com/api/{ver}/teams/history`

Required Parameters

- teamIds

All Parameters

- ver
- teamIds

- startSeason
- endSeason
- fields

Endpoint: **teams_stats**

URL: `https://statsapi.mlb.com/api/{ver}/teams/stats`

Required Parameters

- season + group + stats

All Parameters

- ver
- season
- sportIds
- group
- gameType
- stats
- order
- sortStat
- fields
- startDate
- endDate

Note

Use meta('statGroups') to look up valid values for group, and meta('statTypes') for valid values for stats.

Endpoint: **teams_affiliates**

URL: `https://statsapi.mlb.com/api/{ver}/teams/affiliates`

Required Parameters

- teamIds

All Parameters

- ver
- teamIds
- sportId
- season
- hydrate
- fields

Endpoint: team

URL: **`https://statsapi.mlb.com/api/{ver}/teams/{teamId}`**

Required Parameters

- teamId

All Parameters

- ver
- teamId
- season
- sportId
- hydrate
- fields

Endpoint: team_alumni

URL:

`https://statsapi.mlb.com/api/{ver}/teams/{teamId}/alumni`

Required Parameters

- teamId
- season + group

All Parameters

- ver
- teamId
- season
- group
- hydrate
- fields

Endpoint: team_coaches

URL:

`https://statsapi.mlb.com/api/{ver}/teams/{teamId}/coaches`

Required Parameters

- teamId

All Parameters

- ver
- teamId
- season
- date
- fields

Endpoint: team_personnel

URL:

`https://statsapi.mlb.com/api/{ver}/teams/{teamId}/personnel`

Required Parameters

- teamId

All Parameters

- ver
- teamId
- date
- fields

Endpoint: team_leaders

URL:

`https://statsapi.mlb.com/api/{ver}/teams/{teamId}/leaders`

Required Parameters

- teamId
- leaderCategories + season

All Parameters

- ver
- teamId
- leaderCategories
- season
- leaderGameTypes
- hydrate
- limit
- fields

Endpoint: team_roster

URL:

`https://statsapi.mlb.com/api/{ver}/teams/{teamId}/roster`

Required Parameters

- teamId

All Parameters

- ver
- teamId
- rosterType
- season
- date
- hydrate
- fields

Endpoint: team_stats

URL:

`https://statsapi.mlb.com/api/{ver}/teams/{teamId}/stats`

Required Parameters

- teamId
- season + group

All Parameters

- ver
- teamId
- season
- group
- gameType
- stats
- sportIds
- sitCodes
- fields

Note

Use meta('statGroups') to look up valid values for group, meta('statTypes') for valid values for stats, and meta('situationCodes') for valid values for sitCodes. Use sitCodes with stats=statSplits.

Endpoint: **team_uniforms**

URL: **https://statsapi.mlb.com/api/{ver}/uniforms/team**

Required Parameters

- teamIds

All Parameters

- ver
- teamIds
- season
- fields

Endpoint: **transactions**

URL: **https://statsapi.mlb.com/api/{ver}/transactions**

Required Parameters

- teamId
- playerId
- date
- startDate + endDate

All Parameters

- ver
- teamId
- playerId
- date
- startDate

- endDate
- sportId
- fields

Endpoint: venue

URL: `https://statsapi.mlb.com/api/{ver}/venues`

Required Parameters

- venuelds

All Parameters

- ver
- venuelds
- season
- hydrate
- fields

Endpoint: meta

URL: `https://statsapi.mlb.com/api/{ver}/{type}`

Required Parameters

- type

All Parameters

- ver
- type

Note

The meta endpoint is used to retrieve values to be used within other API calls. Available types: awards, baseballStats, eventTypes, gameStatus, gameTypes, hitTrajectories, jobTypes, languages, leagueLeaderTypes, logicalEvents, metrics, pitchCodes, pitchTypes, platforms, positions, reviewReasons, rosterTypes, scheduleEventTypes, situationCodes, sky, standingsTypes, statGroups, statTypes, windDirection.

Note: This information is provided for reference only, without warranty or guarantee, and is not official documentation provided by MLB. This package and its author are not affiliated with MLB or any MLB team. This API wrapper interfaces with MLB's Stats API. Use of MLB data is subject to the notice posted at <http://gdx.mlb.com/components/copyright.txt>.

▼ **Pages** 32

▶ **Home**

▶ **All Functions**

▼ **Endpoints**

Endpoint: attendance

URL: `https://statsapi.mlb.com/api/{ver}/attendance`

Required Parameters

All Parameters

Endpoint: awards

URL: `https://statsapi.mlb.com/api/{ver}/awards{awardId}{recipients}`

Required Parameters

All Parameters

Note

Endpoint: conferences

URL: `https://statsapi.mlb.com/api/{ver}/conferences`

Required Parameters

All Parameters

Endpoint: divisions

URL: `https://statsapi.mlb.com/api/{ver}/divisions`

Required Parameters

All Parameters

Note

Endpoint: draft

URL: <https://statsapi.mlb.com/api/{ver}/draft{prospects}{year}{latest}>

Required Parameters

All Parameters

Note

Endpoint: game

URL: <https://statsapi.mlb.com/api/{ver}/game/{gamePk}/feed/live>

Required Parameters

All Parameters

Endpoint: game_diff

URL: <https://statsapi.mlb.com/api/{ver}/game/{gamePk}/feed/live/diffPatch>

Required Parameters

All Parameters

Endpoint: game_timestamps

URL: <https://statsapi.mlb.com/api/{ver}/game/{gamePk}/feed/live/timestamps>

Required Parameters

All Parameters

Endpoint: game_changes

URL: <https://statsapi.mlb.com/api/{ver}/game/changes>

Required Parameters

All Parameters

Endpoint: game_contextMetrics

URL: <https://statsapi.mlb.com/api/{ver}/game/{gamePk}/contextMetrics>

Required Parameters

All Parameters

Endpoint: game_winProbability

URL: <https://statsapi.mlb.com/api/{ver}/game/{gamePk}/winProbability>

Required Parameters

All Parameters

Note

Endpoint: game_boxscore

URL: <https://statsapi.mlb.com/api/{ver}/game/{gamePk}/boxscore>

Required Parameters

All Parameters

Endpoint: game_content

URL: <https://statsapi.mlb.com/api/{ver}/game/{gamePk}/content>

Required Parameters

All Parameters

Endpoint: game_color

URL: <https://statsapi.mlb.com/api/{ver}/game/{gamePk}/feed/color>

Required Parameters

All Parameters

Endpoint: game_color_diff

URL: <https://statsapi.mlb.com/api/{ver}/game/{gamePk}/feed/color/diffPatch>

Required Parameters

All Parameters

Endpoint: game_color_timestamps

URL: <https://statsapi.mlb.com/api/{ver}/game/{gamePk}/feed/color/timestamps>

Required Parameters

All Parameters

Endpoint: game_linescore

URL: <https://statsapi.mlb.com/api/{ver}/game/{gamePk}/linescore>

Required Parameters

All Parameters

Endpoint: game_playByPlay

URL: <https://statsapi.mlb.com/api/{ver}/game/{gamePk}/playByPlay>

Required Parameters

All Parameters

Endpoint: game_uniforms

URL: <https://statsapi.mlb.com/api/{ver}/uniforms/game>

Required Parameters

All Parameters

Endpoint: gamePace

URL: <https://statsapi.mlb.com/api/{ver}/gamePace>

Required Parameters

All Parameters

Endpoint: highLow

URL: <https://statsapi.mlb.com/api/{ver}/highLow/{orgType}>

Required Parameters

All Parameters

Note

Endpoint: homeRunDerby

URL: <https://statsapi.mlb.com/api/{ver}/homeRunDerby/{gamePk}{bracket}{pool}>

Required Parameters

All Parameters

Endpoint: league

URL: <https://statsapi.mlb.com/api/{ver}/league>

Required Parameters

All Parameters

Endpoint: league_allStarBallot

URL: <https://statsapi.mlb.com/api/{ver}/league/{leagueId}/allStarBallot>

Required Parameters

All Parameters

Endpoint: league_allStarWriteIns

URL: <https://statsapi.mlb.com/api/{ver}/league/{leagueId}/allStarWriteIns>

Required Parameters

All Parameters

Endpoint: league_allStarFinalVote

URL: <https://statsapi.mlb.com/api/{ver}/league/{leagueId}/allStarFinalVote>

Required Parameters

All Parameters

Endpoint: people

URL: <https://statsapi.mlb.com/api/{ver}/people>

Required Parameters

All Parameters

Endpoint: people_changes

URL: <https://statsapi.mlb.com/api/{ver}/people/changes>

Required Parameters

All Parameters

Endpoint: people_freeAgents

URL: <https://statsapi.mlb.com/api/{ver}/people/freeAgents>

Required Parameters

All Parameters

Endpoint: person

URL: <https://statsapi.mlb.com/api/{ver}/people/{personId}>

Required Parameters

All Parameters

Endpoint: person_stats

URL: <https://statsapi.mlb.com/api/{ver}/people/{personId}/stats/game/{gamePk}>

Required Parameters

All Parameters

Note

Endpoint: jobs

URL: <https://statsapi.mlb.com/api/{ver}/jobs>

Required Parameters

All Parameters

Endpoint: jobs_umpires

URL: <https://statsapi.mlb.com/api/{ver}/jobs/umpires>

Required Parameters

All Parameters

Endpoint: jobs_umpire_games

URL: <https://statsapi.mlb.com/api/{ver}/jobs/umpires/games/{umpireId}>

Required Parameters

All Parameters

Endpoint: jobs_datacasters

URL: <https://statsapi.mlb.com/api/{ver}/jobs/datacasters>

Required Parameters

All Parameters

Endpoint: jobs_officialScorers

URL: <https://statsapi.mlb.com/api/{ver}/jobs/officialScorers>

Required Parameters

All Parameters

Endpoint: schedule

URL: <https://statsapi.mlb.com/api/{ver}/schedule>

Required Parameters

All Parameters

Endpoint: schedule_tied

URL: <https://statsapi.mlb.com/api/{ver}/schedule/games/tied>

Required Parameters

All Parameters

Endpoint: schedule_postseason

URL: <https://statsapi.mlb.com/api/{ver}/schedule/postseason>

Required Parameters

All Parameters

Endpoint: schedule_postseason_series

URL: <https://statsapi.mlb.com/api/{ver}/schedule/postseason/series>

Required Parameters

All Parameters

Endpoint: schedule_postseason_tuneln

URL: <https://statsapi.mlb.com/api/{ver}/schedule/postseason/tuneln>

Required Parameters

All Parameters

Note

Endpoint: seasons

URL: <https://statsapi.mlb.com/api/{ver}/seasons{all}>

Required Parameters

All Parameters

Note

Endpoint: season

URL: <https://statsapi.mlb.com/api/{ver}/seasons/{seasonId}>

Required Parameters

All Parameters

Endpoint: sports

URL: <https://statsapi.mlb.com/api/{ver}/sports>

Required Parameters

All Parameters

Endpoint: sports_players

URL: <https://statsapi.mlb.com/api/{ver}/sports/{sportId}/players>

Required Parameters

All Parameters

Endpoint: standings

URL: <https://statsapi.mlb.com/api/{ver}/standings>

Required Parameters

All Parameters

Endpoint: stats

URL: <https://statsapi.mlb.com/api/{ver}/stats>

Required Parameters

All Parameters

Note

Endpoint: stats_leaders

URL: <https://statsapi.mlb.com/api/{ver}/stats/leaders>

Required Parameters

All Parameters

Note

Endpoint: stats_streaks

URL: <https://statsapi.mlb.com/api/{ver}/stats/streaks>

Required Parameters

All Parameters

Note

Endpoint: teams

URL: <https://statsapi.mlb.com/api/{ver}/teams>

Required Parameters

All Parameters

Endpoint: teams_history

URL: <https://statsapi.mlb.com/api/{ver}/teams/history>

Required Parameters

All Parameters

Endpoint: teams_stats

URL: <https://statsapi.mlb.com/api/{ver}/teams/stats>

Required Parameters

All Parameters

Note

Endpoint: teams_affiliates

URL: <https://statsapi.mlb.com/api/{ver}/teams/affiliates>

Required Parameters

All Parameters

Endpoint: team

URL: <https://statsapi.mlb.com/api/{ver}/teams/{teamId}>

Required Parameters

All Parameters

Endpoint: team_alumni

URL: <https://statsapi.mlb.com/api/{ver}/teams/{teamId}/alumni>

Required Parameters

All Parameters

Endpoint: team_coaches

URL: <https://statsapi.mlb.com/api/{ver}/teams/{teamId}/coaches>

Required Parameters

All Parameters

Endpoint: team_personnel

URL: <https://statsapi.mlb.com/api/{ver}/teams/{teamId}/personnel>

Required Parameters

All Parameters

Endpoint: team_leaders

URL: <https://statsapi.mlb.com/api/{ver}/teams/{teamId}/leaders>

Required Parameters

All Parameters

Endpoint: team_roster

URL: <https://statsapi.mlb.com/api/{ver}/teams/{teamId}/roster>

Required Parameters

All Parameters

Endpoint: team_stats

URL: <https://statsapi.mlb.com/api/{ver}/teams/{teamId}/stats>

Required Parameters

All Parameters

Note

Endpoint: team_uniforms

URL: <https://statsapi.mlb.com/api/{ver}/uniforms/team>

Required Parameters

All Parameters

Endpoint: transactions

URL: <https://statsapi.mlb.com/api/{ver}/transactions>

Required Parameters

All Parameters

Endpoint: venue

URL: <https://statsapi.mlb.com/api/{ver}/venues>

Required Parameters

All Parameters

Endpoint: meta

URL: <https://statsapi.mlb.com/api/{ver}/{type}>

Required Parameters

All Parameters

Note

▸ [Examples](#)

▸ [Function: boxscore](#)

▸ [Function: boxscore_data](#)

▸ [Function: game_highlight_data](#)

▸ [Function: game_highlights](#)

▸ [Function: game_pace](#)

▸ [Function: game_pace_data](#)

▸ [Function: game_scoring_play_data](#)

▸ [Function: game_scoring_plays](#)

- [Function: get](#)
- [Function: last_game](#)
- [Function: latest_season](#)

Show 17 more pages...

Clone this wiki locally

<https://github.com/toddrob99/MLB-StatsAPI.wiki.git>

