

Homework 3 - String Cypher Encryption

Due: Friday April 1st, 2016

Congratulations Agent, you've been recruited to the NSA. Ever since crackers broke into the State Department files we've needed to come up with a new means to keep their prying eyes off our secrets. (Note: the opinions in this document do not reflect the opinions of me or the staff or necessarily the US Government)

You have been tasked with creating a world class encryption program in the best language ever, Visual Basic. You mentors (Uttam and Ben) have devised the best encryption technique anyone could possible come up with. (Please **never** use this algorithm to actually secure anything. Please. Read up on cryptography. If you want an encryption algorithm consider looking into RSA. If you want a more secure hashing algorithm you can start with MD5 even though it was officially deemed insecure in 2008.) Here is an example of a weak encryption standard DES and a strong one PGP.

Encryption Technique

First: we will swap each pair of letters. Handle the end of the string by padding right with spaces to the correct length. This step requires some thinking on how to handle distances < 1

	Unencrypted	Reversed
Swap distance 1	ab	ba
Swap distance 1	abcdefgh	badcfegh
How to handle odd length strings (a # here means a space). Swap dist 1	abc#	ba#c
Swap distance 2	abcd	cdab
Swap distance 2	abcde	cdab##e#
Swap distance 2	abcdefgh	cdabghef
Swap distance 5	a	#####a####

Second: we will shift the letters by a certain amount. This step requires less problem solving on **how** to do it and more on "have I thought of everything?" You **do** need to have alphanumeric symbols wrap around the end.

"A" + 1 = B

ABCDEFGHIJKLMNOPQRSTUVWXYZ

shifted by 3 becomes

XYZABCDEFGHIJKLMNOPQRSTUVWXYZ

which can be shifted by -3 or 23 to be

ABCDEFGHIJKLMNOPQRSTUVWXYZ

“Z” + 1 = a

“9” + 1 = 0

You do **not** need to **shift other** symbols or spaces but do need to **swap** them.


Test Cases

Here are some test cases you might consider trying

1:1 AZ_az_09_!@_#\$%^&*_ @`/ Hello_this_is_Ben	1:1 AB_ab_01_@!_\$_#_`^%_*&_)(`@ / flmm_piutjj_tfC o
2:1 AZ_az_09_!@_#\$%^&*_ @`/ Hello_this_is_Ben	2:1 _BA_ba_10_!@_#\$%^&*_ / @` mmlfuip__jjtCft_ o
2:26 And Phibbus' car Shall shine from far And make and mar The foolish Fates.	2:26 d AnibPhs'buar c alShshl e inomfrar f d Ankemand aar m e Tholfoh isteFa s.
If you put this — — —> one in then and decode it (same swap, negative shift) it will decode into a good quote.	3:20 jonWigMwcy l y yhw hi cm y ugiln wvioonyigj lm h unbuihimnl gs uvicm nyfon ijyymw m may-Yxcdel Xu mnl
4:1900 Wow such big shift, much wrap, so loop	4:1900 uwejYqy ujk dkiowejhv, r, u ytcqr q nq

If you don't handle shifts ≥ 26 on alphabetic symbols and ≥ 10 on numeric symbols and can explain why it would be necessary to in an actual application. Come to office hours if you don't understand.

User Interface + Details



- There are two multiline textboxes. On the left is the original message, on the right is the encrypted message in a read-only textbox. You should use the `text_changed` event to call the encryption. I.E. it should encrypt live as you type. I would start by first making whatever you type show in the second textbox as you type it. Then swap it, make sure that works, then shift it, make sure that works. Then try decrypting something you've encrypted.
- The first line of the input is the options/parameters. It comes in the form of a swap distance then a colon then the shift distance. It is guaranteed to be the first line.
- You can see that a message can be decrypted by using the same swap distance and the negative shift distance.
- You do not need any sort of restrictive input validation. You should accept any input that the user gives. However if incorrect options or no options are given, no output should be produced. Both options, separated by a colon must be given on the first line.
- You should convert the options to integers with `Integer.TryParse`, NOT `Convert.ToInt32`

Accessing Lines in Multiline Textboxes

Since you want to access each line of the multiline textbox individually you will have to split the text (string) into an **array of strings**. You do not have to worry exactly how this part works, we will learn more about arrays later.

Please use this code to get the lines out of the text box.

```
Dim lines As String() = TextBox1.Text.Split(New String()  
{Environment.NewLine}, StringSplitOptions.RemoveEmptyEntries)
```

You can then get each line like so.

```
Dim firstLine as String = lines(0) 'MAKE SURE THERE ARE AT LEAST  
THIS MANY LINES OR YOUR CODE WILL CRASH  
Dim secondLine as String = lines(1) 'MAKE SURE THERE ARE AT LEAST  
THIS MANY LINES OR YOUR CODE WILL CRASH
```

You will have to check that there lines available before trying to access them. And you can get the number of lines (aka the length of the array) like so.

```
Dim numberOfLines As Integer = lines.Length
```