



[BIT703 Web Technologies](#) / [Contents](#) / Topic 6: Client-side web application development – CSS / CSS frameworks

AI implementation of CSS 1m

[Skip to main content](#)

In Topic 2, we learned about vibe coding and how it can generate entire web pages from just a simple prompt. While this might seem like a great solution at first, it often becomes more challenging as the project grows in complexity and requires more specific details. What tends to happen is that you spend more time reviewing and fixing code rather than creating it from scratch.

The following example demonstrates this process.

If we wanted to create a simple login page and planned to use our own CSS, we could give a generative AI (GenAI) tool the following prompt:

Create a simple HTML login page.

Notice the lack of detail in this prompt – we haven't mentioned anything about styling.

When you send this prompt, the GenAI might generate something like the example below. At first glance, it seems straightforward, but you might notice it looks very similar to the WordPress login page.



[Skip to main content](#)

HTML

Result

EDIT ON

LIVE

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport"
content="width=device-width,
initial-scale=1.0">
  <title>Login</title>
  <style>
    /* General body styles */
    body {
      font-family: Arial,
sans-serif;
      background-color:
#f4f4f4;
      display: flex;
      justify-content:
center;
      align-items: center;
      height: 100vh;
      margin: 0;
    }

    /* Styling the login
container */
    .login-container {
      background-color:
white;
      padding: 20px;
    }
  </style>
</head>
<body>
  <div class="login-container">
    <h1>Login</h1>
    <div>
      Username:
      <input type="text">
    </div>
    <div>
      Password:
      <input type="password">
    </div>
    <button>Login</button>
  </div>
</body>
</html>
```

Login

Username:

Password:

Login

Resources1x0.5x0.25xRerun

Example 6.26 CSS and LLMs



Another issue you'll spot when reviewing the code in Example 6.26 is the inclusion of inline CSS. While inline CSS isn't always a problem, it can become an obstacle if you want to use your own CSS or integrate a framework. This is something to keep in mind when working with GenAI for web development.

Skip to main content

Now, you'd need to refine your prompt to make it more specific. For example, you could change it to:

Create a simple HTML login page without using any CSS.

This updated prompt would generate a cleaner result, as shown below.



[Skip to main content](#)

HTML

Result

EDIT ON

LIVE

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Login</title>
</head>
<body>
  <!-- Login container -->
  <div align="center"
style="margin-top:50px;">
    <form action="#"
method="post">
      <h2>Login</h2>

      <!-- Username field --
>
      <label>Username:
</label><br>
      <input type="text"
name="username" required
autocomplete="off"><br>

      <!-- Password field --
>
      <label>Password:
</label><br>
      <input type="password"
name="password" required><br>
```

Resources1x0.5x0.25xRerun

Example 6.27 CSS and LLMs 2



This time, we're working with completely different HTML, but it still includes some styling and unnecessary text. It's not what we're aiming for, so we'll try a new method by adding Bootstrap to the prompt.

[Skip to main content](#)

Create a simple HTML login page using Bootstrap CSS

This is what we got back now.



HTML

Result

EDIT ON

LIVE

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport"
content="width=device-width,
initial-scale=1.0">
  <title>Login | Your
Website</title>
  <!-- Bootstrap CSS -->
  <link
href="https://cdn.jsdelivr.net/npm/
bootstrap@5.3.0-
alpha1/dist/css/bootstrap.min.css"
rel="stylesheet">
  <style>
    body {
      background-color:
#f8f9fa;
      min-height: 100vh;
      display: flex;
      align-items: center;
    }

    .login-container {
      max-width: 400px;
      width: 100%;
      padding: 25px;
      border-radius: 10px;
```

Resources1x0.5x0.25xRerun

Example 6.28 CSS and LLMs 3
Skip to main content



When we look at the generated HTML and CSS in Example 6.28, we can see that it not only includes Bootstrap but also some inline CSS styling. The first major issue here is the Bootstrap CDN, which needs to be checked for accuracy.

By now, you should've realised that using AI to help with adding CSS to your content isn't as straightforward as it might seem. You'll need to spend a good amount of time reviewing the AI-generated work. It's also worth noting that not all generative AI systems produce the same results. Some AI tools designed specifically for this purpose might handle CSS and page consistency better, but even then, you'll still need to spend time reviewing the output.

If CSS specificity wasn't important and using Bootstrap wasn't essential, the forms and styling created by the AI might be acceptable. However, for more precise or professional results, extra effort is required.



☒ Create a weather information card using GenAI (HTML & CSS task)

Non-Assessed

[Skip to main content](#)

Using any GenAI/LLM tool, build a Weather card showing basic information like the weather condition, temperature and city name, using only HTML and CSS.

This card should include:

1. A title (displaying the city name).
2. A placeholder image representing the weather condition.
3. A section with details like temperature and condition.
4. A styled structure.



Screenshot © codepen.io

☐ I completed the task!

Submit



[Skip to main content](#)

Thoughts on this page?

