



[BIT703 Web Technologies](#) / [Contents](#) / Topic 5: Client-side web application development – HTML / Understanding HTML

HTML classes 30m

[Skip to main content](#)

What is an HTML class?

An HTML class is an attribute used to categorise an HTML element. It specifies a class for that HTML element. A single HTML element can be categorised into one or more classes. A class can be used to apply CSS styles or manipulate elements grouped under a specific class name.

Please note that a class name is case-sensitive.

How do HTML classes work?

A class attribute is written in HTML as:

```
<tag class='classname'></tag>
```

The class attribute is commonly used to specify a particular class within a CSS style sheet.

For example, imagine you want to apply the same style to sections that are important. You could specify a style in the header section and then use the class attribute to apply that style. We will explore this more in the next topic as it forms a crucial part of integrating CSS styling from external CSS files and resources.



[Skip to main content](#)

HTML

Result

EDIT ON

LIVE

```
<head>
  <style>
    .important {color: red;}
  </style>
</head>

<body>
  <h1>Header 1</h1>
  <p>A paragraph.</p>
  <p class="important">Note that
this is an important paragraph.</p>
  <h2 class="important">Header
2</h2>
  <p>A paragraph.</p>
</body>
```

Header 1

A paragraph.

Note that this is an important paragraph.

Header 2

A paragraph.

Resources

1x 0.5x 0.25x

Rerun

Example 5.17 HTML classes



Over to you now.



Skip to main content



✓ HTML classes

Non-Assessed

Status: Done

Reset ↺

Create an HTML file, starting with the following code, and call it classes.html

```
<!doctype html>
<html>
  <head>
    <title>Class demo</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.6/dist/css/b
ootstrap.min.css" rel="stylesheet" crossorigin="anonymous">
  </head>
  <body>
    <h1[add a class]>Hello, world!</h1>
  </body>
</html>
```

Go to [Text](#) to find a suitable class that will centre the heading.

☒ I have completed this activity



The classes are defined in the bootstrap.min.css located online, and we are using one of the classes to style the heading.

```
<!doctype html>
<html>
  <head>
    <title>Class demo</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.6/dis
t/css/bootstrap.min.css" rel="stylesheet" crossorigin="anonymou
s">
  </head>
  <body>
    <h1 class="text-center">Hello, world!</h1>
  </body>
</html>
```

[Skip to main content](#)

Previous attempts ▼



Next, we'll explore HTML tables.



Thoughts on this page?

