



[BIT703 Web Technologies](#) / [Contents](#) / Topic 5: Client-side web application development – HTML / Understanding HTML

Styling within HTML 30m

CSS or Cascade Style Sheets is used to apply styles to HTML documents. We do cover CSS in more detail in the next topic, but for now we are introducing the HTML that impacts the use of the CSS. There are three ways to add CSS to a document:

- **Inline:** it's incorporated into an HTML element using the style attribute.
- **Internal:** it's defined in the <head> section using the <style> element.
- **External:** it's defined in an external style sheet, which is linked to the HTML document using the <link> element.

In this topic, we will focus on inline CSS. In the next topic, we will look at the other two methods used to apply CSS.

Inline styling

The style attribute is used to apply inline styling for an element. The style attribute will override any style that has been specified in a tag or external style sheet. We will cover CSS in more detail in the next topic. A style attribute will include one or more CSS properties written directly into the starting tag. Each property is defined by a property-value pair separated by a colon (:). Take a look at Example 5.14 to see how this works.



[Skip to main content](#)

HTML

Result

EDIT ON

LIVE

```
<h1 style="color:red;font-size:25px;">This is a header</h1>
```

Resources1x0.5x0.25xRerun

Example 5.14 Inline styling



This will specify two CSS properties:

- The heading is to be red
- The heading is to be font size 25 px (pixels).

[Skip to main content](#)

Have a go at editing the style attributes in Example 5.15 to change properties like the background colour, letter spacing and line height.



HTML

Result

EDIT ON

LIVE

```
<html>
<body>
  <div id="purpose" style="font-
family: Arial, Helvetica, sans-
serif; font-size: 24px;font-style:
italic;">
    <h2 style="color:
#008080;">Purpose</h2> This online
course will give you the knowledge
and skills needed to design and
develop contemporary data-driven web
applications. <span style="color:
#008080;">You will gain a broad
understanding of web based
applications,and develop skill in
applying contemporary scripting
languages, database and information
security technologies and standards.
</span>
  </div>
</body>
</html>
```

Resources1x0.5x0.25xRerun

Example 5.15 Inline editing task



Skip to main content

☑ Inline editing task

Non-Assessed

Status: Done

Reset ↺

Did you try changing the background colour, letter spacing and line height.

☒ I have completed this activity



These are just a few of the things a style attribute can do; there are many more.

Previous attempts ▼



Dig deeper

If you want to learn about other style properties that can be used, read:

- *HTML Style Attribute* (Peamkar, 2023)
- *HTML Styles* (W3Schools, n.d.)

These articles list the different style attributes that can be used to design an HTML element, while also providing examples of how to write the code.

The HTML Style Attribute article shows how to change a background colour and set letter spacing and line heights, so read this article if you had difficulties writing these style attributes in the previous task.

Skip to main content

Next, you'll learn more about the HTML navigation elements that are available.



Thoughts on this page?

