[Webinar] How Talkdesk Runs Enterprise-Grade OpenTofu with Spacelift 📅 Register



TABLE OF CONTENTS

Terraform key concepts
IaC best practices
How to structure your Terraform projects
Terraform: specific best practices
Conclusion
Key points

1/ Use existing shared and community modules
2/ Import existing infrastructure
3/ Avoid variables hard-coding
4/ Use a consistent naming convention
5/ Tag your resources
6/ Introduce policy as code
7/ Implement a Scrotts Management Strategy
8/ Test your Terraform code
9/ Build modules wherever possible
10/ Use loops and conditionals
11/ Use functions
12/ Use dynamic blocks
13/ Use Terraform workspaces
14/ Use the Lifecycle block
15/ Use variables validations
16/ Leverage Helper tools to make your life easier
17/ Use the IDE extensions

Subscribe to our Newsletter
Master Infrastructure, newsletter is a monthly digest of the latest posts from our blog, curated to give you the insights you need to advance your infrastructure game.

Your email address

Subscribe

In this article, we explore best practices for managing infrastructure as code (IaC) with Terraform. Terraform is a popular tool in the IaC space that enables us to safely and predictably apply changes to our infrastructure.

Starting with Terraform can feel intimidating at first, but a beginner can quickly reach a basic understanding of the tool. After the initial learning period, a new user can then start running commands, creating, and refactoring Terraform code. During this process, many new users face nuances and issues around how to structure their code correctly, use advanced features, apply software development best practices in their IaC process, etc.

Let's examine some best practices that will assist you in pushing your Terraform skills to the next level. If you are entirely new to Terraform, look at the Terraform Spacelift Blog, where you can find a plethora of material, tutorials, and examples to boost your skills.

Terraform best practices:

1. Use remote state
2. Use existing shared and community modules
3. Import existing infrastructure
4. Avoid variables hard-coding
5. Always format and validate
6. Use a consistent naming convention
7. Tag your Resources
8. Introduce Policy as Code
9. Implement a Scrotts Management Strategy
10. Test your Terraform code
11. Enable debug/troubleshooting
12. Build modules wherever possible
13. Use loops and conditionals
14. Use functions
15. Use dynamic blocks
16. Use Terraform workspaces
17. Use the Lifecycle block
18. Use variables validations
19. Leverage Helper tools to make your life easier
20. Take advantage of the IDE extensions

Terraform key concepts

In this section, we will review basic concepts briefly. If you are already familiar with these, you can skip this section.

Terraform configuration language

Terraform uses its own configuration language to declare infrastructure objects and their associations. The goal of this language is to be declarative and describe the system's state that we want to reach.

Resources

Resources represent infrastructure objects and are one of the basic blocks of the Terraform language.

Data Sources

Data sources feed our Terraform configurations with external data or data defined by separate Terraform projects.

Modules

Modules help us group several resources and are the primary way to package resources in Terraform for reusability purposes.

State

Terraform keeps the information about the state of our infrastructure to store track mappings to our live infrastructure and metadata, create plans and apply new changes.

Providers

To interact with resources on cloud providers, Terraform uses some *plugins named providers*.

IaC best practices

Before moving to Terraform, first, let's check some fundamental best practices that apply to all Infrastructure as Code projects. These should be in your processes regardless of your tool to manage your cloud infrastructure.

1. Use version control and prevent manual changes

This seems like an obvious statement in 2024, but it's the basis of everything else. We should treat our infrastructure configurations as application code and apply the same best practices for managing, testing, reviewing, and bringing it to production. We should embrace a GitOps approach that fits our use case and implement an automated CI/CD workflow for applying changes. See How to Use Terraform with GitOps.

2. Shift your culture to collaborative IaC

Keeping your infrastructure in version-controlled repositories is the first step to improving your manual infrastructure management. Next, we should strive to enable usage across teams with self-service infrastructure, apply policies and compliance according to our organization's standards, and access relevant insights and information. Thankfully, Spacelift can assist you in achieving these.

How to structure your Terraform projects

This section will explore some strategies for structuring our Terraform projects. In the world of Terraform, there is no right or wrong way to structure our configurations, and most of the suggested structures that you will find online are heavily opinionated.

When deciding how to set up your Terraform configuration, the most important thing is to **understand your infrastructure needs** and your use case and **craft a solution that fits your team and the project**.

If we are dealing with a small project with limited infrastructure components, it's not a bad idea to keep our Terraform configuration as simple as possible. In these cases, we can configure only the necessary files for our root module, which are the configuration files that exist in the root directory. A small project can contain just these files: **main.tf, variables.tf, README.md**. Some other files that you might find handy to use are the **outputs.tf** to define the output values of your project, **versions.tf** to gather any pinned versions for the configuration, and **providers.tf** to configure options related to the providers you use, especially if there are multiple of them.

Our primary entry point is main.tf, and in simple use cases, we can add all our resources there. We define our variables in variables.tf and assign values to them in terraform.tfvars. We use the file outputs.tf to declare output values. You can find a similar example project structure here.



When dealing with larger projects, things get a bit more complicated, and we have to take a step back to figure out the best structure for our projects.

We first have to **break down our Terraform code into reusable components** that abstract details from consumers and different teams can use our code more accordingly. We can achieve this by creating separate modules for pieces of infrastructure that should be reused in different environments, projects, and teams.

A common practice is to separate our modules according to ownership and responsibility, rate of change, and ease of management. For every module, we need to define its inputs and outputs and document them thoroughly to enable consumers to use them effectively. We can then leverage *outputs* and *terraform_remote_state*-to-reference values across modules or even different Terraform states.

Beware that using the *terraform_remote_state* data source implies access to the entire state snapshot and this might post a security issue. Another option to share parameters between different states is to leverage an external tool for publishing and consuming the data like Amazon SSM Parameter Store or HashiCorp Consul.

We have to make the next decision to either keep all our Terraform code in a single repository (monorepo) or to separate our Terraform configurations in multiple code repositories. This is considered a great debate since both approaches have drawbacks and benefits. There is a tendency in the industry to avoid gigantic monoropos and use separate configurations to enable faster module development and flexibility. Personally, this is the approach I prefer too.

Usually, we have to deal with a plethora of different Infrastructure environments, and there are multiple ways to handle this in Terraform. A good and easy practice to follow is to **separate Terraform configurations for different environments**. This way, different environments have their own state and can be tested and managed separately, while shared behavior is achieved with shared or remote modules.

One option is using a separate directory per environment and keeping a separate state for each directory. Another option would be to keep all the Terraform configurations in the same directory and pass different environment variables per environment to parameterize the configuration accordingly. Check out the Evolving Your Infrastructure with Terraform and How I Manage More Environments with Less Code in Terraform talks for some inspiration around structuring your projects.

Here, you can find an example structure for three different environments per directory: *production*, *staging*, and *test*. Each environment has its own state and is managed separately from the others while leveraging common or shared modules. Although this approach comes with some code duplication, we gain improved clarity, environment isolation, and scalability.



As a general rule, we want to define Terraform configurations with **limited scope** and blast radius with specific owners. To minimize risk, we should try to decompose our projects into small units: workspaces/stacks and segment access to them using Role-based access control(RBAC).

> **You might also like:**
> - How to Automate Terraform Deployments and Infrastructure Provisioning
> - How to Improve Your Infrastructure as Code using Terraform
> - Managing Terraform at Scale with GitHub Actions

Terraform-specific best practices

In the previous sections, we discussed generic IaC best practices and explored options for optimizing our Terraform code according to our organizational structure and needs.

In this section, we explore specific points that will elevate our Terraform code. This list isn't exhaustive, and some elements are based on our personal preferences and experiences.

The goal here is to give you hints and guidance on experimenting, researching, and implementing the practices that make sense for your use case.

1. Use remote state

It's ok to use the local state when experimenting, but use a remote shared state location for anything above that point. Having a single remote location for your state is considered one of the first best practices you should adopt when working in a team. Pick one that supports **state locking** to avoid multiple people changing the state simultaneously. Treat your state as immutable and avoid manual state changes at all costs. Make sure you have backups of your state that you can use in case of a disaster. For some backends, like AWS S3, you can enable versioning to allow for quick and easy state recovery.

2. Use existing shared and community modules

Instead of writing your own modules for everything and reinventing the wheel, check if there is already a module for your use case. This way, you can save time and harness the power of the Terraform community. If you feel like it, you can also help the community by improving them or reporting issues. You can check the Terraform Registry for available modules.

3. Import existing infrastructure

If you inherited a project that is a couple of years old, chances are that some parts of its infrastructure were created manually. Fear not, you can import existing infrastructure into Terraform and avoid managing infrastructure from anywhere.

4. Avoid variables hard-coding

It might be tempting to hardcode some values here and there but try to avoid this as much as possible. Take a moment to think if the value you are assigning directly would make sense to be declared as a variable to facilitate changes in the future. Even more, check if you can get the value of an attribute via a data source instead of setting it explicitly. For example, instead of finding our AWS account id from the console and setting it in *terraform.tfvars* as

```
aws_account_id="XYYYYYYYYY"
```

We can get it from a data source.

```
data "aws_caller_identity" "current" {}

locals {
  account_id   = data.aws_caller_identity.current.account_id
}
```

5. Always format and validate

In IaC, consistency is essential long-term, and Terraform provides us with some tools to help us in this quest. Remember to run **terraform fmt** and **terraform validate** to properly format your code and catch any issues that you missed. Ideally, this should be done auto-magically via a CI/CD pipeline or pre-commit hooks.

6. Use a consistent naming convention

You can find online many suggestions for naming conventions for your Terraform code. The most important thing isn't the rules themselves but **finding a convention that your team is comfortable with** and trying collectively to be consistent with it. If you encounter some, here's a list of rules that are easy to follow:

- Use *underscored_*() as a separator and *lowercase letters* in names.
- Try not to repeat the resource type in the resource name.
- For *single-value* variables and attributes, use *singular nouns*. For lists or maps, use *plural nouns* to show that it represents multiple values.
- Always use descriptive names for variables and outputs, and remember to include a *description*.

7. Tag your resources

A robust and consistent tagging strategy will help you tremendously when issues arise or trying to figure out which part of your infrastructure exploded your cloud vendor's bill. You can also craft some nifty access control policies based on tags when needed. Like when defining naming conventions, try to be consistent and always tag your resources accordingly.

The *Terraform argument* **tags** should be declared as the last *argument*(only *depends_on* or *lifecycle* arguments should be defined after *tags* if relevant).

A handy option to help you with tagging is defining some *default_tags* that apply to all resources managed by a provider. Check out this example to see how to set and override default tags for the AWS provider. If the provider you use doesn't support default tags, you must manually pass these tags through to your modules and apply them to your resources.

Read more: How to Use Tags in Terraform?

8. Introduce policy as code

As our teams and infrastructure scale, our trust in individual users is generally reduced. We should set up some policies to ensure our systems continue to be operational and secure. Having a policy-as-code process in place allows us to define the rules of what is considered secure and acceptable at scale and automatically verify these rules. Spacelift leverages the open-source engine Open Policy Agent (OPA).

9. Implement a secrets management strategy

Users generally won't admit they have secrets in their Terraform code, but we have all been there. When you are starting with Terraform, secret management probably isn't your top priority, but eventually you will have to define a strategy for handling secrets.

As you probably heard already, **never store secrets in plaintext and commit them in your version control system**. One technique that you can use is to pass secrets by setting *environment variables* with **TF_VAR** and marking your sensitive variables with **sensitive = true**.

A more mature solution would be to set up a secret store like Hashicorp Vault or AWS Secrets Manager to handle access to secrets for you. This way, you can protect your secrets at rest and enforce encryption without too much trouble. You can also opt for more advanced features like secret rotation and audit logs. Beware that this approach usually comes with the cost of using this managed service.

Read more about How to Manage Secrets in Terraform.

10. Test your Terraform code

As with all other code, IaC code should be tested properly. There are different approaches here, and again, you should find one that makes sense for you. Running terraform plan is the easiest way to verify if your changes will work as expected quickly. Next, you can perform some static analysis for your Terraform code without the need to *apply* it. Unit testing is also an option to verify the normal operation of distinct parts of your system.

Another step would be to integrate a Terraform linter to your CI/CD pipelines and try to catch any possible errors related to Cloud Providers, deprecated syntax, enforce best practices, etc. One step ahead, you can set up some integration tests by spinning up a replica sandbox environment, applying your plan there, verifying that everything works as expected, collecting results, destroying the sandbox, and moving forward by applying it to production.

There are a lot of tools out there that can help you with testing your Terraform code. I will list some of them in the "Helper Tools" section below.

11. Enable debug/troubleshooting

When issues arise, we have to be quick and effective in gathering all the necessary information to solve them. You might find it helpful to set the Terraform log level to debug in these cases.

```
TF_LOG=DEBUG <terraform command>
```

Another thing that you might find helpful is to persist logs in a file by setting the *TF_LOG_PATH* environment variable. Check out this Terraform Debug tutorial for some hands-on examples.

12. Build modules wherever possible

If there is no community module available for your use case, it is encouraged to build your own module. Even though sometimes, you will start by building something that seems trivial, as your Infrastructure matures, you will need to come back to your simple module and add more features to it.

Of course, this will also help when you have to replicate your code in another environment,, as all you will need to do is create an object from that module and populate it with the correct parameters for the new environment.

13. Use loops and conditionals

Your code should be able to create multiple instances of a resource wherever possible, so a recommendation would be to use count or for_each on the ones that may change from one environment to the other. This, combined with conditionals, will give you the flexibility to accommodate many different use cases with the same code and offer genericity to your parameters.

14. Use functions

As well as loops and conditionals, Terraform functions are essential when it comes to achieving genericity in your code. They make your code more dynamic and ensure your configuration is DRY.

Functions allow you to perform various operations, such as converting expressions to different data types, calculating lengths, and building complex variables.

15. Use dynamic blocks

Your code cannot be DRY without dynamic blocks. When this feature became available, it really helped with achieving the flexibility of building resources however you liked. Some cloud providers don't have dedicated resources for security group rules, for example, and those rules are usually embedded in the security group itself.

Without dynamic blocks, you would've always needed to change the configuration whenever a new rule was added, now you are simply changing the input.

16. Use Terraform workspaces

If you are not using Spacelift or if you don't have at least a CI/CD in place, you should use Terraform's built-in workspaces.

Even though they will not help with achieving the sophisticated workflow that Spacelift can help you achieve, at least you will be able to reuse the same configuration for different environments.

17. Use the lifecycle block

Sometimes, you may have some sophisticated conditions inside your code. Maybe you have a script that has to change something outside Terraform on your resources tags (this is not recommended, by the way, but it is just an example). You can use the Terraform lifecycle block to ignore changes on the tags, ensuring that you are not rolling back to the previous version.

The lifecycle block can also help if you have a pesky resource that, for some reason, seems like it is working properly, but you have to recreate it without downtime. You can use the `create_before_destroy=true` option for this.

18. Use variables validations

Terraform does a pretty good job when it comes to validating that your variables are receiving the correct inputs, but what about when you want to restrict something and you don't have Policy as Code implemented?

Well, you can easily use variable validations to accommodate that. This validation block exists inside the variable, you can use terraform functions inside of it, and you can provide error messages if the condition is not respected.

19. Leverage helper tools to make your life easier

Terraform is one of the most used and loved IaC tools out there, and naturally, there is a big community around it. Along with this community, many *helper* tools are being constantly created to help us through our Terraform journey. Picking up and adopting the right tools for our workflows isn't always straightforward and usually involves an experimentation phase. Here you can find a list of tools that I find helpful based on my experience, but it is definitely not an exhaustive list.

- tflint – Terraform linter for errors that the plan can't catch.
- tfenv – Terraform version manager (Read more about it in the How to Use tfenv to Manage Multiple Terraform Versions article)
- checkov – Terraform static analysis tool
- terratest – Go library that helps you with automated tests for Terraform
- pre-commit-terraform – Pre-commit git hooks for automation
- terraform-docs – Quickly generate docs from modules
- spacelift – Collaborative Infrastructure Delivery Platform for Terraform (Terraform Cloud alternative)
- atlantis – Workflow for collaborating on Terraform projects
- terraform-cost-estimation – Free cost estimation service for your plans.

Check out also this list that includes a lot more awesome terraform tools.

If you need more help with Terraform, I encourage you to check the following blog posts: How to Automate Terraform Deployments.

20. Use the IDE extensions

If you are using Visual Studio Code, or any other IDE when you are writing Terraform code, you can take advantage of their extensions to speed up your development process and also make sure your code is formatted correctly.

On vscode, you can use the Terraform extension built by Anton Kulikov. Keep in mind that you need to have Terraform installed on your local machine to ensure this is working properly.



Key points

We have explored many different best practices for Terraform and Infrastructure as Code, analyzed various options for handling and structuring our Terraform projects, and saw how adopting helper tools could make our life easier.

Remember, this isn't a recipe that you have to follow blindly but a guide that aims to provide pointers and cues and trigger you to build your own optimal Terraform workflows and projects.

Note: Nine versions of Terraform will be placed under the BUSL license, but everything created before version 1.5.x stays open-source. OpenTofu is an open-source version of Terraform that will expand on Terraform's existing concepts and offerings. It is a viable alternative to HashiCorp's Terraform, being forked from Terraform version 1.5.6. OpenTofu retained all the features and functionalities that had made Terraform popular among developers while also introducing improvements and enhancements. OpenTofu is the future of the Terraform ecosystem, and having a truly open-source project to support all your IaC needs is the main priority.

Thank you for reading, and I hope you enjoyed this "Terraform Best Practices" article as much as I did.

Terraform management made easy

Spacelift effectively manages Terraform state, more complex workflows, supports policy as code, programmatic configuration, context sharing, drift detection, resource visualization and includes many more features.

Learn more

Written by

Flavius Dinu

Flavius is a passionate Developer Advocate with an Infrastructure as Code mindset and expertise in DevOps & Cloud Engineering. He is a Docker Captain and holds ITIL Foundation Certificate in IT Service Management and Hashicorp Terraform Associate Certification. He currently works at Spacelift, and in his free time, he blogs at techblog.flaviusdinu.com, where he provides tutorials, tips, and tricks for all levels of experience based on his exposure.

YouTube

Ioannis Moustakis

Ioannis is a Solutions Architect at AWS with a background in DevOps & Site Reliability Engineering. Talks about Cloud Infrastructure, Automation, CI/CD Pipelines, and Containerization. In his free time, he curates a personal blog at devopsmadness.com and moustakisioannis.medium.com. Opinions expressed are solely his own.

Read also

TERRAFORM 6 min read
How to Add Comments in Terraform Code

TERRAFORM 14 min read
How to Deploy Infrastructure in CI/CD Using Terraform (Pipeline)

TERRAFORM 17 min read
5 Ways to Manage Terraform at Scale – Best Practices

© 2025 Spacelift, Inc. All rights reserved