



FOH Bars

Instrument Schedule				Version: 1		15/03/2017 22:15			
Venue:	Wilner Auditorium			Show:	ACDA 2017 Central Region		FOH		
Designer:	Ben C. Roose			Assistant:	Brianna Baxley				
Unit	Channel	Dimmer	Type	Lens	Wattage	Purpose	Focus	Colour	Gobo
FOH Port									
1	20		Source 4	19 Degree	575	SP: Cove SL - Speech	Thrust	O/W	
2	19		Source 4	19 Degree	575	SP: Cove SR - Speech	Thrust		
					1150				
FOH Bar SR									
1	1		Source 4	19 Degree	575	Frontlight - Cool	NCSR	L201	
2	11		Source 4	19 Degree	575	Frontlight - Warm	NCSR	L204	
3	1		Source 4	19 Degree	575	Frontlight - Cool	FCSR	L201	
4	11		Source 4	19 Degree	575	Frontlight - Warm	FCSR	L204	
					2300				
FOH Bar CS									
1	12		Source 4	19 Degree	575	Frontlight - Cool	CSC	L201	
2	2		Source 4	19 Degree	575	Frontlight - Warm	CSC	L204	
3	12		Source 4	19 Degree	575	Frontlight - Cool	CSC	L201	
4	2		Source 4	19 Degree	575	Frontlight - Warm	CSC	L204	
					2300				
FOH Bar SL									
1	3		Source 4	19 Degree	575	Frontlight - Cool	FCSL	L201	
2	13		Source 4	19 Degree	575	Frontlight - Warm	FCSL	L204	
3	3		Source 4	19 Degree	575	Frontlight - Cool	NCSL	L201	
4	13		Source 4	19 Degree	575	Frontlight - Warm	NCSL	L204	
					2300				
FOH Box Boom SR									
1	15		PAR 64		1000	Curtain Warmers - Rose Indigo	CSC	R358	
2	16		PAR 64		1000	Curtain Warmers - Red	CSC	L106	
3	17		Source 4	19 Degree	575	SP: Spare (Emergency)	Thrust	R52	
					2575				
FOH Box Boom SL									
1	15		PAR 64		1000	Curtain Warmers - Rose Indigo	CSC	R358	
2	16		PAR 64		1000	Curtain Warmers - Red	CSC	L106	
3	18		Source 4	19 Degree	575	SP: Spare (Emergency)	Thrust		
					2575				



Except where otherwise noted, this work is licensed under Creative Commons Attribution-ShareAlike 4.0. <https://creativecommons.org/licenses/by-sa/4.0/>

Instrument Schedule				Version: 1		15/03/2017 22:15			
Venue:	Wilner Auditorium			Show:	ACDA 2017 Central Region			Stage	
Designer:	Ben C. Roose			Assistant:	Brianna Baxley				
Unit	Channel	Dimmer	Type	Lens	Wattage	Purpose	Focus	Colour	Gobo
LX Bar 1									
1	91		PAR 64		1000	Pipe-End - Gold Tint	DSL	L151	
2	91		PAR 64		1000	Pipe-End - Gold Tint	DSR	L151	
3	42		Source 4	36 Degree	575	Pipe-End - Linear 2 Breakup	DSR	O/W	R7402
4	25		Source 4	19 Degree	575	Downlight Spot - O/W	FDSL	O/W	
5	131		COLORado Tour 1		49	Downlight Wash - LED	FDSL	LED	
6	24		Source 4	19 Degree	575	Downlight Spot - O/W	NDSL	O/W	
7	121		COLORado Tour 1		49	Downlight Wash - LED	NDSL	LED	
8	23		Source 4	19 Degree	575	Downlight Spot - O/W	DSC	O/W	
9	111		COLORado Tour 1		49	Downlight Wash - LED	NDSR	LED	
10	22		Source 4	19 Degree	575	Downlight Spot - O/W	NDSR	O/W	
11	101		COLORado Tour 1		49	Downlight Wash - LED	FDSR	LED	
12	21		Source 4	19 Degree	575	Downlight Spot - O/W	FDSR	O/W	
13	41		Source 4	36 Degree	575	Pipe-End - Linear 2 Breakup	DSL	O/W	R7402
14	81		PAR 64		1000	Pipe-End - Special Lavender	DSL	L137	
15	81		PAR 64		1000	Pipe-End - Special Lavender	DSR	L137	
					8221				
LX Bar 2									
1	92		PAR 64		1000	Pipe-End - Gold Tint	CSL	L151	
2	92		PAR 64		1000	Pipe-End - Gold Tint	CSR	L151	
3	44		Source 4	36 Degree	575	Pipe-End - Linear 2 Breakup	CSR	O/W	R7402
4	30		Source 4	19 Degree	575	Downlight Spot - O/W	FCSL	O/W	
5	171		COLORado Tour 1		49	Downlight Wash - LED	FCSL	LED	
6	85		PAR 64		1000	Backlight - Blue	DSL	L79	
7	47		Source 4	50 Degree	575	Backlight - Leaf Breakup	DSL	L138	R7805
8	29		Source 4	19 Degree	575	Downlight Spot - O/W	NCSL	O/W	
9	161		COLORado Tour 1		49	Downlight Wash - LED	NCSL	LED	
10	85		PAR 64		1000	Backlight - Blue	DSC	L79	
11	28		Source 4	19 Degree	575	Downlight Spot - O/W	CSC	O/W	
12	47		Source 4	50 Degree	575	Backlight - Leaf Breakup	DSC	L138	R7805
13	151		COLORado Tour 1		49	Downlight Wash - LED	NCSR	LED	
14	27		Source 4	19 Degree	575	Downlight Spot - O/W	NCSR	O/W	
15	47		Source 4	50 Degree	575	Backlight - Leaf Breakup	DSR	L138	R7805
16	85		PAR 64		1000	Backlight - Blue	DSR	L79	
17	141		COLORado Tour 1		49	Downlight Wash - LED	FCSR	LED	
18	26		Source 4	19 Degree	575	Downlight Spot - O/W	FCSR	O/W	
19	43		Source 4	36 Degree	575	Pipe-End - Linear 2 Breakup	CSL	O/W	R7402
20	82		PAR 64		1000	Pipe-End - Special Lavender	CSL	L137	
21	82		PAR 64		1000	Pipe-End - Special Lavender	CSR	L137	
					12946				



Except where otherwise noted, this work is licensed under Creative Commons Attribution-ShareAlike 4.0. <https://creativecommons.org/licenses/by-sa/4.0/>

LX Bars 3_4 _ Deck

Instrument Schedule

Version: 1

15/03/2017 22:15

Venue:	Wilner Auditorium	Show:	ACDA 2017 Central Region	Stage/Deck
Designer:	Ben C. Roose	Assistant:	Brianna Baxley	

Unit	Channel	Dimmer	Type	Lens	Wattage	Purpose	Focus	Colour	Gobo
------	---------	--------	------	------	---------	---------	-------	--------	------

LX Bar 3


1	93		PAR 64		1000	Pipe-End - Gold Tint	USL	L151	
2	93		PAR 64		1000	Pipe-End - Gold Tint	USR	L151	
3	42		Source 4	36 Degree	575	Pipe-End - Linear 2 Breakup	USR	O/W	R7402
4	35		Source 4	19 Degree	575	Downlight Spot - O/W	FUSL	O/W	
5	211		COLORado Tour 1		49	Downlight Wash - LED	FUSL	LED	
6	86		PAR 64		1000	Backlight - Blue	CSL	L79	
7	48		Source 4	50 Degree	575	Backlight - Leaf Breakup	CSL	L138	R7805
8	34		Source 4	19 Degree	575	Downlight Spot - O/W	NUSL	O/W	
9	201		COLORado Tour 1		49	Downlight Wash - LED	NUSL	LED	
10	86		PAR 64		1000	Backlight - Blue	CSC	L79	
11	33		Source 4	19 Degree	575	Downlight Spot - O/W	USC	O/W	
12	48		Source 4	50 Degree	575	Backlight - Leaf Breakup	CSC	L138	R7805
13	191		COLORado Tour 1		49	Downlight Wash - LED	NUSR	LED	
14	32		Source 4	19 Degree	575	Downlight Spot - O/W	NUSR	O/W	
15	48		Source 4	50 Degree	575	Backlight - Leaf Breakup	CSR	L138	R7805
16	86		PAR 64		1000	Backlight - Blue	CSR	L79	
17	181		COLORado Tour 1		49	Downlight Wash - LED	FUSR	LED	
18	31		Source 4	19 Degree	575	Downlight Spot - O/W	FUSR	O/W	
19	42		Source 4	36 Degree	575	Pipe-End - Linear 2 Breakup	USL	O/W	R7402
20	83		PAR 64		1000	Pipe-End - Special Lavender	USL	L137	
21	83		PAR 64		1000	Pipe-End - Special Lavender	USR	L137	
					12946				

LX Bar 4

1	241		ColorDash Baton-Quad 12		145	Cyc Wash - LED	Cyc	LED	
2	241		ColorDash Baton-Quad 12		145	Cyc Wash - LED	Cyc	LED	
3	87		PAR 64		1000	Backlight - Blue	USL	L79	
4	241		ColorDash Baton-Quad 12		145	Cyc Wash - LED	Cyc	LED	
5	241		ColorDash Baton-Quad 12		145	Cyc Wash - LED	Cyc	LED	
6	87		PAR 64		1000	Backlight - Blue	USC	L79	
7	241		ColorDash Baton-Quad 12		145	Cyc Wash - LED	Cyc	LED	
8	241		ColorDash Baton-Quad 12		145	Cyc Wash - LED	Cyc	LED	
9	87		PAR 64		1000	Backlight - Blue	USR	L79	
10	241		ColorDash Baton-Quad 12		145	Cyc Wash - LED	Cyc	LED	
11	241		ColorDash Baton-Quad 12		145	Cyc Wash - LED	Cyc	LED	
					4160				

Deck


1	78		PAR 16		75	SP: Uplight (if required)		O/W	
---	----	--	--------	--	----	---------------------------	--	-----	--



Except where otherwise noted, this work is licensed under Creative Commons Attribution-ShareAlike 4.0. <https://creativecommons.org/licenses/by-sa/4.0/>

Booms SR

Instrument Schedule				Version: 1			15/03/2017 22:15		
Venue:	Wilner Auditorium			Show:	ACDA 2017 Central Region			Booms SR	
Designer:	Ben C. Roose			Assistant:	Brianna Baxley				
Unit	Channel	Dimmer	Type	Lens	Wattage	Purpose	Focus	Colour	Gobo
1 Boom SL									
1	56		Source 4	36 Degree	575	Side - Mid 'chest'		C/C	
2	51		Source 4	36 Degree	575	Side - Low 'shin'		C/C	Beam-Bender
					1150				
2 Boom SR									
1	57		Source 4	36 Degree	575	Side - Mid 'chest'		C/C	
2	52		Source 4	36 Degree	575	Side - Low 'shin'		C/C	Beam-Bender
					1150				
3 Boom SR									
1	58		Source 4	36 Degree	575	Side - Mid 'chest'		C/C	
2	53		Source 4	36 Degree	575	Side - Low 'shin'		C/C	Beam-Bender
					1150				
4 Boom SR									
1	59		Source 4	36 Degree	575	Side - Mid 'chest'		C/C	
2	54		Source 4	36 Degree	575	Side - Low 'shin'		C/C	Beam-Bender
3	73		Source 4	26 Degree	575	Cyc Grid Breakup	Cyc	C/C	R77545
					1725				
Boom Fixture Heights: Low at 2", Mid at 4' 6", and Boom 4 Cyc Grid Breakup at 6'									



Except where otherwise noted, this work is licensed under Creative Commons Attribution-ShareAlike 4.0. <https://creativecommons.org/licenses/by-sa/4.0/>

Booms SL

Instrument Schedule					Version: 1		15/03/2017 22:15		
Venue:	Wilner Auditorium			Show:	ACDA 2017 Central Region		Booms SL		
Designer:	Ben C. Roose			Assistant:	Brianna Baxley				
Unit	Channel	Dimmer	Type	Lens	Wattage	Purpose	Focus	Colour	Gobo
1 Boom SL									
1	66		Source 4	36 Degree	575	Side - Mid 'chest'		C/C	
2	61		Source 4	36 Degree	575	Side - Low 'shin'		C/C	Beam-Bender
					1150				
2 Boom SL									
1	67		Source 4	36 Degree	575	Side - Mid 'chest'		C/C	
2	62		Source 4	36 Degree	575	Side - Low 'shin'		C/C	Beam-Bender
					1150				
3 Boom SL									
1	68		Source 4	36 Degree	575	Side - Mid 'chest'		C/C	
2	63		Source 4	36 Degree	575	Side - Low 'shin'		C/C	Beam-Bender
					1150				
4 Boom SL									
1	69		Source 4	36 Degree	575	Side - Mid 'chest'		C/C	
2	64		Source 4	36 Degree	575	Side - Low 'shin'		C/C	Beam-Bender
3	74		Source 4	26 Degree	575	Cyc Grid Breakup	Cyc	C/C	R77545
					1725				
Boom Fixture Heights: Low at 2", Mid at 4' 6", and Boom 4 Cyc Grid Breakup at 6'									


Except where otherwise noted, this work is licensed under Creative Commons Attribution-ShareAlike 4.0. <https://creativecommons.org/licenses/by-sa/4.0/>

Lineset

Lineset Schedule

Lineset Schedule		Version:		1		15/03/2017 22:15	
Venue:	Wilner Auditorium	Show:	ACDA 2017 Central Region				
Designer:	Ben C. Roose	Assistant:	Brianna Baxley				
Line No.	Distance From SL	House Hang	Show Hang	Trim Height	Dimensions	Notes	
1	1' 3"	Front Blue Teaser		TBA (cover LX1)	10' x 50'		
2	1' 9"	Front Blue Curtain		To Deck	25' x 50'		
3	3' 9"	Electrics 1		Pipe @ 22' 0"	22' from CL		
4	5' 9"		Empty		12' x 25'		
5	6' 9"		Empty				
6	7' 3"		Empty				
7	7' 9"		Black Border 1	Bottom @17' 10"	10' x 50'		
8	8' 3"		Black Legs 1	To Deck	12' x 25'		
9	9' 3"	Electrics 2		Pipe @ 22' 0"	24' from CL		
10	11' 3"		Empty				
11	12' 3"		Empty				
12	13' 9"		Empty				
13	14' 6"		Empty				
14	15' 6"		Black Border 2	Bottom @ 19' 0"	10' x 50'		
15	16' 6"		Black Legs 2	To Deck	12' x 25'		
16		DSR Side TAB		Gridded			
17	17' 6"	Electrics 3		Pipe @ 22' 0"	24' from CL		
18	18' 8"		Empty				
19	19' 5"	Hard Black Border		Gridded	10' x 50'		
20	20' 3"		Black Border 3	Bottom @ 21' 0"	10' x 50'		
21	21' 8'		Black Legs 3	To Deck	12' x 25'		
22		USR Side TAB		Gridded			
23		USL Side TAB		Gridded			
24	23' 4"	Electrics 4		25' 7"	24' from CL		
25	26' 6"						
26	27' 6"		White Cyclorama	Flown In Show	25' x 50'		
27	28' 5"		Black Curtain	To Deck	25' x 50'		
SL Wing		DSL Side TAB		Gridded			
<div> Except where otherwise noted, this work is licensed under Creative Commons Attribution-ShareAlike 4.0. https://creativecommons.org/licenses/by-sa/4.0/</div>							

Instrument Count

Instrument Count		Version:	1	15/03/2017 22:15	
Venue:	Wilner Auditorium	Show:	ACDA 2017 Central Region		
Designer:	Ben C. Roose	Assistant:	Brianna Baxley		
Type	Lens	Count	Notes		
Total Instruments Needed for ACDA 2017 Central Region Lighting Rig					
ETC Source 4	50 Degree	6			
ETC Source 4	36 Degree	22			
ETC Source 4	26 Degree	17			
ETC Source 4	19 Degree	16			
Par 64	MFL	14			
Par 64	WFL	13			
Colorado 1 Tour LED		12	Supplied by WSU Dance		
Colordash Batten-Quad 12 LED		8	Rented from TSI via Sean		
Available Instruments in Wilner Auditorium					
ETC Source 4	36 Degree	12			
ETC Source 4	26 Degree	12			
ETC Source 4	19 Degree	12			
Altman ERS	6x16	10			
Altman ERS	6x12	18			
Altman ERS	6x9	19			
Par 64	WFL	14			
Required Instruments Needed from PerFac/Miller Concert Hall					
ETC Source 4	50 Degree	6			
ETC Source 4	36 Degree	10			
ETC Source 4	26 Degree	5			
ETC Source 4	19 Degree	4			
Par 64	MFL	14			
Par 64	WFL	0			
Additional Lighting Equipment Needed from PerFac/Miller Concert Hall					
6' Booms and bases		8			
50' 3pin XLR screened twisted-pair (DMX) cables		4			
50' domestic/edison power extension cables		5			
Stage Pin extension cabling for wiring 16 fixtures on booms into floor pocket circuits in Wilner					
Stage Pin extension cabling for additional overhead fixtures borrowed from Miller					
R7402 Linear 2 breakup gobos		6			
R7805 (or similar) Leaf breakup gobos		6			
R77545 Grid Breakup gobos		2			
Assorted colour gels normally used for dance, not currently in Wilner stock (will make sure these are documented and returned)					
		Except where otherwise noted, this work is licensed under Creative Commons Attribution-ShareAlike 4.0. https://creativecommons.org/licenses/by-sa/4.0/			

Colour & Gobo Call

Venue: Wilner Auditorium

Designer: Ben C. Roose

Version: 1

15/03/2017 22:15

Show: ACDA 2017 Central Region

Assistant: Brianna Baxley




Colour	Frame Size	Unit Type	Cuts	Cuts per Sheet	Sheets Required
--------	------------	-----------	------	----------------	-----------------

1st PRIORITY - Overhead & FOH Colour (Required)

L79/R79	10" Colour Frame	Par 64	9	4	3
L106	10" Colour Frame	Par 64	2	4	1
L137	10" Colour Frame	Par 64	6	4	2
L138	6.25" Colour Frame	Source 4 19/26/36deg	6	9	1
L151	10" Colour Frame	Par 64	6	4	2
L201	6.25" Colour Frame	Source 4 19/26/36deg	7	9	1
L204	6.25" Colour Frame	Source 4 19/26/36deg	5	9	1
R52	6.25" Colour Frame	Source 4 19/26/36deg	2	9	1
R358	10" Colour Frame	Par 64	2	4	1

2nd PRIORITY - Colour Sets for Boom Units (Contact TD if Stock Unavailable)

L36	6.25" Colour Frame	Source 4 36deg	20	9	3
L201	6.25" Colour Frame	Source 4 36deg	20	9	3
L204	6.25" Colour Frame	Source 4 36deg	20	9	3
R21	6.25" Colour Frame	Source 4 36deg	20	9	3
R52	6.25" Colour Frame	Source 4 36deg	20	9	3

Colour	Total Sheets Required	GOBOS			
		Gobo	Ref	Holder Size	Count
L36	3	Breakup - Leaf (Med)	R7805	A/B	6
L79	3	Breakup - Linear 2	R7402	A/B	6
L106	1	Grill 8	R77545	A/B	2
L137	2				
L138	1				
L151	2				
L201	4				
L204	4				
R21	4				
R52	4				
R358	1				
Total	29			Total	14
		Breakup - Leaf (Med)	Breakup - Linear 2	Grill 8	
					



Except where otherwise noted, this work is licensed under Creative Commons Attribution-ShareAlike 4.0. <https://creativecommons.org/licenses/by-sa/4.0/>