

Channel	Dm	Position	U	Instrument Type & Accessory &	Purpose	Clr & Gbo
<b>(1)</b>	14	Cove	1	ETC Source 4 19deg+- 575w	F/L Warm	L154, T:-
<b>(2)</b>	10	Cove	5	ETC Source 4 19deg+- 575w	F/L Warm	L154, T:-
<b>(3)</b>	6	Cove	9	ETC Source 4 19deg+- 575w	F/L Warm	L154, T:-
<b>(4)</b>	2	Cove	13	ETC Source 4 19deg+- 575w	F/L Warm	L154, T:-
<b>(5)</b>	12	Cove	3	ETC Source 4 19deg+- 575w	F/L Warm	L154, T:-
<b>(6)</b>	8	Cove	7	ETC Source 4 19deg+- 575w	F/L Warm	L154, T:-
<b>(7)</b>	4	Cove	11	Alt 360Q 6x16+- 750w	F/L Warm	L154, T:-
<b>(11)</b>	13	Cove	2	ETC Source 4 19deg+- 575w	F/L Cool	R68, T:-
<b>(12)</b>	9	Cove	6	ETC Source 4 19deg+- 575w	F/L Cool	R68, T:-
<b>(13)</b>	5	Cove	10	ETC Source 4 19deg+- 575w	F/L Cool	R68, T:-
<b>(14)</b>	1	Cove	14	ETC Source 4 19deg+- 575w	F/L Cool	R68, T:-
<b>(15)</b>	11	Cove	4	Alt 360Q 6x16+- 750w	F/L Cool	R68, T:-
<b>(16)</b>	7	Cove	8	ETC Source 4 19deg+- 575w	F/L Cool	R68, T:-
<b>(17)</b>	3	Cove	12	ETC Source 4 19deg+- 575w	F/L Cool	R68, T:-
<b>(21)</b>	20	Box Boom Left	5	Alt 360Q 6x9+- 750w	L WARM WASH	R36, T:-
<b>(22)</b>	22	Box Boom Left	3	Alt 360Q 6x12+- 750w	L WARM WASH	R36, T:-
<b>(23)</b>	24	Box Boom Left	1	Alt 360Q 6x16+- 750w	L WARM WASH	R36, T:-
<b>(24)</b>	19	Box Boom Right	1	Alt 360Q 6x16+- 750w	R WARM WASH	R36, T:-
<b>(25)</b>	17	Box Boom Right	3	Alt 360Q 6x12+- 750w	R WARM WASH	R36, T:-
<b>(26)</b>	16	Box Boom Right	5	Alt 360Q 6x9+- 750w	R WARM WASH	R36, T:-
<b>(27)</b>	21	Box Boom Left	4	Alt 360Q 6x12+- 750w	L COOL WASH	R67, T:-
	"	"	6	Alt 360Q 6x9+- 750w	"	"
<b>(28)</b>	23	Box Boom Left	2	Alt 360Q 6x16+- 750w	L COOL WASH	R67, T:-
<b>(29)</b>	18	Box Boom Right	2	Alt 360Q 6x16+- 750w	R COOL WASH	R67, T:-
<b>(30)</b>	15	Box Boom Right	4	Alt 360Q 6x12+- 750w	R COOL WASH	R67, T:-
	"	"	6	Alt 360Q 6x9+- 750w	"	"
<b>(31)</b>	61	1 BOOM L	2	ETC Source4 26deg+- 575w	HH L	C/C
<b>(32)</b>	126	2 BOOM L	2	ETC Source4 26deg+- 575w	HH L	C/C
<b>(33)</b>	123	3 BOOM L	2	ETC Source4 26deg+- 575w	HH L	C/C
<b>(34)</b>	122	4 BOOM L	2	ETC Source4 26deg+- 575w	HH L	C/C
<b>(35)</b>	52	1 BOOM R	2	ETC Source4 26deg+- 575w	HH R	C/C
<b>(36)</b>	115	3 BOOM R	2	ETC Source4 26deg+- 575w	HH R	C/C

Channel	Dm	Position	U	Instrument Type & Accessory &	Purpose	Clr & Gbo
<b>(37)</b>	112	2 BOOM R	2	ETC Source4 26deg+- 575w	HH R	C/C
<b>(38)</b>	117	4 BOOM R	2	ETC Source4 26deg+- 575w	HH R	C/C
<b>(41)</b>	62	1 BOOM L	3	ETC Source4 36deg+- 575w	SHIN L	C/C
<b>(42)</b>	121	3 BOOM L	3	ETC Source4 36deg+- 575w	SHIN L	C/C
<b>(43)</b>	125	2 BOOM L	3	ETC Source4 36deg+- 575w	SHIN L	C/C
<b>(44)</b>	120	4 BOOM L	3	ETC Source4 36deg+- 575w	SHIN L	C/C
<b>(45)</b>	54	1 BOOM R	3	ETC Source4 36deg+- 575w	SHIN R	C/C
<b>(46)</b>	111	2 BOOM R	3	ETC Source4 36deg+- 575w	SHIN R	C/C
<b>(47)</b>	114	3 BOOM R	3	ETC Source4 36deg+- 575w	SHIN R	C/C
<b>(48)</b>	116	4 BOOM R	3	ETC Source4 36deg+- 575w	SHIN R	C/C
<b>(51)</b>	250	1 BOOM L	1	Chauvet COLORado 1+- 70w	LED L	RGBW
<b>(52)</b>	262	2 BOOM L	1	Chauvet COLORado 1+- 70w	LED L	RGBW
<b>(53)</b>	274	3 BOOM L	1	Chauvet COLORado 1+- 70w	LED L	RGBW
<b>(54)</b>	286	4 BOOM L	1	Chauvet COLORado 1+- 70w	LED L	RGBW
<b>(55)</b>	298	1 BOOM R	1	Chauvet COLORado 1+- 70w	LED R	RGBW
<b>(56)</b>	310	2 BOOM R	1	Chauvet COLORado 1+- 70w	LED R	RGBW
<b>(57)</b>	322	3 BOOM R	1	Chauvet COLORado 1+- 70w	LED R	RGBW
<b>(58)</b>	334	4 BOOM R	1	Chauvet COLORado 1+- 70w	LED R	RGBW
<b>(61)</b>		1st ELECTRIC	1	Alt 360Q 6x9+- 750w	L HI SIDE	R03
<b>(62)</b>		1st ELECTRIC	3	Alt 360Q 6x9+- 750w	L HI SIDE	R03
<b>(63)</b>		1st ELECTRIC	5	Alt 360Q 6x12+- 750w	L HI SIDE	R03
<b>(64)</b>		2nd ELECTRIC	1	Alt 360Q 6x9+- 750w	L HI SIDE	R03
		"	3	"	"	"
		"	5	Alt 360Q 6x12+- 750w	"	"
<b>(65)</b>		3rd ELECTRIC	1	Alt 360Q 6x9+- 750w	L HI SIDE	R03
		"	3	"	"	"
		"	5	Alt 360Q 6x12+- 750w	"	"
<b>(66)</b>		4th ELECTRIC	1	Alt 360Q 6x9+- 750w	L HI SIDE	R03
		"	2	Alt 360Q 6x12+- 750w	"	"
<b>(71)</b>		1st ELECTRIC	16	Alt 360Q 6x12+- 750w	R HI SIDE	R04
<b>(72)</b>		1st ELECTRIC	18	Alt 360Q 6x9+- 750w	R HI SIDE	R04
<b>(73)</b>		1st ELECTRIC	20	Alt 360Q 6x9+- 750w	R HI SIDE	R04

Channel	Dm	Position	U	Instrument Type & Accessory &	Purpose	Clr & Gbo
<b>(74)</b>		2nd ELECTRIC	13	Alt 360Q 6x12+- 750w	R HI SIDE	R04
		"	15	Alt 360Q 6x9+- 750w	"	"
		"	17	"	"	"
<b>(75)</b>		3rd ELECTRIC	13	Alt 360Q 6x12+- 750w	R HI SIDE	R04
		"	15	Alt 360Q 6x9+- 750w	"	"
		"	17	"	"	"
<b>(76)</b>		4th ELECTRIC	10	Alt 360Q 6x12+- 750w	R HI SIDE	R04
		"	11	Alt 360Q 6x9+- 750w	"	"
<b>(81)</b>		1st ELECTRIC	2	ETC Source4 36deg+- 575w	TEMP L	R52
		"	4	ETC Source4 26deg+- 575w	"	"
<b>(82)</b>		2nd ELECTRIC	2	ETC Source4 36deg+- 575w	TEMP L	R52
		"	4	ETC Source4 26deg+- 575w	"	"
<b>(83)</b>		3rd ELECTRIC	2	ETC Source4 36deg+- 575w	TEMP L	R52
		"	4	ETC Source4 26deg+- 575w	"	"
<b>(85)</b>		1st ELECTRIC	17	ETC Source4 26deg+- 575w	TEMP R	R52
		"	19	ETC Source4 36deg+- 575w	"	"
<b>(86)</b>		2nd ELECTRIC	14	ETC Source4 26deg+- 575w	TEMP R	R52
		"	16	ETC Source4 36deg+- 575w	"	"
<b>(87)</b>		3rd ELECTRIC	14	ETC Source4 26deg+- 575w	TEMP R	R52
		"	16	ETC Source4 36deg+- 575w	"	"
<b>(91)</b>		1st ELECTRIC	7	Alt 360Q 6x9+- 750w	POOL	CLR
<b>(92)</b>		1st ELECTRIC	10	Alt 360Q 6x9+- 750w	POOL	CLR
<b>(93)</b>		1st ELECTRIC	14	Alt 360Q 6x9+- 750w	POOL	CLR
<b>(94)</b>		2nd ELECTRIC	6	Alt 360Q 6x9+- 750w	POOL	CLR
<b>(95)</b>		2nd ELECTRIC	8	Alt 360Q 6x9+- 750w	POOL	CLR
<b>(96)</b>		2nd ELECTRIC	10	Alt 360Q 6x9+- 750w	POOL	CLR
<b>(97)</b>		3rd ELECTRIC	6	Alt 360Q 6x9+- 750w	POOL	CLR
<b>(98)</b>		3rd ELECTRIC	9	Alt 360Q 6x9+- 750w	POOL	CLR
<b>(99)</b>		3rd ELECTRIC	12	Alt 360Q 6x9+- 750w	POOL	CLR
<b>(100)</b>		4th ELECTRIC	3	ETC Source4 36deg+- 750w	POOL	CLR
<b>(101)</b>		4th ELECTRIC	6	ETC Source4 36deg+- 750w	POOL	CLR
<b>(102)</b>		4th ELECTRIC	9	ETC Source4 36deg+- 750w	POOL	CLR
<b>(103)</b>		1st ELECTRIC	8	Alt 360Q 6x12 750w	NICK SP.	
<b>(104)</b>		1st ELECTRIC	13	Alt 360Q 6x12 750w	NICK SP.	
<b>(105)</b>		1st ELECTRIC	11	Alt 360Q 6x12+- 750w	GRAVE	CLR

Channel	Dm	Position	U	Instrument Type & Accessory &	Purpose	Clr & Gbo
<b>(111)</b>		1st ELECTRIC	6	Altman PAR 64 WFL+- 1kw	BLUE D/L	R80
		"	9	"	"	"
<b>(112)</b>		1st ELECTRIC	12	Altman PAR 64 WFL+- 1kw	BLUE D/L	R80
		"	15	"	"	"
<b>(113)</b>		2nd ELECTRIC	7	Altman PAR 64 WFL+- 1kw	BLUE D/L	R80
		"	9	"	"	"
<b>(114)</b>		2nd ELECTRIC	11	Altman PAR 64 WFL+- 1kw	BLUE D/L	R80
		"	12	"	"	"
<b>(115)</b>		3rd ELECTRIC	7	Altman PAR 64 WFL+- 1kw	BLUE D/L	R80
		"	8	"	"	"
<b>(116)</b>		3rd ELECTRIC	10	Altman PAR 64 WFL+- 1kw	BLUE D/L	R80
		"	11	"	"	"
<b>(117)</b>		4th ELECTRIC	4	Alt 360Q 6x9+- 1kw	BLUE D/L	R80
		"	5	"	"	"
<b>(118)</b>		4th ELECTRIC	7	Alt 360Q 6x9+- 1kw	BLUE D/L	R80
		"	8	"	"	"
<b>(131)</b>	350	4th ELECTRIC	1	Chauvet COLORado Batten 72 Tour+- 88w	CYC	RGBW
<b>(132)</b>	360	4th ELECTRIC	2	Chauvet COLORado Batten 72 Tour+- 88w	CYC	RGBW
<b>(133)</b>	370	4th ELECTRIC	3	Chauvet COLORado Batten 72 Tour+- 88w	CYC	RGBW
<b>(134)</b>	380	4th ELECTRIC	4	Chauvet COLORado Batten 72 Tour+- 88w	CYC	RGBW
<b>(135)</b>	390	4th ELECTRIC	5	Chauvet COLORado Batten 72 Tour+- 88w	CYC	RGBW
<b>(136)</b>	400	4th ELECTRIC	6	Chauvet COLORado Batten 72 Tour+- 88w	CYC	RGBW
<b>(137)</b>	410	4th ELECTRIC	7	Chauvet COLORado Batten 72 Tour+- 88w	CYC	RGBW
<b>(138)</b>	420	4th ELECTRIC	8	Chauvet COLORado Batten 72 Tour+- 88w	CYC	RGBW

**Cove**

U	Purpose	Instrument Type & Accessory	Watt	Color	Gbo	Dm	Ch
1	F/L Warm	ETC Source 4 19deg+-	575w	L154	-	14	(1)
2	F/L Cool	ETC Source 4 19deg+-	575w	R68	-	13	(11)
3	F/L Warm	ETC Source 4 19deg+-	575w	L154	-	12	(5)
4	F/L Cool	Alt 360Q 6x16+-	750w	R68	-	11	(15)
5	F/L Warm	ETC Source 4 19deg+-	575w	L154	-	10	(2)
6	F/L Cool	ETC Source 4 19deg+-	575w	R68	-	9	(12)
7	F/L Warm	ETC Source 4 19deg+-	575w	L154	-	8	(6)
8	F/L Cool	ETC Source 4 19deg+-	575w	R68	-	7	(16)
9	F/L Warm	ETC Source 4 19deg+-	575w	L154	-	6	(3)
10	F/L Cool	ETC Source 4 19deg+-	575w	R68	-	5	(13)
11	F/L Warm	Alt 360Q 6x16+-	750w	L154	-	4	(7)
12	F/L Cool	ETC Source 4 19deg+-	575w	R68	-	3	(17)
13	F/L Warm	ETC Source 4 19deg+-	575w	L154	-	2	(4)
14	F/L Cool	ETC Source 4 19deg+-	575w	R68	-	1	(14)

**Box Boom Left**

U	Purpose	Instrument Type & Accessory	Watt	Color	Gbo	Dm	Ch
1	L WARM WASH	Alt 360Q 6x16+-	750w	R36	-	24	(23)
2	L COOL WASH	Alt 360Q 6x16+-	750w	R67	-	23	(28)
3	L WARM WASH	Alt 360Q 6x12+-	750w	R36	-	22	(22)
4	L COOL WASH	Alt 360Q 6x12+-	750w	R67	-	21	(27)
5	L WARM WASH	Alt 360Q 6x9+-	750w	R36	-	20	(21)
6	L COOL WASH	Alt 360Q 6x9+-	750w	R67	-	21	(27)

**Box Boom Right**

U	Purpose	Instrument Type & Accessory	Watt	Color	Gbo	Dm	Ch
1	R WARM WASH	Alt 360Q 6x16+-	750w	R36	-	19	(24)
2	R COOL WASH	Alt 360Q 6x16+-	750w	R67	-	18	(29)
3	R WARM WASH	Alt 360Q 6x12+-	750w	R36	-	17	(25)
4	R COOL WASH	Alt 360Q 6x12+-	750w	R67	-	15	(30)
5	R WARM WASH	Alt 360Q 6x9+-	750w	R36	-	16	(26)
6	R COOL WASH	Alt 360Q 6x9+-	750w	R67	-	15	(30)

**1st ELECTRIC**

U	Purpose	Instrument Type & Accessory	Watt	Color	Gbo	Dm	Ch
1	L HI SIDE	Alt 360Q 6x9+-	750w	R03			(61)
2	TEMP L	ETC Source4 36deg+-	575w	R52			(81)
3	L HI SIDE	Alt 360Q 6x9+-	750w	R03			(62)
4	TEMP L	ETC Source4 26deg+-	575w	R52			(81)
5	L HI SIDE	Alt 360Q 6x12+-	750w	R03			(63)
6	BLUE D/L	Altman PAR 64 WFL+-	1kw	R80			(111)
7	POOL	Alt 360Q 6x9+-	750w	CLR			(91)
8	NICK SP.	Alt 360Q 6x12	750w				(103)
9	BLUE D/L	Altman PAR 64 WFL+-	1kw	R80			(111)
10	POOL	Alt 360Q 6x9+-	750w	CLR			(92)
11	GRAVE	Alt 360Q 6x12+-	750w	CLR			(105)
12	BLUE D/L	Altman PAR 64 WFL+-	1kw	R80			(112)
13	NICK SP.	Alt 360Q 6x12	750w				(104)
14	POOL	Alt 360Q 6x9+-	750w	CLR			(93)
15	BLUE D/L	Altman PAR 64 WFL+-	1kw	R80			(112)
16	R HI SIDE	Alt 360Q 6x12+-	750w	R04			(71)
17	TEMP R	ETC Source4 26deg+-	575w	R52			(85)
18	R HI SIDE	Alt 360Q 6x9+-	750w	R04			(72)
19	TEMP R	ETC Source4 36deg+-	575w	R52			(85)
20	R HI SIDE	Alt 360Q 6x9+-	750w	R04			(73)

**2nd ELECTRIC**

U	Purpose	Instrument Type & Accessory	Watt	Color	Gbo	Dm	Ch
1	L HI SIDE	Alt 360Q 6x9+-	750w	R03			(64)
2	TEMP L	ETC Source4 36deg+-	575w	R52			(82)
3	L HI SIDE	Alt 360Q 6x9+-	750w	R03			(64)
4	TEMP L	ETC Source4 26deg+-	575w	R52			(82)
5	L HI SIDE	Alt 360Q 6x12+-	750w	R03			(64)
6	POOL	Alt 360Q 6x9+-	750w	CLR			(94)
7	BLUE D/L	Altman PAR 64 WFL+-	1kw	R80			(113)
8	POOL	Alt 360Q 6x9+-	750w	CLR			(95)
9	BLUE D/L	Altman PAR 64 WFL+-	1kw	R80			(113)
10	POOL	Alt 360Q 6x9+-	750w	CLR			(96)
11	BLUE D/L	Altman PAR 64 WFL+-	1kw	R80			(114)
12	BLUE D/L	Altman PAR 64 WFL+-	1kw	R80			(114)
13	R HI SIDE	Alt 360Q 6x12+-	750w	R04			(74)
14	TEMP R	ETC Source4 26deg+-	575w	R52			(86)
15	R HI SIDE	Alt 360Q 6x9+-	750w	R04			(74)
16	TEMP R	ETC Source4 36deg+-	575w	R52			(86)
17	R HI SIDE	Alt 360Q 6x9+-	750w	R04			(74)

**3rd ELECTRIC**

U	Purpose	Instrument Type & Accessory	Watt	Color	Gbo	Dm	Ch
1	L HI SIDE	Alt 360Q 6x9+/-	750w	R03			(65)
2	TEMP L	ETC Source4 36deg+/-	575w	R52			(83)
3	L HI SIDE	Alt 360Q 6x9+/-	750w	R03			(65)
4	TEMP L	ETC Source4 26deg+/-	575w	R52			(83)
5	L HI SIDE	Alt 360Q 6x12+/-	750w	R03			(65)
6	POOL	Alt 360Q 6x9+/-	750w	CLR			(97)
7	BLUE D/L	Altman PAR 64 WFL+/-	1kw	R80			(115)
8	BLUE D/L	Altman PAR 64 WFL+/-	1kw	R80			(115)
9	POOL	Alt 360Q 6x9+/-	750w	CLR			(98)
10	BLUE D/L	Altman PAR 64 WFL+/-	1kw	R80			(116)
11	BLUE D/L	Altman PAR 64 WFL+/-	1kw	R80			(116)
12	POOL	Alt 360Q 6x9+/-	750w	CLR			(99)
13	R HI SIDE	Alt 360Q 6x12+/-	750w	R04			(75)
14	TEMP R	ETC Source4 26deg+/-	575w	R52			(87)
15	R HI SIDE	Alt 360Q 6x9+/-	750w	R04			(75)
16	TEMP R	ETC Source4 36deg+/-	575w	R52			(87)
17	R HI SIDE	Alt 360Q 6x9+/-	750w	R04			(75)

**4th ELECTRIC**

U	Purpose	Instrument Type & Accessory	Watt	Color	Gbo	Dm	Ch
1	L HI SIDE	Alt 360Q 6x9+/-	750w	R03			(66)
1	CYC	Chauvet COLORado Batten 72 Tour+/-	88w	RGBW		350	(131)
2	L HI SIDE	Alt 360Q 6x12+/-	750w	R03			(66)
2	CYC	Chauvet COLORado Batten 72 Tour+/-	88w	RGBW		360	(132)
3	CYC	Chauvet COLORado Batten 72 Tour+/-	88w	RGBW		370	(133)
3	POOL	ETC Source4 36deg+/-	750w	CLR			(100)
4	BLUE D/L	Alt 360Q 6x9+/-	1kw	R80			(117)
4	CYC	Chauvet COLORado Batten 72 Tour+/-	88w	RGBW		380	(134)
5	BLUE D/L	Alt 360Q 6x9+/-	1kw	R80			(117)
5	CYC	Chauvet COLORado Batten 72 Tour+/-	88w	RGBW		390	(135)
6	CYC	Chauvet COLORado Batten 72 Tour+/-	88w	RGBW		400	(136)
6	POOL	ETC Source4 36deg+/-	750w	CLR			(101)
7	BLUE D/L	Alt 360Q 6x9+/-	1kw	R80			(118)
7	CYC	Chauvet COLORado Batten 72 Tour+/-	88w	RGBW		410	(137)
8	BLUE D/L	Alt 360Q 6x9+/-	1kw	R80			(118)
8	CYC	Chauvet COLORado Batten 72 Tour+/-	88w	RGBW		420	(138)
9	POOL	ETC Source4 36deg+/-	750w	CLR			(102)
10	R HI SIDE	Alt 360Q 6x12+/-	750w	R04			(76)
11	R HI SIDE	Alt 360Q 6x9+/-	750w	R04			(76)

**1 BOOM L**

U	Purpose	Instrument Type & Accessory	Watt	Color	Gbo	Dm	Ch
1	LED L	Chauvet COLORado 1+-	70w	RGBW		250	(51)
2	HH L	ETC Source4 26deg+-	575w	C/C		61	(31)
3	SHIN L	ETC Source4 36deg+-	575w	C/C		62	(41)

**2 BOOM L**

U	Purpose	Instrument Type & Accessory	Watt	Color	Gbo	Dm	Ch
1	LED L	Chauvet COLORado 1+-	70w	RGBW		262	(52)
2	HH L	ETC Source4 26deg+-	575w	C/C		126	(32)
3	SHIN L	ETC Source4 36deg+-	575w	C/C		125	(43)

**3 BOOM L**

U	Purpose	Instrument Type & Accessory	Watt	Color	Gbo	Dm	Ch
1	LED L	Chauvet COLORado 1+-	70w	RGBW		274	(53)
2	HH L	ETC Source4 26deg+-	575w	C/C		123	(33)
3	SHIN L	ETC Source4 36deg+-	575w	C/C		121	(42)

**4 BOOM L**

U	Purpose	Instrument Type & Accessory	Watt	Color	Gbo	Dm	Ch
1	LED L	Chauvet COLORado 1+-	70w	RGBW		286	(54)
2	HH L	ETC Source4 26deg+-	575w	C/C		122	(34)
3	SHIN L	ETC Source4 36deg+-	575w	C/C		120	(44)

**1 BOOM R**

U	Purpose	Instrument Type & Accessory	Watt	Color	Gbo	Dm	Ch
1	LED R	Chauvet COLORado 1+-	70w	RGBW		298	(55)
2	HH R	ETC Source4 26deg+-	575w	C/C		52	(35)
3	SHIN R	ETC Source4 36deg+-	575w	C/C		54	(45)

**2 BOOM R**

U	Purpose	Instrument Type & Accessory	Watt	Color	Gbo	Dm	Ch
1	LED R	Chauvet COLORado 1+-	70w	RGBW		310	(56)
2	HH R	ETC Source4 26deg+-	575w	C/C		112	(37)
3	SHIN R	ETC Source4 36deg+-	575w	C/C		111	(46)

**3 BOOM R**

U	Purpose	Instrument Type & Accessory	Watt	Color	Gbo	Dm	Ch
1	LED R	Chauvet COLORado 1+-	70w	RGBW		322	(57)
2	HH R	ETC Source4 26deg+-	575w	C/C		115	(36)
3	SHIN R	ETC Source4 36deg+-	575w	C/C		114	(47)



**4 BOOM R**

U	Purpose	Instrument Type & Accessory	Watt	Color	Gbo	Dm	Ch
1	LED R	Chauvet COLORado 1+-	70w	RGBW		334	(58)
2	HH R	ETC Source4 26deg+-	575w	C/C		117	(38)
3	SHIN R	ETC Source4 36deg+-	575w	C/C		116	(48)