

## Function tests

Bibles

```
library(bibler)
library(tidyverse)
```

```
## -- Attaching packages ----- tidyverse 1.3.1 --
```

```
## v ggplot2 3.3.5      v purrr  0.3.4
## v tibble  3.1.6      v dplyr  1.0.7
## v tidyr   1.1.4      v stringr 1.4.0
## v readr   1.4.0      v forcats 0.5.1
```

```
## -- Conflicts ----- tidyverse_conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()     masks stats::lag()
```

```
check <- bibles(language = 'grc', details = T)
check <- bibles(language = 'eng', name = 'kjv', details = T)
check
```

```
## # A tibble: 1 x 16
##   id      dbId relatedDb name      nameLocal abbreviation abbreviationLoc~
##   <chr>   <chr>   <chr>   <chr>   <chr>       <chr>       <chr>
## 1 55212e~ 55212e~ NULL      Cambrid~ Cambridge P~ engKJVCPB    KJVCPB
## # ... with 9 more variables: description <chr>, descriptionLocal <chr>,
## #   language <chr>, countries <chr>, type <chr>, updatedAt <chr>,
## #   copyright <chr>, info <chr>, audioBibles <chr>
```

books

```
bibleid <- '55212e3cf5d04d49-01' #kjv
#bibleid <- '3aefb10641485092-01'
req <- books(bibleid, debug = F)
req
```

```
## # A tibble: 80 x 5
##   id      bibleId      abbreviation name      nameLong
##   <chr>   <chr>       <chr>       <chr>       <chr>
## 1 GEN  55212e3cf5d04d49-01 Gen.      Genesis    The First Book of Moses, ~
## 2 EXO  55212e3cf5d04d49-01 Ex.       Exodus     The Second Book of Moses,~
## 3 LEV  55212e3cf5d04d49-01 Lev.      Leviticus  The Third Book of Moses, ~
## 4 NUM  55212e3cf5d04d49-01 Num.      Numbers    The Fourth Book of Moses,~
## 5 DEU  55212e3cf5d04d49-01 Deut.     Deuteronomy The Fifth Book of Moses, ~
```

```
## 6 JOS 55212e3cf5d04d49-01 Josh. Joshua The Book of Joshua
## 7 JDG 55212e3cf5d04d49-01 Judg. Judges The Book of Judges
## 8 RUT 55212e3cf5d04d49-01 Ruth Ruth The Book of Ruth
## 9 1SA 55212e3cf5d04d49-01 1 Sam. 1 Samuel The First Book of Samuel,~
## 10 2SA 55212e3cf5d04d49-01 2 Sam. 2 Samuel The Second Book of Samuel~
## # ... with 70 more rows
```

chapters

```
bibleid <- '55212e3cf5d04d49-01' #kjv
bookid <- "GEN"
ch <- chapters(bibleid, bookid)
```

chapters

```
bibleid <- '55212e3cf5d04d49-01' #kjv
bookid <- "GEN"
chapterid <- 'GEN.1'
ch <- chapter(bibleid,
              chapterid,
              includenotes = T,
              contenttype = 'html',
              includeversenumbers = F,
              includetitles = T,
              debug = F)
ch
```

```
## $id
## [1] "GEN.1"
##
## $bibleId
## [1] "55212e3cf5d04d49-01"
##
## $number
## [1] "1"
##
## $bookId
## [1] "GEN"
##
## $reference
## [1] "Genesis 1"
##
## $copyright
## [1] "\n          PUBLIC DOMAIN\n          "
##
## $verseCount
## [1] 31
##
## $content
## [1] "<p class=\"m\"><span class=\"sc\">In</span> the beginning God created the heaven and the earth.
##
## $'next'
## $'next'$id
```

```
## [1] "GEN.2"
##
## $'next'$number
## [1] "2"
##
## $'next'$bookId
## [1] "GEN"
##
##
## $previous
## $previous$id
## [1] "GEN.intro"
##
## $previous$number
## [1] "intro"
##
## $previous$bookId
## [1] "GEN"
```

passages

```
bibleid <- '55212e3cf5d04d49-01' #kjv
bookid <- "GEN"
chapterid <- 'GEN.1'
passid <- "MAT.1.12-mat.2.20"
pdf <- passage(bibleid,
               passid,
               includenotes = T,
               contenttype = 'text',
               includeversespans = T,
               includeversenumbers = T,
               includetitles = T,
               debug = T)
```

pdf

```
## $id
## [1] "MAT.1.12-MAT.2.20"
##
## $orgId
## [1] "MAT.1.12-MAT.2.20"
##
## $bibleId
## [1] "55212e3cf5d04d49-01"
##
## $bookId
## [1] "MAT"
##
## $chapterIds
## $chapterIds[[1]]
## [1] "MAT.1"
##
## $chapterIds[[2]]
```

```

## [1] "MAT.2"
##
##
## $reference
## [1] "Matthew 1:12-2:20"
##
## $content
## [1] " [12] and after they were brought to Babylon, Jechonias begat Salathiel; and Salathiel begat Zo
##
## $verseCount
## [1] 34
##
## $copyright
## [1] "\n          PUBLIC DOMAIN\n          "

```