

ICPSR 37871

Baby's First Years (BFY), New York City, New Orleans, Omaha, and Twin Cities, 2018-2023

Katherine A. Magnuson
University of Wisconsin--Madison

Kimberly Noble
Columbia University. Teachers College

Greg J. Duncan
University of California, Irvine

Nathan A. Fox
University of Maryland, College Park

Lisa A. Gennetian
Duke University

Hirokazu Yoshikawa
New York University

Sarah Halpern-Meekin
University of Wisconsin--Madison

ICPSR Codebook for Age 4 Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The [terms of use](#) for this study can be found at:
<https://www.icpsr.umich.edu/web/ICPSR/studies/37871/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR Processing Notes for #37871

Baby's First Years (BFY), New York City, New Orleans, Omaha, and Twin Cities, 2018-2023

DS9: Age 4 Data

1. Missing Value Differences:

- a. Due to limitations across the various statistical packages, missing values in the deposited Stata file were recoded and labeled as indicated below:
.i = -777 ".i = Index/scale assigned missing because too many items were missing"
.d = -888 ".d = Don't know"
.r = -999 ".r = Refused"
- b. The Age 4 questionnaire found on the [Baby's First Years](#) website includes the value -98 "Don't Know/Refused". The value -98 is not included in the Age 4 Data.

2. Value Label Discrepancies:

- a. The variable **HHCHILDAGE_A_1A4** contains a -1 value that is out of range. The P.I. confirmed this value should be 0.
- b. The variable **CEEFINALSAMPLEA4A4** is missing value labels in the data. The P.I. confirmed that the correct value labels are 0 = "no" and 1 = "yes".
- c. The variables **MBILINGMOMA4**, **MBILINGADULTA4**, and **MBILINGCHILDA4** are missing value labels in the data. The P.I. confirmed that the correct value labels are 1 = "All Spanish", 2 = "Mostly Spanish", 3 = "Half English/Half Spanish".

3. Additional Information:

- a. For additional information on the Baby's First Years (BFY) Study, including English and Spanish questionnaires, please visit the [Baby's First Years](#) website.
- b. All papers resulting from the use of BFY data must be submitted to PubMed upon acceptance for publication. Publications must include the study citation and funding acknowledgment.

ICPSR 37871

Baby's First Years (BFY), New York City, New Orleans, Omaha, and Twin Cities, 2018-2023

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Age 4 Data

PUBLICSAMPLEID: [raw] Public Sample ID

Value	Label	Unweighted Frequency	%
P1013836	-	1	0.1%
P1041062	-	1	0.1%
P1048452	-	1	0.1%
P1068475	-	1	0.1%
P108955	-	1	0.1%
P1107150	-	1	0.1%
P1109211	-	1	0.1%
P1114904	-	1	0.1%
P1125367	-	1	0.1%
P1132515	-	1	0.1%
P1151331	-	1	0.1%
P1162843	-	1	0.1%
P1166627	-	1	0.1%
P116741	-	1	0.1%
P1170185	-	1	0.1%
P12028	-	1	0.1%
P1208809	-	1	0.1%
P1209122	-	1	0.1%
P1211136	-	1	0.1%
P121200	-	1	0.1%
P1213917	-	1	0.1%
P1218549	-	1	0.1%
P1230466	-	1	0.1%
P1249359	-	1	0.1%
P1249680	-	1	0.1%
P1253941	-	1	0.1%
P1268224	-	1	0.1%
P1268918	-	1	0.1%
P1275620	-	1	0.1%
P1277520	-	1	0.1%
P1282717	-	1	0.1%
P1286469	-	1	0.1%

Value	Label	Unweighted Frequency	%
P129455	-	1	0.1%
P1298452	-	1	0.1%
P1298985	-	1	0.1%
P1301867	-	1	0.1%
P1305498	-	1	0.1%
P1323222	-	1	0.1%
P1326830	-	1	0.1%
P1339895	-	1	0.1%
P1346032	-	1	0.1%
P1364782	-	1	0.1%
P1367981	-	1	0.1%
P1373246	-	1	0.1%
P1378265	-	1	0.1%
P1381402	-	1	0.1%
P1382543	-	1	0.1%
P1382568	-	1	0.1%
P1392649	-	1	0.1%
P1409399	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1-8 (width: 8; decimal: 0)

Variable Type: character

MOMLANGA4: [raw] Language mom is most comfortable with

Value	Label	Unweighted Frequency	%
1	English	562	56.2%
2	Spanish	200	20.0%
3	Both or I have no preference	17	1.7%
	Total	779	77.9%
Value	Missing Data	Unweighted Frequency	%
.	-	221	22.1%

Value	Missing Data	Unweighted Frequency	%
	Total	221	22.1%

This variable has 779 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 9-9 (width: 1; decimal: 0)

Variable Type: numeric

CHILDLANGA4: [raw] Language child is most comfortable with

Value	Label	Unweighted Frequency	%
1	English	597	59.7%
2	Spanish	177	17.7%
3	Other	7	0.7%
	Total	781	78.1%
Value	Missing Data	Unweighted Frequency	%
.	-	219	21.9%
	Total	219	21.9%

This variable has 781 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 10-10 (width: 1; decimal: 0)

Variable Type: numeric

CHILDOOTHERENGA4: [raw] Does the child speak a language other than English

Value	Label	Unweighted Frequency	%
1	Yes, Spanish	108	10.8%
2	Yes, other	19	1.9%
3	No	468	46.8%
	Total	595	59.5%
Value	Missing Data	Unweighted Frequency	%
.	-	405	40.5%
	Total	405	40.5%

This variable has 595 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 11-11 (width: 1; decimal: 0)

Variable Type: numeric

CHILDOITHERSPANA4: [raw] Does the child speak a language other than Spanish

Value	Label	Unweighted Frequency	%
1	Yes, English	125	12.5%
2	Yes, other	3	0.3%
3	No	49	4.9%
Total		177	17.7%
Value	Missing Data	Unweighted Frequency	%
.	-	823	82.3%
Total		823	82.3%

This variable has 177 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 12-12 (width: 1; decimal: 0)

Variable Type: numeric

BILINGMOMA4: [raw] Language child speaks to mom

Value	Label	Unweighted Frequency	%
1	All English	26	2.6%
2	Mostly English	41	4.1%
3	Half English/half Spanish	58	5.8%
4	Mostly Spanish	63	6.3%
5	All Spanish	41	4.1%
Total		229	22.9%
Value	Missing Data	Unweighted Frequency	%
.	-	771	77.1%
Total		771	77.1%

This variable has 229 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 13-13 (width: 1; decimal: 0)

Variable Type: numeric

BILINGADULTA4: [raw] Language child speaks to other adults

Value	Label	Unweighted Frequency	%
1	All English	25	2.5%
2	Mostly English	31	3.1%
3	Half English/half Spanish	78	7.8%
4	Mostly Spanish	62	6.2%
5	All Spanish	32	3.2%
	Total	228	22.8%
Value	Missing Data	Unweighted Frequency	%
.	-	772	77.2%
	Total	772	77.2%

This variable has 228 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 14-14 (width: 1; decimal: 0)

Variable Type: numeric

BILINGCHILDA4: [raw] Language child speaks to other children

Value	Label	Unweighted Frequency	%
1	All English	43	4.3%
2	Mostly English	65	6.5%
3	Half English/half Spanish	89	8.9%
4	Mostly Spanish	19	1.9%
5	All Spanish	12	1.2%
	Total	228	22.8%
Value	Missing Data	Unweighted Frequency	%
.	-	772	77.2%
	Total	772	77.2%

This variable has 228 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 15-15 (width: 1; decimal: 0)

Variable Type: numeric

BILINGSCOREA4: [raw] Bilingualism score for child

Value	Label	Unweighted Frequency	%
0	-	102	10.2%
2	-	1	0.1%
3	-	15	1.5%
4	-	9	0.9%
5	-	9	0.9%
6	-	21	2.1%
7	-	19	1.9%
8	-	10	1.0%
9	-	46	4.6%
10	-	24	2.4%
11	-	27	2.7%
12	-	23	2.3%
13	-	10	1.0%
14	-	5	0.5%
15	-	10	1.0%
Total		331	33.1%
Value	Missing Data	Unweighted Frequency	%
.	-	669	66.9%
Total		669	66.9%

This variable has 331 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 6.18
- Median: 7.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 4.87

Location: 16-17 (width: 2; decimal: 0)

Variable Type: numeric

PARENTINFOSTARTA4: [raw] Parent information start time

Value	Label	Unweighted Frequency	% 802 80.2%
2022-07-22 19:22:16	-	1	0.1%
2022-07-23 15:10:44	-	1	0.1%
2022-07-23 22:20:39	-	1	0.1%
2022-07-30 17:26:27	-	1	0.1%
2022-08-02 13:29:52	-	1	0.1%
2022-08-05 17:31:18	-	1	0.1%
2022-08-07 20:24:25	-	1	0.1%
2022-08-14 16:28:46	-	1	0.1%
2022-08-26 20:40:29	-	1	0.1%
2022-08-27 17:37:14	-	1	0.1%
2022-09-03 15:04:37	-	1	0.1%
2022-09-03 19:54:28	-	1	0.1%
2022-09-10 20:10:36	-	1	0.1%
2022-09-17 17:04:08	-	1	0.1%
2022-09-27 21:00:13	-	1	0.1%
2022-10-11 13:43:37	-	1	0.1%
2022-10-14 16:59:57	-	1	0.1%
2022-10-15 19:56:50	-	1	0.1%
2022-10-17 18:46:33	-	1	0.1%
2022-10-22 20:35:36	-	1	0.1%
2022-10-24 20:21:28	-	1	0.1%
2022-11-04 19:41:39	-	1	0.1%
2022-11-11 15:58:31	-	1	0.1%
2022-11-20 21:07:30	-	1	0.1%
2022-11-21 21:30:39	-	1	0.1%
2022-12-05 20:27:04	-	1	0.1%
2022-12-20 20:32:42	-	1	0.1%
2023-01-06 21:23:21	-	1	0.1%
2023-01-07 17:11:25	-	1	0.1%
2023-01-07 21:38:30	-	1	0.1%
2023-01-08 19:56:23	-	1	0.1%
2023-01-09 15:51:52	-	1	0.1%
2023-01-09 21:40:16	-	1	0.1%

Value	Label	Unweighted Frequency	%
2023-01-15 20:23:55	-	1	0.1%
2023-01-18 20:40:09	-	1	0.1%
2023-01-20 15:34:46	-	1	0.1%
2023-01-22 21:27:52	-	1	0.1%
2023-01-23 19:15:12	-	1	0.1%
2023-01-25 16:03:53	-	1	0.1%
2023-01-26 15:26:15	-	1	0.1%
2023-01-26 17:18:49	-	1	0.1%
2023-01-27 14:37:31	-	1	0.1%
2023-01-27 17:13:35	-	1	0.1%
2023-01-27 21:19:15	-	1	0.1%
2023-01-28 20:56:47	-	1	0.1%
2023-01-29 18:22:23	-	1	0.1%
2023-01-30 16:16:22	-	1	0.1%
2023-01-31 18:03:34	-	1	0.1%
2023-01-31 18:12:15	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 18-36 (width: 19; decimal: 0)

Variable Type: character

CHILDGENDER4: [raw] Child Gender

Value	Label	Unweighted Frequency	%
Boy	-	508	50.8%
Girl	-	492	49.2%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 37-40 (width: 4; decimal: 0)

Variable Type: character

PREVYEARA4: [raw] Previous calendar year

Value	Label	Unweighted Frequency	%
2021	-	357	35.7%
2022	-	550	55.0%
	Total	907	90.7%
Value	Missing Data	Unweighted Frequency	%
.	-	93	9.3%
	Total	93	9.3%

This variable has 907 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2021.61
- Median: 2022.00
- Mode: 2022.00
- Minimum: 2021.00
- Maximum: 2022.00
- Standard Deviation: 0.49

Location: 41-44 (width: 4; decimal: 0)

Variable Type: numeric

PREVMONTHA4: [raw] Previous calendar month

Value	Label	Unweighted Frequency	%
1	January	81	8.1%
2	February	99	9.9%
3	March	99	9.9%
4	April	75	7.5%
5	May	49	4.9%
6	June	82	8.2%
7	July	59	5.9%
8	August	66	6.6%
9	September	79	7.9%
10	October	58	5.8%
11	November	65	6.5%
12	December	95	9.5%
	Total	907	90.7%
Value	Missing Data	Unweighted Frequency	%
.	-	93	9.3%

Value	Missing Data	Unweighted Frequency	%
	Total	93	9.3%

This variable has 907 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 45-46 (width: 2; decimal: 0)

Variable Type: numeric

CURRENTMONTHA4: [raw] Current calendar month

Value	Label	Unweighted Frequency	%
1	January	95	9.5%
2	February	80	8.0%
3	March	99	9.9%
4	April	99	9.9%
5	May	75	7.5%
6	June	50	5.0%
7	July	82	8.2%
8	August	59	5.9%
9	September	65	6.5%
10	October	79	7.9%
11	November	58	5.8%
12	December	66	6.6%
	Total	907	90.7%
Value	Missing Data	Unweighted Frequency	%
.	-	93	9.3%
	Total	93	9.3%

This variable has 907 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 47-48 (width: 2; decimal: 0)

Variable Type: numeric

TODAYDATEA4: [raw] Today's date

Value	Label	Unweighted Frequency	%
	-	93	9.3%
2022-07-14	-	2	0.2%
2022-07-16	-	1	0.1%
2022-07-17	-	1	0.1%
2022-07-18	-	2	0.2%
2022-07-19	-	1	0.1%
2022-07-21	-	1	0.1%
2022-07-22	-	2	0.2%
2022-07-23	-	3	0.3%
2022-07-25	-	2	0.2%
2022-07-26	-	1	0.1%
2022-07-27	-	1	0.1%
2022-07-28	-	4	0.4%
2022-07-29	-	3	0.3%
2022-07-30	-	2	0.2%
2022-07-31	-	2	0.2%
2022-08-01	-	3	0.3%
2022-08-02	-	3	0.3%
2022-08-03	-	3	0.3%
2022-08-04	-	2	0.2%
2022-08-05	-	1	0.1%
2022-08-06	-	2	0.2%
2022-08-07	-	4	0.4%
2022-08-08	-	2	0.2%
2022-08-09	-	1	0.1%
2022-08-11	-	3	0.3%
2022-08-12	-	2	0.2%
2022-08-13	-	1	0.1%
2022-08-14	-	2	0.2%
2022-08-15	-	2	0.2%
2022-08-16	-	2	0.2%
2022-08-17	-	2	0.2%
2022-08-18	-	2	0.2%
2022-08-19	-	2	0.2%
2022-08-20	-	2	0.2%

Value	Label	Unweighted Frequency	%
2022-08-21	-	1	0.1%
2022-08-22	-	3	0.3%
2022-08-23	-	4	0.4%
2022-08-24	-	2	0.2%
2022-08-25	-	1	0.1%
2022-08-26	-	2	0.2%
2022-08-27	-	1	0.1%
2022-08-29	-	1	0.1%
2022-08-31	-	1	0.1%
2022-09-01	-	2	0.2%
2022-09-02	-	2	0.2%
2022-09-03	-	3	0.3%
2022-09-04	-	1	0.1%
2022-09-06	-	4	0.4%
2022-09-08	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 49-58 (*width:* 10; *decimal:* 0)

Variable Type: character

LANGCHKPTA4: [raw] Language Checkpoint

Value	Label	Unweighted Frequency	%
0	English	679	67.9%
1	Spanish	227	22.7%
	Total	906	90.6%
Value	Missing Data	Unweighted Frequency	%
.	-	94	9.4%
	Total	94	9.4%

This variable has 906 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 59-59 (width: 1; decimal: 0)

Variable Type: numeric

WHICHCONSENTA4: [raw] Type of consent: Usual or NYC special

Value	Label	Unweighted Frequency	%
0	Usual consent	740	74.0%
1	NYC special consent	260	26.0%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 60-60 (width: 1; decimal: 0)

Variable Type: numeric

SURVEYBEGINNINGSTARTA4: [raw] Survey beginning start time

Value	Label	Unweighted Frequency	%
-	-	153	15.3%
2022-07-14 15:16:55	-	1	0.1%
2022-07-14 18:52:56	-	1	0.1%
2022-07-16 18:59:31	-	1	0.1%
2022-07-17 20:56:49	-	1	0.1%
2022-07-18 17:06:31	-	1	0.1%
2022-07-18 17:09:46	-	1	0.1%
2022-07-19 22:16:40	-	1	0.1%
2022-07-21 18:58:09	-	1	0.1%
2022-07-22 14:00:43	-	1	0.1%
2022-07-22 19:22:27	-	1	0.1%
2022-07-23 14:50:08	-	1	0.1%
2022-07-23 15:10:54	-	1	0.1%
2022-07-23 19:41:31	-	1	0.1%
2022-07-25 15:12:58	-	1	0.1%
2022-07-25 18:36:48	-	1	0.1%
2022-07-26 15:51:04	-	1	0.1%
2022-07-27 19:55:29	-	1	0.1%
2022-07-28 16:41:32	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-07-28 20:22:35	-	1	0.1%
2022-07-28 23:06:14	-	1	0.1%
2022-07-29 15:14:45	-	1	0.1%
2022-07-29 17:08:54	-	1	0.1%
2022-07-29 19:18:34	-	1	0.1%
2022-07-30 17:26:41	-	1	0.1%
2022-07-30 21:00:27	-	1	0.1%
2022-07-31 14:52:24	-	1	0.1%
2022-07-31 18:30:49	-	1	0.1%
2022-08-01 21:56:03	-	1	0.1%
2022-08-02 14:44:23	-	1	0.1%
2022-08-02 19:25:23	-	1	0.1%
2022-08-02 20:02:11	-	1	0.1%
2022-08-03 15:07:16	-	1	0.1%
2022-08-03 20:14:58	-	1	0.1%
2022-08-03 21:34:18	-	1	0.1%
2022-08-04 15:26:47	-	1	0.1%
2022-08-05 17:31:29	-	1	0.1%
2022-08-06 18:00:08	-	1	0.1%
2022-08-07 20:24:39	-	1	0.1%
2022-08-08 14:33:03	-	1	0.1%
2022-08-08 14:58:26	-	1	0.1%
2022-08-08 17:53:11	-	1	0.1%
2022-08-09 16:13:54	-	1	0.1%
2022-08-10 16:09:45	-	1	0.1%
2022-08-11 17:29:48	-	1	0.1%
2022-08-11 21:01:22	-	1	0.1%
2022-08-12 18:31:50	-	1	0.1%
2022-08-13 17:06:33	-	1	0.1%
2022-08-13 20:55:28	-	1	0.1%
2022-08-14 16:29:17	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 61-79 (width: 19; decimal: 0)

Variable Type: character

SURVEYBEGINA4: [raw] Survey is about to begin

Value	Label	Unweighted Frequency	%
0	No	0	0.0%
1	Yes	878	87.8%
	Total	878	87.8%
Value	Missing Data	Unweighted Frequency	%
-	-	122	12.2%
	Total	122	12.2%

This variable has 878 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 80-80 (width: 1; decimal: 0)

Variable Type: numeric

HHRSTARTA4: [raw] HHR start time

Value	Label	Unweighted Frequency	%
-	-	124	12.4%
2022-07-14 15:18:54	-	1	0.1%
2022-07-14 18:57:17	-	1	0.1%
2022-07-16 19:02:49	-	1	0.1%
2022-07-17 20:58:56	-	1	0.1%
2022-07-18 17:13:32	-	1	0.1%
2022-07-18 17:14:29	-	1	0.1%
2022-07-19 22:19:43	-	1	0.1%
2022-07-21 19:03:41	-	1	0.1%
2022-07-22 14:03:59	-	1	0.1%
2022-07-22 19:26:06	-	1	0.1%
2022-07-23 14:52:49	-	1	0.1%
2022-07-23 15:14:38	-	1	0.1%
2022-07-23 19:44:46	-	1	0.1%
2022-07-25 15:14:54	-	1	0.1%
2022-07-25 18:41:47	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-07-26 15:55:12	-	1	0.1%
2022-07-27 19:58:42	-	1	0.1%
2022-07-28 16:44:52	-	1	0.1%
2022-07-28 20:27:19	-	1	0.1%
2022-07-28 23:13:04	-	1	0.1%
2022-07-29 15:16:51	-	1	0.1%
2022-07-29 17:12:24	-	1	0.1%
2022-07-29 19:22:51	-	1	0.1%
2022-07-30 17:32:35	-	1	0.1%
2022-07-30 21:02:36	-	1	0.1%
2022-07-31 14:55:51	-	1	0.1%
2022-07-31 18:33:50	-	1	0.1%
2022-08-01 21:56:52	-	1	0.1%
2022-08-01 21:59:20	-	1	0.1%
2022-08-02 14:48:28	-	1	0.1%
2022-08-02 19:28:39	-	1	0.1%
2022-08-02 20:04:35	-	1	0.1%
2022-08-03 15:12:20	-	1	0.1%
2022-08-03 20:19:25	-	1	0.1%
2022-08-03 21:37:20	-	1	0.1%
2022-08-04 15:29:27	-	1	0.1%
2022-08-04 16:01:29	-	1	0.1%
2022-08-05 17:34:35	-	1	0.1%
2022-08-06 18:02:59	-	1	0.1%
2022-08-06 18:55:22	-	1	0.1%
2022-08-07 16:51:49	-	1	0.1%
2022-08-07 19:26:37	-	1	0.1%
2022-08-07 20:29:44	-	1	0.1%
2022-08-08 14:36:22	-	1	0.1%
2022-08-08 15:01:09	-	1	0.1%
2022-08-08 17:57:23	-	1	0.1%
2022-08-09 16:18:09	-	1	0.1%
2022-08-10 16:16:29	-	1	0.1%
2022-08-11 17:33:08	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 81-99 (width: 19; decimal: 0)

Variable Type: character

HHRSTARTTIMEA4: [raw] HH start time (timezone accurate)

Value	Label	Unweighted Frequency	%
-	-	248	24.8%
2022-07-16 14:59:37	-	1	0.1%
2022-07-18 13:06:34	-	1	0.1%
2022-07-19 18:16:43	-	1	0.1%
2022-07-22 10:00:49	-	1	0.1%
2022-07-22 15:22:35	-	1	0.1%
2022-07-23 11:11:28	-	1	0.1%
2022-07-23 15:41:34	-	1	0.1%
2022-07-25 10:13:09	-	1	0.1%
2022-07-25 13:36:55	-	1	0.1%
2022-07-26 10:51:08	-	1	0.1%
2022-07-27 14:55:35	-	1	0.1%
2022-07-28 11:16:32	-	1	0.1%
2022-07-28 11:41:34	-	1	0.1%
2022-07-28 16:22:38	-	1	0.1%
2022-07-28 18:06:19	-	1	0.1%
2022-07-29 11:14:48	-	1	0.1%
2022-07-29 12:09:05	-	1	0.1%
2022-07-29 14:18:40	-	1	0.1%
2022-07-30 13:26:55	-	1	0.1%
2022-07-30 16:00:29	-	1	0.1%
2022-07-31 09:52:29	-	1	0.1%
2022-07-31 13:30:50	-	1	0.1%
2022-08-01 16:51:00	-	1	0.1%
2022-08-01 16:56:07	-	1	0.1%
2022-08-02 10:44:27	-	1	0.1%
2022-08-02 14:25:42	-	1	0.1%
2022-08-03 10:07:22	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-08-03 16:15:10	-	1	0.1%
2022-08-03 16:34:21	-	1	0.1%
2022-08-04 10:26:49	-	1	0.1%
2022-08-04 11:58:36	-	1	0.1%
2022-08-05 13:31:33	-	1	0.1%
2022-08-06 13:00:15	-	1	0.1%
2022-08-06 13:52:39	-	1	0.1%
2022-08-07 11:50:08	-	1	0.1%
2022-08-07 14:23:03	-	1	0.1%
2022-08-08 09:33:05	-	1	0.1%
2022-08-08 10:58:30	-	1	0.1%
2022-08-08 12:53:10	-	1	0.1%
2022-08-09 11:13:59	-	1	0.1%
2022-08-10 11:09:53	-	1	0.1%
2022-08-11 11:21:00	-	1	0.1%
2022-08-13 12:06:36	-	1	0.1%
2022-08-13 15:55:31	-	1	0.1%
2022-08-14 12:29:22	-	1	0.1%
2022-08-14 17:06:45	-	1	0.1%
2022-08-15 10:55:00	-	1	0.1%
2022-08-15 12:48:20	-	1	0.1%
2022-08-16 13:47:14	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 100-118 (width: 19; decimal: 0)

Variable Type: character

CHILDHHMEMCOUNTA4: [raw] Child HH Mem Count

Value	Label	Unweighted Frequency	%
1	-	183	18.3%
2	-	252	25.2%
3	-	219	21.9%

Value	Label	Unweighted Frequency	%
4	-	121	12.1%
5	-	64	6.4%
6	-	22	2.2%
7	-	13	1.3%
8	-	3	0.3%
9	-	1	0.1%
10	-	2	0.2%
11	-	1	0.1%
16	-	1	0.1%
Total		882	88.2%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	5	0.5%
.	-	113	11.3%
Total		118	11.8%

This variable has 882 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.78
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 16.00
- Standard Deviation: 1.57

Location: 119-122 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHCHILDNAME_A_1A4: [raw] HH child 1 name

Value	Label	Unweighted Frequency	%
-	-	301	30.1%
Yes, there is an answer	-	699	69.9%
Total		1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 123-145 (width: 23; decimal: 0)

Variable Type: character

HHCHILDDOB_A_1A4: [raw] HH child 1 date of birth

Value	Label	Unweighted Frequency	%
-	-	301	30.1%
Yes, there is an answer	-	699	69.9%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 146-168 (width: 23; decimal: 0)

Variable Type: character

HHCHILDAGE_A_1A4: [raw] HH child 1 age

Value	Label	Unweighted Frequency	%
-1	-	1	0.1%
0	-	99	9.9%
1	-	95	9.5%
2	-	75	7.5%
3	-	25	2.5%
4	-	10	1.0%
5	-	80	8.0%
6	-	66	6.6%
7	-	53	5.3%
8	-	41	4.1%
9	-	26	2.6%
10	-	28	2.8%
11	-	28	2.8%
12	-	9	0.9%
13	-	15	1.5%
14	-	7	0.7%
15	-	21	2.1%
16	-	14	1.4%
17	-	6	0.6%
	Total	699	69.9%

Value	Missing Data	Unweighted Frequency	%
.	-	301	30.1%
	Total	301	30.1%

This variable has 699 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 5.32
- Median: 5.00
- Mode: 0.00
- Minimum: -1.00
- Maximum: 17.00
- Standard Deviation: 4.50

Location: 169-170 (width: 2; decimal: 0)

Variable Type: numeric

HHCHILDBIO_A_1A4: [raw] HH child 1 biological child

Value	Label	Unweighted Frequency	%
0	No	43	4.3%
1	Yes	656	65.6%
	Total	699	69.9%
Value	Missing Data	Unweighted Frequency	%
.	-	301	30.1%
	Total	301	30.1%

This variable has 699 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 171-171 (width: 1; decimal: 0)

Variable Type: numeric

HHCHILDCOND_A_1A4: [raw] HH child 1 have a health or other condition that require extra care

Value	Label	Unweighted Frequency	%
1	Yes	80	8.0%
5	No	617	61.7%
	Total	697	69.7%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	2	0.2%
.	-	301	30.1%
	Total	303	30.3%

This variable has 697 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 172-175 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHCHILDNAME_A_2A4: [raw] HH child 2 name

Value	Label	Unweighted Frequency	%
-	-	553	55.3%
Yes, there is an answer	-	447	44.7%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 176-198 (width: 23; decimal: 0)

Variable Type: character

HHCHILDDOB_A_2A4: [raw] HH child 2 date of birth

Value	Label	Unweighted Frequency	%
-	-	553	55.3%
Yes, there is an answer	-	447	44.7%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 199-221 (width: 23; decimal: 0)

Variable Type: character

HHCHILDAGE_A_2A4: [raw] HH child 2 age

Value	Label	Unweighted Frequency	%
0	-	4	0.4%
1	-	17	1.7%
2	-	31	3.1%
3	-	13	1.3%
4	-	8	0.8%
5	-	27	2.7%
6	-	52	5.2%
7	-	49	4.9%
8	-	40	4.0%

Value	Label	Unweighted Frequency	%
9	-	27	2.7%
10	-	34	3.4%
11	-	33	3.3%
12	-	28	2.8%
13	-	19	1.9%
14	-	17	1.7%
15	-	14	1.4%
16	-	10	1.0%
17	-	21	2.1%
18	-	2	0.2%
19	-	1	0.1%
Total		447	44.7%

Value	Missing Data	Unweighted Frequency	%
.	-	553	55.3%
Total		553	55.3%

This variable has 447 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 8.52
- Median: 8.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 19.00
- Standard Deviation: 4.33

Location: 222-223 (width: 2; decimal: 0)

Variable Type: numeric

HHCHILDBIO_A_2A4: [raw] HH child 2 biological child

Value	Label	Unweighted Frequency	%
1	Yes	407	40.7%
5	No	40	4.0%
Total		447	44.7%

Value	Missing Data	Unweighted Frequency	%
.	-	553	55.3%
Total		553	55.3%

This variable has 447 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 224-224 (width: 1; decimal: 0)

Variable Type: numeric

HHCHILDCOND_A_2A4: [raw] HH child 2 have a health or other condition that require extra care

Value	Label	Unweighted Frequency	%
1	Yes	40	4.0%
5	No	404	40.4%
	Total	444	44.4%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	3	0.3%
.	-	553	55.3%
	Total	556	55.6%

This variable has 444 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 225-228 (width: 4; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -888 , .

HHCHILDNAME_A_3A4: [raw] HH child 3 name

Value	Label	Unweighted Frequency	%
	-	772	77.2%
Yes, there is an answer	-	228	22.8%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 229-251 (width: 23; decimal: 0)

Variable Type: character

HHCHILDDOB_A_3A4: [raw] HH child 3 date of birth

Value	Label	Unweighted Frequency	%
-	-	772	77.2%
Yes, there is an answer	-	228	22.8%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 252-274 (width: 23; decimal: 0)

Variable Type: character

HHCHILDAGE_A_3A4: [raw] HHM child 3 age

Value	Label	Unweighted Frequency	%
0	-	1	0.1%
1	-	1	0.1%
2	-	8	0.8%
3	-	5	0.5%
4	-	5	0.5%
5	-	13	1.3%
6	-	11	1.1%
7	-	15	1.5%
8	-	25	2.5%
9	-	26	2.6%
10	-	21	2.1%
11	-	13	1.3%
12	-	20	2.0%
13	-	18	1.8%
14	-	11	1.1%
15	-	17	1.7%
16	-	8	0.8%
17	-	10	1.0%
	Total	228	22.8%

Value	Missing Data	Unweighted Frequency	%
-	-	772	77.2%
	Total	772	77.2%

This variable has 228 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 9.89
- Median: 10.00
- Mode: 9.00
- Minimum: 0.00
- Maximum: 17.00
- Standard Deviation: 3.93

Location: 275-276 (width: 2; decimal: 0)

Variable Type: numeric

HHCHILDBIO_A_3A4: [raw] HH child 3 biological child

Value	Label	Unweighted Frequency	%
1	Yes	200	20.0%
5	No	28	2.8%
	Total	228	22.8%
Value	Missing Data	Unweighted Frequency	%
.	-	772	77.2%
	Total	772	77.2%

This variable has 228 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 277-277 (width: 1; decimal: 0)

Variable Type: numeric

HHCHILDCOND_A_3A4: [raw] HH child 3 have a health or other condition that require extra care

Value	Label	Unweighted Frequency	%
1	Yes	21	2.1%
5	No	207	20.7%
	Total	228	22.8%
Value	Missing Data	Unweighted Frequency	%
.	-	772	77.2%
	Total	772	77.2%

This variable has 228 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 278-278 (width: 1; decimal: 0)

Variable Type: numeric

HHCHILDNAME_A_4A4: [raw] HH child 4 name

Value	Label	Unweighted Frequency	%
-		893	89.3%
Yes, there is an answer	-	107	10.7%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 279-301 (width: 23; decimal: 0)

Variable Type: character

HHCHILDDOB_A_4A4: [raw] HH child 4 date of birth

Value	Label	Unweighted Frequency	%
-		893	89.3%
Yes, there is an answer	-	107	10.7%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 302-324 (width: 23; decimal: 0)

Variable Type: character

HHCHILDAGE_A_4A4: [raw] HH child 4 age

Value	Label	Unweighted Frequency	%
0	-	3	0.3%
1	-	1	0.1%
2	-	1	0.1%
3	-	1	0.1%
5	-	3	0.3%
6	-	5	0.5%
7	-	5	0.5%
8	-	10	1.0%
9	-	8	0.8%
10	-	15	1.5%

Value	Label	Unweighted Frequency	%
11	-	11	1.1%
12	-	6	0.6%
13	-	9	0.9%
14	-	7	0.7%
15	-	6	0.6%
16	-	8	0.8%
17	-	8	0.8%
	Total	107	10.7%
Value	Missing Data	Unweighted Frequency	%
.	-	893	89.3%
	Total	893	89.3%

This variable has 107 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 10.75
- Median: 11.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 17.00
- Standard Deviation: 4.05

Location: 325-326 (width: 2; decimal: 0)

Variable Type: numeric

HHCHILDBIO_A_4A4: [raw] HH child 4 biological child

Value	Label	Unweighted Frequency	%
1	Yes	93	9.3%
5	No	14	1.4%
	Total	107	10.7%
Value	Missing Data	Unweighted Frequency	%
.	-	893	89.3%
	Total	893	89.3%

This variable has 107 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 327-327 (width: 1; decimal: 0)

Variable Type: numeric

HHCHILDCOND_A_4A4: [raw] HH child 4 have a health or other condition that require extra care

Value	Label	Unweighted Frequency	%
1	Yes	11	1.1%
5	No	96	9.6%
	Total	107	10.7%

Value	Missing Data	Unweighted Frequency	%
.	-	893	89.3%
	Total	893	89.3%

This variable has 107 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 328-328 (width: 1; decimal: 0)

Variable Type: numeric

HHCHILDNAME_A_5A4: [raw] HH child 5 name

Value	Label	Unweighted Frequency	%
-		957	95.7%
Yes, there is an answer	-	43	4.3%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 329-351 (width: 23; decimal: 0)

Variable Type: character

HHCHILDDOB_A_5A4: [raw] HH child 5 date of birth

Value	Label	Unweighted Frequency	%
-		957	95.7%
Yes, there is an answer	-	43	4.3%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 352-374 (width: 23; decimal: 0)

Variable Type: character

HHCHILDBIO_A_5A4: [raw] HH child 5 biological child

Value	Label	Unweighted Frequency	%
1	Yes	37	3.7%
5	No	6	0.6%
	Total	43	4.3%
Value	Missing Data	Unweighted Frequency	%
.	-	957	95.7%
	Total	957	95.7%

This variable has 43 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 375-375 (width: 1; decimal: 0)

Variable Type: numeric

HHCHILDCOND_A_5A4: [raw] HH child 5 have a health or other condition that require extra care

Value	Label	Unweighted Frequency	%
1	Yes	2	0.2%
5	No	41	4.1%
	Total	43	4.3%
Value	Missing Data	Unweighted Frequency	%
.	-	957	95.7%
	Total	957	95.7%

This variable has 43 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 376-376 (width: 1; decimal: 0)

Variable Type: numeric

HHCHILDAGE_A_5A4: [raw] HH child 5 age

Value	Label	Unweighted Frequency	%
4	-	1	0.1%
6	-	2	0.2%
7	-	4	0.4%
8	-	3	0.3%
9	-	1	0.1%
10	-	3	0.3%
11	-	4	0.4%
12	-	4	0.4%
13	-	7	0.7%
14	-	5	0.5%
15	-	3	0.3%
16	-	4	0.4%
17	-	1	0.1%
Total		42	4.2%
Value	Missing Data	Unweighted Frequency	%
.	-	958	95.8%
Total		958	95.8%

This variable has 42 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 11.57
- Median: 12.00
- Mode: 13.00
- Minimum: 4.00
- Maximum: 17.00
- Standard Deviation: 3.29

Location: 377-378 (width: 2; decimal: 0)

Variable Type: numeric

HHCHILDNAME_A_6A4: [raw] HH child 6 name

Value	Label	Unweighted Frequency	%
-	-	979	97.9%
Yes, there is an answer	-	21	2.1%
Total		1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 379-401 (width: 23; decimal: 0)

Variable Type: character

HHCHILDDOB_A_6A4: [raw] HH child 6 date of birth

Value	Label	Unweighted Frequency	%
-	-	979	97.9%
Yes, there is an answer	-	21	2.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 402-424 (width: 23; decimal: 0)

Variable Type: character

HHCHILDAGE_A_6A4: [raw] HH child 6 age

Value	Label	Unweighted Frequency	%
5	-	1	0.1%
6	-	1	0.1%
7	-	1	0.1%
8	-	1	0.1%
9	-	2	0.2%
10	-	1	0.1%
11	-	1	0.1%
12	-	3	0.3%
13	-	2	0.2%
14	-	1	0.1%
15	-	3	0.3%
16	-	2	0.2%
17	-	1	0.1%
18	-	1	0.1%
	Total	21	2.1%

Value	Missing Data	Unweighted Frequency	%
-	-	979	97.9%
	Total	979	97.9%

This variable has 21 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 12.05

- Median: 12.00
- Minimum: 5.00
- Maximum: 18.00
- Standard Deviation: 3.71

Location: 425-426 (width: 2; decimal: 0)

Variable Type: numeric

HHCHILDBIO_A_6A4: [raw] HH child 6 biological child

Value	Label	Unweighted Frequency	%
1	Yes	17	1.7%
5	No	4	0.4%
	Total	21	2.1%
Value	Missing Data	Unweighted Frequency	%
.	-	979	97.9%
	Total	979	97.9%

This variable has 21 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 427-427 (width: 1; decimal: 0)

Variable Type: numeric

HHCHILDCOND_A_6A4: [raw] HH child 6 have a health or other condition that require extra care

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1%
5	No	20	2.0%
	Total	21	2.1%
Value	Missing Data	Unweighted Frequency	%
.	-	979	97.9%
	Total	979	97.9%

This variable has 21 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 428-428 (width: 1; decimal: 0)

Variable Type: numeric

HHCHILDNAME_A_7A4: [raw] HH child 7 name

Value	Label	Unweighted Frequency	%
-		992	99.2%
Yes, there is an answer	-	8	0.8%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 429-451 (width: 23; decimal: 0)

Variable Type: character

HHCHILDDOB_A_7A4: [raw] HH child 7 date of birth

Value	Label	Unweighted Frequency	%
-		992	99.2%
Yes, there is an answer	-	8	0.8%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 452-474 (width: 23; decimal: 0)

Variable Type: character

HHCHILDAGE_A_7A4: [raw] HH child 7 age

Value	Label	Unweighted Frequency	%
6	-	1	0.1%
8	-	1	0.1%
9	-	2	0.2%
11	-	1	0.1%
12	-	1	0.1%
14	-	1	0.1%
17	-	1	0.1%
	Total	8	0.8%

Value	Missing Data	Unweighted Frequency	%
.	-	992	99.2%
	Total	992	99.2%

This variable has 8 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 10.75
- Median: 10.00
- Mode: 9.00
- Minimum: 6.00
- Maximum: 17.00
- Standard Deviation: 3.54

Location: 475-476 (width: 2; decimal: 0)

Variable Type: numeric

HHCHILDBIO_A_7A4: [raw] HH child 7 biological child

Value	Label	Unweighted Frequency	%
1	Yes	7	0.7%
5	No	1	0.1%
	Total	8	0.8%
Value	Missing Data	Unweighted Frequency	%
.	-	992	99.2%
	Total	992	99.2%

This variable has 8 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 477-477 (width: 1; decimal: 0)

Variable Type: numeric

HHCHILDCOND_A_7A4: [raw] HH child 7 have a health or other condition that require extra care

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1%
5	No	7	0.7%
	Total	8	0.8%
Value	Missing Data	Unweighted Frequency	%
.	-	992	99.2%
	Total	992	99.2%

This variable has 8 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 478-478 (width: 1; decimal: 0)

Variable Type: numeric

HHCHILDNAME_A_8A4: [raw] HH child 8 name

Value	Label	Unweighted Frequency	%
-		995	99.5%
Yes, there is an answer	-	5	0.5%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 479-501 (width: 23; decimal: 0)

Variable Type: character

HHCHILDDOB_A_8A4: [raw] HH child 8 date of birth

Value	Label	Unweighted Frequency	%
-		995	99.5%
Yes, there is an answer	-	5	0.5%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 502-524 (width: 23; decimal: 0)

Variable Type: character

HHCHILDAGE_A_8A4: [raw] HH child 8 age

Value	Label	Unweighted Frequency	%
0	-	1	0.1%
8	-	1	0.1%
11	-	1	0.1%
12	-	1	0.1%
15	-	1	0.1%
	Total	5	0.5%
Value	Missing Data	Unweighted Frequency	%
.	-	995	99.5%

Value	Missing Data	Unweighted Frequency	%
	Total	995	99.5%

This variable has 5 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 9.20
- Median: 11.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 5.72

Location: 525-526 (width: 2; decimal: 0)

Variable Type: numeric

HHCHILDBIO_A_8A4: [raw] HH child 8 biological child

Value	Label	Unweighted Frequency	%
1	Yes	4	0.4%
5	No	1	0.1%
	Total	5	0.5%
Value	Missing Data	Unweighted Frequency	%
.	-	995	99.5%
	Total	995	99.5%

This variable has 5 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 527-527 (width: 1; decimal: 0)

Variable Type: numeric

HHCHILDCOND_A_8A4: [raw] HH child 8 have a health or other condition that require extra care

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1%
5	No	4	0.4%
	Total	5	0.5%
Value	Missing Data	Unweighted Frequency	%
.	-	995	99.5%

Value	Missing Data	Unweighted Frequency	%
Total		995	99.5%

This variable has 5 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 528-528 (width: 1; decimal: 0)

Variable Type: numeric

HHCHILDNAME_A_9A4: [raw] HH child 9 name

Value	Label	Unweighted Frequency	%
-		996	99.6%
Yes, there is an answer	-	4	0.4%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 529-551 (width: 23; decimal: 0)

Variable Type: character

HHCHILDDOB_A_9A4: [raw] HH child 9 date of birth

Value	Label	Unweighted Frequency	%
-		996	99.6%
Yes, there is an answer	-	4	0.4%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 552-574 (width: 23; decimal: 0)

Variable Type: character

HHCHILDAGE_A_9A4: [raw] HH child 9 age

Value	Label	Unweighted Frequency	%
0	-	1	0.1%
8	-	1	0.1%
12	-	1	0.1%
13	-	1	0.1%

Value	Label	Unweighted Frequency	%
Total		4	0.4%
Value	Missing Data	Unweighted Frequency	%
.	-	996	99.6%
Total		996	99.6%

This variable has 4 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 8.25
- Median: 10.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 5.91

Location: 575-576 (width: 2; decimal: 0)

Variable Type: numeric

HHCHILDBIO_A_9A4: [raw] HH child 9 biological child

Value	Label	Unweighted Frequency	%
Total		4	0.4%
Value	Missing Data	Unweighted Frequency	%
.	-	996	99.6%
Total		996	99.6%

This variable has 4 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 577-577 (width: 1; decimal: 0)

Variable Type: numeric

HHCHILDCOND_A_9A4: [raw] HH child 9 have a health or other condition that require extra care

Value	Label	Unweighted Frequency	%
Total		4	0.4%
Value	Missing Data	Unweighted Frequency	%
.	-	996	99.6%
Total		996	99.6%
Value	Label	Unweighted Frequency	%
1	Yes	0	0.0%
5	No	4	0.4%

Value	Label	Unweighted Frequency	%
Total		4	0.4%
Value	Missing Data	Unweighted Frequency	%
.	-	996	99.6%
Total		996	99.6%

This variable has 4 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 578-578 (width: 1; decimal: 0)

Variable Type: numeric

HHCHILDNAME_A_10A4: [raw] HH child 10 name

Value	Label	Unweighted Frequency	%
Total		1,000	100.0%
-		998	99.8%
Yes, there is an answer	-	2	0.2%
Total		1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 579-601 (width: 23; decimal: 0)

Variable Type: character

HHCHILDDOB_A_10A4: [raw] HH child 10 date of birth

Value	Label	Unweighted Frequency	%
Total		1,000	100.0%
-		998	99.8%
Yes, there is an answer	-	2	0.2%
Total		1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 602-624 (width: 23; decimal: 0)

Variable Type: character

HHCHILDAGE_A_10A4: [raw] HH child 10 age

Value	Label	Unweighted Frequency	%
Total		1,000	100.0%
10	-	1	0.1%

Value	Label	Unweighted Frequency	%
15	-	1	0.1%
	Total	2	0.2%
Value	Missing Data	Unweighted Frequency	%
.	-	998	99.8%
	Total	998	99.8%

This variable has 2 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 12.50
- Median: 12.50
- Minimum: 10.00
- Maximum: 15.00
- Standard Deviation: 3.54

Location: 625-626 (width: 2; decimal: 0)

Variable Type: numeric

HHCHILDBIO_A_10A4: [raw] HH child 10 biological child

Value	Label	Unweighted Frequency	%
1	Yes	2	0.2%
5	No	0	0.0%
	Total	2	0.2%
Value	Missing Data	Unweighted Frequency	%
.	-	998	99.8%
	Total	998	99.8%

This variable has 2 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 627-627 (width: 1; decimal: 0)

Variable Type: numeric

HHCHILDCOND_A_10A4: [raw] HH child 10 have a health or other condition that require extra care

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0%

Value	Label	Unweighted Frequency	%
5	No	2	0.2%
	Total	2	0.2%
Value	Missing Data	Unweighted Frequency	%
-	-	998	99.8%
	Total	998	99.8%

This variable has 2 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 628-628 (width: 1; decimal: 0)

Variable Type: numeric

HHCHILDNAME_A_11A4: [raw] HH child 11 name

Value	Label	Unweighted Frequency	%
-	-	999	99.9%
Yes, there is an answer	-	1	0.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 629-651 (width: 23; decimal: 0)

Variable Type: character

HHCHILDDOB_A_11A4: [raw] HH child 11 date of birth

Value	Label	Unweighted Frequency	%
-	-	999	99.9%
Yes, there is an answer	-	1	0.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 652-674 (width: 23; decimal: 0)

Variable Type: character

HHCHILDAGE_A_11A4: [raw] HH child 11 age

Value	Label	Unweighted Frequency	%
11	-	1	0.1%
	Total	1	0.1%
Value	Missing Data	Unweighted Frequency	%
.	-	999	99.9%
	Total	999	99.9%

This variable has 1 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 11.00
- Median: 11.00
- Mode: 11.00
- Minimum: 11.00
- Maximum: 11.00
- Standard Deviation: 0.00

Location: 675-676 (width: 2; decimal: 0)

Variable Type: numeric

HHCHILDBIO_A_11A4: [raw] HH child 11 biological child

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1%
5	No	0	0.0%
	Total	1	0.1%
Value	Missing Data	Unweighted Frequency	%
.	-	999	99.9%
	Total	999	99.9%

This variable has 1 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 677-677 (width: 1; decimal: 0)

Variable Type: numeric

HHCHILDCOND_A_11A4: [raw] HH child 11 have a health or other condition that require extra care

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0%

Value	Label	Unweighted Frequency	%
5	No	1	0.1%
	Total	1	0.1%
Value	Missing Data	Unweighted Frequency	%
-	-	999	99.9%
	Total	999	99.9%

This variable has 1 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 678-678 (width: 1; decimal: 0)

Variable Type: numeric

HHCHILDNAME_A_12A4: [raw] HH child 12 name

Value	Label	Unweighted Frequency	%
-	-	999	99.9%
Yes, there is an answer	-	1	0.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 679-701 (width: 23; decimal: 0)

Variable Type: character

HHCHILDDOB_A_12A4: [raw] HH child 12 date of birth

Value	Label	Unweighted Frequency	%
-	-	999	99.9%
Yes, there is an answer	-	1	0.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 702-724 (width: 23; decimal: 0)

Variable Type: character

HHCHILDAGE_A_12A4: [raw] HH child 12 age

Value	Label	Unweighted Frequency	%
12	-	1	0.1%
	Total	1	0.1%
Value	Missing Data	Unweighted Frequency	%
.	-	999	99.9%
	Total	999	99.9%

This variable has 1 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 12.00
- Median: 12.00
- Mode: 12.00
- Minimum: 12.00
- Maximum: 12.00
- Standard Deviation: 0.00

Location: 725-726 (width: 2; decimal: 0)

Variable Type: numeric

HHCHILDBIO_A_12A4: [raw] HH child 12 biological child

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0%
5	No	1	0.1%
	Total	1	0.1%
Value	Missing Data	Unweighted Frequency	%
.	-	999	99.9%
	Total	999	99.9%

This variable has 1 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 727-727 (width: 1; decimal: 0)

Variable Type: numeric

HHCHILDCOND_A_12A4: [raw] HH child 12 have a health or other condition that require extra care

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0%

Value	Label	Unweighted Frequency	%
5	No	1	0.1%
	Total	1	0.1%
Value	Missing Data	Unweighted Frequency	%
-	-	999	99.9%
	Total	999	99.9%

This variable has 1 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 728-728 (width: 1; decimal: 0)

Variable Type: numeric

HHCHILDNAME_A_13A4: [raw] HH child 13 name

Value	Label	Unweighted Frequency	%
-	-	999	99.9%
Yes, there is an answer	-	1	0.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 729-751 (width: 23; decimal: 0)

Variable Type: character

HHCHILDDOB_A_13A4: [raw] HH child 13 date of birth

Value	Label	Unweighted Frequency	%
-	-	999	99.9%
Yes, there is an answer	-	1	0.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 752-774 (width: 23; decimal: 0)

Variable Type: character

HHCHILDAGE_A_13A4: [raw] HH child 13 age

Value	Label	Unweighted Frequency	%
13	-	1	0.1%
	Total	1	0.1%
Value	Missing Data	Unweighted Frequency	%
.	-	999	99.9%
	Total	999	99.9%

This variable has 1 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 13.00
- Median: 13.00
- Mode: 13.00
- Minimum: 13.00
- Maximum: 13.00
- Standard Deviation: 0.00

Location: 775-776 (width: 2; decimal: 0)

Variable Type: numeric

HHCHILDBIO_A_13A4: [raw] HH child 13 biological child

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0%
5	No	1	0.1%
	Total	1	0.1%
Value	Missing Data	Unweighted Frequency	%
.	-	999	99.9%
	Total	999	99.9%

This variable has 1 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 777-777 (width: 1; decimal: 0)

Variable Type: numeric

HHCHILDCOND_A_13A4: [raw] HH child 13 have a health or other condition that require extra care

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0%

Value	Label	Unweighted Frequency	%
5	No	1	0.1%
	Total	1	0.1%
Value	Missing Data	Unweighted Frequency	%
-	-	999	99.9%
	Total	999	99.9%

This variable has 1 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 778-778 (width: 1; decimal: 0)

Variable Type: numeric

HHCHILDNAME_A_14A4: [raw] HH child 14 name

Value	Label	Unweighted Frequency	%
-	-	999	99.9%
Yes, there is an answer	-	1	0.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 779-801 (width: 23; decimal: 0)

Variable Type: character

HHCHILDDOB_A_14A4: [raw] HH child 14 date of birth

Value	Label	Unweighted Frequency	%
-	-	999	99.9%
Yes, there is an answer	-	1	0.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 802-824 (width: 23; decimal: 0)

Variable Type: character

HHCHILDAGE_A_14A4: [raw] HH child 14 age

Value	Label	Unweighted Frequency	%
13	-	1	0.1%
	Total	1	0.1%
Value	Missing Data	Unweighted Frequency	%
.	-	999	99.9%
	Total	999	99.9%

This variable has 1 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 13.00
- Median: 13.00
- Mode: 13.00
- Minimum: 13.00
- Maximum: 13.00
- Standard Deviation: 0.00

Location: 825-826 (width: 2; decimal: 0)

Variable Type: numeric

HHCHILDBIO_A_14A4: [raw] HH child 14 biological child

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0%
5	No	1	0.1%
	Total	1	0.1%
Value	Missing Data	Unweighted Frequency	%
.	-	999	99.9%
	Total	999	99.9%

This variable has 1 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 827-827 (width: 1; decimal: 0)

Variable Type: numeric

HHCHILDCOND_A_14A4: [raw] HH child 14 have a health or other condition that require extra care

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0%

Value	Label	Unweighted Frequency	%
5	No	1	0.1%
	Total	1	0.1%
Value	Missing Data	Unweighted Frequency	%
-	-	999	99.9%
	Total	999	99.9%

This variable has 1 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 828-828 (width: 1; decimal: 0)

Variable Type: numeric

HHCHILDNAME_A_15A4: [raw] HH child 15 name

Value	Label	Unweighted Frequency	%
-	-	999	99.9%
Yes, there is an answer	-	1	0.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 829-851 (width: 23; decimal: 0)

Variable Type: character

HHCHILDDOB_A_15A4: [raw] HH child 15 date of birth

Value	Label	Unweighted Frequency	%
-	-	999	99.9%
Yes, there is an answer	-	1	0.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 852-874 (width: 23; decimal: 0)

Variable Type: character

HHCHILDAGE_A_15A4: [raw] HH child 15 age

Value	Label	Unweighted Frequency	%
15	-	1	0.1%
	Total	1	0.1%
Value	Missing Data	Unweighted Frequency	%
.	-	999	99.9%
	Total	999	99.9%

This variable has 1 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 15.00
- Median: 15.00
- Mode: 15.00
- Minimum: 15.00
- Maximum: 15.00
- Standard Deviation: 0.00

Location: 875-876 (width: 2; decimal: 0)

Variable Type: numeric

HHCHILDBIO_A_15A4: [raw] HH child 15 biological child

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0%
5	No	1	0.1%
	Total	1	0.1%
Value	Missing Data	Unweighted Frequency	%
.	-	999	99.9%
	Total	999	99.9%

This variable has 1 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 877-877 (width: 1; decimal: 0)

Variable Type: numeric

HHCHILDCOND_A_15A4: [raw] HH child 15 have a health or other condition that require extra care

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0%

Value	Label	Unweighted Frequency	%
5	No	1	0.1%
	Total	1	0.1%
Value	Missing Data	Unweighted Frequency	%
.	-	999	99.9%
	Total	999	99.9%

This variable has 1 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 878-878 (width: 1; decimal: 0)

Variable Type: numeric

ADULTHHMEMCOUNTA4: [raw] Adult HH Mem Count

Value	Label	Unweighted Frequency	%
0	-	294	29.4%
1	-	384	38.4%
2	-	128	12.8%
3	-	60	6.0%
4	-	16	1.6%
5	-	1	0.1%
6	-	2	0.2%
7	-	1	0.1%
	Total	886	88.6%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	1	0.1%
.	-	113	11.3%
	Total	114	11.4%

This variable has 886 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.02
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.01

Location: 879-882 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , ..

LIVEWITHBIODADA4: [raw] Biodad lives in household

Value	Label	Unweighted Frequency	%
1	Yes	335	33.5%
5	No	256	25.6%
	Total	591	59.1%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	2	0.2%
.	-	407	40.7%
	Total	409	40.9%

This variable has 591 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 883-886 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , ..

LIVEWITHPARTNERA4: [raw] Live with spouse or partner, different than biodad

Value	Label	Unweighted Frequency	%
1	Yes	85	8.5%
5	No	507	50.7%
	Total	592	59.2%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	1	0.1%
.	-	407	40.7%
	Total	408	40.8%

This variable has 592 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 887-890 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -888 , .

LIVEWITHGRANDA4: [raw] Live with any of child's grandparents

Value	Label	Unweighted Frequency	%
1	Yes	154	15.4%
5	No	438	43.8%
	Total	592	59.2%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	1	0.1%
.	-	407	40.7%
	Total	408	40.8%

This variable has 592 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 891-894 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

LIVEWITHRELATIVESA4: [raw] Live with any other adult relative

Value	Label	Unweighted Frequency	%
1	Yes	152	15.2%
5	No	440	44.0%
	Total	592	59.2%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	1	0.1%
.	-	407	40.7%
	Total	408	40.8%

This variable has 592 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 895-898 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

LIVEWITHNONRELATIVESA4: [raw] Live with any other unrelated adult

Value	Label	Unweighted Frequency	%
1	Yes	32	3.2%
5	No	560	56.0%
	Total	592	59.2%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	1	0.1%
.	-	407	40.7%
	Total	408	40.8%

This variable has 592 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 899-902 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

CURRENTLYPREGNANTA4: [raw] Currently Pregnant

Value	Label	Unweighted Frequency	%
1	Yes	75	7.5%
5	No	808	80.8%
	Total	883	88.3%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 903-906 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

LABORMARKETSTARTA4: [raw] Labor market participation start time

Value	Label	Unweighted Frequency	%
	-	125	12.5%
2022-07-14 15:20:38	-	1	0.1%
2022-07-14 18:58:41	-	1	0.1%
2022-07-16 19:04:41	-	1	0.1%
2022-07-17 21:00:59	-	1	0.1%
2022-07-18 17:15:12	-	1	0.1%
2022-07-18 17:15:50	-	1	0.1%
2022-07-19 22:21:17	-	1	0.1%
2022-07-21 19:05:45	-	1	0.1%
2022-07-22 14:05:17	-	1	0.1%
2022-07-22 19:27:13	-	1	0.1%
2022-07-23 14:56:34	-	1	0.1%
2022-07-23 15:15:53	-	1	0.1%
2022-07-23 19:46:13	-	1	0.1%
2022-07-25 15:15:51	-	1	0.1%
2022-07-25 18:43:12	-	1	0.1%
2022-07-26 15:56:49	-	1	0.1%
2022-07-27 20:00:05	-	1	0.1%
2022-07-28 16:46:14	-	1	0.1%
2022-07-28 20:29:28	-	1	0.1%
2022-07-28 23:14:48	-	1	0.1%
2022-07-29 15:17:56	-	1	0.1%
2022-07-29 17:13:32	-	1	0.1%
2022-07-29 19:24:37	-	1	0.1%
2022-07-30 17:34:14	-	1	0.1%
2022-07-30 21:03:54	-	1	0.1%
2022-07-31 14:58:02	-	1	0.1%
2022-07-31 18:35:11	-	1	0.1%
2022-08-01 22:00:41	-	1	0.1%
2022-08-01 22:01:15	-	1	0.1%
2022-08-02 14:49:56	-	1	0.1%
2022-08-02 19:30:33	-	1	0.1%
2022-08-02 20:06:46	-	1	0.1%
2022-08-03 15:13:22	-	1	0.1%
2022-08-03 20:21:43	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-08-03 21:39:09	-	1	0.1%
2022-08-04 15:30:32	-	1	0.1%
2022-08-04 16:03:31	-	1	0.1%
2022-08-05 17:36:52	-	1	0.1%
2022-08-06 18:04:41	-	1	0.1%
2022-08-06 18:56:58	-	1	0.1%
2022-08-07 16:53:39	-	1	0.1%
2022-08-07 19:28:37	-	1	0.1%
2022-08-07 20:31:06	-	1	0.1%
2022-08-08 14:39:05	-	1	0.1%
2022-08-08 15:02:41	-	1	0.1%
2022-08-08 18:00:11	-	1	0.1%
2022-08-09 16:19:14	-	1	0.1%
2022-08-10 16:22:13	-	1	0.1%
2022-08-11 17:35:11	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 907-925 (width: 19; decimal: 0)

Variable Type: character

MWORKA4: [raw] Mom Working

Value	Label	Unweighted Frequency	%
1	Yes	494	49.4%
5	No	393	39.3%
	Total	887	88.7%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	1	0.1%
.	-	112	11.2%
	Total	113	11.3%

This variable has 887 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 926-929 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

SELFEMPA4: [raw] Self Employed

Value	Label	Unweighted Frequency	%
1	Yes	175	17.5%
5	No	712	71.2%
	Total	887	88.7%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	1	0.1%
.	-	112	11.2%
	Total	113	11.3%

This variable has 887 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 930-933 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

MAINJOBSELFEMPA4: [raw] Working for self is main employment

Value	Label	Unweighted Frequency	%
0	Self-employment is my main job	96	9.6%
1	Self-employment is in addition to my main job	38	3.8%
	Total	134	13.4%

Value	Missing Data	Unweighted Frequency	%
.	-	866	86.6%
	Total	866	86.6%

This variable has 134 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 934-934 (width: 1; decimal: 0)

Variable Type: numeric

HWEEKMAIN4: [raw] Hours Per Week Main

Value	Label	Unweighted Frequency	%
0	-	9	0.9%
4	-	1	0.1%
5	-	1	0.1%
6	-	1	0.1%
7	-	3	0.3%
8	-	3	0.3%
10	-	7	0.7%
11	-	1	0.1%
12	-	2	0.2%
13	-	2	0.2%
14	-	1	0.1%
15	-	3	0.3%
17	-	1	0.1%
18	-	3	0.3%
19	-	1	0.1%
20	-	25	2.5%
21	-	4	0.4%
23	-	2	0.2%
24	-	5	0.5%
25	-	24	2.4%
26	-	3	0.3%
27	-	4	0.4%
28	-	7	0.7%
29	-	2	0.2%
30	-	62	6.2%
32	-	10	1.0%
35	-	38	3.8%
36	-	6	0.6%
37	-	2	0.2%
38	-	8	0.8%
39	-	1	0.1%
40	-	144	14.4%
42	-	4	0.4%

Value	Label	Unweighted Frequency	%
43	-	3	0.3%
44	-	3	0.3%
45	-	19	1.9%
46	-	2	0.2%
48	-	4	0.4%
50	-	20	2.0%
51	-	1	0.1%
53	-	1	0.1%
55	-	5	0.5%
56	-	1	0.1%
58	-	1	0.1%
60	-	13	1.3%
63	-	1	0.1%
65	-	3	0.3%
66	-	1	0.1%
70	-	3	0.3%
72	-	1	0.1%
Total		490	49.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	506	50.6%
Total		510	51.0%

This variable has 490 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 36.88
- Median: 40.00
- Mode: 40.00
- Minimum: 0.00
- Maximum: 144.00
- Standard Deviation: 16.25

Location: 935-938 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

SELFEMPBUSINESSA4: [raw] Self Employment: Own a Business

Value	Label	Unweighted Frequency	%
0	No	852	85.2%
1	Yes	40	4.0%
	Total	892	89.2%

Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 939-939 (width: 1; decimal: 0)

Variable Type: numeric

SELFEMPCONTRACTA4: [raw] Self Employment: Contractor or Subcontractor

Value	Label	Unweighted Frequency	%
0	No	852	85.2%
1	Yes	40	4.0%
	Total	892	89.2%

Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 940-940 (width: 1; decimal: 0)

Variable Type: numeric

SELFEMPINFORMA4: [raw] Self Employment: Informal Jobs

Value	Label	Unweighted Frequency	%
0	No	839	83.9%
1	Yes	53	5.3%
	Total	892	89.2%

Value	Missing Data	Unweighted Frequency	%
-		108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 941-941 (width: 1; decimal: 0)

Variable Type: numeric

SELFEMPTEMPA4: [raw] Self Employment: Temporary

Value	Label	Unweighted Frequency	%
0	No	891	89.1%
1	Yes	1	0.1%
	Total	892	89.2%

Value	Missing Data	Unweighted Frequency	%
-		108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 942-942 (width: 1; decimal: 0)

Variable Type: numeric

SELFEMPOTHERA4: [raw] Self Employment: Other

Value	Label	Unweighted Frequency	%
0	No	882	88.2%
1	Yes	10	1.0%
	Total	892	89.2%

Value	Missing Data	Unweighted Frequency	%
-		108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 943-943 (width: 1; decimal: 0)

Variable Type: numeric

SELFEMPDKREFA4: [raw] Self Employment: Don't Know/Refused

Value	Label	Unweighted Frequency	%
0	No	891	89.1%
1	Yes	1	0.1%
	Total	892	89.2%

Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 944-944 (width: 1; decimal: 0)

Variable Type: numeric

CONTRACTORTYPEA4: [raw] Type of subcontractor or contractor work

Value	Label	Unweighted Frequency	%
-		960	96.0%
Yes, there is an answer	-	40	4.0%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 945-967 (width: 23; decimal: 0)

Variable Type: character

SELFEMPTYPEOTHERA4: [raw] Specify other self-employment

Value	Label	Unweighted Frequency	%
-		990	99.0%
Yes, there is an answer	-	10	1.0%

Value	Label	Unweighted Frequency	%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 968-990 (width: 23; decimal: 0)

Variable Type: character

INCOMESTARTA4: [raw] Income start time

Value	Label	Unweighted Frequency	%
-	-	126	12.6%
2022-07-14 15:23:28	-	1	0.1%
2022-07-14 19:01:34	-	1	0.1%
2022-07-16 19:08:29	-	1	0.1%
2022-07-17 21:03:58	-	1	0.1%
2022-07-18 17:19:05	-	1	0.1%
2022-07-18 17:20:50	-	1	0.1%
2022-07-19 22:24:21	-	1	0.1%
2022-07-21 19:09:16	-	1	0.1%
2022-07-22 14:08:16	-	1	0.1%
2022-07-22 19:29:46	-	1	0.1%
2022-07-23 14:59:29	-	1	0.1%
2022-07-23 15:18:32	-	1	0.1%
2022-07-23 19:49:14	-	1	0.1%
2022-07-25 15:18:13	-	1	0.1%
2022-07-25 18:45:36	-	1	0.1%
2022-07-26 16:00:03	-	1	0.1%
2022-07-27 20:03:57	-	1	0.1%
2022-07-28 16:49:04	-	1	0.1%
2022-07-28 20:32:56	-	1	0.1%
2022-07-28 23:18:40	-	1	0.1%
2022-07-29 15:20:03	-	1	0.1%
2022-07-29 17:16:24	-	1	0.1%
2022-07-29 19:26:53	-	1	0.1%
2022-07-30 17:38:08	-	1	0.1%
2022-07-30 21:05:58	-	1	0.1%
2022-07-31 15:00:55	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-07-31 18:37:45	-	1	0.1%
2022-08-01 22:02:33	-	1	0.1%
2022-08-01 22:04:11	-	1	0.1%
2022-08-02 14:52:47	-	1	0.1%
2022-08-02 19:34:11	-	1	0.1%
2022-08-02 20:10:47	-	1	0.1%
2022-08-03 15:14:58	-	1	0.1%
2022-08-03 20:25:08	-	1	0.1%
2022-08-03 21:42:35	-	1	0.1%
2022-08-04 15:32:34	-	1	0.1%
2022-08-04 16:06:41	-	1	0.1%
2022-08-05 17:39:04	-	1	0.1%
2022-08-06 18:06:53	-	1	0.1%
2022-08-06 18:59:40	-	1	0.1%
2022-08-07 16:56:41	-	1	0.1%
2022-08-07 19:32:33	-	1	0.1%
2022-08-07 20:34:06	-	1	0.1%
2022-08-08 14:42:00	-	1	0.1%
2022-08-08 15:07:25	-	1	0.1%
2022-08-08 18:02:54	-	1	0.1%
2022-08-09 16:24:00	-	1	0.1%
2022-08-10 16:27:45	-	1	0.1%
2022-08-11 17:38:42	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 991-1009 (width: 19; decimal: 0)

Variable Type: character

TOTALEARNEDA4: [raw] Total Earned Income

Value	Label	Unweighted Frequency	%
0.00	-	179	17.9%
28.00	-	1	0.1%

Value	Label	Unweighted Frequency	%
30.00	-	1	0.1%
31.00	-	1	0.1%
32.00	-	1	0.1%
33.00	-	1	0.1%
40.00	-	1	0.1%
90.00	-	1	0.1%
200.00	-	2	0.2%
300.00	-	1	0.1%
500.00	-	3	0.3%
600.00	-	1	0.1%
878.00	-	1	0.1%
900.00	-	3	0.3%
950.00	-	1	0.1%
1000.00	-	5	0.5%
1500.00	-	6	0.6%
1600.00	-	1	0.1%
1700.00	-	1	0.1%
1800.00	-	1	0.1%
2000.00	-	8	0.8%
2400.00	-	1	0.1%
2500.00	-	2	0.2%
2800.00	-	2	0.2%
3000.00	-	9	0.9%
3600.00	-	2	0.2%
3700.00	-	1	0.1%
4000.00	-	6	0.6%
4300.00	-	1	0.1%
4500.00	-	1	0.1%
5000.00	-	26	2.6%
5100.00	-	1	0.1%
5500.00	-	2	0.2%
6000.00	-	16	1.6%
6300.00	-	1	0.1%
7000.00	-	6	0.6%
7200.00	-	2	0.2%

Value	Label	Unweighted Frequency	%
7424.00	-	1	0.1%
7500.00	-	2	0.2%
8000.00	-	11	1.1%
9000.00	-	8	0.8%
9400.00	-	1	0.1%
9504.00	-	1	0.1%
9588.00	-	1	0.1%
9600.00	-	1	0.1%
10000.00	-	31	3.1%
10188.00	-	1	0.1%
11000.00	-	11	1.1%
12000.00	-	22	2.2%
13000.00	-	13	1.3%
Total		782	78.2%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-888.00	.d = Don't know	106	10.6%
.	-	112	11.2%
Total		218	21.8%

This variable has 782 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 16254.37
- Median: 13000.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 330000.00
- Standard Deviation: 20704.75

Location: 1010-1018 (*width:* 9; *decimal:* 2)

Variable Type: numeric

(Range of) Missing Values: -888.00 , .

EARNED10000PLUSA4: [raw] Earned \$10K Plus

Value	Label	Unweighted Frequency	%
1	Yes	48	4.8%
5	No	39	3.9%

Value	Label	Unweighted Frequency	%
Total		87	8.7%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	19	1.9%
.	-	894	89.4%
Total		913	91.3%

This variable has 87 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1019-1022 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888, .

EARNED15000PLUSA4: [raw] Earned \$15K Plus

Value	Label	Unweighted Frequency	%
Total		26	2.6%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	3	0.3%
.	-	971	97.1%
Total		974	97.4%

This variable has 26 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1023-1026 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888, .

EARNED20000PLUSA4: [raw] Earned \$20K Plus

Value	Label	Unweighted Frequency	%
Total		4	0.4%
1	Yes	4	0.4%

Value	Label	Unweighted Frequency	%
5	No	8	0.8%
	Total	12	1.2%
Value	Missing Data	Unweighted Frequency	%
.	-	988	98.8%
	Total	988	98.8%

This variable has 12 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1027-1027 (width: 1; decimal: 0)

Variable Type: numeric

EARNED25000PLUSA4: [raw] Earned \$25K Plus

Value	Label	Unweighted Frequency	%
1	Yes	2	0.2%
5	No	2	0.2%
	Total	4	0.4%
Value	Missing Data	Unweighted Frequency	%
.	-	996	99.6%
	Total	996	99.6%

This variable has 4 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1028-1028 (width: 1; decimal: 0)

Variable Type: numeric

EARNED35000PLUSA4: [raw] Earned \$35K Plus

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0%
5	No	2	0.2%
	Total	2	0.2%

Value	Missing Data	Unweighted Frequency	%
.	-	998	99.8%
	Total	998	99.8%

This variable has 2 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 1029-1029 (width: 1; decimal: 0)

Variable Type: numeric

EARNED45000PLUSA4: [raw] Earned \$45K Plus

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0%
5	No	0	0.0%
	Total	0	0.0%

Value	Missing Data	Unweighted Frequency	%
.	-	1000	100.0%
	Total	1,000	100.0%

This variable has 0 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1030-1030 (width: 1; decimal: 0)

Variable Type: numeric

EARNED5000PLUSA4: [raw] Earned \$5K Plus

Value	Label	Unweighted Frequency	%
1	Yes	19	1.9%
5	No	10	1.0%
	Total	29	2.9%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	17	1.7%
.	-	954	95.4%
	Total	971	97.1%

This variable has 29 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1031-1034 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHINCOME4: [raw] Household Income

Value	Label	Unweighted Frequency	%
0.00	-	43	4.3%
28.00	-	1	0.1%
30.00	-	1	0.1%
32.00	-	1	0.1%
50.00	-	1	0.1%
67.00	-	1	0.1%
75.00	-	1	0.1%
98.00	-	1	0.1%
235.00	-	1	0.1%
359.00	-	1	0.1%
600.00	-	1	0.1%
720.00	-	1	0.1%
750.00	-	1	0.1%
800.00	-	1	0.1%
878.00	-	1	0.1%
900.00	-	2	0.2%
1000.00	-	6	0.6%
1200.00	-	1	0.1%
1213.00	-	1	0.1%
1500.00	-	1	0.1%
1800.00	-	1	0.1%
1900.00	-	1	0.1%
1920.00	-	1	0.1%
2000.00	-	2	0.2%
2044.00	-	1	0.1%
2400.00	-	1	0.1%
2500.00	-	2	0.2%
2800.00	-	1	0.1%
2880.00	-	1	0.1%

Value	Label	Unweighted Frequency	%
3000.00	-	2	0.2%
3320.00	-	1	0.1%
3500.00	-	2	0.2%
3600.00	-	1	0.1%
4000.00	-	5	0.5%
4200.00	-	2	0.2%
4300.00	-	1	0.1%
4800.00	-	1	0.1%
5000.00	-	15	1.5%
5300.00	-	1	0.1%
5460.00	-	1	0.1%
5500.00	-	3	0.3%
6000.00	-	11	1.1%
6156.00	-	1	0.1%
7000.00	-	9	0.9%
7200.00	-	1	0.1%
7400.00	-	1	0.1%
7440.00	-	1	0.1%
7500.00	-	1	0.1%
8000.00	-	6	0.6%
8400.00	-	1	0.1%
Total		754	75.4%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-888.00	.d = Don't know	134	13.4%
.	-	112	11.2%
Total		246	24.6%

This variable has 754 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 30060.93
- Median: 22000.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 730000.00
- Standard Deviation: 39492.03

Location: 1035-1043 (width: 9; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -888.00 , .

HHINCOME15000PLUS4: [raw] Household Income \$15K Plus

Value	Label	Unweighted Frequency	%
1	Yes	58	5.8%
5	No	38	3.8%
	Total	96	9.6%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	39	3.9%
.	-	865	86.5%
	Total	904	90.4%

This variable has 96 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1044-1047 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHINCOME20000PLUS4: [raw] Household Income \$20K Plus

Value	Label	Unweighted Frequency	%
1	Yes	29	2.9%
5	No	26	2.6%
	Total	55	5.5%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	3	0.3%
.	-	942	94.2%
	Total	945	94.5%

This variable has 55 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1048-1051 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -888 , .

HHINCOME30000PLUS4: [raw] Household Income \$30K Plus

Value	Label	Unweighted Frequency	%
1	Yes	15	1.5%
5	No	13	1.3%
	Total	28	2.8%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	1	0.1%
.	-	971	97.1%
	Total	972	97.2%

This variable has 28 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1052-1055 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHINCOME40000PLUS4: [raw] Household Income \$40K Plus

Value	Label	Unweighted Frequency	%
1	Yes	6	0.6%
5	No	6	0.6%
	Total	12	1.2%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	3	0.3%
.	-	985	98.5%
	Total	988	98.8%

This variable has 12 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1056-1059 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHINCOME50000PLUS4: [raw] Household Income \$50K Plus

Value	Label	Unweighted Frequency	%
1	Yes	4	0.4%
5	No	1	0.1%
	Total	5	0.5%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	1	0.1%
.	-	994	99.4%
	Total	995	99.5%

This variable has 5 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1060-1063 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHINCOME75000PLUS4: [raw] Household Income \$75K Plus

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1%
5	No	2	0.2%
	Total	3	0.3%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	1	0.1%
.	-	996	99.6%
	Total	997	99.7%

This variable has 3 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1064-1067 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHINCOME10000PLUS4: [raw] Household Income \$10K Plus

Value	Label	Unweighted Frequency	%
1	Yes	6	0.6%
5	No	10	1.0%
	Total	16	1.6%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	36	3.6%
.	-	948	94.8%
	Total	984	98.4%

This variable has 16 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1068-1071 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

INCOMEVALID10LESSA4: [raw] Income Validation: Less than \$10K

Value	Label	Unweighted Frequency	%
1	Yes	9	0.9%
5	No	0	0.0%
	Total	9	0.9%
Value	Missing Data	Unweighted Frequency	%
.	-	991	99.1%
	Total	991	99.1%

This variable has 9 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1072-1072 (width: 1; decimal: 0)

Variable Type: numeric

INCOMEVALID10TO15A4: [raw] Income Validation: Between \$10K and \$15K

Value	Label	Unweighted Frequency	%
1	Yes	3	0.3%

Value	Label	Unweighted Frequency	%
5	No	0	0.0%
	Total	3	0.3%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	1	0.1%
.	-	996	99.6%
	Total	997	99.7%

This variable has 3 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1073-1076 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

INCOMEVALID15TO20A4: [raw] Income Validation: Between \$15K and \$20K

Value	Label	Unweighted Frequency	%
1	Yes	26	2.6%
5	No	0	0.0%
	Total	26	2.6%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	3	0.3%
.	-	971	97.1%
	Total	974	97.4%

This variable has 26 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1077-1080 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

INCOMEVALID20TO30A4: [raw] Income Validation: Between \$20K and \$30K

Value	Label	Unweighted Frequency	%
1	Yes	12	1.2%

Value	Label	Unweighted Frequency	%
5	No	1	0.1%
	Total	13	1.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	1	0.1%
.	-	986	98.6%
	Total	987	98.7%

This variable has 13 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1081-1084 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

INCOMEVALID30TO40A4: [raw] Income Validation: Between \$30K and \$40K

Value	Label	Unweighted Frequency	%
1	Yes	6	0.6%
5	No	1	0.1%
	Total	7	0.7%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	2	0.2%
.	-	991	99.1%
	Total	993	99.3%

This variable has 7 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1085-1088 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

INCOMEVALID40TO50A4: [raw] Income Validation: Between \$40K and \$50K

Value	Label	Unweighted Frequency	%
1	Yes	2	0.2%

Value	Label	Unweighted Frequency	%
5	No	0	0.0%
	Total	2	0.2%
Value	Missing Data	Unweighted Frequency	%
.	-	998	99.8%
	Total	998	99.8%

This variable has 2 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1089-1089 (width: 1; decimal: 0)

Variable Type: numeric

INCOMEVALID50TO75A4: [raw] Income Validation: Between \$50K and \$75K

Value	Label	Unweighted Frequency	%
1	Yes	3	0.3%
5	No	0	0.0%
	Total	3	0.3%
Value	Missing Data	Unweighted Frequency	%
.	-	997	99.7%
	Total	997	99.7%

This variable has 3 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1090-1090 (width: 1; decimal: 0)

Variable Type: numeric

INCOMEVALID75PLUSA4: [raw] Income Validation: More than \$75K

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1%
5	No	0	0.0%
	Total	1	0.1%

Value	Missing Data	Unweighted Frequency	%
-		999	99.9%
	Total	999	99.9%

This variable has 1 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1091-1091 (width: 1; decimal: 0)

Variable Type: numeric

INCOMEVALIDA4: [raw] Income Validation: Confirm Household Income

Value	Label	Unweighted Frequency	%
1	Yes	707	70.7%
5	No	2	0.2%
	Total	709	70.9%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	1	0.1%
.	-	290	29.0%
	Total	291	29.1%

This variable has 709 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1092-1095 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

ESTIMATEDINCOMEA4: [raw] Estimated Income

Value	Label	Unweighted Frequency	%
20000	-	1	0.1%
28000	-	1	0.1%
32000	-	1	0.1%
35000	-	1	0.1%
42000	-	1	0.1%
	Total	5	0.5%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	6	0.6%
.	-	989	98.9%
	Total	995	99.5%

This variable has 5 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 31400.00
- Median: 32000.00
- Minimum: 20000.00
- Maximum: 42000.00
- Standard Deviation: 8173.13

Location: 1096-1100 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

TAXREFUNDA4: [raw] Received Tax Refund

Value	Label	Unweighted Frequency	%
1	Received in previous year	590	59.0%
2	Did not receive in previous year	275	27.5%
	Total	865	86.5%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	23	2.3%
.	-	112	11.2%
	Total	135	13.5%

This variable has 865 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1101-1104 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

INCOMEPERSONALA4: [raw] Had income from own earnings or wages

Value	Label	Unweighted Frequency	%
1	Yes	450	45.0%
5	No	430	43.0%

Value	Label	Unweighted Frequency	%
Total		880	88.0%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	8	0.8%
.	-	112	11.2%
Total		120	12.0%

This variable has 880 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1105-1108 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

INCOMEFROMHHA4: [raw] Household members had income from earnings or wages

Value	Label	Unweighted Frequency	%
Total		878	87.8%
Value	Missing Data	Unweighted Frequency	%
1	Yes	331	33.1%
5	No	547	54.7%
Total		122	12.2%

This variable has 878 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1109-1112 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

INCOMEFROMGOVA4: [raw] Had income support from government

Value	Label	Unweighted Frequency	%
Total		677	67.7%
Value	Missing Data	Unweighted Frequency	%
1	Yes	205	20.5%
5	No	677	67.7%

Value	Label	Unweighted Frequency	%
Total		882	88.2%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	6	0.6%
.	-	112	11.2%
Total		118	11.8%

This variable has 882 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1113-1116 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

INCOMEFROMOTHERA4: [raw] Had other income source

Value	Label	Unweighted Frequency	%
Total		881	88.1%
Value	Missing Data	Unweighted Frequency	%
1	Yes	115	11.5%
5	No	766	76.6%
Total		119	11.9%

This variable has 881 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1117-1120 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

INCOMEFROMINKINDA4: [raw] Had income from in-kind sources

Value	Label	Unweighted Frequency	%
Total		703	70.3%
Value	Missing Data	Unweighted Frequency	%
1	Yes	703	70.3%
5	No	179	17.9%

Value	Label	Unweighted Frequency	%
Total		882	88.2%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	6	0.6%
.	-	112	11.2%
Total		118	11.8%

This variable has 882 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1121-1124 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

CHILDEXPENDSTARTA4: [raw] Child-focused expenditures start time

Value	Label	Unweighted Frequency	%
-	-	127	12.7%
2022-07-14 15:25:22	-	1	0.1%
2022-07-14 19:04:40	-	1	0.1%
2022-07-16 19:12:24	-	1	0.1%
2022-07-17 21:05:53	-	1	0.1%
2022-07-18 17:20:52	-	1	0.1%
2022-07-18 17:24:13	-	1	0.1%
2022-07-19 22:26:06	-	1	0.1%
2022-07-21 19:11:53	-	1	0.1%
2022-07-22 14:10:49	-	1	0.1%
2022-07-22 19:32:03	-	1	0.1%
2022-07-23 15:01:57	-	1	0.1%
2022-07-23 15:21:26	-	1	0.1%
2022-07-23 19:53:35	-	1	0.1%
2022-07-25 15:20:00	-	1	0.1%
2022-07-25 18:47:21	-	1	0.1%
2022-07-26 16:02:24	-	1	0.1%
2022-07-27 20:06:02	-	1	0.1%
2022-07-28 16:50:51	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-07-28 20:35:22	-	1	0.1%
2022-07-28 23:21:21	-	1	0.1%
2022-07-29 15:22:00	-	1	0.1%
2022-07-29 17:18:54	-	1	0.1%
2022-07-29 19:28:39	-	1	0.1%
2022-07-30 17:40:23	-	1	0.1%
2022-07-30 21:07:29	-	1	0.1%
2022-07-31 15:03:49	-	1	0.1%
2022-07-31 18:39:35	-	1	0.1%
2022-08-01 22:04:10	-	1	0.1%
2022-08-01 22:07:13	-	1	0.1%
2022-08-02 15:03:49	-	1	0.1%
2022-08-02 19:38:00	-	1	0.1%
2022-08-02 20:16:27	-	1	0.1%
2022-08-03 15:16:29	-	1	0.1%
2022-08-03 20:27:42	-	1	0.1%
2022-08-03 21:45:43	-	1	0.1%
2022-08-04 15:34:13	-	1	0.1%
2022-08-04 16:11:04	-	1	0.1%
2022-08-05 17:41:01	-	1	0.1%
2022-08-06 18:09:05	-	1	0.1%
2022-08-06 19:02:00	-	1	0.1%
2022-08-07 16:59:05	-	1	0.1%
2022-08-07 19:34:25	-	1	0.1%
2022-08-07 20:36:30	-	1	0.1%
2022-08-08 14:44:55	-	1	0.1%
2022-08-08 15:09:47	-	1	0.1%
2022-08-08 18:05:24	-	1	0.1%
2022-08-09 16:28:06	-	1	0.1%
2022-08-10 16:31:18	-	1	0.1%
2022-08-11 17:40:06	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1125-1143 (width: 19; decimal: 0)

Variable Type: character

BOOKPURCHP30DA4: [raw] Book Purchased Past 30 Days

Value	Label	Unweighted Frequency	%
1	Yes	618	61.8%
5	No	265	26.5%
	Total	883	88.3%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	3	0.3%
.	-	114	11.4%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1144-1147 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

BOOKMONEYP30DA4: [raw] Book Money Past 30 Days

Value	Label	Unweighted Frequency	%
0.00	-	3	0.3%
2.00	-	1	0.1%
3.00	-	3	0.3%
5.00	-	12	1.2%
6.00	-	3	0.3%
7.00	-	3	0.3%
8.00	-	1	0.1%
10.00	-	39	3.9%
12.00	-	4	0.4%
13.00	-	2	0.2%
14.00	-	1	0.1%
14.99	-	1	0.1%
15.00	-	29	2.9%
17.00	-	4	0.4%

Value	Label	Unweighted Frequency	%
18.00	-	3	0.3%
20.00	-	90	9.0%
22.00	-	3	0.3%
24.00	-	1	0.1%
25.00	-	54	5.4%
26.00	-	3	0.3%
27.00	-	2	0.2%
28.00	-	2	0.2%
30.00	-	64	6.4%
35.00	-	10	1.0%
38.00	-	1	0.1%
40.00	-	48	4.8%
42.00	-	1	0.1%
45.00	-	6	0.6%
48.00	-	1	0.1%
50.00	-	75	7.5%
54.00	-	1	0.1%
60.00	-	19	1.9%
65.00	-	1	0.1%
66.00	-	1	0.1%
70.00	-	7	0.7%
72.00	-	1	0.1%
75.00	-	3	0.3%
78.00	-	1	0.1%
80.00	-	10	1.0%
85.00	-	1	0.1%
86.00	-	1	0.1%
90.00	-	1	0.1%
100.00	-	40	4.0%
110.00	-	1	0.1%
120.00	-	5	0.5%
125.00	-	1	0.1%
129.00	-	1	0.1%
130.00	-	1	0.1%
150.00	-	12	1.2%

Value	Label	Unweighted Frequency	%
160.00	-	3	0.3%
	Total	612	61.2%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-888.00	.d = Don't know	6	0.6%
.	-	382	38.2%
	Total	388	38.8%

This variable has 612 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 52.40
- Median: 30.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 600.00
- Standard Deviation: 64.74

Location: 1148-1154 (width: 7; decimal: 2)

Variable Type: numeric

(Range of Missing Values: -888.00 , .

TOYSP30DA4: [raw] Toys Purchased Past 30 Days

Value	Label	Unweighted Frequency	%
1	Yes	766	76.6%
5	No	118	11.8%
	Total	884	88.4%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	2	0.2%
.	-	114	11.4%
	Total	116	11.6%

This variable has 884 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1155-1158 (width: 4; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -888 , .

TOYMONEYP30DA4: [raw] Toy Money Past 30 Days

Value	Label	Unweighted Frequency	%
0	-	1	0.1%
5	-	4	0.4%
6	-	2	0.2%
10	-	18	1.8%
12	-	1	0.1%
15	-	15	1.5%
16	-	1	0.1%
17	-	1	0.1%
20	-	47	4.7%
22	-	1	0.1%
24	-	1	0.1%
25	-	27	2.7%
27	-	2	0.2%
30	-	45	4.5%
32	-	2	0.2%
35	-	4	0.4%
37	-	1	0.1%
38	-	1	0.1%
39	-	1	0.1%
40	-	29	2.9%
42	-	1	0.1%
45	-	8	0.8%
46	-	1	0.1%
50	-	101	10.1%
55	-	3	0.3%
60	-	40	4.0%
63	-	1	0.1%
65	-	7	0.7%
70	-	11	1.1%
72	-	1	0.1%
75	-	10	1.0%
80	-	18	1.8%
85	-	5	0.5%
88	-	1	0.1%

Value	Label	Unweighted Frequency	%
90	-	3	0.3%
95	-	2	0.2%
100	-	118	11.8%
101	-	1	0.1%
110	-	4	0.4%
120	-	9	0.9%
123	-	1	0.1%
125	-	4	0.4%
130	-	1	0.1%
140	-	1	0.1%
150	-	39	3.9%
152	-	1	0.1%
160	-	2	0.2%
165	-	1	0.1%
170	-	2	0.2%
175	-	1	0.1%
Total		755	75.5%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	11	1.1%
.	-	234	23.4%
Total		245	24.5%

This variable has 755 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 114.46
- Median: 72.00
- Mode: 100.00
- Minimum: 0.00
- Maximum: 2000.00
- Standard Deviation: 140.69

Location: 1159-1162 (*width:* 4; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

CLOTHESP30DA4: [raw] Clothes Purchased Past 30 Days

Value	Label	Unweighted Frequency	%
1	Yes	812	81.2%
5	No	70	7.0%
	Total	882	88.2%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	114	11.4%
	Total	118	11.8%

This variable has 882 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1163-1166 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888, .

CLOTHESMONEY30DA4: [raw] Clothes Money Past 30 Days

Value	Label	Unweighted Frequency	%
0.00	-	1	0.1%
5.00	-	1	0.1%
10.00	-	3	0.3%
15.00	-	1	0.1%
18.00	-	1	0.1%
20.00	-	7	0.7%
25.00	-	6	0.6%
30.00	-	12	1.2%
35.00	-	5	0.5%
36.00	-	1	0.1%
40.00	-	12	1.2%
45.00	-	2	0.2%
50.00	-	48	4.8%
55.00	-	3	0.3%
58.00	-	1	0.1%
60.00	-	30	3.0%
65.00	-	6	0.6%

Value	Label	Unweighted Frequency	%
68.00	-	2	0.2%
70.00	-	9	0.9%
72.82	-	1	0.1%
75.00	-	9	0.9%
76.00	-	1	0.1%
80.00	-	13	1.3%
83.00	-	1	0.1%
85.00	-	2	0.2%
90.00	-	3	0.3%
95.00	-	1	0.1%
100.00	-	113	11.3%
110.00	-	2	0.2%
115.00	-	1	0.1%
120.00	-	24	2.4%
122.00	-	1	0.1%
125.00	-	7	0.7%
130.00	-	4	0.4%
140.00	-	2	0.2%
150.00	-	88	8.8%
152.00	-	1	0.1%
155.00	-	1	0.1%
160.00	-	11	1.1%
170.00	-	3	0.3%
175.00	-	4	0.4%
180.00	-	2	0.2%
185.00	-	1	0.1%
200.00	-	121	12.1%
205.00	-	1	0.1%
210.00	-	2	0.2%
217.00	-	1	0.1%
220.00	-	3	0.3%
225.00	-	2	0.2%
230.00	-	3	0.3%
Total		803	80.3%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-888.00	.d = Don't know	9	0.9%
.	-	188	18.8%
	Total	197	19.7%

This variable has 803 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 193.97
- Median: 150.00
- Mode: 200.00
- Minimum: 0.00
- Maximum: 2000.00
- Standard Deviation: 168.21

Location: 1167-1173 (width: 7; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -888.00 , .

VIDEOSP30DA4: [raw] Videos Purchased Past 30 Days

Value	Label	Unweighted Frequency	%
1	Yes	565	56.5%
5	No	318	31.8%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	3	0.3%
.	-	114	11.4%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1174-1177 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

VIDEOMONEY30DA4: [raw] Video Money Past 30 Days

Value	Label	Unweighted Frequency	%
0.00	-	8	0.8%
1.99	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.00	-	1	0.1%
3.00	-	1	0.1%
4.99	-	1	0.1%
5.00	-	2	0.2%
5.99	-	1	0.1%
6.00	-	3	0.3%
7.00	-	6	0.6%
7.99	-	1	0.1%
8.00	-	15	1.5%
8.99	-	2	0.2%
9.00	-	4	0.4%
9.99	-	1	0.1%
10.00	-	21	2.1%
10.99	-	1	0.1%
11.00	-	3	0.3%
11.94	-	1	0.1%
12.00	-	11	1.1%
12.99	-	2	0.2%
13.00	-	4	0.4%
14.00	-	6	0.6%
14.99	-	8	0.8%
15.00	-	27	2.7%
15.99	-	1	0.1%
16.00	-	11	1.1%
16.42	-	1	0.1%
16.99	-	1	0.1%
17.00	-	3	0.3%
18.00	-	6	0.6%
20.00	-	67	6.7%
21.00	-	11	1.1%
22.00	-	6	0.6%
22.93	-	1	0.1%
23.00	-	3	0.3%
24.00	-	7	0.7%
25.00	-	26	2.6%

Value	Label	Unweighted Frequency	%
26.00	-	4	0.4%
27.00	-	1	0.1%
28.00	-	4	0.4%
29.00	-	1	0.1%
30.00	-	53	5.3%
32.00	-	1	0.1%
33.00	-	2	0.2%
34.00	-	1	0.1%
35.00	-	9	0.9%
36.00	-	1	0.1%
37.00	-	2	0.2%
39.99	-	1	0.1%
40.00	-	26	2.6%
Total		557	55.7%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-888.00	.d = Don't know	8	0.8%
.	-	435	43.5%
Total		443	44.3%

This variable has 557 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 42.58
- Median: 26.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 800.00
- Standard Deviation: 58.21

Location: 1178-1184 (width: 7; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -888.00, .

ACTIVITIES30DA4: [raw] Activities Purchased Past 30 Days

Value	Label	Unweighted Frequency	%
1	Yes	520	52.0%
5	No	362	36.2%

Value	Label	Unweighted Frequency	%
	Total	882	88.2%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	114	11.4%
	Total	118	11.8%

This variable has 882 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1185-1188 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888, .

ACTIVITIESMONEY30DA4: [raw] Activities Money Past 30 Days

Value	Label	Unweighted Frequency	%
0.00	-	8	0.8%
2.00	-	1	0.1%
3.00	-	1	0.1%
5.00	-	1	0.1%
7.00	-	1	0.1%
10.00	-	7	0.7%
10.99	-	1	0.1%
11.00	-	1	0.1%
13.00	-	1	0.1%
14.00	-	1	0.1%
15.00	-	10	1.0%
20.00	-	24	2.4%
22.00	-	1	0.1%
23.00	-	1	0.1%
25.00	-	5	0.5%
26.00	-	1	0.1%
30.00	-	32	3.2%
34.00	-	1	0.1%
35.00	-	5	0.5%
36.00	-	2	0.2%

Value	Label	Unweighted Frequency	%
38.00	-	2	0.2%
40.00	-	26	2.6%
45.00	-	5	0.5%
48.00	-	1	0.1%
49.00	-	1	0.1%
50.00	-	61	6.1%
56.00	-	3	0.3%
57.00	-	1	0.1%
60.00	-	31	3.1%
65.00	-	4	0.4%
67.00	-	1	0.1%
68.00	-	1	0.1%
70.00	-	13	1.3%
75.00	-	15	1.5%
76.00	-	1	0.1%
80.00	-	20	2.0%
85.00	-	2	0.2%
89.00	-	1	0.1%
90.00	-	3	0.3%
94.00	-	2	0.2%
100.00	-	75	7.5%
105.00	-	1	0.1%
110.00	-	1	0.1%
115.00	-	1	0.1%
120.00	-	8	0.8%
125.00	-	2	0.2%
126.00	-	1	0.1%
130.00	-	2	0.2%
140.00	-	1	0.1%
145.00	-	1	0.1%
Total		506	50.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-888.00	.d = Don't know	14	1.4%

Value	Missing Data	Unweighted Frequency	%
.	-	480	48.0%
	Total	494	49.4%

This variable has 506 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 107.90
- Median: 70.00
- Mode: 100.00
- Minimum: 0.00
- Maximum: 3000.00
- Standard Deviation: 167.66

Location: 1189-1195 (width: 7; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -888.00 , .

CHILDCAREP30DA4: [raw] Child Care Purchased Past 30 Days

Value	Label	Unweighted Frequency	%
1	Yes	186	18.6%
5	No	697	69.7%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	3	0.3%
.	-	114	11.4%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1196-1199 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

CHILDCAREMONEY30DA4: [raw] Child Care Money Past 30 Days

Value	Label	Unweighted Frequency	%
1.00	-	1	0.1%
20.00	-	1	0.1%
30.00	-	2	0.2%

Value	Label	Unweighted Frequency	%
40.00	-	2	0.2%
48.00	-	1	0.1%
50.00	-	2	0.2%
56.00	-	1	0.1%
60.00	-	2	0.2%
65.00	-	1	0.1%
80.00	-	5	0.5%
88.00	-	1	0.1%
90.00	-	1	0.1%
100.00	-	16	1.6%
102.00	-	1	0.1%
104.00	-	1	0.1%
110.00	-	1	0.1%
120.00	-	2	0.2%
130.00	-	1	0.1%
148.00	-	1	0.1%
150.00	-	10	1.0%
158.00	-	1	0.1%
160.00	-	3	0.3%
169.52	-	1	0.1%
175.00	-	3	0.3%
180.00	-	1	0.1%
191.00	-	1	0.1%
198.00	-	1	0.1%
200.00	-	11	1.1%
211.00	-	1	0.1%
220.00	-	1	0.1%
225.00	-	1	0.1%
250.00	-	7	0.7%
258.00	-	1	0.1%
267.00	-	1	0.1%
269.00	-	1	0.1%
275.00	-	1	0.1%
280.00	-	1	0.1%
300.00	-	11	1.1%

Value	Label	Unweighted Frequency	%
320.00	-	1	0.1%
325.00	-	1	0.1%
340.00	-	1	0.1%
350.00	-	1	0.1%
380.00	-	1	0.1%
400.00	-	18	1.8%
450.00	-	4	0.4%
480.00	-	4	0.4%
500.00	-	11	1.1%
520.00	-	3	0.3%
540.00	-	1	0.1%
550.00	-	2	0.2%
Total		183	18.3%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-888.00	.d = Don't know	3	0.3%
.	-	814	81.4%
Total		817	81.7%

This variable has 183 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 339.95
- Median: 300.00
- Mode: 400.00
- Minimum: 1.00
- Maximum: 1080.00
- Standard Deviation: 239.65

Location: 1200-1206 (width: 7; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -888.00 , .

CCSPENDCONFA4: [raw] Child Care Spend Confirm

Value	Label	Unweighted Frequency	%
1	Yes	161	16.1%
5	No	24	2.4%
Total		185	18.5%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	1	0.1%
.	-	814	81.4%
	Total	815	81.5%

This variable has 185 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1207-1210 (width: 4; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -888 , .

CCSPENDNUMCHILDA4: [raw] Child Care Spend Num Children

Value	Label	Unweighted Frequency	%
1	-	15	1.5%
2	-	4	0.4%
3	-	2	0.2%
4	-	2	0.2%
6	-	1	0.1%
	Total	24	2.4%

Value	Missing Data	Unweighted Frequency	%
.	-	976	97.6%
	Total	976	97.6%

This variable has 24 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.79
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.32

Location: 1211-1211 (width: 1; decimal: 0)

Variable Type: numeric

CENTERBASEDCARESTARTA4: [raw] Center-based child care start

Value	Label	Unweighted Frequency	%
-	-	126	12.6%

Value	Label	Unweighted Frequency	%
2022-07-14 15:26:03	-	1	0.1%
2022-07-14 19:05:24	-	1	0.1%
2022-07-16 19:13:00	-	1	0.1%
2022-07-17 21:06:26	-	1	0.1%
2022-07-18 17:21:24	-	1	0.1%
2022-07-18 17:24:43	-	1	0.1%
2022-07-19 22:26:37	-	1	0.1%
2022-07-21 19:12:33	-	1	0.1%
2022-07-22 14:11:23	-	1	0.1%
2022-07-22 19:32:35	-	1	0.1%
2022-07-23 15:02:45	-	1	0.1%
2022-07-23 15:21:59	-	1	0.1%
2022-07-23 19:54:08	-	1	0.1%
2022-07-25 15:20:49	-	1	0.1%
2022-07-25 18:47:51	-	1	0.1%
2022-07-26 16:03:00	-	1	0.1%
2022-07-27 20:06:39	-	1	0.1%
2022-07-28 16:51:21	-	1	0.1%
2022-07-28 20:36:02	-	1	0.1%
2022-07-28 23:22:26	-	1	0.1%
2022-07-29 15:22:34	-	1	0.1%
2022-07-29 17:19:23	-	1	0.1%
2022-07-29 19:29:08	-	1	0.1%
2022-07-30 17:41:58	-	1	0.1%
2022-07-30 21:07:55	-	1	0.1%
2022-07-31 15:05:24	-	1	0.1%
2022-07-31 18:40:02	-	1	0.1%
2022-08-01 22:04:31	-	1	0.1%
2022-08-01 22:08:18	-	1	0.1%
2022-08-02 15:05:09	-	1	0.1%
2022-08-02 19:38:59	-	1	0.1%
2022-08-02 20:17:02	-	1	0.1%
2022-08-03 15:17:01	-	1	0.1%
2022-08-03 20:28:31	-	1	0.1%
2022-08-03 21:46:11	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-08-04 15:34:39	-	1	0.1%
2022-08-04 16:11:58	-	1	0.1%
2022-08-05 17:41:31	-	1	0.1%
2022-08-06 18:09:39	-	1	0.1%
2022-08-06 19:02:39	-	1	0.1%
2022-08-07 16:59:37	-	1	0.1%
2022-08-07 19:34:59	-	1	0.1%
2022-08-07 20:37:09	-	1	0.1%
2022-08-08 14:45:57	-	1	0.1%
2022-08-08 15:10:30	-	1	0.1%
2022-08-08 18:05:51	-	1	0.1%
2022-08-09 16:28:42	-	1	0.1%
2022-08-10 16:32:39	-	1	0.1%
2022-08-11 17:40:40	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1212-1230 (width: 19; decimal: 0)

Variable Type: character

FCLASTWEEKA4: [raw] Family Day Care Last Week

Value	Label	Unweighted Frequency	%
1	Yes	138	13.8%
5	No	747	74.7%
	Total	885	88.5%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	2	0.2%
.	-	113	11.3%
	Total	115	11.5%

This variable has 885 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1231-1234 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , ..

DCLASTWEEKA4: [raw] Day Care Last Week

Value	Label	Unweighted Frequency	%
1	Yes	454	45.4%
5	No	431	43.1%
	Total	885	88.5%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	2	0.2%
.	-	113	11.3%
	Total	115	11.5%

This variable has 885 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1235-1238 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , ..

PARENTCHILDACTSTARTA4: [raw] Parent child activities start time

Value	Label	Unweighted Frequency	%
	-	126	12.6%
2022-07-14 15:28:51	-	1	0.1%
2022-07-14 19:08:34	-	1	0.1%
2022-07-16 19:16:50	-	1	0.1%
2022-07-17 21:08:42	-	1	0.1%
2022-07-18 17:23:43	-	1	0.1%
2022-07-18 17:27:00	-	1	0.1%
2022-07-19 22:29:08	-	1	0.1%
2022-07-21 19:14:28	-	1	0.1%
2022-07-22 14:13:57	-	1	0.1%
2022-07-22 19:36:19	-	1	0.1%
2022-07-23 15:06:36	-	1	0.1%
2022-07-23 15:25:58	-	1	0.1%
2022-07-23 19:56:19	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-07-25 15:23:28	-	1	0.1%
2022-07-25 18:50:03	-	1	0.1%
2022-07-26 16:05:41	-	1	0.1%
2022-07-27 20:08:40	-	1	0.1%
2022-07-28 16:53:34	-	1	0.1%
2022-07-28 20:38:56	-	1	0.1%
2022-07-28 23:26:25	-	1	0.1%
2022-07-29 15:25:17	-	1	0.1%
2022-07-29 17:22:14	-	1	0.1%
2022-07-29 19:31:46	-	1	0.1%
2022-07-30 17:45:58	-	1	0.1%
2022-07-30 21:10:06	-	1	0.1%
2022-07-31 15:09:34	-	1	0.1%
2022-07-31 18:42:41	-	1	0.1%
2022-08-01 22:07:09	-	1	0.1%
2022-08-01 22:11:53	-	1	0.1%
2022-08-02 15:13:34	-	1	0.1%
2022-08-02 19:43:55	-	1	0.1%
2022-08-02 20:20:56	-	1	0.1%
2022-08-03 15:19:14	-	1	0.1%
2022-08-03 20:34:20	-	1	0.1%
2022-08-03 21:48:57	-	1	0.1%
2022-08-04 15:36:54	-	1	0.1%
2022-08-04 16:15:27	-	1	0.1%
2022-08-05 17:44:29	-	1	0.1%
2022-08-06 18:13:06	-	1	0.1%
2022-08-06 19:04:55	-	1	0.1%
2022-08-07 17:01:47	-	1	0.1%
2022-08-07 19:38:04	-	1	0.1%
2022-08-07 20:39:45	-	1	0.1%
2022-08-08 14:49:12	-	1	0.1%
2022-08-08 15:13:38	-	1	0.1%
2022-08-08 18:08:31	-	1	0.1%
2022-08-09 16:38:15	-	1	0.1%
2022-08-10 16:37:06	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-08-11 17:42:45	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1239-1257 (width: 19; decimal: 0)

Variable Type: character

READBOOKSWEEKA4: [raw] Read Books Together Past Week

Value	Label	Unweighted Frequency	%
1	No days	67	6.7%
2	1-2 days	375	37.5%
3	3-5 days	340	34.0%
4	6-7 days	101	10.1%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1258-1261 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888, .

READBOOKSTIMEA4: [raw] Read Books Together Time per Day

Value	Label	Unweighted Frequency	%
1	4 minutes or less	40	4.0%
2	5-10 minutes	304	30.4%
3	11-20 minutes	267	26.7%
4	21-30 minutes	137	13.7%
5	More than 30 minutes	68	6.8%

Value	Label	Unweighted Frequency	%
Total		816	81.6%
Value	Missing Data	Unweighted Frequency	%
.	-	184	18.4%
Total		184	18.4%

This variable has 816 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1262-1262 (width: 1; decimal: 0)

Variable Type: numeric

TELLSTORIESWEEKA4: [raw] Tell Stories Past Week

Value	Label	Unweighted Frequency	%
1	No days	161	16.1%
2	1-2 days	340	34.0%
3	3-5 days	225	22.5%
4	6-7 days	157	15.7%
Total		883	88.3%

Value	Label	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
Total		117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1263-1266 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

TELLSTORIESTIMEA4: [raw] Tell Stories Time per Day

Value	Label	Unweighted Frequency	%
1	4 minutes or less	58	5.8%

Value	Label	Unweighted Frequency	%
2	5-10 minutes	287	28.7%
3	11-20 minutes	204	20.4%
4	21-30 minutes	107	10.7%
5	More than 30 minutes	65	6.5%
	Total	721	72.1%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	1	0.1%
.	-	278	27.8%
	Total	279	27.9%

This variable has 721 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1267-1270 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888, .

PLAYBUILDWEEKA4: [raw] Play to Build Things Past Week

Value	Label	Unweighted Frequency	%
1	No days	58	5.8%
2	1-2 days	176	17.6%
3	3-5 days	291	29.1%
4	6-7 days	358	35.8%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1271-1274 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

PLAYBUILDTIMEA4: [raw] Play to Build Things Time per Day

Value	Label	Unweighted Frequency	%
1	4 minutes or less	11	1.1%
2	5-10 minutes	114	11.4%
3	11-20 minutes	201	20.1%
4	21-30 minutes	202	20.2%
5	More than 30 minutes	297	29.7%
	Total	825	82.5%
Value	Missing Data	Unweighted Frequency	%
.	-	175	17.5%
	Total	175	17.5%

This variable has 825 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1275-1275 (width: 1; decimal: 0)

Variable Type: numeric

PRETENDPLAYWEEKA4: [raw] Pretend Play Past Week

Value	Label	Unweighted Frequency	%
1	No days	164	16.4%
2	1-2 days	250	25.0%
3	3-5 days	248	24.8%
4	6-7 days	221	22.1%
	Total	883	88.3%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1276-1279 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

PRETENDPLAYTIMEA4: [raw] Pretend Play Time per Day

Value	Label	Unweighted Frequency	%
1	4 minutes or less	23	2.3%
2	5-10 minutes	140	14.0%
3	11-20 minutes	200	20.0%
4	21-30 minutes	151	15.1%
5	More than 30 minutes	205	20.5%
	Total	719	71.9%
Value	Missing Data	Unweighted Frequency	%
.	-	281	28.1%
	Total	281	28.1%

This variable has 719 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1280-1280 (width: 1; decimal: 0)

Variable Type: numeric

LEARNINGACTWEEKA4: [raw] Learning Activities Past Week

Value	Label	Unweighted Frequency	%
1	No days	44	4.4%
2	1-2 days	170	17.0%
3	3-5 days	337	33.7%
4	6-7 days	331	33.1%
	Total	882	88.2%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	5	0.5%
.	-	113	11.3%
	Total	118	11.8%

This variable has 882 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 1281-1284 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

LEARNINGACTTIMEA4: [raw] Learning Activities Time per Day

Value	Label	Unweighted Frequency	%
1	4 minutes or less	15	1.5%
2	5-10 minutes	160	16.0%
3	11-20 minutes	223	22.3%
4	21-30 minutes	210	21.0%
5	More than 30 minutes	230	23.0%
	Total	838	83.8%
Value	Missing Data	Unweighted Frequency	%
.	-	162	16.2%
	Total	162	16.2%

This variable has 838 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1285-1285 (width: 1; decimal: 0)

Variable Type: numeric

SCREENACTWEEKA4: [raw] Screen Activities Past Week

Value	Label	Unweighted Frequency	%
1	No days	61	6.1%
2	1-2 days	170	17.0%
3	3-5 days	257	25.7%
4	6-7 days	395	39.5%
	Total	883	88.3%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1286-1289 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888, .

SCREENACTTIMEA4: [raw] Screen Activities Time per Day

Value	Label	Unweighted Frequency	%
1	4 minutes or less	7	0.7%
2	5-10 minutes	53	5.3%
3	11-20 minutes	119	11.9%
4	21-30 minutes	196	19.6%
5	More than 30 minutes	447	44.7%
	Total	822	82.2%
Value	Missing Data	Unweighted Frequency	%
.	-	178	17.8%
	Total	178	17.8%

This variable has 822 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1290-1290 (width: 1; decimal: 0)

Variable Type: numeric

MEALTIMEA4: [raw] Meal Time

Value	Label	Unweighted Frequency	%
1	No days	10	1.0%
2	1-2 days	36	3.6%
3	3-5 days	148	14.8%
4	6-7 days	689	68.9%
	Total	883	88.3%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%

Value	Missing Data	Unweighted Frequency	%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1291-1294 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

BEDTIMEA4: [raw] Regular Bedtime

Value	Label	Unweighted Frequency	%
1	Yes	653	65.3%
5	No	229	22.9%
	Total	882	88.2%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	5	0.5%
.	-	113	11.3%
	Total	118	11.8%

This variable has 882 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1295-1298 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

TYPICALBEDTIMEA4: [raw] Typical Bedtime

Value	Label	Unweighted Frequency	%
3	-	1	0.1%
4	-	15	1.5%
5	-	27	2.7%
6	-	120	12.0%
7	-	130	13.0%
8	-	158	15.8%
9	-	86	8.6%

Value	Label	Unweighted Frequency	%
10	-	80	8.0%
11	-	17	1.7%
12	-	13	1.3%
13	-	6	0.6%
	Total	653	65.3%
Value	Missing Data	Unweighted Frequency	%
.	-	347	34.7%
	Total	347	34.7%

This variable has 653 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 7.79
- Median: 8.00
- Mode: 8.00
- Minimum: 3.00
- Maximum: 13.00
- Standard Deviation: 1.75

Location: 1299-1300 (width: 2; decimal: 0)

Variable Type: numeric

CBCLSTARTA4: [raw] CBCL start time

Value	Label	Unweighted Frequency	%
	-	128	12.8%
2022-07-14 15:35:13	-	1	0.1%
2022-07-14 19:14:17	-	1	0.1%
2022-07-16 19:21:49	-	1	0.1%
2022-07-17 21:13:23	-	1	0.1%
2022-07-18 17:29:01	-	1	0.1%
2022-07-18 17:32:25	-	1	0.1%
2022-07-19 22:34:54	-	1	0.1%
2022-07-21 19:21:01	-	1	0.1%
2022-07-22 14:18:04	-	1	0.1%
2022-07-22 19:40:11	-	1	0.1%
2022-07-23 15:15:15	-	1	0.1%
2022-07-23 15:30:03	-	1	0.1%
2022-07-23 20:02:27	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-07-25 15:29:22	-	1	0.1%
2022-07-25 18:54:58	-	1	0.1%
2022-07-26 16:11:14	-	1	0.1%
2022-07-28 16:57:48	-	1	0.1%
2022-07-28 20:45:24	-	1	0.1%
2022-07-28 23:34:20	-	1	0.1%
2022-07-29 15:30:58	-	1	0.1%
2022-07-29 17:27:17	-	1	0.1%
2022-07-29 19:37:01	-	1	0.1%
2022-07-30 17:53:19	-	1	0.1%
2022-07-30 21:14:51	-	1	0.1%
2022-07-31 15:19:07	-	1	0.1%
2022-07-31 18:50:28	-	1	0.1%
2022-08-01 22:12:23	-	1	0.1%
2022-08-01 22:20:16	-	1	0.1%
2022-08-02 15:19:32	-	1	0.1%
2022-08-02 19:57:36	-	1	0.1%
2022-08-02 20:28:08	-	1	0.1%
2022-08-03 15:23:55	-	1	0.1%
2022-08-03 20:43:47	-	1	0.1%
2022-08-03 21:55:06	-	1	0.1%
2022-08-04 15:45:47	-	1	0.1%
2022-08-04 16:23:15	-	1	0.1%
2022-08-05 17:49:02	-	1	0.1%
2022-08-06 18:19:39	-	1	0.1%
2022-08-06 19:12:20	-	1	0.1%
2022-08-07 17:06:12	-	1	0.1%
2022-08-07 19:45:47	-	1	0.1%
2022-08-07 20:44:49	-	1	0.1%
2022-08-08 14:54:41	-	1	0.1%
2022-08-08 15:18:09	-	1	0.1%
2022-08-08 18:15:12	-	1	0.1%
2022-08-09 16:47:48	-	1	0.1%
2022-08-10 16:47:46	-	1	0.1%
2022-08-11 17:48:31	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-08-11 21:21:17	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1301-1319 (width: 19; decimal: 0)

Variable Type: character

PEDSSTARTA4: [raw] PEDS start

Value	Label	Unweighted Frequency	%
	-	129	12.9%
2022-07-14 15:36:00	-	1	0.1%
2022-07-14 19:15:00	-	1	0.1%
2022-07-16 19:22:55	-	1	0.1%
2022-07-17 21:14:16	-	1	0.1%
2022-07-18 17:29:35	-	1	0.1%
2022-07-18 17:33:03	-	1	0.1%
2022-07-19 22:35:54	-	1	0.1%
2022-07-21 19:22:28	-	1	0.1%
2022-07-22 14:18:42	-	1	0.1%
2022-07-22 19:40:59	-	1	0.1%
2022-07-23 15:15:58	-	1	0.1%
2022-07-23 15:30:44	-	1	0.1%
2022-07-23 20:03:25	-	1	0.1%
2022-07-25 15:30:05	-	1	0.1%
2022-07-25 18:58:16	-	1	0.1%
2022-07-26 16:12:03	-	1	0.1%
2022-07-28 16:58:31	-	1	0.1%
2022-07-28 20:46:06	-	1	0.1%
2022-07-28 23:35:38	-	1	0.1%
2022-07-29 15:31:39	-	1	0.1%
2022-07-29 17:27:56	-	1	0.1%
2022-07-29 19:38:07	-	1	0.1%
2022-07-30 17:54:06	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-07-30 21:15:23	-	1	0.1%
2022-07-31 15:19:53	-	1	0.1%
2022-07-31 18:51:41	-	1	0.1%
2022-08-01 22:13:06	-	1	0.1%
2022-08-01 22:21:01	-	1	0.1%
2022-08-02 15:20:24	-	1	0.1%
2022-08-02 19:58:23	-	1	0.1%
2022-08-02 20:29:13	-	1	0.1%
2022-08-03 15:24:51	-	1	0.1%
2022-08-03 20:44:40	-	1	0.1%
2022-08-03 21:55:37	-	1	0.1%
2022-08-04 15:46:19	-	1	0.1%
2022-08-04 16:24:23	-	1	0.1%
2022-08-05 17:49:46	-	1	0.1%
2022-08-06 18:20:42	-	1	0.1%
2022-08-06 19:13:07	-	1	0.1%
2022-08-07 17:06:51	-	1	0.1%
2022-08-07 19:46:33	-	1	0.1%
2022-08-07 20:45:36	-	1	0.1%
2022-08-08 14:55:24	-	1	0.1%
2022-08-08 15:19:15	-	1	0.1%
2022-08-08 18:16:03	-	1	0.1%
2022-08-09 16:48:47	-	1	0.1%
2022-08-10 16:48:54	-	1	0.1%
2022-08-11 17:49:17	-	1	0.1%
2022-08-11 21:22:10	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1320-1338 (width: 19; decimal: 0)

Variable Type: character

CHEALTHSTARTA4: [raw] Child health and healthcare start time

Value	Label	Unweighted Frequency	%
	-	130	13.0%
2022-07-14 15:37:48	-	1	0.1%
2022-07-14 19:16:05	-	1	0.1%
2022-07-16 19:23:46	-	1	0.1%
2022-07-17 21:16:20	-	1	0.1%
2022-07-18 17:30:32	-	1	0.1%
2022-07-18 17:33:58	-	1	0.1%
2022-07-19 22:36:47	-	1	0.1%
2022-07-21 19:23:18	-	1	0.1%
2022-07-22 14:19:29	-	1	0.1%
2022-07-22 19:41:48	-	1	0.1%
2022-07-23 15:17:44	-	1	0.1%
2022-07-23 15:31:37	-	1	0.1%
2022-07-23 20:04:18	-	1	0.1%
2022-07-25 15:30:58	-	1	0.1%
2022-07-25 18:59:32	-	1	0.1%
2022-07-26 16:13:16	-	1	0.1%
2022-07-28 16:59:42	-	1	0.1%
2022-07-28 20:47:02	-	1	0.1%
2022-07-28 23:37:12	-	1	0.1%
2022-07-29 15:32:44	-	1	0.1%
2022-07-29 17:28:42	-	1	0.1%
2022-07-29 19:39:30	-	1	0.1%
2022-07-30 17:55:13	-	1	0.1%
2022-07-30 21:16:10	-	1	0.1%
2022-07-31 15:21:06	-	1	0.1%
2022-07-31 18:52:17	-	1	0.1%
2022-08-01 22:14:16	-	1	0.1%
2022-08-01 22:22:20	-	1	0.1%
2022-08-02 15:23:49	-	1	0.1%
2022-08-02 19:59:17	-	1	0.1%
2022-08-02 20:30:44	-	1	0.1%
2022-08-03 15:29:48	-	1	0.1%
2022-08-03 20:45:42	-	1	0.1%
2022-08-03 21:56:31	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-08-04 15:47:11	-	1	0.1%
2022-08-04 16:25:45	-	1	0.1%
2022-08-05 17:50:39	-	1	0.1%
2022-08-06 18:22:05	-	1	0.1%
2022-08-06 19:14:01	-	1	0.1%
2022-08-07 17:07:48	-	1	0.1%
2022-08-07 19:47:25	-	1	0.1%
2022-08-07 20:47:06	-	1	0.1%
2022-08-08 14:56:15	-	1	0.1%
2022-08-08 15:20:18	-	1	0.1%
2022-08-08 18:17:04	-	1	0.1%
2022-08-09 16:50:03	-	1	0.1%
2022-08-10 16:50:53	-	1	0.1%
2022-08-11 17:50:15	-	1	0.1%
2022-08-11 21:23:37	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1339-1357 (width: 19; decimal: 0)

Variable Type: character

CHEALTHA4: [raw] Child Health

Value	Label	Unweighted Frequency	%
1	Excellent	480	48.0%
2	Very good	237	23.7%
3	Good	123	12.3%
4	Fair	41	4.1%
5	Poor	3	0.3%
	Total	884	88.4%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	2	0.2%
.	-	114	11.4%

Value	Missing Data	Unweighted Frequency	%
	Total	116	11.6%

This variable has 884 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1358-1361 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

CSICKA4: [raw] Child Sick

Value	Label	Unweighted Frequency	%
1	0-1 times	269	26.9%
2	2-3 times	423	42.3%
3	4-6 times	140	14.0%
4	7 or more times	52	5.2%
	Total	884	88.4%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	2	0.2%
.	-	114	11.4%
	Total	116	11.6%

This variable has 884 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1362-1365 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

CDEVTDIAGA4: [raw] Child developmental condition diagnosis

Value	Label	Unweighted Frequency	%
1	Yes	124	12.4%
5	No	757	75.7%
	Total	881	88.1%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	5	0.5%
.	-	114	11.4%
	Total	119	11.9%

This variable has 881 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1366-1369 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

CDEVDIAGSPEECH4: [raw] Child developmental condition: speech delay

Value	Label	Unweighted Frequency	%
0	No	808	80.8%
1	Yes	84	8.4%
	Total	892	89.2%

Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1370-1370 (width: 1; decimal: 0)

Variable Type: numeric

CDEVDIAGAUTISMA4: [raw] Child developmental condition: Autism

Value	Label	Unweighted Frequency	%
0	No	852	85.2%
1	Yes	40	4.0%
	Total	892	89.2%

Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%

Value	Missing Data	Unweighted Frequency	%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1371-1371 (width: 1; decimal: 0)

Variable Type: numeric

CDEVDIAGADHDA4: [raw] Child developmental condition: ADHD

Value	Label	Unweighted Frequency	%
0	No	888	88.8%
1	Yes	4	0.4%
	Total	892	89.2%

Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1372-1372 (width: 1; decimal: 0)

Variable Type: numeric

CDEVDIAGOTHERA4: [raw] Child developmental condition: other

Value	Label	Unweighted Frequency	%
0	No	881	88.1%
1	Yes	11	1.1%
	Total	892	89.2%

Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1373-1373 (width: 1; decimal: 0)

Variable Type: numeric

CDEVDIAGDKA4: [raw] Child developmental condition: don't know/refused

Value	Label	Unweighted Frequency	%
0	No	892	89.2%
1	Yes	0	0.0%
	Total	892	89.2%
Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 1374-1374 (width: 1; decimal: 0)

Variable Type: numeric

CCHRONHEALTHA4: [raw] Child chronic health diagnosis

Value	Label	Unweighted Frequency	%
1	Yes	68	6.8%
5	No	816	81.6%
	Total	884	88.4%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	2	0.2%
.	-	114	11.4%
	Total	116	11.6%

This variable has 884 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1375-1378 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , ..

CCHRONHEALTHASTHMAA4: [raw] Child chronic health diagnosis: asthma

Value	Label	Unweighted Frequency	%
0	No	861	86.1%
1	Yes	31	3.1%
	Total	892	89.2%

Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1379-1379 (width: 1; decimal: 0)

Variable Type: numeric

CCHRONHEALTHOTHERA4: [raw] Child chronic health diagnosis: other

Value	Label	Unweighted Frequency	%
0	No	866	86.6%
1	Yes	26	2.6%
	Total	892	89.2%

Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1380-1380 (width: 1; decimal: 0)

Variable Type: numeric

CCHRONHEALTHDKA4: [raw] Child chronic health diagnosis: don't know/refused

Value	Label	Unweighted Frequency	%
0	No	892	89.2%
1	Yes	0	0.0%
	Total	892	89.2%

Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 1381-1381 (width: 1; decimal: 0)

Variable Type: numeric

CCHRONHEALTHDETAILA4: [raw] Specify child chronic health condition

Value	Label	Unweighted Frequency	%
.	-	974	97.4%
Yes, there is an answer	-	26	2.6%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1382-1404 (width: 23; decimal: 0)

Variable Type: character

EARLYINTERVENTIONA4: [raw] Early Intervention Services

Value	Label	Unweighted Frequency	%
1	Yes	148	14.8%
5	No	736	73.6%
	Total	884	88.4%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	2	0.2%
.	-	114	11.4%
	Total	116	11.6%

This variable has 884 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1405-1408 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

ECONSTRESSSTARTA4: [raw] Economic stress index start time

Value	Label	Unweighted Frequency	%
-	-	130	13.0%
2022-07-14 15:39:08	-	1	0.1%
2022-07-14 19:17:42	-	1	0.1%
2022-07-16 19:25:25	-	1	0.1%
2022-07-17 21:18:17	-	1	0.1%
2022-07-18 17:31:48	-	1	0.1%
2022-07-18 17:35:15	-	1	0.1%
2022-07-19 22:38:08	-	1	0.1%
2022-07-21 19:24:56	-	1	0.1%
2022-07-22 14:20:41	-	1	0.1%
2022-07-22 19:43:03	-	1	0.1%
2022-07-23 15:19:14	-	1	0.1%
2022-07-23 15:32:51	-	1	0.1%
2022-07-23 20:05:33	-	1	0.1%
2022-07-25 15:32:20	-	1	0.1%
2022-07-25 19:01:16	-	1	0.1%
2022-07-26 16:15:12	-	1	0.1%
2022-07-28 17:01:14	-	1	0.1%
2022-07-28 20:49:07	-	1	0.1%
2022-07-28 23:39:21	-	1	0.1%
2022-07-29 15:34:15	-	1	0.1%
2022-07-29 17:29:53	-	1	0.1%
2022-07-29 19:40:49	-	1	0.1%
2022-07-30 17:56:57	-	1	0.1%
2022-07-30 21:17:38	-	1	0.1%
2022-07-31 15:22:38	-	1	0.1%
2022-07-31 18:53:36	-	1	0.1%
2022-08-01 22:15:24	-	1	0.1%
2022-08-01 22:24:34	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-08-02 15:26:53	-	1	0.1%
2022-08-02 20:00:45	-	1	0.1%
2022-08-02 20:34:51	-	1	0.1%
2022-08-03 15:31:04	-	1	0.1%
2022-08-03 20:47:18	-	1	0.1%
2022-08-03 21:58:06	-	1	0.1%
2022-08-04 15:48:29	-	1	0.1%
2022-08-04 16:27:58	-	1	0.1%
2022-08-05 17:52:01	-	1	0.1%
2022-08-06 18:24:15	-	1	0.1%
2022-08-06 19:15:23	-	1	0.1%
2022-08-07 17:10:01	-	1	0.1%
2022-08-07 19:49:04	-	1	0.1%
2022-08-07 20:48:51	-	1	0.1%
2022-08-08 14:57:59	-	1	0.1%
2022-08-08 15:22:06	-	1	0.1%
2022-08-08 18:19:14	-	1	0.1%
2022-08-09 16:51:49	-	1	0.1%
2022-08-10 16:53:42	-	1	0.1%
2022-08-11 17:51:52	-	1	0.1%
2022-08-11 21:25:17	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1409-1427 (width: 19; decimal: 0)

Variable Type: character

EXPENSEWORRYA4: [raw] Expense Worry

Value	Label	Unweighted Frequency	%
1	All the time	137	13.7%
2	Very frequently	118	11.8%
3	Occasionally	209	20.9%
4	Rarely	138	13.8%

Value	Label	Unweighted Frequency	%
5	Very rarely	133	13.3%
6	Never	148	14.8%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1428-1431 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

TOTALSPENDINGA4: [raw] Total Spending

Value	Label	Unweighted Frequency	%
1	More than combined income	375	37.5%
2	The same as combined income	328	32.8%
3	Less than combined income	163	16.3%
	Total	866	86.6%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	21	2.1%
.	-	113	11.3%
	Total	134	13.4%

This variable has 866 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1432-1435 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

MISSEDPAYMENTA4: [raw] Missed Mortgage/Rent

Value	Label	Unweighted Frequency	%
1	Yes	252	25.2%
5	No	627	62.7%
	Total	879	87.9%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	8	0.8%
.	-	113	11.3%
	Total	121	12.1%

This variable has 879 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1436-1439 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

EMERGENCYFUNDSA4: [raw] Emergency Funds

Value	Label	Unweighted Frequency	%
1	Yes	353	35.3%
5	No	527	52.7%
	Total	880	88.0%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	7	0.7%
.	-	113	11.3%
	Total	120	12.0%

This variable has 880 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1440-1443 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

LOSEINCOMEA4: [raw] Lose Income

Value	Label	Unweighted Frequency	%
1	Yes	596	59.6%
5	No	281	28.1%
	Total	877	87.7%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	10	1.0%
.	-	113	11.3%
	Total	123	12.3%

This variable has 877 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1444-1447 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

MISSUTILITYPYMTA4: [raw] Missed Utility Payment

Value	Label	Unweighted Frequency	%
1	Yes	258	25.8%
5	No	604	60.4%
7	Not applicable	21	2.1%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 1448-1451 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

SHUTOFFUTILITYA4: [raw] Shut Off Utilities

Value	Label	Unweighted Frequency	%
1	Yes	70	7.0%
5	No	188	18.8%
	Total	258	25.8%

Value	Missing Data	Unweighted Frequency	%
.	-	742	74.2%
	Total	742	74.2%

This variable has 258 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1452-1452 (width: 1; decimal: 0)

Variable Type: numeric

EVICTEDA4: [raw] Mom Evicted

Value	Label	Unweighted Frequency	%
1	Yes	55	5.5%
5	No	828	82.8%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1453-1456 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

FOODINSECURITYSTARTA4: [raw] Food insecurity start time

Value	Label	Unweighted Frequency	%
-		130	13.0%
2022-07-14 15:40:25		1	0.1%

Value	Label	Unweighted Frequency	%
2022-07-14 19:18:51	-	1	0.1%
2022-07-16 19:26:31	-	1	0.1%
2022-07-17 21:19:30	-	1	0.1%
2022-07-18 17:32:46	-	1	0.1%
2022-07-18 17:36:08	-	1	0.1%
2022-07-19 22:39:10	-	1	0.1%
2022-07-21 19:25:57	-	1	0.1%
2022-07-22 14:21:34	-	1	0.1%
2022-07-22 19:44:01	-	1	0.1%
2022-07-23 15:20:27	-	1	0.1%
2022-07-23 15:33:47	-	1	0.1%
2022-07-23 20:06:27	-	1	0.1%
2022-07-25 15:33:15	-	1	0.1%
2022-07-25 19:02:09	-	1	0.1%
2022-07-26 16:16:40	-	1	0.1%
2022-07-28 17:02:32	-	1	0.1%
2022-07-28 20:50:44	-	1	0.1%
2022-07-28 23:41:04	-	1	0.1%
2022-07-29 15:35:17	-	1	0.1%
2022-07-29 17:30:59	-	1	0.1%
2022-07-29 19:41:57	-	1	0.1%
2022-07-30 17:58:16	-	1	0.1%
2022-07-30 21:18:33	-	1	0.1%
2022-07-31 15:24:06	-	1	0.1%
2022-07-31 18:54:42	-	1	0.1%
2022-08-01 22:16:19	-	1	0.1%
2022-08-01 22:26:02	-	1	0.1%
2022-08-02 15:28:47	-	1	0.1%
2022-08-02 20:01:43	-	1	0.1%
2022-08-02 20:36:23	-	1	0.1%
2022-08-03 15:32:12	-	1	0.1%
2022-08-03 20:48:20	-	1	0.1%
2022-08-03 21:59:00	-	1	0.1%
2022-08-04 15:49:22	-	1	0.1%
2022-08-04 16:29:10	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-08-05 17:53:08	-	1	0.1%
2022-08-06 18:25:41	-	1	0.1%
2022-08-06 19:16:25	-	1	0.1%
2022-08-07 17:10:48	-	1	0.1%
2022-08-07 19:50:20	-	1	0.1%
2022-08-07 20:50:19	-	1	0.1%
2022-08-08 14:59:12	-	1	0.1%
2022-08-08 15:23:38	-	1	0.1%
2022-08-08 18:20:06	-	1	0.1%
2022-08-09 16:53:22	-	1	0.1%
2022-08-10 16:55:37	-	1	0.1%
2022-08-11 17:53:04	-	1	0.1%
2022-08-11 21:26:28	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1457-1475 (width: 19; decimal: 0)

Variable Type: character

NOTENOUGHFOODA4: [raw] Not Enough Food

Value	Label	Unweighted Frequency	%
1	Often true	34	3.4%
2	Sometimes true	185	18.5%
3	Never true	661	66.1%
	Total	880	88.0%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	7	0.7%
.	-	113	11.3%
	Total	120	12.0%

This variable has 880 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00

- Maximum: 3.00

Location: 1476-1479 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

NOBALFOODA4: [raw] No Balanced Food

Value	Label	Unweighted Frequency	%
1	Often true	35	3.5%
2	Sometimes true	152	15.2%
3	Never true	694	69.4%
Total		881	88.1%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	6	0.6%
.	-	113	11.3%
Total		119	11.9%

This variable has 881 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1480-1483 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

EATLESSA4: [raw] Eat Less Than

Value	Label	Unweighted Frequency	%
1	Yes	160	16.0%
5	No	719	71.9%
Total		879	87.9%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	8	0.8%
.	-	113	11.3%
Total		121	12.1%

This variable has 879 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1484-1487 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

CUTMEALSIZEA4: [raw] Cut Meal Size

Value	Label	Unweighted Frequency	%
1	Yes	150	15.0%
5	No	733	73.3%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1488-1491 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

CUTMEALFREQA4: [raw] Cut Meal Frequency

Value	Label	Unweighted Frequency	%
1	Almost every month	14	1.4%
2	Some months but not every month	49	4.9%
3	Only 1 or 2 months	49	4.9%
	Total	112	11.2%

Value	Missing Data	Unweighted Frequency	%
.	-	888	88.8%
	Total	888	88.8%

This variable has 112 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1492-1492 (width: 1; decimal: 0)

Variable Type: numeric

HUNGRY4: [raw] Hungry because not enough money

Value	Label	Unweighted Frequency	%
1	Yes	96	9.6%
5	No	786	78.6%
	Total	882	88.2%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	114	11.4%
	Total	118	11.8%

This variable has 882 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1493-1496 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

GAD7STARTA4: [raw] GAD7 start time

Value	Label	Unweighted Frequency	%
	-	130	13.0%
2022-07-14 15:41:39	-	1	0.1%
2022-07-14 19:20:21	-	1	0.1%
2022-07-16 19:28:03	-	1	0.1%
2022-07-17 21:20:59	-	1	0.1%
2022-07-18 17:34:02	-	1	0.1%
2022-07-18 17:37:24	-	1	0.1%
2022-07-19 22:40:26	-	1	0.1%
2022-07-21 19:27:17	-	1	0.1%
2022-07-22 14:22:41	-	1	0.1%
2022-07-22 19:44:56	-	1	0.1%
2022-07-23 15:21:56	-	1	0.1%
2022-07-23 15:34:40	-	1	0.1%
2022-07-23 20:07:34	-	1	0.1%
2022-07-25 15:34:29	-	1	0.1%
2022-07-25 19:03:13	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-07-26 16:18:19	-	1	0.1%
2022-07-28 17:04:05	-	1	0.1%
2022-07-28 20:52:08	-	1	0.1%
2022-07-28 23:43:01	-	1	0.1%
2022-07-29 15:36:39	-	1	0.1%
2022-07-29 17:32:30	-	1	0.1%
2022-07-29 19:43:13	-	1	0.1%
2022-07-30 17:59:54	-	1	0.1%
2022-07-30 21:19:54	-	1	0.1%
2022-07-31 15:25:55	-	1	0.1%
2022-07-31 18:56:01	-	1	0.1%
2022-08-01 22:17:53	-	1	0.1%
2022-08-01 22:27:51	-	1	0.1%
2022-08-02 15:30:28	-	1	0.1%
2022-08-02 20:03:18	-	1	0.1%
2022-08-02 20:38:04	-	1	0.1%
2022-08-03 15:33:21	-	1	0.1%
2022-08-03 20:49:40	-	1	0.1%
2022-08-03 22:00:23	-	1	0.1%
2022-08-04 15:50:38	-	1	0.1%
2022-08-04 16:30:37	-	1	0.1%
2022-08-05 17:54:15	-	1	0.1%
2022-08-06 18:27:08	-	1	0.1%
2022-08-06 19:18:03	-	1	0.1%
2022-08-07 17:12:34	-	1	0.1%
2022-08-07 19:51:54	-	1	0.1%
2022-08-07 20:51:37	-	1	0.1%
2022-08-08 15:03:10	-	1	0.1%
2022-08-08 15:25:02	-	1	0.1%
2022-08-08 18:21:28	-	1	0.1%
2022-08-09 16:55:14	-	1	0.1%
2022-08-10 16:57:48	-	1	0.1%
2022-08-11 17:54:47	-	1	0.1%
2022-08-11 21:30:03	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1497-1515 (width: 19; decimal: 0)

Variable Type: character

ANXIETYA4: [raw] Feeling Anxious

Value	Label	Unweighted Frequency	%
1	Not at all	481	48.1%
2	Several days	249	24.9%
3	More than half the days	69	6.9%
4	Nearly every day	82	8.2%
	Total	881	88.1%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	6	0.6%
.	-	113	11.3%
	Total	119	11.9%

This variable has 881 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1516-1519 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888, .

NOCONTROLWORRYA4: [raw] Uncontrollable worrying

Value	Label	Unweighted Frequency	%
1	Not at all	486	48.6%
2	Several days	245	24.5%
3	More than half the days	87	8.7%
4	Nearly every day	65	6.5%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%

Value	Missing Data	Unweighted Frequency	%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1520-1523 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

WORRIEDA4: [raw] Worried about everything

Value	Label	Unweighted Frequency	%
1	Not at all	351	35.1%
2	Several days	327	32.7%
3	More than half the days	101	10.1%
4	Nearly every day	103	10.3%
	Total	882	88.2%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	5	0.5%
.	-	113	11.3%
	Total	118	11.8%

This variable has 882 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1524-1527 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

NORELAXA4: [raw] Trouble Relaxing

Value	Label	Unweighted Frequency	%
1	Not at all	412	41.2%
2	Several days	286	28.6%
3	More than half the days	82	8.2%

Value	Label	Unweighted Frequency	%
4	Nearly every day	103	10.3%
	Total	883	88.3%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1528-1531 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

RESTLESSA4: [raw] Restless

Value	Label	Unweighted Frequency	%
1	Not at all	603	60.3%
2	Several days	171	17.1%
3	More than half the days	60	6.0%
4	Nearly every day	49	4.9%
	Total	883	88.3%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1532-1535 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

ANNOYEDA4: [raw] Annoyed and Irritable

Value	Label	Unweighted Frequency	%
1	Not at all	472	47.2%
2	Several days	270	27.0%
3	More than half the days	82	8.2%
4	Nearly every day	59	5.9%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1536-1539 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

AFRAIDA4: [raw] Afraid of something awful

Value	Label	Unweighted Frequency	%
1	Not at all	666	66.6%
2	Several days	128	12.8%
3	More than half the days	47	4.7%
4	Nearly every day	42	4.2%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1540-1543 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

PHQ8STARTA4: [raw] PHQ8 start time

Value	Label	Unweighted Frequency	%
	-	130	13.0%
2022-07-14 15:47:39	-	1	0.1%
2022-07-14 19:21:42	-	1	0.1%
2022-07-16 19:34:23	-	1	0.1%
2022-07-17 21:22:30	-	1	0.1%
2022-07-18 17:35:26	-	1	0.1%
2022-07-18 17:39:13	-	1	0.1%
2022-07-19 22:41:43	-	1	0.1%
2022-07-21 19:28:41	-	1	0.1%
2022-07-22 14:23:52	-	1	0.1%
2022-07-22 19:46:20	-	1	0.1%
2022-07-23 15:23:07	-	1	0.1%
2022-07-23 15:35:48	-	1	0.1%
2022-07-23 20:08:48	-	1	0.1%
2022-07-25 15:35:42	-	1	0.1%
2022-07-25 19:04:43	-	1	0.1%
2022-07-26 16:20:19	-	1	0.1%
2022-07-28 17:05:21	-	1	0.1%
2022-07-28 20:53:25	-	1	0.1%
2022-07-28 23:44:48	-	1	0.1%
2022-07-29 15:37:51	-	1	0.1%
2022-07-29 17:33:43	-	1	0.1%
2022-07-29 19:44:38	-	1	0.1%
2022-07-30 18:01:28	-	1	0.1%
2022-07-30 21:21:18	-	1	0.1%
2022-07-31 15:28:04	-	1	0.1%
2022-07-31 18:58:22	-	1	0.1%
2022-08-01 22:19:06	-	1	0.1%
2022-08-01 22:29:37	-	1	0.1%
2022-08-02 15:31:55	-	1	0.1%
2022-08-02 20:04:56	-	1	0.1%
2022-08-02 20:39:54	-	1	0.1%
2022-08-03 15:34:22	-	1	0.1%
2022-08-03 20:51:01	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-08-03 22:01:33	-	1	0.1%
2022-08-04 15:51:52	-	1	0.1%
2022-08-04 16:32:03	-	1	0.1%
2022-08-05 17:55:25	-	1	0.1%
2022-08-06 18:29:06	-	1	0.1%
2022-08-06 19:19:27	-	1	0.1%
2022-08-07 17:13:46	-	1	0.1%
2022-08-07 19:53:29	-	1	0.1%
2022-08-07 20:52:56	-	1	0.1%
2022-08-08 15:04:55	-	1	0.1%
2022-08-08 15:26:24	-	1	0.1%
2022-08-08 18:22:54	-	1	0.1%
2022-08-09 16:56:25	-	1	0.1%
2022-08-10 16:59:58	-	1	0.1%
2022-08-11 17:56:11	-	1	0.1%
2022-08-11 21:31:23	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1544-1562 (width: 19; decimal: 0)

Variable Type: character

BOTHEREDA4: [raw] Bothered

Value	Label	Unweighted Frequency	%
1	Not at all	585	58.5%
2	Several days	214	21.4%
3	More than half the days	51	5.1%
4	Nearly every day	33	3.3%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%

Value	Missing Data	Unweighted Frequency	%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1563-1566 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

DEPRESSEDA4: [raw] Depressed

Value	Label	Unweighted Frequency	%
1	Not at all	582	58.2%
2	Several days	199	19.9%
3	More than half the days	55	5.5%
4	Nearly every day	44	4.4%
	Total	880	88.0%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	7	0.7%
.	-	113	11.3%
	Total	120	12.0%

This variable has 880 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1567-1570 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

INSOMNIAA4: [raw] Insomnia

Value	Label	Unweighted Frequency	%
1	Not at all	469	46.9%
2	Several days	237	23.7%
3	More than half the days	95	9.5%
4	Nearly every day	82	8.2%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1571-1574 (width: 4; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -888, .)

LETHARGICA4: [raw] Lethargic

Value	Label	Unweighted Frequency	%
1	Not at all	319	31.9%
2	Several days	357	35.7%
3	More than half the days	121	12.1%
4	Nearly every day	86	8.6%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1575-1578 (width: 4; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -888, .)

NOAPPETITEA4: [raw] No Appetite

Value	Label	Unweighted Frequency	%
1	Not at all	558	55.8%
2	Several days	203	20.3%
3	More than half the days	71	7.1%

Value	Label	Unweighted Frequency	%
4	Nearly every day	51	5.1%
	Total	883	88.3%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1579-1582 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

FAILUREA4: [raw] Failure

Value	Label	Unweighted Frequency	%
1	Not at all	649	64.9%
2	Several days	144	14.4%
3	More than half the days	53	5.3%
4	Nearly every day	37	3.7%
	Total	883	88.3%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1583-1586 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

CONCENTRATEA4: [raw] Concentrate

Value	Label	Unweighted Frequency	%
1	Not at all	648	64.8%
2	Several days	148	14.8%
3	More than half the days	43	4.3%
4	Nearly every day	44	4.4%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1587-1590 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

SLUGGISHA4: [raw] Sluggish

Value	Label	Unweighted Frequency	%
1	Not at all	734	73.4%
2	Several days	109	10.9%
3	More than half the days	28	2.8%
4	Nearly every day	12	1.2%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1591-1594 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

RELQUALITYSTARTA4: [raw] Relationship quality start time

Value	Label	Unweighted Frequency	%
	-	130	13.0%
2022-07-14 15:47:50	-	1	0.1%
2022-07-14 19:21:54	-	1	0.1%
2022-07-16 19:34:33	-	1	0.1%
2022-07-17 21:22:47	-	1	0.1%
2022-07-18 17:35:37	-	1	0.1%
2022-07-18 17:39:23	-	1	0.1%
2022-07-19 22:41:59	-	1	0.1%
2022-07-21 19:28:50	-	1	0.1%
2022-07-22 14:24:02	-	1	0.1%
2022-07-22 19:46:35	-	1	0.1%
2022-07-23 15:23:23	-	1	0.1%
2022-07-23 15:35:58	-	1	0.1%
2022-07-23 20:08:58	-	1	0.1%
2022-07-25 15:35:52	-	1	0.1%
2022-07-25 19:05:01	-	1	0.1%
2022-07-26 16:20:27	-	1	0.1%
2022-07-28 17:05:34	-	1	0.1%
2022-07-28 20:53:43	-	1	0.1%
2022-07-28 23:45:05	-	1	0.1%
2022-07-29 15:38:06	-	1	0.1%
2022-07-29 17:33:58	-	1	0.1%
2022-07-29 19:44:49	-	1	0.1%
2022-07-30 18:01:40	-	1	0.1%
2022-07-30 21:21:34	-	1	0.1%
2022-07-31 15:28:16	-	1	0.1%
2022-07-31 18:58:36	-	1	0.1%
2022-08-01 22:19:16	-	1	0.1%
2022-08-01 22:29:56	-	1	0.1%
2022-08-02 15:32:07	-	1	0.1%
2022-08-02 20:05:12	-	1	0.1%
2022-08-02 20:40:10	-	1	0.1%
2022-08-03 15:34:31	-	1	0.1%
2022-08-03 20:51:18	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-08-03 22:01:46	-	1	0.1%
2022-08-04 15:52:09	-	1	0.1%
2022-08-04 16:32:20	-	1	0.1%
2022-08-05 17:55:37	-	1	0.1%
2022-08-06 18:29:30	-	1	0.1%
2022-08-06 19:19:49	-	1	0.1%
2022-08-07 17:14:01	-	1	0.1%
2022-08-07 19:53:45	-	1	0.1%
2022-08-07 20:53:10	-	1	0.1%
2022-08-08 15:05:04	-	1	0.1%
2022-08-08 15:26:38	-	1	0.1%
2022-08-08 18:23:06	-	1	0.1%
2022-08-09 16:56:38	-	1	0.1%
2022-08-10 17:00:22	-	1	0.1%
2022-08-11 17:56:22	-	1	0.1%
2022-08-11 21:31:35	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1595-1613 (width: 19; decimal: 0)

Variable Type: character

RELCURRENTA4: [raw] Currently in a relationship or partnership

Value	Label	Unweighted Frequency	%
1	Yes	542	54.2%
5	No	338	33.8%
	Total	880	88.0%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	7	0.7%
.	-	113	11.3%
	Total	120	12.0%

This variable has 880 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1614-1617 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

RELLASTYEARA4: [raw] Last year in a relationship or partnership

Value	Label	Unweighted Frequency	%
1	Yes	141	14.1%
5	No	197	19.7%
	Total	338	33.8%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	7	0.7%
.	-	655	65.5%
	Total	662	66.2%

This variable has 338 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1618-1621 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

NAILSTARTA4: [raw] Nail questions start time

Value	Label	Unweighted Frequency	%
	-	780	78.0%
2023-04-10 17:57:00	-	1	0.1%
2023-04-10 18:16:38	-	1	0.1%
2023-04-11 15:43:15	-	1	0.1%
2023-04-11 15:51:19	-	1	0.1%
2023-04-11 16:06:20	-	1	0.1%
2023-04-11 17:41:56	-	1	0.1%
2023-04-11 19:20:42	-	1	0.1%
2023-04-11 19:54:57	-	1	0.1%
2023-04-11 20:06:04	-	1	0.1%
2023-04-11 21:20:12	-	1	0.1%

Value	Label	Unweighted Frequency	%
2023-04-12 15:53:35	-	1	0.1%
2023-04-12 16:17:31	-	1	0.1%
2023-04-12 16:20:08	-	1	0.1%
2023-04-12 18:53:24	-	1	0.1%
2023-04-12 18:59:45	-	1	0.1%
2023-04-13 15:11:11	-	1	0.1%
2023-04-13 16:16:49	-	1	0.1%
2023-04-13 20:24:07	-	1	0.1%
2023-04-13 20:27:06	-	1	0.1%
2023-04-14 15:51:21	-	1	0.1%
2023-04-14 18:51:29	-	1	0.1%
2023-04-14 21:19:47	-	1	0.1%
2023-04-14 21:24:09	-	1	0.1%
2023-04-15 15:25:54	-	1	0.1%
2023-04-15 16:29:12	-	1	0.1%
2023-04-15 19:47:46	-	1	0.1%
2023-04-15 21:06:38	-	1	0.1%
2023-04-16 16:28:47	-	1	0.1%
2023-04-16 21:23:05	-	1	0.1%
2023-04-17 15:29:05	-	1	0.1%
2023-04-17 22:30:35	-	1	0.1%
2023-04-18 16:18:33	-	1	0.1%
2023-04-18 17:35:07	-	1	0.1%
2023-04-18 19:15:41	-	1	0.1%
2023-04-19 16:38:33	-	1	0.1%
2023-04-19 19:46:43	-	1	0.1%
2023-04-20 15:29:06	-	1	0.1%
2023-04-20 19:24:55	-	1	0.1%
2023-04-20 21:00:48	-	1	0.1%
2023-04-21 16:31:15	-	1	0.1%
2023-04-21 19:54:39	-	1	0.1%
2023-04-21 20:15:58	-	1	0.1%
2023-04-22 15:06:58	-	1	0.1%
2023-04-24 15:50:23	-	1	0.1%
2023-04-24 16:09:25	-	1	0.1%

Value	Label	Unweighted Frequency	%
2023-04-24 17:38:40	-	1	0.1%
2023-04-24 19:30:49	-	1	0.1%
2023-04-24 22:47:12	-	1	0.1%
2023-04-25 16:51:16	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1622-1640 (width: 19; decimal: 0)

Variable Type: character

NAILPOLISHA4: [raw] Manicure or nail polish

Value	Label	Unweighted Frequency	%
0	No	165	16.5%
1	Yes	64	6.4%
	Total	229	22.9%

Value	Missing Data	Unweighted Frequency	%
.	-	771	77.1%
	Total	771	77.1%

This variable has 229 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1641-1641 (width: 1; decimal: 0)

Variable Type: numeric

NAILTYPEA4: [raw] Type of nail polish

Value	Label	Unweighted Frequency	%
0	regular polish	23	2.3%
1	gel	18	1.8%
2	dip powder	2	0.2%
3	press on nails	15	1.5%
4	other	4	0.4%

Value	Label	Unweighted Frequency	%
5	multiple nail treatments	2	0.2%
	Total	64	6.4%
Value	Missing Data	Unweighted Frequency	%
.	-	936	93.6%
	Total	936	93.6%

This variable has 64 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 1642-1642 (width: 1; decimal: 0)

Variable Type: numeric

NAILCUTA4: [raw] Willing to cut nail

Value	Label	Unweighted Frequency	%
0	No	95	9.5%
1	Yes	134	13.4%
	Total	229	22.9%
Value	Missing Data	Unweighted Frequency	%
.	-	771	77.1%
	Total	771	77.1%

This variable has 229 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1643-1643 (width: 1; decimal: 0)

Variable Type: numeric

NAILWHYA4: [raw] Why not cut nail

Value	Label	Unweighted Frequency	%
0	Manicure	35	3.5%
1	Short	32	3.2%
2	Some other reason	28	2.8%
	Total	95	9.5%

Value	Missing Data	Unweighted Frequency	%
-		905	90.5%
Total		905	90.5%

This variable has 95 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 1644-1644 (width: 1; decimal: 0)

Variable Type: numeric

NAILOTHERA4: [raw] Why not cut nail other

Value	Label	Unweighted Frequency	%
-		983	98.3%
Yes, there is an answer	-	17	1.7%
Total		1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1645-1667 (width: 23; decimal: 0)

Variable Type: character

MANICUREINCENTA4: [raw] Mom would accept free manicure

Value	Label	Unweighted Frequency	%
0	No	23	2.3%
1	Yes	43	4.3%
Total		66	6.6%

Value	Missing Data	Unweighted Frequency	%
-		934	93.4%
Total		934	93.4%

This variable has 66 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1668-1668 (width: 1; decimal: 0)

Variable Type: numeric

TOEPOLISHA4: [raw] Pedicure or toe nail polish

Value	Label	Unweighted Frequency	%
0	No	33	3.3%
1	Yes	52	5.2%
	Total	85	8.5%
Value	Missing Data	Unweighted Frequency	%
.	-	915	91.5%
	Total	915	91.5%

This variable has 85 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1669-1669 (width: 1; decimal: 0)

Variable Type: numeric

TOETYPEA4: [raw] Type of toe nail polish

Value	Label	Unweighted Frequency	%
0	regular polish	20	2.0%
1	gel	28	2.8%
2	dip powder	0	0.0%
3	press on nails	1	0.1%
4	other	1	0.1%
5	multiple nail treatments	2	0.2%
	Total	52	5.2%
Value	Missing Data	Unweighted Frequency	%
.	-	948	94.8%
	Total	948	94.8%

This variable has 52 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 1670-1670 (width: 1; decimal: 0)

Variable Type: numeric

TOECUTA4: [raw] Willing to cut toe nail

Value	Label	Unweighted Frequency	%
0	No	47	4.7%
1	Yes	38	3.8%
	Total	85	8.5%

Value	Missing Data	Unweighted Frequency	%
.	-	915	91.5%
	Total	915	91.5%

This variable has 85 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1671-1671 (width: 1; decimal: 0)

Variable Type: numeric

TOESWHYA4: [raw] Why not cut toe nail

Value	Label	Unweighted Frequency	%
0	Pedicure	18	1.8%
1	Short	6	0.6%
2	Some other reason	23	2.3%
	Total	47	4.7%

Value	Missing Data	Unweighted Frequency	%
.	-	953	95.3%
	Total	953	95.3%

This variable has 47 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 1672-1672 (width: 1; decimal: 0)

Variable Type: numeric

PROUDSTARTA4: [raw] Proud start time

Value	Label	Unweighted Frequency	%
-		130	13.0%
2022-07-14 15:48:07		1	0.1%

Value	Label	Unweighted Frequency	%
2022-07-14 19:23:13	-	1	0.1%
2022-07-16 19:35:45	-	1	0.1%
2022-07-17 21:23:18	-	1	0.1%
2022-07-18 17:36:36	-	1	0.1%
2022-07-18 17:40:21	-	1	0.1%
2022-07-19 22:42:50	-	1	0.1%
2022-07-21 19:30:22	-	1	0.1%
2022-07-22 14:27:42	-	1	0.1%
2022-07-22 19:48:10	-	1	0.1%
2022-07-23 15:24:00	-	1	0.1%
2022-07-23 15:37:01	-	1	0.1%
2022-07-23 20:10:25	-	1	0.1%
2022-07-25 15:37:40	-	1	0.1%
2022-07-25 19:05:30	-	1	0.1%
2022-07-26 16:21:38	-	1	0.1%
2022-07-28 17:06:53	-	1	0.1%
2022-07-28 20:54:47	-	1	0.1%
2022-07-28 23:45:35	-	1	0.1%
2022-07-29 15:39:07	-	1	0.1%
2022-07-29 17:34:28	-	1	0.1%
2022-07-29 19:45:45	-	1	0.1%
2022-07-30 18:02:07	-	1	0.1%
2022-07-30 21:22:30	-	1	0.1%
2022-07-31 15:29:39	-	1	0.1%
2022-07-31 18:59:52	-	1	0.1%
2022-08-01 22:24:27	-	1	0.1%
2022-08-01 22:30:34	-	1	0.1%
2022-08-02 15:32:30	-	1	0.1%
2022-08-02 20:42:54	-	1	0.1%
2022-08-03 15:34:56	-	1	0.1%
2022-08-03 20:51:46	-	1	0.1%
2022-08-03 22:02:45	-	1	0.1%
2022-08-04 15:53:16	-	1	0.1%
2022-08-04 16:33:24	-	1	0.1%
2022-08-05 17:56:27	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-08-06 18:31:29	-	1	0.1%
2022-08-06 19:20:27	-	1	0.1%
2022-08-07 17:15:22	-	1	0.1%
2022-08-07 19:54:29	-	1	0.1%
2022-08-07 20:55:40	-	1	0.1%
2022-08-08 15:06:09	-	1	0.1%
2022-08-08 15:27:34	-	1	0.1%
2022-08-08 18:24:20	-	1	0.1%
2022-08-09 16:57:19	-	1	0.1%
2022-08-10 17:02:20	-	1	0.1%
2022-08-11 17:57:29	-	1	0.1%
2022-08-11 21:32:41	-	1	0.1%
2022-08-12 19:02:47	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1673-1691 (width: 19; decimal: 0)

Variable Type: character

PROUDA4: [raw] What is mom proud of

Value	Label	Unweighted Frequency	%
-		114	11.4%
Yes, there is an answer	-	886	88.6%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1692-1714 (width: 23; decimal: 0)

Variable Type: character

SURVEYFINISHSTARTA4: [raw] Survey finish start time

Value	Label	Unweighted Frequency	%
-		136	13.6%
2022-07-14 15:48:18	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-07-14 19:23:18	-	1	0.1%
2022-07-16 19:35:49	-	1	0.1%
2022-07-17 21:23:22	-	1	0.1%
2022-07-18 17:36:58	-	1	0.1%
2022-07-18 17:40:31	-	1	0.1%
2022-07-19 22:42:59	-	1	0.1%
2022-07-21 19:30:26	-	1	0.1%
2022-07-22 14:27:45	-	1	0.1%
2022-07-22 19:48:43	-	1	0.1%
2022-07-23 15:24:03	-	1	0.1%
2022-07-23 15:37:04	-	1	0.1%
2022-07-23 20:10:27	-	1	0.1%
2022-07-25 15:37:46	-	1	0.1%
2022-07-25 19:05:33	-	1	0.1%
2022-07-26 16:21:51	-	1	0.1%
2022-07-28 17:06:58	-	1	0.1%
2022-07-28 20:54:51	-	1	0.1%
2022-07-28 23:45:38	-	1	0.1%
2022-07-29 15:39:11	-	1	0.1%
2022-07-29 17:34:31	-	1	0.1%
2022-07-29 19:45:50	-	1	0.1%
2022-07-30 18:02:29	-	1	0.1%
2022-07-30 21:22:33	-	1	0.1%
2022-07-31 15:30:53	-	1	0.1%
2022-07-31 18:59:55	-	1	0.1%
2022-08-01 22:24:31	-	1	0.1%
2022-08-01 22:30:53	-	1	0.1%
2022-08-02 15:33:35	-	1	0.1%
2022-08-02 20:42:58	-	1	0.1%
2022-08-03 15:34:59	-	1	0.1%
2022-08-03 20:52:24	-	1	0.1%
2022-08-03 22:02:47	-	1	0.1%
2022-08-04 15:53:18	-	1	0.1%
2022-08-04 16:33:32	-	1	0.1%
2022-08-05 17:56:47	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-08-06 18:31:33	-	1	0.1%
2022-08-06 19:20:37	-	1	0.1%
2022-08-07 17:15:31	-	1	0.1%
2022-08-07 19:54:45	-	1	0.1%
2022-08-07 20:55:42	-	1	0.1%
2022-08-08 15:06:14	-	1	0.1%
2022-08-08 15:27:36	-	1	0.1%
2022-08-08 18:24:24	-	1	0.1%
2022-08-09 16:57:22	-	1	0.1%
2022-08-10 17:03:09	-	1	0.1%
2022-08-11 17:57:36	-	1	0.1%
2022-08-11 21:32:46	-	1	0.1%
2022-08-12 19:03:03	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1715-1733 (width: 19; decimal: 0)

Variable Type: character

OWMSTARTA4: [raw] Oneword monolingual start time

Value	Label	Unweighted Frequency	%
	-	823	82.3%
2022-07-18 17:27:50	-	1	0.1%
2022-07-20 01:33:59	-	1	0.1%
2022-07-23 21:43:17	-	1	0.1%
2022-07-29 15:26:31	-	1	0.1%
2022-08-08 17:06:56	-	1	0.1%
2022-08-15 15:27:05	-	1	0.1%
2022-08-16 17:49:48	-	1	0.1%
2022-08-18 16:26:55	-	1	0.1%
2022-08-18 20:20:46	-	1	0.1%
2022-08-26 15:48:14	-	1	0.1%
2022-08-29 21:03:59	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-09-06 18:15:48	-	1	0.1%
2022-09-10 20:32:42	-	1	0.1%
2022-09-11 20:45:03	-	1	0.1%
2022-09-17 21:39:41	-	1	0.1%
2022-09-18 18:53:07	-	1	0.1%
2022-09-23 16:07:45	-	1	0.1%
2022-09-24 18:37:03	-	1	0.1%
2022-09-24 20:54:06	-	1	0.1%
2022-09-25 15:24:08	-	1	0.1%
2022-09-25 20:16:56	-	1	0.1%
2022-09-30 18:14:25	-	1	0.1%
2022-10-04 17:49:52	-	1	0.1%
2022-10-08 18:21:54	-	1	0.1%
2022-10-11 17:16:10	-	1	0.1%
2022-10-14 17:30:02	-	1	0.1%
2022-10-15 15:43:39	-	1	0.1%
2022-10-19 20:54:23	-	1	0.1%
2022-10-21 19:21:59	-	1	0.1%
2022-10-23 19:55:27	-	1	0.1%
2022-10-24 22:11:49	-	1	0.1%
2022-10-29 18:41:25	-	1	0.1%
2022-11-02 17:05:48	-	1	0.1%
2022-11-03 19:37:41	-	1	0.1%
2022-11-04 20:23:06	-	1	0.1%
2022-11-05 15:21:06	-	1	0.1%
2022-11-05 20:57:45	-	1	0.1%
2022-11-06 16:36:46	-	1	0.1%
2022-11-12 17:39:51	-	1	0.1%
2022-11-13 20:53:05	-	1	0.1%
2022-11-17 22:23:41	-	1	0.1%
2022-11-18 16:07:20	-	1	0.1%
2022-11-19 23:09:02	-	1	0.1%
2022-11-21 22:47:58	-	1	0.1%
2022-11-22 21:55:22	-	1	0.1%
2022-12-05 22:05:54	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-12-06 20:41:35	-	1	0.1%
2022-12-08 21:00:29	-	1	0.1%
2022-12-10 16:40:19	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1734-1752 (width: 19; decimal: 0)

Variable Type: character

OWMCHILDAGEA4: [raw] Child age at assessment: age range

Value	Label	Unweighted Frequency	%
1	2-0 to 2-11	1	0.1%
2	3-0 to 3-11	228	22.8%
3	4-0 to 4-11	299	29.9%
	Total	528	52.8%
Value	Missing Data	Unweighted Frequency	%
.	-	472	47.2%
	Total	472	47.2%

This variable has 528 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1753-1753 (width: 1; decimal: 0)

Variable Type: numeric

OWBSTARTA4: [raw] Oneword bilingual start time

Value	Label	Unweighted Frequency	%
	-	814	81.4%
2022-07-19 22:33:18	-	1	0.1%
2022-07-23 20:00:26	-	1	0.1%
2022-07-29 15:52:23	-	1	0.1%
2022-08-08 15:14:35	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-08-15 15:04:54	-	1	0.1%
2022-08-16 17:13:46	-	1	0.1%
2022-08-18 16:27:19	-	1	0.1%
2022-08-18 21:15:25	-	1	0.1%
2022-08-26 17:32:57	-	1	0.1%
2022-08-29 20:41:03	-	1	0.1%
2022-09-06 15:29:40	-	1	0.1%
2022-09-10 20:23:47	-	1	0.1%
2022-09-11 20:05:00	-	1	0.1%
2022-09-17 21:51:21	-	1	0.1%
2022-09-18 18:53:30	-	1	0.1%
2022-09-23 18:03:20	-	1	0.1%
2022-09-24 16:13:27	-	1	0.1%
2022-09-24 20:26:51	-	1	0.1%
2022-09-25 15:27:10	-	1	0.1%
2022-09-25 21:40:42	-	1	0.1%
2022-09-30 18:14:41	-	1	0.1%
2022-10-04 15:45:14	-	1	0.1%
2022-10-08 15:56:09	-	1	0.1%
2022-10-11 19:01:08	-	1	0.1%
2022-10-14 17:09:21	-	1	0.1%
2022-10-15 17:59:06	-	1	0.1%
2022-10-19 19:47:41	-	1	0.1%
2022-10-21 21:23:03	-	1	0.1%
2022-10-23 19:41:27	-	1	0.1%
2022-10-24 20:28:09	-	1	0.1%
2022-10-29 18:26:36	-	1	0.1%
2022-11-02 15:13:37	-	1	0.1%
2022-11-03 19:39:02	-	1	0.1%
2022-11-04 20:02:45	-	1	0.1%
2022-11-05 15:33:36	-	1	0.1%
2022-11-05 20:38:55	-	1	0.1%
2022-11-06 16:53:49	-	1	0.1%
2022-11-12 16:17:32	-	1	0.1%
2022-11-13 23:13:12	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-11-17 21:02:42	-	1	0.1%
2022-11-18 19:54:23	-	1	0.1%
2022-11-19 21:33:52	-	1	0.1%
2022-11-21 21:53:25	-	1	0.1%
2022-11-22 21:56:06	-	1	0.1%
2022-12-05 20:37:00	-	1	0.1%
2022-12-06 22:39:02	-	1	0.1%
2022-12-08 19:18:22	-	1	0.1%
2022-12-10 15:06:58	-	1	0.1%
2022-12-10 18:52:30	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1754-1772 (width: 19; decimal: 0)

Variable Type: character

OWBCHILDAGEA4: [raw] Child age at assessment: age range

Value	Label	Unweighted Frequency	%
0	2-0 to 4-11	286	28.6%
1	5-0 to 6-11	1	0.1%
	Total	287	28.7%

Value	Missing Data	Unweighted Frequency	%
.	-	713	71.3%
	Total	713	71.3%

This variable has 287 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1773-1773 (width: 1; decimal: 0)

Variable Type: numeric

MATRICESSTARTA4: [raw] Matrices Nonverbal IQ start time

Value	Label	Unweighted Frequency	%
	-	824	82.4%
2022-07-18 17:42:05	-	1	0.1%
2022-07-19 22:48:51	-	1	0.1%
2022-07-23 20:04:40	-	1	0.1%
2022-07-29 15:30:24	-	1	0.1%
2022-08-08 15:21:26	-	1	0.1%
2022-08-15 15:08:29	-	1	0.1%
2022-08-16 17:22:23	-	1	0.1%
2022-08-18 20:53:59	-	1	0.1%
2022-08-26 15:57:53	-	1	0.1%
2022-08-29 20:44:22	-	1	0.1%
2022-09-06 15:42:33	-	1	0.1%
2022-09-10 20:28:50	-	1	0.1%
2022-09-11 20:11:39	-	1	0.1%
2022-09-17 21:56:17	-	1	0.1%
2022-09-18 18:53:39	-	1	0.1%
2022-09-20 20:12:02	-	1	0.1%
2022-09-23 16:13:50	-	1	0.1%
2022-09-24 20:31:08	-	1	0.1%
2022-09-25 15:31:29	-	1	0.1%
2022-10-04 15:54:48	-	1	0.1%
2022-10-14 17:12:32	-	1	0.1%
2022-10-15 15:48:10	-	1	0.1%
2022-10-21 19:32:56	-	1	0.1%
2022-10-23 19:44:58	-	1	0.1%
2022-10-24 20:30:42	-	1	0.1%
2022-10-29 18:31:45	-	1	0.1%
2022-11-02 15:17:54	-	1	0.1%
2022-11-04 20:07:07	-	1	0.1%
2022-11-05 15:24:20	-	1	0.1%
2022-11-05 20:43:06	-	1	0.1%
2022-11-06 16:42:08	-	1	0.1%
2022-11-12 16:28:37	-	1	0.1%
2022-11-13 20:57:43	-	1	0.1%
2022-11-17 21:06:52	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-11-18 16:11:11	-	1	0.1%
2022-11-19 21:37:32	-	1	0.1%
2022-11-21 21:59:31	-	1	0.1%
2022-12-05 20:44:25	-	1	0.1%
2022-12-06 20:52:28	-	1	0.1%
2022-12-08 19:31:24	-	1	0.1%
2022-12-10 15:12:01	-	1	0.1%
2022-12-10 19:00:57	-	1	0.1%
2023-01-06 16:24:01	-	1	0.1%
2023-01-07 21:54:24	-	1	0.1%
2023-01-08 20:09:03	-	1	0.1%
2023-01-09 21:49:23	-	1	0.1%
2023-01-15 15:55:41	-	1	0.1%
2023-01-20 17:12:33	-	1	0.1%
2023-01-21 21:29:32	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1774-1792 (width: 19; decimal: 0)

Variable Type: character

RECOGSTARTA4: [raw] Recognition Nonverbal IQ start time

Value	Label	Unweighted Frequency	%
	-	983	98.3%
2022-07-18 17:45:07	-	1	0.1%
2022-07-23 20:08:46	-	1	0.1%
2022-07-29 15:36:43	-	1	0.1%
2022-08-08 15:25:08	-	1	0.1%
2022-08-15 15:12:31	-	1	0.1%
2022-08-16 17:31:57	-	1	0.1%
2022-08-18 20:59:33	-	1	0.1%
2022-08-26 16:06:17	-	1	0.1%
2022-08-29 20:47:32	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-09-06 15:52:05	-	1	0.1%
2022-09-10 20:43:26	-	1	0.1%
2022-09-11 20:20:14	-	1	0.1%
2022-09-17 22:01:22	-	1	0.1%
2022-09-18 18:53:49	-	1	0.1%
2022-09-24 20:33:14	-	1	0.1%
2022-09-25 15:44:02	-	1	0.1%
2022-10-19 19:59:34	-	1	0.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1793-1811 (width: 19; decimal: 0)

Variable Type: character

READINGHOUSESTARTA4: [raw] Readinghouse start time

Value	Label	Unweighted Frequency	%
	-	817	81.7%
2022-07-18 20:17:25	-	1	0.1%
2022-07-20 00:46:06	-	1	0.1%
2022-07-23 20:20:45	-	1	0.1%
2022-07-29 15:45:04	-	1	0.1%
2022-08-08 15:36:10	-	1	0.1%
2022-08-15 15:19:58	-	1	0.1%
2022-08-16 17:41:01	-	1	0.1%
2022-08-18 16:27:49	-	1	0.1%
2022-08-18 21:08:50	-	1	0.1%
2022-08-26 16:16:23	-	1	0.1%
2022-08-29 20:56:15	-	1	0.1%
2022-09-06 15:59:26	-	1	0.1%
2022-09-10 20:53:07	-	1	0.1%
2022-09-11 20:28:21	-	1	0.1%
2022-09-17 22:09:08	-	1	0.1%
2022-09-18 18:53:59	-	1	0.1%
2022-09-23 16:31:04	-	1	0.1%
2022-09-24 16:25:51	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-09-24 20:51:04	-	1	0.1%
2022-09-25 15:51:51	-	1	0.1%
2022-09-25 21:41:53	-	1	0.1%
2022-09-30 18:11:22	-	1	0.1%
2022-10-05 20:01:26	-	1	0.1%
2022-10-08 16:07:43	-	1	0.1%
2022-10-11 19:02:22	-	1	0.1%
2022-10-14 17:20:17	-	1	0.1%
2022-10-15 15:58:53	-	1	0.1%
2022-10-19 20:06:04	-	1	0.1%
2022-10-21 19:40:07	-	1	0.1%
2022-10-23 19:52:47	-	1	0.1%
2022-10-24 20:34:29	-	1	0.1%
2022-10-29 18:38:51	-	1	0.1%
2022-11-02 15:31:29	-	1	0.1%
2022-11-03 19:39:59	-	1	0.1%
2022-11-04 20:13:13	-	1	0.1%
2022-11-05 15:30:28	-	1	0.1%
2022-11-05 20:52:05	-	1	0.1%
2022-11-06 16:51:55	-	1	0.1%
2022-11-12 16:34:56	-	1	0.1%
2022-11-13 21:09:21	-	1	0.1%
2022-11-17 21:14:12	-	1	0.1%
2022-11-18 16:17:32	-	1	0.1%
2022-11-19 21:44:58	-	1	0.1%
2022-11-21 22:09:51	-	1	0.1%
2022-11-22 21:56:46	-	1	0.1%
2022-12-05 20:55:24	-	1	0.1%
2022-12-06 21:05:32	-	1	0.1%
2022-12-08 19:42:16	-	1	0.1%
2022-12-10 15:26:28	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1812-1830 (width: 19; decimal: 0)

Variable Type: character

READINGLANGA4: [raw] Language Readinghouse assessment administered

Value	Label	Unweighted Frequency	%
0	English	597	59.7%
1	Spanish	180	18.0%
	Total	777	77.7%
Value	Missing Data	Unweighted Frequency	%
-	-	223	22.3%
	Total	223	22.3%

This variable has 777 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1831-1831 (width: 1; decimal: 0)

Variable Type: numeric

PENCILTAPSTARTA4: [raw] Pencil tap start time

Value	Label	Unweighted Frequency	%
-	-	989	98.9%
2022-07-18 18:01:44	-	1	0.1%
2022-07-23 20:31:07	-	1	0.1%
2022-07-29 15:48:53	-	1	0.1%
2022-08-08 15:40:09	-	1	0.1%
2022-08-15 15:24:15	-	1	0.1%
2022-08-16 17:46:27	-	1	0.1%
2022-08-18 21:14:29	-	1	0.1%
2022-09-01 21:15:03	-	1	0.1%
2022-09-06 16:03:33	-	1	0.1%
2022-09-10 20:58:53	-	1	0.1%
2022-09-11 20:33:04	-	1	0.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1832-1850 (width: 19; decimal: 0)

Variable Type: character

HAIRCOLLECTIONSTARTA4: [raw] Hair collection start time

Value	Label	Unweighted Frequency	%
-		959	95.9%
2022-07-18 20:16:59	-	1	0.1%
2022-07-20 00:46:45	-	1	0.1%
2022-07-22 20:02:37	-	1	0.1%
2022-07-23 15:47:19	-	1	0.1%
2022-07-23 22:20:31	-	1	0.1%
2022-07-30 18:11:14	-	1	0.1%
2022-08-05 18:01:54	-	1	0.1%
2022-08-07 21:02:44	-	1	0.1%
2022-08-14 17:39:10	-	1	0.1%
2022-08-15 16:35:47	-	1	0.1%
2022-08-16 20:34:17	-	1	0.1%
2022-08-26 21:13:02	-	1	0.1%
2022-08-26 22:50:00	-	1	0.1%
2022-08-27 18:12:37	-	1	0.1%
2022-09-03 15:39:03	-	1	0.1%
2022-09-03 20:34:30	-	1	0.1%
2022-09-10 20:44:15	-	1	0.1%
2022-09-17 17:46:05	-	1	0.1%
2022-09-27 21:49:49	-	1	0.1%
2022-10-14 17:28:03	-	1	0.1%
2022-10-15 20:24:56	-	1	0.1%
2022-10-17 18:46:07	-	1	0.1%
2022-10-21 21:23:38	-	1	0.1%
2022-10-22 21:11:37	-	1	0.1%
2022-10-24 21:02:56	-	1	0.1%
2022-10-29 21:03:33	-	1	0.1%
2022-11-02 17:06:42	-	1	0.1%
2022-11-03 19:40:35	-	1	0.1%
2022-11-04 21:30:44	-	1	0.1%
2022-11-05 15:35:17	-	1	0.1%
2022-11-05 20:59:16	-	1	0.1%
2022-11-06 17:00:16	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-11-12 17:40:32	-	1	0.1%
2022-11-13 23:13:47	-	1	0.1%
2022-11-17 22:24:25	-	1	0.1%
2022-11-18 19:56:02	-	1	0.1%
2022-11-19 23:09:49	-	1	0.1%
2022-11-21 22:48:38	-	1	0.1%
2022-11-22 21:56:59	-	1	0.1%
2022-12-05 22:06:50	-	1	0.1%
2022-12-06 22:39:45	-	1	0.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1851-1869 (width: 19; decimal: 0)

Variable Type: character

MOMHAIRCONSENTA4: [raw] Mom consented to hair collection for herself

Value	Label	Unweighted Frequency	%
1	Yes	141	14.1%
2	Hairstyle prohibits	31	3.1%
5	No	55	5.5%
Total		227	22.7%

Value	Missing Data	Unweighted Frequency	%
-	-	773	77.3%
Total		773	77.3%

This variable has 227 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1870-1870 (width: 1; decimal: 0)

Variable Type: numeric

CHILDHAIRCONSENTA4: [raw] Mom consented to hair collection for her child

Value	Label	Unweighted Frequency	%
1	Yes	142	14.2%

Value	Label	Unweighted Frequency	%
2	Hairstyle prohibits	40	4.0%
5	No	45	4.5%
	Total	227	22.7%

Value	Missing Data	Unweighted Frequency	%
.	-	773	77.3%
	Total	773	77.3%

This variable has 227 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1871-1871 (width: 1; decimal: 0)

Variable Type: numeric

STEROIDPILLMOMA4: [raw] Mom currently taking any steroid pills

Value	Label	Unweighted Frequency	%
1	Yes	4	0.4%
5	No	137	13.7%
	Total	141	14.1%

Value	Missing Data	Unweighted Frequency	%
.	-	859	85.9%
	Total	859	85.9%

This variable has 141 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1872-1872 (width: 1; decimal: 0)

Variable Type: numeric

STEROIDPILLMOM3MA4: [raw] Mom took steroid pills in the past 3 months

Value	Label	Unweighted Frequency	%
1	Yes	4	0.4%
5	No	0	0.0%
	Total	4	0.4%

Value	Missing Data	Unweighted Frequency	%
-		996	99.6%
	Total	996	99.6%

This variable has 4 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1873-1873 (width: 1; decimal: 0)

Variable Type: numeric

STEROIDPILLCHILDA4: [raw] Child currently taking any steroid pills

Value	Label	Unweighted Frequency	%
1	Yes	3	0.3%
5	No	138	13.8%
	Total	141	14.1%

Value	Missing Data	Unweighted Frequency	%
-		859	85.9%
	Total	859	85.9%

This variable has 141 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1874-1874 (width: 1; decimal: 0)

Variable Type: numeric

STEROIDPILLCHILD3MA4: [raw] Child took steroid pills in the past 3 months

Value	Label	Unweighted Frequency	%
1	Yes	3	0.3%
5	No	0	0.0%
	Total	3	0.3%
Value	Missing Data	Unweighted Frequency	%
-		997	99.7%
	Total	997	99.7%

This variable has 3 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1875-1875 (width: 1; decimal: 0)

Variable Type: numeric

STEROIDINHALEMOMA4: [raw] Mom currently taking any inhaled steroids

Value	Label	Unweighted Frequency	%
1	Yes	10	1.0%
5	No	126	12.6%
6	Takes another type of asthma medicine	1	0.1%
	Total	137	13.7%
Value	Missing Data	Unweighted Frequency	%
-	-	863	86.3%
	Total	863	86.3%

This variable has 137 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1876-1876 (width: 1; decimal: 0)

Variable Type: numeric

OTHERASTHMAMOMA4: [raw] Other mom asthma medication

Value	Label	Unweighted Frequency	%
-	-	999	99.9%
Yes, there is an answer	-	1	0.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1877-1899 (width: 23; decimal: 0)

Variable Type: character

STEROIDINHALEMOM3MA4: [raw] Mom took inhaled steroids in the past 3 months

Value	Label	Unweighted Frequency	%
1	Yes	9	0.9%

Value	Label	Unweighted Frequency	%
5	No	1	0.1%
	Total	10	1.0%
Value	Missing Data	Unweighted Frequency	%
.	-	990	99.0%
	Total	990	99.0%

This variable has 10 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1900-1900 (width: 1; decimal: 0)

Variable Type: numeric

STEROIDINHALECHILDA4: [raw] Child currently taking any inhaled steroids

Value	Label	Unweighted Frequency	%
1	Yes	9	0.9%
5	No	128	12.8%
6	Takes another type of asthma medicine	1	0.1%
	Total	138	13.8%
Value	Missing Data	Unweighted Frequency	%
.	-	862	86.2%
	Total	862	86.2%

This variable has 138 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1901-1901 (width: 1; decimal: 0)

Variable Type: numeric

OTHERASTHMACHILDA4: [raw] Other child asthma medication

Value	Label	Unweighted Frequency	%
-		999	99.9%
Yes, there is an answer	-	1	0.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1902-1924 (width: 23; decimal: 0)

Variable Type: character

STEROIDINHALECHILD3MA4: [raw] Child took inhaled steroids in the past 3 months

Value	Label	Unweighted Frequency	%
1	Yes	8	0.8%
5	No	1	0.1%
	Total	9	0.9%
Value	Missing Data	Unweighted Frequency	%
.	-	991	99.1%
	Total	991	99.1%

This variable has 9 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1925-1925 (width: 1; decimal: 0)

Variable Type: numeric

FLONASEMOMA4: [raw] Mom currently taking flonase

Value	Label	Unweighted Frequency	%
1	Yes	6	0.6%
5	No	122	12.2%
	Total	128	12.8%
Value	Missing Data	Unweighted Frequency	%
.	-	872	87.2%
	Total	872	87.2%

This variable has 128 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1926-1926 (width: 1; decimal: 0)

Variable Type: numeric

FLONASEMOM3MA4: [raw] Mom took flonase in the past 3 months

Value	Label	Unweighted Frequency	%
1	Yes	5	0.5%
5	No	1	0.1%
	Total	6	0.6%
Value	Missing Data	Unweighted Frequency	%
.	-	994	99.4%
	Total	994	99.4%

This variable has 6 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1927-1927 (width: 1; decimal: 0)

Variable Type: numeric

FLONASECHILDA4: [raw] Child currently taking flonase

Value	Label	Unweighted Frequency	%
1	Yes	5	0.5%
5	No	126	12.6%
	Total	131	13.1%
Value	Missing Data	Unweighted Frequency	%
.	-	869	86.9%
	Total	869	86.9%

This variable has 131 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1928-1928 (width: 1; decimal: 0)

Variable Type: numeric

FLONASECHILD3MA4: [raw] Chilf took flonase in the past 3 months

Value	Label	Unweighted Frequency	%
1	Yes	4	0.4%

Value	Label	Unweighted Frequency	%
5	No	1	0.1%
	Total	5	0.5%
Value	Missing Data	Unweighted Frequency	%
.	-	995	99.5%
	Total	995	99.5%

This variable has 5 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1929-1929 (width: 1; decimal: 0)

Variable Type: numeric

STEROIDCREAMMOMA4: [raw] Mom currently using steroid cream

Value	Label	Unweighted Frequency	%
1	Yes	25	2.5%
5	No	97	9.7%
	Total	122	12.2%
Value	Missing Data	Unweighted Frequency	%
.	-	878	87.8%
	Total	878	87.8%

This variable has 122 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1930-1930 (width: 1; decimal: 0)

Variable Type: numeric

STEROIDCREAMMOM3MA4: [raw] Mom used steroid cream in the past 3 months

Value	Label	Unweighted Frequency	%
1	Yes	25	2.5%
5	No	0	0.0%
	Total	25	2.5%
Value	Missing Data	Unweighted Frequency	%
.	-	878	87.8%
	Total	878	87.8%

Value	Missing Data	Unweighted Frequency	%
-		975	97.5%
	Total	975	97.5%

This variable has 25 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1931-1931 (width: 1; decimal: 0)

Variable Type: numeric

STEROIDCREAMCHILD4: [raw] Child currently using steroid cream

Value	Label	Unweighted Frequency	%
1	Yes	17	1.7%
5	No	110	11.0%
	Total	127	12.7%

Value	Missing Data	Unweighted Frequency	%
-		873	87.3%
	Total	873	87.3%

This variable has 127 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1932-1932 (width: 1; decimal: 0)

Variable Type: numeric

STEROIDCREAMCHILD3MA4: [raw] Child used steroid cream in the past 3 months

Value	Label	Unweighted Frequency	%
1	Yes	16	1.6%
5	No	1	0.1%
	Total	17	1.7%

Value	Missing Data	Unweighted Frequency	%
-		983	98.3%
	Total	983	98.3%

This variable has 17 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1933-1933 (width: 1; decimal: 0)

Variable Type: numeric

CHEMICALTREATA4: [raw] Mom currently using chemical treatment on hair

Value	Label	Unweighted Frequency	%
0	No	0	0.0%
1	Yes	0	0.0%
	Total	0	0.0%
Value	Missing Data	Unweighted Frequency	%
.	-	1000	100.0%
	Total	1,000	100.0%

This variable has 0 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1934-1934 (width: 1; decimal: 0)

Variable Type: numeric

RESEARCHERINFOSTARTA4: [raw] Researcher info start time

Value	Label	Unweighted Frequency	%
	-	807	80.7%
2022-07-18 20:17:11	-	1	0.1%
2022-07-20 01:33:28	-	1	0.1%
2022-07-22 19:54:24	-	1	0.1%
2022-07-23 19:46:48	-	1	0.1%
2022-08-08 17:06:30	-	1	0.1%
2022-08-14 17:11:55	-	1	0.1%
2022-08-15 14:52:46	-	1	0.1%
2022-08-16 14:25:08	-	1	0.1%
2022-08-18 16:26:16	-	1	0.1%
2022-08-18 21:15:54	-	1	0.1%
2022-08-26 15:37:00	-	1	0.1%
2022-08-26 21:10:46	-	1	0.1%
2022-08-27 18:08:18	-	1	0.1%
2022-08-29 21:03:35	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-09-06 17:39:16	-	1	0.1%
2022-09-10 20:14:33	-	1	0.1%
2022-09-11 20:44:13	-	1	0.1%
2022-09-17 17:47:26	-	1	0.1%
2022-09-18 18:54:17	-	1	0.1%
2022-09-24 18:40:41	-	1	0.1%
2022-09-24 20:53:22	-	1	0.1%
2022-09-25 15:53:56	-	1	0.1%
2022-09-25 21:39:29	-	1	0.1%
2022-10-05 20:02:50	-	1	0.1%
2022-10-08 17:43:16	-	1	0.1%
2022-10-11 19:03:20	-	1	0.1%
2022-10-14 17:29:02	-	1	0.1%
2022-10-15 18:00:45	-	1	0.1%
2022-10-15 20:25:41	-	1	0.1%
2022-10-17 18:45:58	-	1	0.1%
2022-10-19 20:55:35	-	1	0.1%
2022-10-21 21:24:50	-	1	0.1%
2022-10-22 21:12:14	-	1	0.1%
2022-10-23 19:57:31	-	1	0.1%
2022-10-24 21:04:22	-	1	0.1%
2022-10-29 18:44:14	-	1	0.1%
2022-11-02 17:07:38	-	1	0.1%
2022-11-03 19:41:04	-	1	0.1%
2022-11-04 20:27:02	-	1	0.1%
2022-11-05 15:35:54	-	1	0.1%
2022-11-05 21:00:31	-	1	0.1%
2022-11-06 17:01:47	-	1	0.1%
2022-11-12 17:41:28	-	1	0.1%
2022-11-13 23:14:30	-	1	0.1%
2022-11-17 22:25:30	-	1	0.1%
2022-11-18 19:57:12	-	1	0.1%
2022-11-19 23:10:21	-	1	0.1%
2022-11-21 22:17:30	-	1	0.1%
2022-11-22 21:57:58	-	1	0.1%

Value	Label	Unweighted Frequency	%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1935-1953 (width: 19; decimal: 0)

Variable Type: character

COLLECTIONSITEA4: [raw] Site of Data Collection

Value	Label	Unweighted Frequency	%
1	NY	264	26.4%
2	NE	264	26.4%
3	LA	258	25.8%
4	MN	105	10.5%
	Total	891	89.1%

Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1954-1954 (width: 1; decimal: 0)

Variable Type: numeric

FIRSTVISITA4: [raw] 1st visit/interview

Value	Label	Unweighted Frequency	%
0	No	16	1.6%
1	Yes	875	87.5%
	Total	891	89.1%

Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%

Value	Missing Data	Unweighted Frequency	%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1955-1955 (width: 1; decimal: 0)

Variable Type: numeric

SECONDVISITA4: [raw] 2nd visit/interview

Value	Label	Unweighted Frequency	%
0	No	837	83.7%
1	Yes	54	5.4%
	Total	891	89.1%
Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1956-1956 (width: 1; decimal: 0)

Variable Type: numeric

THIRDVISITA4: [raw] 3rd visit/interview

Value	Label	Unweighted Frequency	%
0	No	890	89.0%
1	Yes	1	0.1%
	Total	891	89.1%
Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1957-1957 (width: 1; decimal: 0)

Variable Type: numeric

OTHERSTAFFCOMPLETEA4: [raw] Other staff involved (complete)

Value	Label	Unweighted Frequency	%
1	Yes	86	8.6%
2	No	650	65.0%
	Total	736	73.6%
Value	Missing Data	Unweighted Frequency	%
.	-	264	26.4%
	Total	264	26.4%

This variable has 736 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1958-1958 (width: 1; decimal: 0)

Variable Type: numeric

E3COMPLETEDMSA4: [raw] e3 completed maternal survey

Value	Label	Unweighted Frequency	%
0	No	885	88.5%
1	Yes	6	0.6%
	Total	891	89.1%
Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1959-1959 (width: 1; decimal: 0)

Variable Type: numeric

E3COMPLETEDCBA4: [raw] e3 completed child battery

Value	Label	Unweighted Frequency	%
0	No	886	88.6%
1	Yes	5	0.5%
	Total	891	89.1%

Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1960-1960 (width: 1; decimal: 0)

Variable Type: numeric

E3COMPLETEDEPIA4: [raw] e3 completed epigenetics

Value	Label	Unweighted Frequency	%
0	No	888	88.8%
1	Yes	3	0.3%
	Total	891	89.1%

Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1961-1961 (width: 1; decimal: 0)

Variable Type: numeric

E3COMPLETEDBMIA4: [raw] e3 completed BMI

Value	Label	Unweighted Frequency	%
0	No	888	88.8%
1	Yes	3	0.3%
	Total	891	89.1%

Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1962-1962 (width: 1; decimal: 0)

Variable Type: numeric

E3COMPLETEDEEGA4: [raw] e3 completed EEG

Value	Label	Unweighted Frequency	%
0	No	810	81.0%
1	Yes	81	8.1%
	Total	891	89.1%
Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1963-1963 (width: 1; decimal: 0)

Variable Type: numeric

PARTIALVISITMSPERSONA4: [raw] Maternal survey (in-person) was completed during partial visit

Value	Label	Unweighted Frequency	%
0	No	865	86.5%
1	Yes	26	2.6%
	Total	891	89.1%
Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%

Value	Missing Data	Unweighted Frequency	%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1964-1964 (width: 1; decimal: 0)

Variable Type: numeric

PARTIALVISITMSPHONEA4: [raw] Maternal survey (via phone) was completed during partial visit

Value	Label	Unweighted Frequency	%
0	No	827	82.7%
1	Yes	64	6.4%
	Total	891	89.1%

Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1965-1965 (width: 1; decimal: 0)

Variable Type: numeric

PARTIALVISITCBA4: [raw] Child battery was completed during partial visit

Value	Label	Unweighted Frequency	%
0	No	863	86.3%
1	Yes	28	2.8%
	Total	891	89.1%

Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1966-1966 (width: 1; decimal: 0)

Variable Type: numeric

PARTIALVISITEEGA4: [raw] EEG was completed during partial visit

Value	Label	Unweighted Frequency	%
0	No	878	87.8%
1	Yes	13	1.3%
	Total	891	89.1%
Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1967-1967 (width: 1; decimal: 0)

Variable Type: numeric

OTHERSTAFFPARTIALA4: [raw] Other staff involved (partial)

Value	Label	Unweighted Frequency	%
1	Yes	3	0.3%
2	No	99	9.9%
	Total	102	10.2%
Value	Missing Data	Unweighted Frequency	%
.	-	898	89.8%
	Total	898	89.8%

This variable has 102 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1968-1968 (width: 1; decimal: 0)

Variable Type: numeric

E3PARTCOMPLETEDMSA4: [raw] e3 completed maternal survey during partial visit

Value	Label	Unweighted Frequency	%
0	No	890	89.0%
1	Yes	1	0.1%
	Total	891	89.1%
Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1969-1969 (width: 1; decimal: 0)

Variable Type: numeric

E3PARTCOMPLETEDCBA4: [raw] e3 completed child battery during partial visit

Value	Label	Unweighted Frequency	%
0	No	890	89.0%
1	Yes	1	0.1%
	Total	891	89.1%
Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1970-1970 (width: 1; decimal: 0)

Variable Type: numeric

E3PARTCOMPLETEDDEPIA4: [raw] e3 completed epigenetics during partial visit

Value	Label	Unweighted Frequency	%
0	No	890	89.0%

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1%
	Total	891	89.1%
Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1971-1971 (width: 1; decimal: 0)

Variable Type: numeric

E3PARTCOMPLETEDBMIA4: [raw] e3 completed BMI during partial visit

Value	Label	Unweighted Frequency	%
0	No	890	89.0%
1	Yes	1	0.1%
	Total	891	89.1%
Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1972-1972 (width: 1; decimal: 0)

Variable Type: numeric

E3PARTCOMPLETEDEEGA4: [raw] e3 completed EEG during partial visit

Value	Label	Unweighted Frequency	%
0	No	889	88.9%
1	Yes	2	0.2%
	Total	891	89.1%
Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%
	Total	109	10.9%

Value	Missing Data	Unweighted Frequency	%
-		109	10.9%
Total		109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1973-1973 (width: 1; decimal: 0)

Variable Type: numeric

VISITDATE2NDA4: [raw] Date of 2nd visit/interview

Value	Label	Unweighted Frequency	%
-		946	94.6%
2022-09-06	-	1	0.1%
2022-09-22	-	1	0.1%
2022-11-04	-	1	0.1%
2022-11-15	-	1	0.1%
2022-12-15	-	1	0.1%
2023-02-01	-	1	0.1%
2023-02-05	-	1	0.1%
2023-02-17	-	1	0.1%
2023-02-26	-	1	0.1%
2023-03-15	-	1	0.1%
2023-03-23	-	1	0.1%
2023-03-24	-	1	0.1%
2023-03-28	-	1	0.1%
2023-04-03	-	1	0.1%
2023-04-10	-	1	0.1%
2023-04-12	-	1	0.1%
2023-04-17	-	1	0.1%
2023-04-29	-	1	0.1%
2023-05-06	-	1	0.1%
2023-05-10	-	1	0.1%
2023-05-18	-	1	0.1%
2023-05-23	-	1	0.1%
2023-05-27	-	1	0.1%

Value	Label	Unweighted Frequency	%
2023-05-30	-	2	0.2%
2023-05-31	-	1	0.1%
2023-06-01	-	1	0.1%
2023-06-02	-	1	0.1%
2023-06-03	-	1	0.1%
2023-06-04	-	2	0.2%
2023-06-06	-	3	0.3%
2023-06-07	-	2	0.2%
2023-06-11	-	1	0.1%
2023-06-12	-	1	0.1%
2023-06-13	-	1	0.1%
2023-06-17	-	1	0.1%
2023-07-04	-	1	0.1%
2023-07-05	-	1	0.1%
2023-07-07	-	2	0.2%
2023-07-09	-	1	0.1%
2023-07-10	-	1	0.1%
2023-07-11	-	1	0.1%
2023-07-16	-	1	0.1%
2023-07-17	-	1	0.1%
2023-07-18	-	1	0.1%
2023-07-20	-	1	0.1%
2023-07-30	-	2	0.2%
2023-08-01	-	1	0.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1974-1983 (width: 10; decimal: 0)

Variable Type: character

VISITTIME2NDA4: [raw] Time of 2nd visit/interview

Value	Label	Unweighted Frequency	%
-	-	946	94.6%
01:00	-	1	0.1%
01:30	-	1	0.1%

Value	Label	Unweighted Frequency	%
02:00	-	6	0.6%
02:30	-	1	0.1%
02:45	-	1	0.1%
03:00	-	3	0.3%
03:30	-	2	0.2%
05:00	-	1	0.1%
06:00	-	1	0.1%
09:00	-	4	0.4%
10:00	-	8	0.8%
10:30	-	4	0.4%
11:00	-	3	0.3%
11:24	-	1	0.1%
11:30	-	1	0.1%
12:00	-	5	0.5%
12:25	-	1	0.1%
12:30	-	2	0.2%
14:00	-	1	0.1%
14:18	-	1	0.1%
15:00	-	2	0.2%
15:30	-	1	0.1%
17:00	-	1	0.1%
17:20	-	1	0.1%
17:23	-	1	0.1%
Total		1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1984-1988 (width: 5; decimal: 0)

Variable Type: character

COMPLETEORPARTIAL2NDA4: [raw] Complete or partial 2nd

Value	Label	Unweighted Frequency	%
1	Yes	53	5.3%
2	No	1	0.1%
Total		54	5.4%

Value	Missing Data	Unweighted Frequency	%
-		946	94.6%
Total		946	94.6%

This variable has 54 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1989-1989 (width: 1; decimal: 0)

Variable Type: numeric

WHATCOMPLETEDMSPERSONA4: [raw] Maternal survey (in-person) during 2nd visit

Value	Label	Unweighted Frequency	%
0	No	886	88.6%
1	Yes	5	0.5%
Total		891	89.1%

Value	Missing Data	Unweighted Frequency	%
-		109	10.9%
Total		109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1990-1990 (width: 1; decimal: 0)

Variable Type: numeric

WHATCOMPLETEDMSPHONEA4: [raw] Maternal survey (via phone) during 2nd visit

Value	Label	Unweighted Frequency	%
0	No	881	88.1%
1	Yes	10	1.0%
Total		891	89.1%

Value	Missing Data	Unweighted Frequency	%
-		109	10.9%
Total		109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1991-1991 (width: 1; decimal: 0)

Variable Type: numeric

WHATCOMPLETEDCBA4: [raw] Child battery during 2nd visit

Value	Label	Unweighted Frequency	%
0	No	857	85.7%
1	Yes	34	3.4%
	Total	891	89.1%
Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1992-1992 (width: 1; decimal: 0)

Variable Type: numeric

WHATCOMPLETEDDEEGA4: [raw] EEG during 2nd visit

Value	Label	Unweighted Frequency	%
0	No	864	86.4%
1	Yes	27	2.7%
	Total	891	89.1%
Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1993-1993 (width: 1; decimal: 0)

Variable Type: numeric

THIRDVISITNEEDEDA4: [raw] Parts to be completed in 3rd visit

Value	Label	Unweighted Frequency	%
-		999	99.9%
EEG and part of child battery		1	0.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 1994-2022 (width: 29; decimal: 0)

Variable Type: character

OTHERSTAFF2NDA4: [raw] Other staff involved for 2nd visit/interview

Value	Label	Unweighted Frequency	%
1	Yes	3	0.3%
2	No	50	5.0%
	Total	53	5.3%

Value	Missing Data	Unweighted Frequency	%
.	-	947	94.7%
	Total	947	94.7%

This variable has 53 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2023-2023 (width: 1; decimal: 0)

Variable Type: numeric

E3PART2COMPLETEDMSA4: [raw] e3 completed maternal survey during 2nd visit

Value	Label	Unweighted Frequency	%
0	No	891	89.1%
1	Yes	0	0.0%
	Total	891	89.1%

Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%

Value	Missing Data	Unweighted Frequency	%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 2024-2024 (width: 1; decimal: 0)

Variable Type: numeric

E3PART2COMPLETEDCBA4: [raw] e3 completed child battery during 2nd visit

Value	Label	Unweighted Frequency	%
0	No	891	89.1%
1	Yes	0	0.0%
	Total	891	89.1%
Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 2025-2025 (width: 1; decimal: 0)

Variable Type: numeric

E3PART2COMPLETEDDEPIA4: [raw] e3 completed epigenetics during 2nd visit

Value	Label	Unweighted Frequency	%
0	No	891	89.1%
1	Yes	0	0.0%
	Total	891	89.1%
Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 2026-2026 (width: 1; decimal: 0)

Variable Type: numeric

E3PART2COMPLETEDBMIA4: [raw] e3 completed BMI during 2nd visit

Value	Label	Unweighted Frequency	%
0	No	891	89.1%
1	Yes	0	0.0%
	Total	891	89.1%
Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 2027-2027 (width: 1; decimal: 0)

Variable Type: numeric

E3PART2COMPLETEDDEEGA4: [raw] e3 completed EEG during 2nd visit

Value	Label	Unweighted Frequency	%
0	No	888	88.8%
1	Yes	3	0.3%
	Total	891	89.1%
Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2028-2028 (width: 1; decimal: 0)

Variable Type: numeric

VISITDATE3RDA4: [raw] Date of 3rd visit/interview

Value	Label	Unweighted Frequency	%
-		999	99.9%
2023-07-27	-	1	0.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2029-2038 (width: 10; decimal: 0)

Variable Type: character

VISITTIME3RDA4: [raw] Time of 3rd visit/interview

Value	Label	Unweighted Frequency	%
-		999	99.9%
12:00	-	1	0.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2039-2043 (width: 5; decimal: 0)

Variable Type: character

COMPLETEORPARTIAL3RDA4: [raw] Complete or partial 3rd

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1%
2	No	0	0.0%
	Total	1	0.1%
Value	Missing Data	Unweighted Frequency	%
.	-	999	99.9%
	Total	999	99.9%

This variable has 1 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2044-2044 (width: 1; decimal: 0)

Variable Type: numeric

WHATCOMPLETED2MSPERSONA4: [raw] Maternal survey (in-person) during 3rd visit

Value	Label	Unweighted Frequency	%
0	No	891	89.1%
1	Yes	0	0.0%
	Total	891	89.1%

Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 2045-2045 (width: 1; decimal: 0)

Variable Type: numeric

WHATCOMPLETED2MSPHONEA4: [raw] Maternal survey (via phone) during 3rd visit

Value	Label	Unweighted Frequency	%
0	No	891	89.1%
1	Yes	0	0.0%
	Total	891	89.1%

Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 2046-2046 (width: 1; decimal: 0)

Variable Type: numeric

WHATCOMPLETED2CBA4: [raw] Child battery during 3rd visit

Value	Label	Unweighted Frequency	%
0	No	890	89.0%
1	Yes	1	0.1%
	Total	891	89.1%

Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2047-2047 (width: 1; decimal: 0)

Variable Type: numeric

WHATCOMPLETED2EEGA4: [raw] EEG during 3rd visit

Value	Label	Unweighted Frequency	%
0	No	890	89.0%
1	Yes	1	0.1%
	Total	891	89.1%

Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2048-2048 (width: 1; decimal: 0)

Variable Type: numeric

FOURTHVISITNEEDED4: [raw] Parts to be completed in 4th visit

Value	Missing Data	Unweighted Frequency	%
.	-	1000	100.0%
	Total	1,000	100.0%

This variable has 0 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2049-2049 (width: 1; decimal: 0)

Variable Type: numeric

OTHERSTAFF3RDA4: [raw] Other staff involved for 3rd visit/interview

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0%
2	No	1	0.1%
	Total	1	0.1%

Value	Missing Data	Unweighted Frequency	%
.	-	999	99.9%
	Total	999	99.9%

This variable has 1 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 2050-2050 (width: 1; decimal: 0)

Variable Type: numeric

E3PART3COMPLETEDMSA4: [raw] e3 completed maternal survey during 3rd visit

Value	Label	Unweighted Frequency	%
0	No	891	89.1%
1	Yes	0	0.0%
	Total	891	89.1%

Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 2051-2051 (width: 1; decimal: 0)

Variable Type: numeric

E3PART3COMPLETEDCBA4: [raw] e3 completed child battery during 3rd visit

Value	Label	Unweighted Frequency	%
0	No	891	89.1%
1	Yes	0	0.0%
	Total	891	89.1%

Value	Missing Data	Unweighted Frequency	%
-		109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 2052-2052 (width: 1; decimal: 0)

Variable Type: numeric

E3PART3COMPLETEDEPIA4: [raw] e3 completed epigenetics during 3rd visit

Value	Label	Unweighted Frequency	%
0	No	891	89.1%
1	Yes	0	0.0%
	Total	891	89.1%

Value	Missing Data	Unweighted Frequency	%
-		109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 2053-2053 (width: 1; decimal: 0)

Variable Type: numeric

E3PART3COMPLETEDBMIA4: [raw] e3 completed BMI during 3rd visit

Value	Label	Unweighted Frequency	%
0	No	891	89.1%
1	Yes	0	0.0%
	Total	891	89.1%

Value	Missing Data	Unweighted Frequency	%
-		109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 2054-2054 (width: 1; decimal: 0)

Variable Type: numeric

E3PART3COMPLETEDDEEGA4: [raw] e3 completed EEG during 3rd visit

Value	Label	Unweighted Frequency	%
0	No	891	89.1%
1	Yes	0	0.0%
	Total	891	89.1%
Value	Missing Data	Unweighted Frequency	%
.	-	109	10.9%
	Total	109	10.9%

This variable has 891 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 2055-2055 (width: 1; decimal: 0)

Variable Type: numeric

PSRASTARTA4: [raw] PSRA start time

Value	Label	Unweighted Frequency	%
-	-	820	82.0%
2022-07-18 19:49:58	-	1	0.1%
2022-07-20 00:45:28	-	1	0.1%
2022-07-23 22:02:59	-	1	0.1%
2022-07-29 17:24:59	-	1	0.1%
2022-08-08 17:10:49	-	1	0.1%
2022-08-15 16:31:41	-	1	0.1%
2022-08-16 20:01:14	-	1	0.1%
2022-08-18 17:30:56	-	1	0.1%
2022-08-18 22:29:02	-	1	0.1%
2022-08-26 21:52:20	-	1	0.1%
2022-08-29 22:40:42	-	1	0.1%
2022-09-06 17:58:43	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-09-10 22:25:54	-	1	0.1%
2022-09-17 23:04:10	-	1	0.1%
2022-09-18 20:21:31	-	1	0.1%
2022-09-23 23:15:19	-	1	0.1%
2022-09-24 18:54:28	-	1	0.1%
2022-09-24 23:29:25	-	1	0.1%
2022-09-25 16:39:49	-	1	0.1%
2022-09-25 21:50:48	-	1	0.1%
2022-09-30 18:15:43	-	1	0.1%
2022-10-04 18:17:45	-	1	0.1%
2022-10-05 20:29:29	-	1	0.1%
2022-10-08 17:49:13	-	1	0.1%
2022-10-11 19:20:48	-	1	0.1%
2022-10-14 18:59:36	-	1	0.1%
2022-10-15 18:28:08	-	1	0.1%
2022-10-19 21:03:12	-	1	0.1%
2022-10-21 22:48:25	-	1	0.1%
2022-10-23 21:32:31	-	1	0.1%
2022-10-24 22:32:58	-	1	0.1%
2022-10-29 20:56:11	-	1	0.1%
2022-11-02 17:16:57	-	1	0.1%
2022-11-03 19:52:04	-	1	0.1%
2022-11-04 21:34:35	-	1	0.1%
2022-11-05 17:25:09	-	1	0.1%
2022-11-05 22:46:16	-	1	0.1%
2022-11-06 18:18:19	-	1	0.1%
2022-11-12 18:09:09	-	1	0.1%
2022-11-13 23:16:30	-	1	0.1%
2022-11-17 22:28:17	-	1	0.1%
2022-11-18 20:10:27	-	1	0.1%
2022-11-19 23:17:06	-	1	0.1%
2022-11-21 22:56:19	-	1	0.1%
2022-11-22 22:07:42	-	1	0.1%
2022-12-05 22:26:43	-	1	0.1%
2022-12-06 23:00:22	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-12-08 21:52:37	-	1	0.1%
2022-12-10 17:00:52	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2056-2074 (width: 19; decimal: 0)

Variable Type: character

PSRAASSESSORPRESENCEA4: [raw] PSRA assessor present for majority of visit

Value	Label	Unweighted Frequency	%
0	No	2	0.2%
1	Yes	842	84.2%
	Total	844	84.4%
Value	Missing Data	Unweighted Frequency	%
.	-	156	15.6%
	Total	156	15.6%

This variable has 844 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2075-2075 (width: 1; decimal: 0)

Variable Type: numeric

POSTVISITFORMSTARTA4: [raw] Post visit form start time

Value	Label	Unweighted Frequency	%
	-	824	82.4%
2022-07-20 00:59:26	-	1	0.1%
2022-07-22 17:12:47	-	1	0.1%
2022-07-23 22:12:45	-	1	0.1%
2022-07-29 17:44:39	-	1	0.1%
2022-08-08 17:15:40	-	1	0.1%
2022-08-15 16:35:08	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-08-16 20:04:08	-	1	0.1%
2022-08-18 17:46:13	-	1	0.1%
2022-08-18 22:36:09	-	1	0.1%
2022-08-26 21:55:24	-	1	0.1%
2022-08-29 22:52:54	-	1	0.1%
2022-09-10 22:29:38	-	1	0.1%
2022-09-11 22:17:13	-	1	0.1%
2022-09-17 23:07:45	-	1	0.1%
2022-09-18 20:24:44	-	1	0.1%
2022-09-23 23:28:48	-	1	0.1%
2022-09-24 19:07:50	-	1	0.1%
2022-09-24 23:36:24	-	1	0.1%
2022-09-25 16:54:01	-	1	0.1%
2022-09-25 22:22:57	-	1	0.1%
2022-09-30 18:15:52	-	1	0.1%
2022-10-04 18:43:21	-	1	0.1%
2022-10-05 22:15:01	-	1	0.1%
2022-10-06 22:37:31	-	1	0.1%
2022-10-08 17:56:52	-	1	0.1%
2022-10-11 19:33:09	-	1	0.1%
2022-10-14 19:02:52	-	1	0.1%
2022-10-15 18:52:57	-	1	0.1%
2022-10-19 21:07:06	-	1	0.1%
2022-10-21 22:54:23	-	1	0.1%
2022-10-23 21:38:02	-	1	0.1%
2022-10-24 22:36:18	-	1	0.1%
2022-10-29 21:00:37	-	1	0.1%
2022-11-02 17:28:57	-	1	0.1%
2022-11-03 20:00:30	-	1	0.1%
2022-11-04 21:38:52	-	1	0.1%
2022-11-05 17:32:55	-	1	0.1%
2022-11-05 22:50:28	-	1	0.1%
2022-11-06 18:22:35	-	1	0.1%
2022-11-12 18:12:17	-	1	0.1%
2022-11-13 23:20:46	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-11-17 22:32:37	-	1	0.1%
2022-11-18 20:13:01	-	1	0.1%
2022-11-19 23:21:21	-	1	0.1%
2022-11-21 23:02:33	-	1	0.1%
2022-11-22 22:10:17	-	1	0.1%
2022-12-05 22:38:34	-	1	0.1%
2022-12-06 23:09:43	-	1	0.1%
2022-12-08 22:17:47	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2076-2094 (width: 19; decimal: 0)

Variable Type: character

CHILDPRESENTA4: [raw] Child physically present at any visit

Value	Label	Unweighted Frequency	%
0	No	43	4.3%
1	Yes	843	84.3%
	Total	886	88.6%

Value	Missing Data	Unweighted Frequency	%
.	-	114	11.4%
	Total	114	11.4%

This variable has 886 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2095-2095 (width: 1; decimal: 0)

Variable Type: numeric

TESTEDOUTOFLABA4: [raw] Visit took place outside of lab

Value	Label	Unweighted Frequency	%
0	No	781	78.1%

Value	Label	Unweighted Frequency	%
1	Yes	19	1.9%
	Total	800	80.0%
Value	Missing Data	Unweighted Frequency	%
.	-	200	20.0%
	Total	200	20.0%

This variable has 800 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2096-2096 (width: 1; decimal: 0)

Variable Type: numeric

CHILDATTEMPTA4: [raw] Child attempted at least one form of data collection

Value	Label	Unweighted Frequency	%
0	No	6	0.6%
1	Yes	793	79.3%
	Total	799	79.9%
Value	Missing Data	Unweighted Frequency	%
.	-	201	20.1%
	Total	201	20.1%

This variable has 799 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2097-2097 (width: 1; decimal: 0)

Variable Type: numeric

MOMONLYORPHONEA4: [raw] Visit was mom only or phone only

Value	Label	Unweighted Frequency	%
0	No	4	0.4%
1	Yes	40	4.0%
	Total	44	4.4%

Value	Missing Data	Unweighted Frequency	%
.	-	956	95.6%
	Total	956	95.6%

This variable has 44 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2098-2098 (width: 1; decimal: 0)

Variable Type: numeric

CHILDMEFSBREAKSA4: [raw] Child took breaks during MEFS

Value	Label	Unweighted Frequency	%
1	Yes	69	6.9%
2	No	732	73.2%
	Total	801	80.1%
Value	Missing Data	Unweighted Frequency	%
.	-	199	19.9%
	Total	199	19.9%

This variable has 801 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2099-2099 (width: 1; decimal: 0)

Variable Type: numeric

CHILDMEFSBREAKSDETAIA4: [raw] Child break during or in between levels

Value	Label	Unweighted Frequency	%
1	Break(s) occurred during a level	16	1.6%
2	Break(s) occurred in between levels	14	1.4%
3	Some breaks occurred during a level, some occurred in between levels	39	3.9%
	Total	69	6.9%
Value	Missing Data	Unweighted Frequency	%
.	-	931	93.1%
	Total	931	93.1%

This variable has 69 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2100-2100 (width: 1; decimal: 0)

Variable Type: numeric

CHILDMEFSHELPA4: [raw] Help the child operate the iPad

Value	Label	Unweighted Frequency	%
1	Yes	63	6.3%
2	No	738	73.8%
	Total	801	80.1%
Value	Missing Data	Unweighted Frequency	%
.	-	199	19.9%
	Total	199	19.9%

This variable has 801 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2101-2101 (width: 1; decimal: 0)

Variable Type: numeric

CHILDMEFSNOTESA4: [raw] Child MEFS notes

Value	Label	Unweighted Frequency	%
	-	747	74.7%
Yes, there is an answer	-	253	25.3%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2102-2124 (width: 23; decimal: 0)

Variable Type: character

PVTBREAKSA4: [raw] Child took breaks during Receptive One-Word PVT

Value	Label	Unweighted Frequency	%
0	No	698	69.8%
1	Yes	97	9.7%

Value	Label	Unweighted Frequency	%
Total		795	79.5%
Value	Missing Data	Unweighted Frequency	%
.	-	205	20.5%
Total		205	20.5%

This variable has 795 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2125-2125 (width: 1; decimal: 0)

Variable Type: numeric

PVTNOTESA4: [raw] Receptive One-Word PVT notes

Value	Label	Unweighted Frequency	%
Total		1,000	100.0%
-		728	72.8%
Yes, there is an answer		272	27.2%
Total		1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2126-2148 (width: 23; decimal: 0)

Variable Type: character

MATRICESBREAKA4: [raw] Child took breaks during Matrices

Value	Label	Unweighted Frequency	%
Total		629	62.9%
0	No	583	58.3%
1	Yes	46	4.6%
Total		629	62.9%
Value	Missing Data	Unweighted Frequency	%
.	-	371	37.1%
Total		371	37.1%

This variable has 629 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2149-2149 (width: 1; decimal: 0)

Variable Type: numeric

MATRICESNOTESA4: [raw] Matrices notes

Value	Label	Unweighted Frequency	%
-		798	79.8%
Yes, there is an answer		202	20.2%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2150-2172 (width: 23; decimal: 0)

Variable Type: character

RECOGBREAKA4: [raw] Child took breaks during Recognition

Value	Label	Unweighted Frequency	%
0	No	30	3.0%
1	Yes	3	0.3%
	Total	33	3.3%

Value	Missing Data	Unweighted Frequency	%
.	-	967	96.7%
	Total	967	96.7%

This variable has 33 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2173-2173 (width: 1; decimal: 0)

Variable Type: numeric

RECOGNOTESA4: [raw] Recognition notes

Value	Label	Unweighted Frequency	%
-		956	95.6%
Yes, there is an answer		44	4.4%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2174-2196 (width: 23; decimal: 0)

Variable Type: character

READINGBREAKA4: [raw] Child took breaks during Readinghouse

Value	Label	Unweighted Frequency	%
1	Yes	62	6.2%
2	No	698	69.8%
	Total	760	76.0%
Value	Missing Data	Unweighted Frequency	%
-	-	240	24.0%
	Total	240	24.0%

This variable has 760 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2197-2197 (width: 1; decimal: 0)

Variable Type: numeric

READINGNOTESA4: [raw] Readinghouse notes

Value	Label	Unweighted Frequency	%
-	-	699	69.9%
Yes, there is an answer	-	301	30.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2198-2220 (width: 23; decimal: 0)

Variable Type: character

PENCILNOTESA4: [raw] Pencil Tap notes

Value	Label	Unweighted Frequency	%
-	-	968	96.8%
Yes, there is an answer	-	32	3.2%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2221-2243 (width: 23; decimal: 0)

Variable Type: character

MOMMEFSBREAKSA4: [raw] Mom took breaks during MEFS

Value	Label	Unweighted Frequency	%
1	Yes	24	2.4%
2	No	813	81.3%
	Total	837	83.7%
Value	Missing Data	Unweighted Frequency	%
-	-	163	16.3%
	Total	163	16.3%

This variable has 837 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2244-2244 (width: 1; decimal: 0)

Variable Type: numeric

MOMMEFSNOTESA4: [raw] Mom MEFS notes

Value	Label	Unweighted Frequency	%
-	-	904	90.4%
Yes, there is an answer	-	96	9.6%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2245-2267 (width: 23; decimal: 0)

Variable Type: character

BMIOTHERNOTESA4: [raw] BMI additional notes

Value	Label	Unweighted Frequency	%
-	-	812	81.2%
Yes, there is an answer	-	188	18.8%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2268-2290 (width: 23; decimal: 0)

Variable Type: character

MOMHAIRCOLLECTEDA4: [raw] Mom's hair collected

Value	Label	Unweighted Frequency	%
0	No	96	9.6%
1	Yes	62	6.2%
	Total	158	15.8%
Value	Missing Data	Unweighted Frequency	%
.	-	842	84.2%
	Total	842	84.2%

This variable has 158 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2291-2291 (width: 1; decimal: 0)

Variable Type: numeric

MOMHAIRWHYNOTA4: [raw] Why mom's hair was not collected

Value	Label	Unweighted Frequency	%
1	Parent refused	29	2.9%
2	Child refused	0	0.0%
3	Experimenter error	0	0.0%
4	Steroid medication	26	2.6%
5	Style prohibited	12	1.2%
6	Other	29	2.9%
	Total	96	9.6%
Value	Missing Data	Unweighted Frequency	%
.	-	904	90.4%
	Total	904	90.4%

This variable has 96 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 2292-2292 (width: 1; decimal: 0)

Variable Type: numeric

MOMHAIROTHERA4: [raw] Why mom's hair was not collected (other)

Value	Label	Unweighted Frequency	%
-		971	97.1%
Yes, there is an answer		29	2.9%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2293-2315 (width: 23; decimal: 0)

Variable Type: character

CHILDHAIRCOLLECTEDA4: [raw] Child's hair collected

Value	Label	Unweighted Frequency	%
0	No	101	10.1%
1	Yes	61	6.1%
	Total	162	16.2%
Value	Missing Data	Unweighted Frequency	%
-		838	83.8%
	Total	838	83.8%

This variable has 162 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2316-2316 (width: 1; decimal: 0)

Variable Type: numeric

CHILDHAIRWHYNOTA4: [raw] Why child's hair was not collected

Value	Label	Unweighted Frequency	%
1	Parent refused	21	2.1%
2	Child refused	5	0.5%
3	Experimenter error	0	0.0%
4	Steroid medication	16	1.6%
5	Style prohibited	29	2.9%
6	Other	30	3.0%
	Total	101	10.1%

Value	Missing Data	Unweighted Frequency	%
-		899	89.9%
Total		899	89.9%

This variable has 101 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 2317-2317 (width: 1; decimal: 0)

Variable Type: numeric

CHILDHAIROTHERA4: [raw] Why child's hair was not collected (other)

Value	Label	Unweighted Frequency	%
-		969	96.9%
Yes, there is an answer	-	31	3.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2318-2340 (width: 23; decimal: 0)

Variable Type: character

CHILDFREEZEHAIRTIMEA4: [raw] Freezer date and time for child's hair

Value	Label	Unweighted Frequency	%
-		925	92.5%
2022-07-14 18:00	-	1	0.1%
2022-07-18 15:59	-	1	0.1%
2022-07-22 16:46	-	1	0.1%
2022-07-25 12:58	-	1	0.1%
2022-07-28 13:32	-	1	0.1%
2022-07-28 20:40	-	1	0.1%
2022-07-29 15:30	-	1	0.1%
2022-07-31 12:08	-	1	0.1%
2022-08-01 19:20	-	1	0.1%
2022-08-06 16:14	-	1	0.1%
2022-08-08 13:15	-	1	0.1%
2022-08-11 15:00	-	1	0.1%
2022-08-13 17:09	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-08-15 12:34	-	1	0.1%
2022-08-15 14:44	-	1	0.1%
2022-08-16 16:03	-	1	0.1%
2022-08-18 13:38	-	1	0.1%
2022-08-19 02:38	-	1	0.1%
2022-08-20 17:39	-	1	0.1%
2022-08-22 20:38	-	1	0.1%
2022-08-23 17:34	-	1	0.1%
2022-08-23 19:29	-	1	0.1%
2022-08-26 13:38	-	1	0.1%
2022-08-26 19:04	-	1	0.1%
2022-08-27 15:45	-	1	0.1%
2022-08-29 18:52	-	1	0.1%
2022-09-01 12:25	-	1	0.1%
2022-09-04 15:01	-	1	0.1%
2022-09-08 15:43	-	1	0.1%
2022-09-09 12:00	-	1	0.1%
2022-09-10 18:28	-	1	0.1%
2022-09-11 16:55	-	1	0.1%
2022-09-14 15:42	-	1	0.1%
2022-09-17 12:36	-	1	0.1%
2022-09-17 14:41	-	1	0.1%
2022-09-17 19:07	-	1	0.1%
2022-09-18 13:01	-	1	0.1%
2022-09-20 12:21	-	1	0.1%
2022-09-22 17:12	-	1	0.1%
2022-09-23 15:19	-	1	0.1%
2022-09-23 19:28	-	1	0.1%
2022-09-24 01:00	-	1	0.1%
2022-09-24 19:35	-	1	0.1%
2022-09-25 18:22	-	1	0.1%
2022-09-28 17:01	-	1	0.1%
2022-09-29 12:30	-	1	0.1%
2022-10-02 16:18	-	1	0.1%
2022-10-03 15:17	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-10-03 19:34	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2341-2356 (width: 16; decimal: 0)

Variable Type: character

MOMFREEZEHAIRTIMEA4: [raw] Freezer date and time for mom's hair

Value	Label	Unweighted Frequency	%
	-	924	92.4%
2022-07-14 18:00	-	1	0.1%
2022-07-18 15:59	-	1	0.1%
2022-07-22 16:46	-	1	0.1%
2022-07-25 12:58	-	1	0.1%
2022-07-28 13:32	-	1	0.1%
2022-07-28 14:29	-	1	0.1%
2022-07-28 20:40	-	1	0.1%
2022-07-29 15:30	-	1	0.1%
2022-07-31 12:08	-	1	0.1%
2022-08-01 18:59	-	1	0.1%
2022-08-01 19:20	-	1	0.1%
2022-08-06 16:14	-	1	0.1%
2022-08-09 13:47	-	1	0.1%
2022-08-11 15:00	-	1	0.1%
2022-08-13 17:09	-	1	0.1%
2022-08-14 14:05	-	1	0.1%
2022-08-15 12:34	-	1	0.1%
2022-08-15 14:44	-	1	0.1%
2022-08-16 16:03	-	1	0.1%
2022-08-18 18:36	-	1	0.1%
2022-08-19 02:38	-	1	0.1%
2022-08-20 17:39	-	1	0.1%
2022-08-22 13:06	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-08-22 20:38	-	1	0.1%
2022-08-23 17:34	-	1	0.1%
2022-08-26 13:38	-	1	0.1%
2022-08-26 19:04	-	1	0.1%
2022-08-27 15:45	-	1	0.1%
2022-09-01 12:25	-	1	0.1%
2022-09-04 15:01	-	1	0.1%
2022-09-07 16:00	-	1	0.1%
2022-09-08 15:43	-	1	0.1%
2022-09-09 12:00	-	1	0.1%
2022-09-10 18:28	-	1	0.1%
2022-09-11 16:55	-	1	0.1%
2022-09-14 15:42	-	1	0.1%
2022-09-17 12:36	-	1	0.1%
2022-09-17 14:41	-	1	0.1%
2022-09-18 15:10	-	1	0.1%
2022-09-18 16:24	-	1	0.1%
2022-09-20 12:21	-	1	0.1%
2022-09-22 17:12	-	1	0.1%
2022-09-23 15:19	-	1	0.1%
2022-09-23 19:28	-	1	0.1%
2022-09-24 01:00	-	1	0.1%
2022-09-24 19:35	-	1	0.1%
2022-09-28 17:01	-	1	0.1%
2022-09-29 12:30	-	1	0.1%
2022-10-02 16:18	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2357-2372 (width: 16; decimal: 0)

Variable Type: character

CHILDDRAWINGA4: [raw] Child drawing labeled with ID

Value	Label	Unweighted Frequency	%
1	Yes	428	42.8%
2	No	40	4.0%
3	Child did not do a drawing	388	38.8%
	Total	856	85.6%
Value	Missing Data	Unweighted Frequency	%
.	-	144	14.4%
	Total	144	14.4%

This variable has 856 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2373-2373 (width: 1; decimal: 0)

Variable Type: numeric

REVEALGROUPA4: [raw] Mom revealed treatment status to RA

Value	Label	Unweighted Frequency	%
0	No	818	81.8%
1	Yes	34	3.4%
	Total	852	85.2%
Value	Missing Data	Unweighted Frequency	%
.	-	148	14.8%
	Total	148	14.8%

This variable has 852 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2374-2374 (width: 1; decimal: 0)

Variable Type: numeric

WHICHRA1A4: [raw] Mom revealed to R1

Value	Label	Unweighted Frequency	%
0	No	870	87.0%
1	Yes	17	1.7%

Value	Label	Unweighted Frequency	%
Total		887	88.7%
Value	Missing Data	Unweighted Frequency	%
.	-	113	11.3%
Total		113	11.3%

This variable has 887 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2375-2375 (width: 1; decimal: 0)

Variable Type: numeric

WHICHRA2A4: [raw] Mom revealed to R2

Value	Label	Unweighted Frequency	%
Total		887	88.7%
Value	Missing Data	Unweighted Frequency	%
.	-	113	11.3%
Total		113	11.3%

This variable has 887 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2376-2376 (width: 1; decimal: 0)

Variable Type: numeric

CONSENTCOMPLETEA4: [raw] Electronic consent forms completed

Value	Label	Unweighted Frequency	%
Total		862	86.2%
Value	Label	Unweighted Frequency	%
1	Yes	723	72.3%
2	No	126	12.6%
3	Partially	13	1.3%
Total		862	86.2%

Value	Missing Data	Unweighted Frequency	%
.	-	138	13.8%
	Total	138	13.8%

This variable has 862 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2377-2377 (width: 1; decimal: 0)

Variable Type: numeric

UPLOADCONSENTA4: [raw] Upload PDF of consent forms

Value	Label	Unweighted Frequency	%
0	No	0	0.0%
1	Yes	131	13.1%
	Total	131	13.1%
Value	Missing Data	Unweighted Frequency	%
.	-	869	86.9%
	Total	869	86.9%

This variable has 131 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2378-2378 (width: 1; decimal: 0)

Variable Type: numeric

NEWCARDA4: [raw] Provided a new 4MyBaby card to today's mom

Value	Label	Unweighted Frequency	%
1	Yes	38	3.8%
2	No	789	78.9%
	Total	827	82.7%
Value	Missing Data	Unweighted Frequency	%
.	-	173	17.3%
	Total	173	17.3%

This variable has 827 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2379-2379 (width: 1; decimal: 0)

Variable Type: numeric

GENERALNOTESSTARTA4: [raw] General notes start time

Value	Missing Data	Unweighted Frequency	%
.	-	1000	100.0%
	Total	1,000	100.0%

This variable has 0 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2380-2380 (width: 1; decimal: 0)

Variable Type: numeric

BMISTARTA4: [raw] BMI start time

Value	Label	Unweighted Frequency	%
	-	819	81.9%
2022-07-18 20:15:19	-	1	0.1%
2022-07-20 01:00:15	-	1	0.1%
2022-07-23 22:14:07	-	1	0.1%
2022-07-29 17:25:36	-	1	0.1%
2022-08-08 17:16:12	-	1	0.1%
2022-08-15 16:35:39	-	1	0.1%
2022-08-16 20:04:43	-	1	0.1%
2022-08-18 17:46:43	-	1	0.1%
2022-08-18 22:36:46	-	1	0.1%
2022-08-26 21:57:46	-	1	0.1%
2022-08-29 22:59:45	-	1	0.1%
2022-09-06 18:08:55	-	1	0.1%
2022-09-10 22:30:16	-	1	0.1%
2022-09-11 22:17:53	-	1	0.1%
2022-09-17 23:08:19	-	1	0.1%
2022-09-18 20:25:47	-	1	0.1%
2022-09-23 23:33:41	-	1	0.1%
2022-09-24 21:09:50	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-09-24 23:37:26	-	1	0.1%
2022-09-25 16:54:41	-	1	0.1%
2022-09-25 22:25:44	-	1	0.1%
2022-09-30 18:15:56	-	1	0.1%
2022-10-05 22:16:27	-	1	0.1%
2022-10-06 22:40:49	-	1	0.1%
2022-10-08 17:57:36	-	1	0.1%
2022-10-11 19:33:59	-	1	0.1%
2022-10-15 21:45:27	-	1	0.1%
2022-10-19 21:08:48	-	1	0.1%
2022-10-21 22:55:28	-	1	0.1%
2022-10-23 21:39:27	-	1	0.1%
2022-10-24 22:37:06	-	1	0.1%
2022-10-29 21:03:10	-	1	0.1%
2022-11-02 17:30:57	-	1	0.1%
2022-11-03 20:02:44	-	1	0.1%
2022-11-04 21:39:54	-	1	0.1%
2022-11-05 17:38:08	-	1	0.1%
2022-11-05 22:52:05	-	1	0.1%
2022-11-06 18:24:29	-	1	0.1%
2022-11-12 18:13:20	-	1	0.1%
2022-11-13 23:31:34	-	1	0.1%
2022-11-17 22:33:52	-	1	0.1%
2022-11-18 20:14:14	-	1	0.1%
2022-11-19 23:24:37	-	1	0.1%
2022-11-21 23:04:21	-	1	0.1%
2022-11-22 22:16:55	-	1	0.1%
2022-12-05 22:43:11	-	1	0.1%
2022-12-06 23:27:04	-	1	0.1%
2022-12-08 22:21:22	-	1	0.1%
2022-12-10 17:09:47	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2381-2399 (width: 19; decimal: 0)

Variable Type: character

MOMHEIGHTCOLLECTA4: [raw] Mom's height collected

Value	Label	Unweighted Frequency	%
0	No	35	3.5%
1	Yes	809	80.9%
	Total	844	84.4%
Value	Missing Data	Unweighted Frequency	%
.	-	156	15.6%
	Total	156	15.6%

This variable has 844 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2400-2400 (width: 1; decimal: 0)

Variable Type: numeric

MOMHEIGHTWHYNOTA4: [raw] Why mom's height was not collected

Value	Label	Unweighted Frequency	%
1	Mom did not consent	4	0.4%
2	Didn't have time	8	0.8%
3	Experimenter error	2	0.2%
4	Equipment error	0	0.0%
5	Other	20	2.0%
	Total	34	3.4%
Value	Missing Data	Unweighted Frequency	%
.	-	966	96.6%
	Total	966	96.6%

This variable has 34 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2401-2401 (width: 1; decimal: 0)

Variable Type: numeric

MOMHEIGHTOTHERA4: [raw] Why mom's height was not collected (other)

Value	Label	Unweighted Frequency	%
-	-	980	98.0%
Yes, there is an answer	-	20	2.0%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2402-2424 (width: 23; decimal: 0)

Variable Type: character

MOMHEIGHTCMA4: [raw] Mom's height in centimeters

Value	Label	Unweighted Frequency	%
119.00	-	1	0.1%
135.00	-	1	0.1%
136.00	-	1	0.1%
140.00	-	1	0.1%
141.00	-	1	0.1%
144.00	-	3	0.3%
145.00	-	4	0.4%
145.20	-	1	0.1%
145.40	-	1	0.1%
146.00	-	2	0.2%
146.50	-	1	0.1%
147.00	-	3	0.3%
147.20	-	1	0.1%
148.00	-	10	1.0%
148.50	-	1	0.1%
149.00	-	4	0.4%
149.70	-	1	0.1%
150.00	-	9	0.9%
150.20	-	1	0.1%
150.50	-	2	0.2%
151.00	-	4	0.4%
151.20	-	1	0.1%
152.00	-	12	1.2%

Value	Label	Unweighted Frequency	%
152.50	-	3	0.3%
153.00	-	10	1.0%
153.50	-	1	0.1%
154.00	-	18	1.8%
154.10	-	2	0.2%
154.20	-	2	0.2%
155.00	-	18	1.8%
155.50	-	1	0.1%
155.70	-	2	0.2%
155.80	-	1	0.1%
156.00	-	25	2.5%
156.10	-	1	0.1%
156.20	-	1	0.1%
156.50	-	1	0.1%
157.00	-	32	3.2%
157.50	-	2	0.2%
158.00	-	32	3.2%
158.30	-	2	0.2%
158.50	-	5	0.5%
158.60	-	1	0.1%
158.80	-	1	0.1%
159.00	-	33	3.3%
159.20	-	1	0.1%
159.50	-	3	0.3%
160.00	-	34	3.4%
160.02	-	1	0.1%
160.10	-	2	0.2%
Total		809	80.9%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	191	19.1%
	Total	191	19.1%

This variable has 809 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 162.51
- Median: 163.00
- Mode: 162.00
- Minimum: 119.00
- Maximum: 183.00
- Standard Deviation: 7.42

Location: 2425-2430 (width: 6; decimal: 2)

Variable Type: numeric

MOMWEIGHTCOLLECTA4: [raw] Mom's weight collected

Value	Label	Unweighted Frequency	%
0	No	38	3.8%
1	Yes	806	80.6%
	Total	844	84.4%
Value	Missing Data	Unweighted Frequency	%
.	-	156	15.6%
	Total	156	15.6%

This variable has 844 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2431-2431 (width: 1; decimal: 0)

Variable Type: numeric

MOMWEIGHTWHYNOTA4: [raw] Why mom's weight was not collected

Value	Label	Unweighted Frequency	%
1	Mom did not consent	7	0.7%
2	Didn't have time	7	0.7%
3	Experimenter error	2	0.2%
4	Equipment error	0	0.0%
5	Other	21	2.1%
	Total	37	3.7%
Value	Missing Data	Unweighted Frequency	%
.	-	963	96.3%
	Total	963	96.3%

This variable has 37 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2432-2432 (width: 1; decimal: 0)

Variable Type: numeric

MOMWEIGHTOTHERA4: [raw] Why mom's weight was not collected (other)

Value	Label	Unweighted Frequency	%
-	-	979	97.9%
Yes, there is an answer	-	21	2.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2433-2455 (width: 23; decimal: 0)

Variable Type: character

MOMWEIGHTLBSA4: [raw] Mom's weight in pounds

Value	Label	Unweighted Frequency	%
79	-	1	0.1%
94	-	1	0.1%
95	-	1	0.1%
97	-	2	0.2%
98	-	1	0.1%
99	-	2	0.2%
100	-	1	0.1%
101	-	1	0.1%
102	-	2	0.2%
103	-	2	0.2%
104	-	1	0.1%
105	-	4	0.4%
106	-	2	0.2%
108	-	3	0.3%
109	-	3	0.3%
110	-	6	0.6%
111	-	2	0.2%
112	-	2	0.2%
113	-	2	0.2%

Value	Label	Unweighted Frequency	%
115	-	3	0.3%
116	-	6	0.6%
117	-	3	0.3%
118	-	5	0.5%
119	-	7	0.7%
120	-	5	0.5%
121	-	4	0.4%
122	-	4	0.4%
123	-	3	0.3%
124	-	3	0.3%
125	-	7	0.7%
126	-	7	0.7%
127	-	3	0.3%
128	-	6	0.6%
129	-	1	0.1%
130	-	3	0.3%
131	-	4	0.4%
132	-	5	0.5%
133	-	5	0.5%
134	-	7	0.7%
135	-	12	1.2%
136	-	4	0.4%
137	-	3	0.3%
138	-	7	0.7%
139	-	12	1.2%
140	-	5	0.5%
141	-	7	0.7%
142	-	2	0.2%
143	-	12	1.2%
144	-	7	0.7%
145	-	12	1.2%
Total		805	80.5%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	195	19.5%
	Total	195	19.5%

This variable has 805 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 180.87
- Median: 173.00
- Mode: 200.00
- Minimum: 79.00
- Maximum: 445.00
- Standard Deviation: 49.68

Location: 2456-2458 (width: 3; decimal: 0)

Variable Type: numeric

CHILDHEIGHTCOLLECTA4: [raw] Child's height collected

Value	Label	Unweighted Frequency	%
0	No	31	3.1%
1	Yes	813	81.3%
	Total	844	84.4%
Value	Missing Data	Unweighted Frequency	%
.	-	156	15.6%
	Total	156	15.6%

This variable has 844 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2459-2459 (width: 1; decimal: 0)

Variable Type: numeric

CHILDHEIGHTWHYNOTA4: [raw] Why child's height was not collected

Value	Label	Unweighted Frequency	%
1	Mom/child did not consent	3	0.3%
2	Didn't have time	6	0.6%
3	Experimenter error	1	0.1%
4	Equipment error	0	0.0%
5	Other	20	2.0%
	Total	30	3.0%

Value	Missing Data	Unweighted Frequency	%
-		970	97.0%
Total		970	97.0%

This variable has 30 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2460-2460 (width: 1; decimal: 0)

Variable Type: numeric

CHILDHEIGHTOTHERA4: [raw] Why child's height was not collected (other)

Value	Label	Unweighted Frequency	%
-		980	98.0%
Yes, there is an answer	-	20	2.0%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2461-2483 (width: 23; decimal: 0)

Variable Type: character

CHILDHEIGHTCMA4: [raw] Child's height in centimeters

Value	Label	Unweighted Frequency	%
89.00	-	1	0.1%
90.00	-	1	0.1%
92.00	-	2	0.2%
93.00	-	3	0.3%
93.50	-	1	0.1%
93.90	-	1	0.1%
94.00	-	6	0.6%
95.00	-	6	0.6%
96.00	-	15	1.5%
96.20	-	1	0.1%
96.50	-	2	0.2%
97.00	-	15	1.5%
97.50	-	5	0.5%
98.00	-	24	2.4%

Value	Label	Unweighted Frequency	%
98.30	-	1	0.1%
98.80	-	1	0.1%
99.00	-	31	3.1%
99.50	-	5	0.5%
100.00	-	36	3.6%
100.40	-	1	0.1%
100.50	-	4	0.4%
100.70	-	1	0.1%
101.00	-	40	4.0%
101.20	-	1	0.1%
101.50	-	4	0.4%
101.90	-	1	0.1%
102.00	-	61	6.1%
102.20	-	1	0.1%
102.50	-	5	0.5%
103.00	-	58	5.8%
103.20	-	1	0.1%
103.50	-	5	0.5%
103.80	-	1	0.1%
104.00	-	67	6.7%
104.10	-	2	0.2%
104.20	-	2	0.2%
104.30	-	1	0.1%
104.50	-	7	0.7%
105.00	-	62	6.2%
105.21	-	1	0.1%
105.30	-	2	0.2%
105.50	-	10	1.0%
105.70	-	1	0.1%
106.00	-	36	3.6%
106.50	-	3	0.3%
106.70	-	1	0.1%
106.80	-	1	0.1%
107.00	-	49	4.9%
107.10	-	1	0.1%

Value	Label	Unweighted Frequency	%
107.20	-	2	0.2%
	Total	813	81.3%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	187	18.7%
	Total	187	18.7%

This variable has 813 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 104.63
- Median: 104.00
- Mode: 104.00
- Minimum: 89.00
- Maximum: 180.00
- Standard Deviation: 5.47

Location: 2484-2489 (width: 6; decimal: 2)

Variable Type: numeric

CHILDWEIGHTCOLLECTA4: [raw] Child's weight collected

Value	Label	Unweighted Frequency	%
0	No	32	3.2%
1	Yes	812	81.2%
	Total	844	84.4%

Value	Missing Data	Unweighted Frequency	%
.	-	156	15.6%
	Total	156	15.6%

This variable has 844 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2490-2490 (width: 1; decimal: 0)

Variable Type: numeric

CHILDWEIGHTWHYNOTA4: [raw] Why child's weight was not collected

Value	Label	Unweighted Frequency	%
1	Mom/child did not consent	4	0.4%
2	Didn't have time	6	0.6%
3	Experimenter error	1	0.1%
4	Equipment error	0	0.0%
5	Other	20	2.0%
	Total	31	3.1%
Value	Missing Data	Unweighted Frequency	%
.	-	969	96.9%
	Total	969	96.9%

This variable has 31 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2491-2491 (width: 1; decimal: 0)

Variable Type: numeric

CHILDWEIGHTOTHERA4: [raw] Why child's weight was not collected (other)

Value	Label	Unweighted Frequency	%
	-	980	98.0%
Yes, there is an answer	-	20	2.0%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2492-2514 (width: 23; decimal: 0)

Variable Type: character

CHILDWEIGHTLBSA4: [raw] Child's weight in pounds

Value	Label	Unweighted Frequency	%
27	-	2	0.2%
28	-	3	0.3%
29	-	7	0.7%
30	-	15	1.5%
31	-	30	3.0%
32	-	30	3.0%

Value	Label	Unweighted Frequency	%
33	-	32	3.2%
34	-	33	3.3%
35	-	56	5.6%
36	-	57	5.7%
37	-	62	6.2%
38	-	46	4.6%
39	-	70	7.0%
40	-	36	3.6%
41	-	63	6.3%
42	-	40	4.0%
43	-	34	3.4%
44	-	35	3.5%
45	-	35	3.5%
46	-	12	1.2%
47	-	17	1.7%
48	-	14	1.4%
49	-	14	1.4%
50	-	11	1.1%
51	-	5	0.5%
52	-	6	0.6%
53	-	6	0.6%
54	-	1	0.1%
55	-	5	0.5%
56	-	9	0.9%
57	-	3	0.3%
58	-	1	0.1%
59	-	3	0.3%
61	-	2	0.2%
62	-	2	0.2%
63	-	2	0.2%
64	-	2	0.2%
65	-	1	0.1%
66	-	1	0.1%
67	-	2	0.2%
68	-	1	0.1%

Value	Label	Unweighted Frequency	%
70	-	2	0.2%
72	-	1	0.1%
75	-	1	0.1%
79	-	1	0.1%
95	-	1	0.1%
	Total	812	81.2%
Value	Missing Data	Unweighted Frequency	%
.	-	188	18.8%
	Total	188	18.8%

This variable has 812 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 40.15
- Median: 39.00
- Mode: 39.00
- Minimum: 27.00
- Maximum: 95.00
- Standard Deviation: 7.39

Location: 2515-2516 (width: 2; decimal: 0)

Variable Type: numeric

BMINOTESA4: [raw] BMI notes

Value	Label	Unweighted Frequency	%
-		829	82.9%
Yes, there is an answer	-	171	17.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2517-2539 (width: 23; decimal: 0)

Variable Type: character

LENAUPLOADSTARTA4: [raw] LENA upload start time

Value	Label	Unweighted Frequency	%
-		821	82.1%
2022-07-20 01:30:42	-	1	0.1%
2022-07-22 17:04:48	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-07-23 22:20:06	-	1	0.1%
2022-07-29 17:44:58	-	1	0.1%
2022-07-30 19:34:58	-	1	0.1%
2022-08-08 17:31:51	-	1	0.1%
2022-08-15 16:55:48	-	1	0.1%
2022-08-16 20:34:00	-	1	0.1%
2022-08-18 18:10:59	-	1	0.1%
2022-08-18 22:56:42	-	1	0.1%
2022-08-26 22:49:41	-	1	0.1%
2022-08-29 23:25:19	-	1	0.1%
2022-09-10 22:31:50	-	1	0.1%
2022-09-17 23:09:18	-	1	0.1%
2022-09-18 20:32:56	-	1	0.1%
2022-09-24 00:05:38	-	1	0.1%
2022-09-24 21:12:43	-	1	0.1%
2022-09-24 23:43:01	-	1	0.1%
2022-09-25 17:09:16	-	1	0.1%
2022-09-25 22:50:30	-	1	0.1%
2022-09-30 18:16:07	-	1	0.1%
2022-10-05 22:19:44	-	1	0.1%
2022-10-06 22:43:15	-	1	0.1%
2022-10-08 18:20:41	-	1	0.1%
2022-10-11 19:36:35	-	1	0.1%
2022-10-15 21:47:55	-	1	0.1%
2022-10-19 21:09:57	-	1	0.1%
2022-10-21 23:04:13	-	1	0.1%
2022-10-23 21:48:06	-	1	0.1%
2022-10-24 22:49:53	-	1	0.1%
2022-10-29 21:07:58	-	1	0.1%
2022-11-02 17:35:29	-	1	0.1%
2022-11-03 20:32:29	-	1	0.1%
2022-11-04 21:43:45	-	1	0.1%
2022-11-05 17:41:55	-	1	0.1%
2022-11-05 23:04:03	-	1	0.1%
2022-11-06 18:29:18	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-11-12 18:15:26	-	1	0.1%
2022-11-13 23:35:28	-	1	0.1%
2022-11-17 22:39:48	-	1	0.1%
2022-11-18 20:30:23	-	1	0.1%
2022-11-19 23:30:10	-	1	0.1%
2022-11-21 23:07:48	-	1	0.1%
2022-11-22 22:30:47	-	1	0.1%
2022-12-06 23:57:18	-	1	0.1%
2022-12-08 22:28:00	-	1	0.1%
2022-12-10 17:13:07	-	1	0.1%
2022-12-10 20:55:29	-	1	0.1%
2022-12-15 20:48:06	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2540-2558 (width: 19; decimal: 0)

Variable Type: character

LENAHUBUPLOADA4: [raw] Uploaded LENA recording to LENA Hub

Value	Label	Unweighted Frequency	%
1	Yes	809	80.9%
5	No	1	0.1%
98	No LENA data to upload	38	3.8%
	Total	848	84.8%
Value	Missing Data	Unweighted Frequency	%
.	-	152	15.2%
	Total	152	15.2%

This variable has 848 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 98.00

Location: 2559-2560 (width: 2; decimal: 0)

Variable Type: numeric

LENASERVERUPLOADA4: [raw] Uploaded LENA data to server

Value	Label	Unweighted Frequency	%
1	Yes	807	80.7%
5	No	1	0.1%
98	No LENA data to upload	38	3.8%
Total		846	84.6%
Value	Missing Data	Unweighted Frequency	%
-	-	154	15.4%
Total		154	15.4%

This variable has 846 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 98.00

Location: 2561-2562 (width: 2; decimal: 0)

Variable Type: numeric

PCIUPLOADSTARTA4: [raw] PCI upload start time

Value	Label	Unweighted Frequency	%
-	-	820	82.0%
2022-07-18 20:15:36	-	1	0.1%
2022-07-20 01:23:00	-	1	0.1%
2022-07-23 22:20:15	-	1	0.1%
2022-07-29 17:44:50	-	1	0.1%
2022-07-30 19:35:09	-	1	0.1%
2022-08-08 17:40:16	-	1	0.1%
2022-08-14 18:00:41	-	1	0.1%
2022-08-15 16:55:54	-	1	0.1%
2022-08-16 20:34:07	-	1	0.1%
2022-08-18 18:11:05	-	1	0.1%
2022-08-18 22:56:54	-	1	0.1%
2022-08-26 22:50:29	-	1	0.1%
2022-08-29 23:25:24	-	1	0.1%
2022-09-10 22:31:58	-	1	0.1%
2022-09-11 22:38:17	-	1	0.1%
2022-09-17 23:09:26	-	1	0.1%

Value	Label	Unweighted Frequency	%
2022-09-18 20:33:05	-	1	0.1%
2022-09-24 00:05:57	-	1	0.1%
2022-09-24 21:12:52	-	1	0.1%
2022-09-24 23:39:02	-	1	0.1%
2022-09-25 17:01:47	-	1	0.1%
2022-09-25 22:30:20	-	1	0.1%
2022-09-30 18:16:11	-	1	0.1%
2022-10-05 22:19:51	-	1	0.1%
2022-10-06 22:43:27	-	1	0.1%
2022-10-08 18:20:20	-	1	0.1%
2022-10-11 19:36:45	-	1	0.1%
2022-10-15 21:48:09	-	1	0.1%
2022-10-19 21:10:36	-	1	0.1%
2022-10-21 23:04:23	-	1	0.1%
2022-10-23 21:48:14	-	1	0.1%
2022-10-24 22:50:10	-	1	0.1%
2022-10-29 21:08:04	-	1	0.1%
2022-11-02 17:35:56	-	1	0.1%
2022-11-03 20:32:38	-	1	0.1%
2022-11-04 21:43:52	-	1	0.1%
2022-11-05 17:42:08	-	1	0.1%
2022-11-05 23:04:09	-	1	0.1%
2022-11-06 18:29:24	-	1	0.1%
2022-11-12 18:15:36	-	1	0.1%
2022-11-13 23:35:37	-	1	0.1%
2022-11-17 22:39:56	-	1	0.1%
2022-11-18 20:30:36	-	1	0.1%
2022-11-19 23:30:20	-	1	0.1%
2022-11-21 23:07:56	-	1	0.1%
2022-11-22 22:30:59	-	1	0.1%
2022-12-06 23:57:29	-	1	0.1%
2022-12-08 22:28:18	-	1	0.1%
2022-12-10 17:13:14	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2563-2581 (width: 19; decimal: 0)

Variable Type: character

PCIUPLOADA4: [raw] Uploaded parent-child interaction video on the server

Value	Label	Unweighted Frequency	%
1	Yes	816	81.6%
2	No	3	0.3%
3	PCI not completed	30	3.0%
Total		849	84.9%
Value	Missing Data	Unweighted Frequency	%
.	-	151	15.1%
Total		151	15.1%

This variable has 849 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2582-2582 (width: 1; decimal: 0)

Variable Type: numeric

MEFSTESTDATECHILDA4: [raw] child MEFS test date

Value	Label	Unweighted Frequency	%
-	-	189	18.9%
1/10/23 15:48	-	1	0.1%
1/10/23 17:27	-	1	0.1%
1/10/23 20:45	-	1	0.1%
1/11/23 17:04	-	1	0.1%
1/11/23 19:50	-	1	0.1%
1/11/23 23:11	-	1	0.1%
1/12/23 17:24	-	1	0.1%
1/13/23 17:07	-	1	0.1%
1/13/23 17:11	-	1	0.1%
1/13/23 21:59	-	1	0.1%
1/14/23 15:44	-	1	0.1%
1/14/23 20:18	-	1	0.1%

Value	Label	Unweighted Frequency	%
1/14/23 20:36	-	1	0.1%
1/15/23 15:43	-	1	0.1%
1/16/23 19:37	-	1	0.1%
1/17/23 17:33	-	1	0.1%
1/17/23 19:38	-	1	0.1%
1/17/23 19:52	-	1	0.1%
1/18/23 20:38	-	1	0.1%
1/19/23 16:58	-	1	0.1%
1/19/23 17:19	-	1	0.1%
1/19/23 18:03	-	1	0.1%
1/20/23 15:50	-	1	0.1%
1/20/23 16:53	-	1	0.1%
1/20/23 17:49	-	1	0.1%
1/20/23 22:17	-	1	0.1%
1/21/23 17:13	-	1	0.1%
1/21/23 21:11	-	1	0.1%
1/21/23 22:25	-	1	0.1%
1/22/23 15:32	-	1	0.1%
1/22/23 18:17	-	1	0.1%
1/22/23 20:37	-	1	0.1%
1/22/23 21:25	-	1	0.1%
1/23/23 16:17	-	1	0.1%
1/23/23 16:18	-	1	0.1%
1/23/23 17:23	-	1	0.1%
1/23/23 21:19	-	1	0.1%
1/24/23 17:54	-	1	0.1%
1/24/23 22:08	-	1	0.1%
1/25/23 16:12	-	1	0.1%
1/25/23 19:08	-	1	0.1%
1/25/23 19:59	-	1	0.1%
1/25/23 20:41	-	1	0.1%
1/26/23 16:08	-	1	0.1%
1/26/23 17:43	-	1	0.1%
1/26/23 19:08	-	1	0.1%
1/26/23 20:48	-	1	0.1%

Value	Label	Unweighted Frequency	%
1/27/23 17:02	-	1	0.1%
1/27/23 17:13	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2583-2596 (width: 14; decimal: 0)

Variable Type: character

MEFTESTLANGCHILDA4: [raw] child MEFS test language

Value	Label	Unweighted Frequency	%
-	-	189	18.9%
English	-	630	63.0%
Spanish	-	181	18.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2597-2603 (width: 7; decimal: 0)

Variable Type: character

MEFTESTDATEMOMA4: [raw] mom MEFS test date

Value	Label	Unweighted Frequency	%
-	-	164	16.4%
1/10/23 16:21	-	1	0.1%
1/10/23 17:26	-	1	0.1%
1/10/23 21:25	-	1	0.1%
1/11/23 17:01	-	1	0.1%
1/11/23 19:51	-	1	0.1%
1/11/23 23:13	-	1	0.1%
1/12/23 17:22	-	1	0.1%
1/13/23 17:01	-	1	0.1%
1/13/23 17:12	-	1	0.1%
1/13/23 22:02	-	1	0.1%
1/14/23 15:37	-	1	0.1%

Value	Label	Unweighted Frequency	%
1/14/23 20:18	-	1	0.1%
1/14/23 20:33	-	1	0.1%
1/15/23 15:41	-	1	0.1%
1/15/23 17:01	-	1	0.1%
1/15/23 20:22	-	1	0.1%
1/16/23 19:34	-	1	0.1%
1/17/23 17:30	-	1	0.1%
1/17/23 19:34	-	1	0.1%
1/17/23 19:48	-	1	0.1%
1/18/23 20:38	-	1	0.1%
1/19/23 16:58	-	1	0.1%
1/19/23 17:19	-	1	0.1%
1/19/23 18:05	-	1	0.1%
1/2/23 18:01	-	1	0.1%
1/20/23 15:48	-	1	0.1%
1/20/23 16:41	-	1	0.1%
1/20/23 16:55	-	1	0.1%
1/20/23 22:04	-	1	0.1%
1/21/23 17:12	-	1	0.1%
1/21/23 22:26	-	1	0.1%
1/22/23 15:33	-	1	0.1%
1/22/23 18:13	-	1	0.1%
1/22/23 20:34	-	1	0.1%
1/22/23 21:26	-	1	0.1%
1/23/23 16:15	-	1	0.1%
1/23/23 16:25	-	1	0.1%
1/23/23 17:22	-	1	0.1%
1/23/23 21:51	-	1	0.1%
1/24/23 17:52	-	1	0.1%
1/24/23 22:10	-	1	0.1%
1/25/23 16:13	-	1	0.1%
1/25/23 19:05	-	1	0.1%
1/25/23 20:00	-	1	0.1%
1/25/23 20:41	-	1	0.1%
1/26/23 16:10	-	1	0.1%

Value	Label	Unweighted Frequency	%
1/26/23 17:36	-	1	0.1%
1/26/23 19:05	-	1	0.1%
1/26/23 20:50	-	1	0.1%
	Total	1,000	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2604-2617 (width: 14; decimal: 0)

Variable Type: character

MEFSTESTLANGMOMA4: [raw] mom MEFS test language

Value	Label	Unweighted Frequency	%
	-	164	16.4%
English	-	624	62.4%
Spanish	-	212	21.2%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

Location: 2618-2624 (width: 7; decimal: 0)

Variable Type: character

TREAT: [raw] High cash gift group

Value	Label	Unweighted Frequency	%
0	Low cash gift group	600	60.0%
1	High cash gift group	400	40.0%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2625-2625 (width: 1; decimal: 0)

Variable Type: numeric

SITE: [raw] Site

Value	Label	Unweighted Frequency	%
1	LA	295	29.5%
2	MN	121	12.1%
3	NE	295	29.5%
4	NY	289	28.9%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2626-2626 (width: 1; decimal: 0)

Variable Type: numeric

SITE_LAA4: site==LA

Value	Label	Unweighted Frequency	%
0	No	705	70.5%
1	Yes	295	29.5%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2627-2627 (width: 1; decimal: 0)

Variable Type: numeric

SITE_MNA4: site==MN

Value	Label	Unweighted Frequency	%
0	No	879	87.9%
1	Yes	121	12.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2628-2628 (width: 1; decimal: 0)

Variable Type: numeric

SITE_NEA4: site==NE

Value	Label	Unweighted Frequency	%
0	No	705	70.5%
1	Yes	295	29.5%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2629-2629 (width: 1; decimal: 0)

Variable Type: numeric

SITE_NYA4: site==NY

Value	Label	Unweighted Frequency	%
0	No	711	71.1%
1	Yes	289	28.9%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2630-2630 (width: 1; decimal: 0)

Variable Type: numeric

OWM_ANYA4: Any monolingual ROPVPT items completed

Value	Label	Unweighted Frequency	%
0	No	568	56.8%
1	Yes	432	43.2%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2631-2631 (width: 1; decimal: 0)

Variable Type: numeric

OWB_ANYA4: Any bilingual ROWPVT items completed

Value	Label	Unweighted Frequency	%
0	No	724	72.4%
1	Yes	276	27.6%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2632-2632 (width: 1; decimal: 0)

Variable Type: numeric

MATRICES_ANYA4: Any matrices items completed

Value	Label	Unweighted Frequency	%
0	No	220	22.0%
1	Yes	780	78.0%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2633-2633 (width: 1; decimal: 0)

Variable Type: numeric

READINGHOUSE_ANYA4: Any readinghouse items completed

Value	Label	Unweighted Frequency	%
0	No	242	24.2%
1	Yes	758	75.8%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2634-2634 (width: 1; decimal: 0)

Variable Type: numeric

CMEFS_ANYA4: any child mefs items completed

Value	Label	Unweighted Frequency	%
0	No	208	20.8%
1	Yes	792	79.2%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2635-2635 (width: 1; decimal: 0)

Variable Type: numeric

MMEFS_ANYA4: any mom mefs items completed

Value	Label	Unweighted Frequency	%
0	No	168	16.8%
1	Yes	832	83.2%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2636-2636 (width: 1; decimal: 0)

Variable Type: numeric

MMN_ANYA4: indicates if any of the MMN variables were completed

Value	Label	Unweighted Frequency	%
0	No	0	0.0%
1	Yes	609	60.9%
	Total	609	60.9%

Value	Missing Data	Unweighted Frequency	%
.	-	391	39.1%
	Total	391	39.1%

This variable has 609 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2637-2637 (width: 1; decimal: 0)

Variable Type: numeric

ADDRESS_ANYA4: Any address items completed

Value	Label	Unweighted Frequency	%
0	No	112	11.2%
1	Yes	888	88.8%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2638-2638 (width: 1; decimal: 0)

Variable Type: numeric

MOMWORK_ANYA4: Any mom's labor market participation items completed

Value	Label	Unweighted Frequency	%
0	No	113	11.3%
1	Yes	887	88.7%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2639-2639 (width: 1; decimal: 0)

Variable Type: numeric

HHROSTER_ANYA4: Any household roster items completed

Value	Label	Unweighted Frequency	%
0	No	118	11.8%
1	Yes	882	88.2%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2640-2640 (width: 1; decimal: 0)

Variable Type: numeric

HHINCOME_ANYA4: Any household income items completed

Value	Label	Unweighted Frequency	%
0	No	112	11.2%
1	Yes	888	88.8%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2641-2641 (width: 1; decimal: 0)

Variable Type: numeric

CHILDEXPEND_ANYA4: Any child expenditures items completed

Value	Label	Unweighted Frequency	%
0	No	116	11.6%
1	Yes	884	88.4%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2642-2642 (width: 1; decimal: 0)

Variable Type: numeric

CENTERBASEDCARE_ANYA4: Any use of center-based care items completed

Value	Label	Unweighted Frequency	%
0	No	114	11.4%
1	Yes	886	88.6%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2643-2643 (width: 1; decimal: 0)

Variable Type: numeric

PARENTCHILDACT_ANYA4: Any parent-child activities items completed

Value	Label	Unweighted Frequency	%
0	No	117	11.7%
1	Yes	883	88.3%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2644-2644 (width: 1; decimal: 0)

Variable Type: numeric

CBCL_ANYA4: Any child behavior checklist items completed

Value	Label	Unweighted Frequency	%
0	No	118	11.8%
1	Yes	882	88.2%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2645-2645 (width: 1; decimal: 0)

Variable Type: numeric

PEDS_ANYA4: Any PEDs items completed

Value	Label	Unweighted Frequency	%
0	No	115	11.5%
1	Yes	885	88.5%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2646-2646 (width: 1; decimal: 0)

Variable Type: numeric

CHEALTH_ANYA4: Any child health and healthcare items completed

Value	Label	Unweighted Frequency	%
0	No	116	11.6%
1	Yes	884	88.4%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2647-2647 (width: 1; decimal: 0)

Variable Type: numeric

ECONSTRESS_ANYA4: Any index of economic stress items completed

Value	Label	Unweighted Frequency	%
0	No	117	11.7%
1	Yes	883	88.3%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2648-2648 (width: 1; decimal: 0)

Variable Type: numeric

FOODINSECURITY_ANYA4: Any food insecurity items completed

Value	Label	Unweighted Frequency	%
0	No	117	11.7%
1	Yes	883	88.3%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2649-2649 (width: 1; decimal: 0)

Variable Type: numeric

GAD7_ANYA4: Any GAD7 items completed

Value	Label	Unweighted Frequency	%
0	No	117	11.7%
1	Yes	883	88.3%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2650-2650 (width: 1; decimal: 0)

Variable Type: numeric

PHQ8_ANYA4: Any PHQ8 items completed

Value	Label	Unweighted Frequency	%
0	No	117	11.7%
1	Yes	883	88.3%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2651-2651 (width: 1; decimal: 0)

Variable Type: numeric

RELQUAL_ANYA4: Any relationship quality items completed

Value	Label	Unweighted Frequency	%
0	No	118	11.8%
1	Yes	882	88.2%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2652-2652 (width: 1; decimal: 0)

Variable Type: numeric

NAILS_ANYA4: Any nail items completed

Value	Label	Unweighted Frequency	%
0	No	771	77.1%
1	Yes	229	22.9%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2653-2653 (width: 1; decimal: 0)

Variable Type: numeric

EITHERROW_ANYA4: Either monolingual or bilingual ROWPVT items completed

Value	Label	Unweighted Frequency	%
0	No	184	18.4%
1	Yes	816	81.6%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2654-2654 (width: 1; decimal: 0)

Variable Type: numeric

RECOGNITION_ANYA4: Any recognition items completed

Value	Label	Unweighted Frequency	%
0	No	869	86.9%
1	Yes	131	13.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2655-2655 (width: 1; decimal: 0)

Variable Type: numeric

PENCILTAP_ANYA4: Any pencil tap items completed

Value	Label	Unweighted Frequency	%
0	No	894	89.4%
1	Yes	106	10.6%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2656-2656 (width: 1; decimal: 0)

Variable Type: numeric

PSRA_ANYA4: Any PSRA items completed

Value	Label	Unweighted Frequency	%
0	No	157	15.7%
1	Yes	843	84.3%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2657-2657 (width: 1; decimal: 0)

Variable Type: numeric

PCI_ANYA4: Any PCI items completed

Value	Label	Unweighted Frequency	%
0	No	139	13.9%
1	Yes	861	86.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2658-2658 (width: 1; decimal: 0)

Variable Type: numeric

LENA_ANYA4: Any LENA items completed

Value	Label	Unweighted Frequency	%
0	No	185	18.5%
1	Yes	815	81.5%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2659-2659 (width: 1; decimal: 0)

Variable Type: numeric

BOTHBMI_ANYA4: Any bmi items completed

Value	Label	Unweighted Frequency	%
0	No	200	20.0%
1	Yes	800	80.0%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2660-2660 (width: 1; decimal: 0)

Variable Type: numeric

MOMBMI_ANYA4: mom bmi completed

Value	Label	Unweighted Frequency	%
0	No	195	19.5%
1	Yes	805	80.5%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2661-2661 (width: 1; decimal: 0)

Variable Type: numeric

CHILDBMI_ANYA4: child bmi completed

Value	Label	Unweighted Frequency	%
0	No	188	18.8%
1	Yes	812	81.2%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2662-2662 (width: 1; decimal: 0)

Variable Type: numeric

BOTHMEFS_ANYA4: Any mefs items completed

Value	Label	Unweighted Frequency	%
0	No	206	20.6%
1	Yes	794	79.4%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2663-2663 (width: 1; decimal: 0)

Variable Type: numeric

ALL_MATERNALA4: All maternal survey items completed

Value	Label	Unweighted Frequency	%
0	No	132	13.2%
1	Yes	868	86.8%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 2664-2664 (width: 1; decimal: 0)

Variable Type: numeric

ANY_MATERNAL4: Any maternal survey items completed

Value	Label	Unweighted Frequency	%
0	No	112	11.2%
1	Yes	888	88.8%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2665-2665 (width: 1; decimal: 0)

Variable Type: numeric

EEG_ANYA4: Any EEG items completed

Value	Label	Unweighted Frequency	%
0	No	354	35.4%
1	Yes	646	64.6%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2666-2666 (width: 1; decimal: 0)

Variable Type: numeric

ANY_CHILDBATTERY4: Any child battery completed items completed

Value	Label	Unweighted Frequency	%
0	No	0	0.0%
1	Yes	862	86.2%
	Total	862	86.2%
Value	Missing Data	Unweighted Frequency	%
.	-	138	13.8%

Value	Missing Data	Unweighted Frequency	%
	Total	138	13.8%

This variable has 862 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2667-2667 (width: 1; decimal: 0)

Variable Type: numeric

ALL_CHILDBATTERYA4: All child battery completed items completed

Value	Label	Unweighted Frequency	%
0	No	315	31.5%
1	Yes	685	68.5%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2668-2668 (width: 1; decimal: 0)

Variable Type: numeric

MATRICESVALIDA4: Matrices valid score

Value	Label	Unweighted Frequency	%
0	No	231	23.1%
1	Yes	769	76.9%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2669-2669 (width: 1; decimal: 0)

Variable Type: numeric

READINGVALIDA4: Reading house valid score

Value	Label	Unweighted Frequency	%
0	No	246	24.6%

Value	Label	Unweighted Frequency	%
1	Yes	754	75.4%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2670-2670 (width: 1; decimal: 0)

Variable Type: numeric

MONOVALIDA4: Monolingual ROWPVT valid score

Value	Label	Unweighted Frequency	%
0	No	572	57.2%
1	Yes	428	42.8%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2671-2671 (width: 1; decimal: 0)

Variable Type: numeric

BIVALIDA4: Bilingual ROWPVT valid score

Value	Label	Unweighted Frequency	%
0	No	728	72.8%
1	Yes	272	27.2%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2672-2672 (width: 1; decimal: 0)

Variable Type: numeric

ANYROWA4: Any ROWPVT completed

Value	Label	Unweighted Frequency	%
0	No	301	30.1%

Value	Label	Unweighted Frequency	%
1	Yes	699	69.9%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2673-2673 (width: 1; decimal: 0)

Variable Type: numeric

EEGVALIDA4: EEG valid

Value	Label	Unweighted Frequency	%
0	No	363	36.3%
1	Yes	637	63.7%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2674-2674 (width: 1; decimal: 0)

Variable Type: numeric

PSRAVALIDA4: PSRA valid score

Value	Label	Unweighted Frequency	%
0	No	157	15.7%
1	Yes	843	84.3%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2675-2675 (width: 1; decimal: 0)

Variable Type: numeric

PCIVALIDA4: PCI valid scores

Value	Label	Unweighted Frequency	%
0	No	179	17.9%

Value	Label	Unweighted Frequency	%
1	Yes	821	82.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2676-2676 (width: 1; decimal: 0)

Variable Type: numeric

LENAVALIDA4: LENA valid scores

Value	Label	Unweighted Frequency	%
0	No	187	18.7%
1	Yes	813	81.3%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2677-2677 (width: 1; decimal: 0)

Variable Type: numeric

MBMIVALIDA4: mom bmi valid score

Value	Label	Unweighted Frequency	%
0	No	202	20.2%
1	Yes	798	79.8%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2678-2678 (width: 1; decimal: 0)

Variable Type: numeric

CBMIVALIDA4: child bmi valid score

Value	Label	Unweighted Frequency	%
0	No	189	18.9%

Value	Label	Unweighted Frequency	%
1	Yes	811	81.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2679-2679 (width: 1; decimal: 0)

Variable Type: numeric

BOTHBMIVALIDA4: Both mom and child bmi valid score

Value	Label	Unweighted Frequency	%
0	No	208	20.8%
1	Yes	792	79.2%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2680-2680 (width: 1; decimal: 0)

Variable Type: numeric

MMEFSVALIDA4: mom mefs valid score

Value	Label	Unweighted Frequency	%
0	No	170	17.0%
1	Yes	830	83.0%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2681-2681 (width: 1; decimal: 0)

Variable Type: numeric

CMEFSVALIDA4: child mefs valid score

Value	Label	Unweighted Frequency	%
0	No	217	21.7%

Value	Label	Unweighted Frequency	%
1	Yes	783	78.3%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2682-2682 (width: 1; decimal: 0)

Variable Type: numeric

BOTHMEFSVALIDA4: both mefs valid score

Value	Label	Unweighted Frequency	%
0	No	231	23.1%
1	Yes	769	76.9%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2683-2683 (width: 1; decimal: 0)

Variable Type: numeric

ALL_CHILDBATTERY_VALIDA4: All child battery complete: valid

Value	Label	Unweighted Frequency	%
0	No	514	51.4%
1	Yes	486	48.6%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2684-2684 (width: 1; decimal: 0)

Variable Type: numeric

ANY_CHILDBATTERY_VALIDA4: Any child battery complete: valid

Value	Label	Unweighted Frequency	%
0	No	152	15.2%

Value	Label	Unweighted Frequency	%
1	Yes	848	84.8%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2685-2685 (width: 1; decimal: 0)

Variable Type: numeric

ANYDONEA4: Any survey done

Value	Label	Unweighted Frequency	%
0	No	108	10.8%
1	Yes	892	89.2%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2686-2686 (width: 1; decimal: 0)

Variable Type: numeric

ANYDONEMATERNAL_CHILDVALIDA4: Any maternal survey done and valid child battery

Value	Label	Unweighted Frequency	%
0	No	109	10.9%
1	Yes	891	89.1%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2687-2687 (width: 1; decimal: 0)

Variable Type: numeric

ANYSURVEYDONEA4: Any part of the survey completed

Value	Label	Unweighted Frequency	%
0	No	108	10.8%

Value	Label	Unweighted Frequency	%
1	Yes	892	89.2%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2688-2688 (width: 1; decimal: 0)

Variable Type: numeric

FINALSTATUS4: Final Status

Value	Label	Unweighted Frequency	%
0	No data collected	101	10.1%
1	Maternal Survey only	29	2.9%
2	Child Battery only	4	0.4%
3	Maternal Survey and Child Battery	859	85.9%
	Total	993	99.3%
Value	Missing Data	Unweighted Frequency	%
.	-	7	0.7%
	Total	7	0.7%

This variable has 993 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 2689-2689 (width: 1; decimal: 0)

Variable Type: numeric

CFEMALEA4: Child is female

Value	Label	Unweighted Frequency	%
0	No	508	50.8%
1	Yes	492	49.2%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2690-2690 (width: 1; decimal: 0)

Variable Type: numeric

E1NAMEMASKA4: 1st experimenter (complete)

Value	Label	Unweighted Frequency	%
1	-	45	4.5%
2	-	1	0.1%
3	-	75	7.5%
4	-	60	6.0%
5	-	49	4.9%
6	-	62	6.2%
7	-	62	6.2%
8	-	59	5.9%
9	-	14	1.4%
10	-	65	6.5%
11	-	93	9.3%
12	-	28	2.8%
13	-	31	3.1%
14	-	29	2.9%
15	-	62	6.2%
16	-	55	5.5%
17	-	2	0.2%
Total		792	79.2%
Value	Missing Data	Unweighted Frequency	%
.	-	208	20.8%
Total		208	20.8%

This variable has 792 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 8.61
- Median: 8.00
- Mode: 11.00
- Minimum: 1.00
- Maximum: 17.00
- Standard Deviation: 4.44

Location: 2691-2692 (width: 2; decimal: 0)

Variable Type: numeric

E2NAMEMASKA4: 2nd experimenter (complete)

Value	Label	Unweighted Frequency	%
1	-	54	5.4%
2	-	3	0.3%
3	-	40	4.0%
4	-	52	5.2%
5	-	36	3.6%
6	-	47	4.7%
7	-	40	4.0%
8	-	53	5.3%
9	-	20	2.0%
10	-	25	2.5%
11	-	61	6.1%
12	-	42	4.2%
13	-	30	3.0%
14	-	37	3.7%
15	-	39	3.9%
16	-	48	4.8%
17	-	28	2.8%
18	-	5	0.5%
19	-	33	3.3%
20	-	6	0.6%
21	-	14	1.4%
22	-	5	0.5%
23	-	15	1.5%
24	-	13	1.3%
25	-	4	0.4%
26	-	8	0.8%
27	-	27	2.7%
Total		785	78.5%
Value	Missing Data	Unweighted Frequency	%
.	-	215	21.5%
Total		215	21.5%

This variable has 785 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 11.25

- Median: 11.00
- Mode: 11.00
- Minimum: 1.00
- Maximum: 27.00
- Standard Deviation: 6.82

Location: 2693-2694 (*width:* 2; *decimal:* 0)

Variable Type: numeric

E3NAMEMASKA4: 3rd experimenter (complete)

Value	Label	Unweighted Frequency	%
1	-	1	0.1%
2	-	1	0.1%
3	-	1	0.1%
4	-	1	0.1%
5	-	6	0.6%
7	-	3	0.3%
8	-	2	0.2%
9	-	3	0.3%
13	-	3	0.3%
14	-	2	0.2%
15	-	1	0.1%
22	-	1	0.1%
24	-	1	0.1%
27	-	1	0.1%
28	-	1	0.1%
29	-	56	5.6%
30	-	2	0.2%
Total		86	8.6%
Value	Missing Data	Unweighted Frequency	%
.	-	914	91.4%
Total		914	91.4%

This variable has 86 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 22.92
- Median: 29.00
- Mode: 29.00
- Minimum: 1.00
- Maximum: 30.00

- Standard Deviation: 9.77

Location: 2695-2696 (width: 2; decimal: 0)

Variable Type: numeric

E3NAMEPARTIALMASKA4: 3rd experimenter (partial)

Value	Label	Unweighted Frequency	%
9	-	1	0.1%
29	-	2	0.2%
	Total	3	0.3%
Value	Missing Data	Unweighted Frequency	%
.	-	997	99.7%
	Total	997	99.7%

This variable has 3 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 22.33
- Median: 29.00
- Mode: 29.00
- Minimum: 9.00
- Maximum: 29.00
- Standard Deviation: 11.55

Location: 2697-2698 (width: 2; decimal: 0)

Variable Type: numeric

E1NAME2NDMASKA4: 1st experimenter for 2nd visit/interview

Value	Label	Unweighted Frequency	%
3	-	10	1.0%
4	-	7	0.7%
6	-	6	0.6%
7	-	2	0.2%
8	-	3	0.3%
9	-	2	0.2%
10	-	6	0.6%
11	-	4	0.4%
12	-	4	0.4%
15	-	6	0.6%
16	-	2	0.2%
27	-	1	0.1%

Value	Label	Unweighted Frequency	%
29	-	1	0.1%
	Total	54	5.4%
Value	Missing Data	Unweighted Frequency	%
.	-	946	94.6%
	Total	946	94.6%

This variable has 54 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 8.89
- Median: 8.00
- Mode: 3.00
- Minimum: 3.00
- Maximum: 29.00
- Standard Deviation: 5.66

Location: 2699-2700 (width: 2; decimal: 0)

Variable Type: numeric

E2NAME2NDMASKA4: 2nd experimenter for 2nd visit/interview

Value	Label	Unweighted Frequency	%
1	-	2	0.2%
2	-	1	0.1%
4	-	3	0.3%
5	-	1	0.1%
7	-	1	0.1%
8	-	6	0.6%
9	-	4	0.4%
12	-	2	0.2%
13	-	1	0.1%
14	-	3	0.3%
16	-	8	0.8%
17	-	1	0.1%
18	-	1	0.1%
19	-	2	0.2%
21	-	1	0.1%
27	-	2	0.2%
	Total	39	3.9%

Value	Missing Data	Unweighted Frequency	%
.	-	961	96.1%
	Total	961	96.1%

This variable has 39 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 11.97
- Median: 12.00
- Mode: 16.00
- Minimum: 1.00
- Maximum: 27.00
- Standard Deviation: 6.43

Location: 2701-2702 (width: 2; decimal: 0)

Variable Type: numeric

E3NAME2NDMASKA4: 3rd experimenter for 2nd visit/interview

Value	Label	Unweighted Frequency	%
5	-	2	0.2%
29	-	1	0.1%
	Total	3	0.3%
Value	Missing Data	Unweighted Frequency	%
.	-	997	99.7%
	Total	997	99.7%

This variable has 3 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 13.00
- Median: 5.00
- Mode: 5.00
- Minimum: 5.00
- Maximum: 29.00
- Standard Deviation: 13.86

Location: 2703-2704 (width: 2; decimal: 0)

Variable Type: numeric

E1NAME3RDMASKA4: 1st experimenter for 3rd visit/interview

Value	Label	Unweighted Frequency	%
8	-	1	0.1%
	Total	1	0.1%

Value	Missing Data	Unweighted Frequency	%
.	-	999	99.9%
	Total	999	99.9%

This variable has 1 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 8.00
- Median: 8.00
- Mode: 8.00
- Minimum: 8.00
- Maximum: 8.00
- Standard Deviation: 0.00

Location: 2705-2705 (width: 1; decimal: 0)

Variable Type: numeric

E2NAME3RDMASKA4: 2nd experimenter for 3rd visit/interview

Value	Label	Unweighted Frequency	%
12	-	1	0.1%
	Total	1	0.1%
Value	Missing Data	Unweighted Frequency	%
.	-	999	99.9%
	Total	999	99.9%

This variable has 1 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 12.00
- Median: 12.00
- Mode: 12.00
- Minimum: 12.00
- Maximum: 12.00
- Standard Deviation: 0.00

Location: 2706-2707 (width: 2; decimal: 0)

Variable Type: numeric

SURVEYINTERVIEWERA4: Interviewer ID for survey

Value	Label	Unweighted Frequency	%
1	-	61	6.1%
2	-	3	0.3%
3	-	53	5.3%

Value	Label	Unweighted Frequency	%
4	-	60	6.0%
5	-	36	3.6%
6	-	68	6.8%
7	-	42	4.2%
8	-	59	5.9%
9	-	26	2.6%
10	-	34	3.4%
11	-	65	6.5%
12	-	50	5.0%
13	-	31	3.1%
14	-	40	4.0%
15	-	48	4.8%
16	-	51	5.1%
17	-	30	3.0%
18	-	5	0.5%
19	-	34	3.4%
20	-	6	0.6%
21	-	14	1.4%
22	-	5	0.5%
23	-	15	1.5%
24	-	13	1.3%
25	-	3	0.3%
26	-	8	0.8%
27	-	29	2.9%
Total		889	88.9%
Value	Missing Data	Unweighted Frequency	%
.	-	111	11.1%
Total		111	11.1%

This variable has 889 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 10.91
- Median: 11.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 27.00
- Standard Deviation: 6.69

Location: 2708-2709 (width: 2; decimal: 0)

Variable Type: numeric

ASSESSINTERVIEWERA4: Interviewer ID for child battery

Value	Label	Unweighted Frequency	%
1	-	46	4.6%
2	-	1	0.1%
3	-	86	8.6%
4	-	64	6.4%
5	-	49	4.9%
6	-	67	6.7%
7	-	65	6.5%
8	-	62	6.2%
9	-	16	1.6%
10	-	71	7.1%
11	-	96	9.6%
12	-	32	3.2%
13	-	33	3.3%
14	-	29	2.9%
15	-	70	7.0%
16	-	60	6.0%
17	-	2	0.2%
Total		849	84.9%
Value	Missing Data	Unweighted Frequency	%
.	-	151	15.1%
Total		151	15.1%

This variable has 849 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 8.64
- Median: 8.00
- Mode: 11.00
- Minimum: 1.00
- Maximum: 17.00
- Standard Deviation: 4.46

Location: 2710-2711 (width: 2; decimal: 0)

Variable Type: numeric

SURVEYUNDER4YOA4: Child is under 4 years old during survey

Value	Label	Unweighted Frequency	%
0	No	435	43.5%
1	Yes	457	45.7%
	Total	892	89.2%
Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2712-2712 (width: 1; decimal: 0)

Variable Type: numeric

ASSESSUNDER4YOA4: Child is under 4 years old during assessment

Value	Label	Unweighted Frequency	%
0	No	438	43.8%
1	Yes	454	45.4%
	Total	892	89.2%
Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2713-2713 (width: 1; decimal: 0)

Variable Type: numeric

HHLIVEWITHBIODADA4: Biodad lives in household

Value	Label	Unweighted Frequency	%
0	No	550	55.0%
1	Yes	335	33.5%

Value	Label	Unweighted Frequency	%
Total		885	88.5%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	2	0.2%
.	-	113	11.3%
Total		115	11.5%

This variable has 885 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2714-2717 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHLIVEWITHPARTNERA4: Live with spouse or partner, different than biodad

Value	Label	Unweighted Frequency	%
Total		886	88.6%
Value	Missing Data	Unweighted Frequency	%
0	No	801	80.1%
1	Yes	85	8.5%
Total		114	11.4%

This variable has 886 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2718-2721 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHLIVEWITHGRANDA4: Live with any of child's grandparents

Value	Label	Unweighted Frequency	%
Total		732	73.2%
Value	Missing Data	Unweighted Frequency	%
0	No	732	73.2%
1	Yes	154	15.4%

Value	Label	Unweighted Frequency	%
Total		886	88.6%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	1	0.1%
.	-	113	11.3%
Total		114	11.4%

This variable has 886 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2722-2725 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHLIVEWITHRELATIVESA4: Live with any other adult relative

Value	Label	Unweighted Frequency	%
Total		886	88.6%
Value	Missing Data	Unweighted Frequency	%
0	No	734	73.4%
1	Yes	152	15.2%
Total		114	11.4%

This variable has 886 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2726-2729 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHLIVEWITHNONRELATIVESA4: Live with any other unrelated adult

Value	Label	Unweighted Frequency	%
Total		886	88.6%
Value	Missing Data	Unweighted Frequency	%
0	No	854	85.4%
1	Yes	32	3.2%

Value	Label	Unweighted Frequency	%
Total		886	88.6%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	1	0.1%
.	-	113	11.3%
Total		114	11.4%

This variable has 886 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2730-2733 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHCURRENTLYPREGNANTA4: Currently Pregnant

Value	Label	Unweighted Frequency	%
Total		883	88.3%
Value	Missing Data	Unweighted Frequency	%
0	No	808	80.8%
1	Yes	75	7.5%
Total		117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2734-2737 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

YOUNGERKIDA4: Child has a younger sibling

Value	Label	Unweighted Frequency	%
Total		617	61.7%
Value	Missing Data	Unweighted Frequency	%
0	No	617	61.7%
1	Yes	275	27.5%

Value	Label	Unweighted Frequency	%
Total		892	89.2%
Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%
Total		108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2738-2738 (width: 1; decimal: 0)

Variable Type: numeric

MMWORKA4: Mom currently working

Value	Label	Unweighted Frequency	%
Total		887	88.7%
Value	Missing Data	Unweighted Frequency	%
0	No	393	39.3%
1	Yes	494	49.4%
Total		113	11.3%
-888	.d = Don't know	1	0.1%
.	-	112	11.2%

This variable has 887 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2739-2742 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

MSELFEMPA4: Mom currently self-employed

Value	Label	Unweighted Frequency	%
Total		887	88.7%
Value	Label	Unweighted Frequency	%
0	No	712	71.2%
1	Yes	175	17.5%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	1	0.1%
.	-	112	11.2%
	Total	113	11.3%

This variable has 887 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2743-2746 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

MMAINJOBA4: Self-employment is main job

Value	Label	Unweighted Frequency	%
0	No	38	3.8%
1	Yes	96	9.6%
	Total	134	13.4%

Value	Missing Data	Unweighted Frequency	%
.	-	866	86.6%
	Total	866	86.6%

This variable has 134 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2747-2747 (width: 1; decimal: 0)

Variable Type: numeric

MEMPLOYEDA4: Mom is working for pay and/or self-employed

Value	Label	Unweighted Frequency	%
0	No	304	30.4%
1	Yes	583	58.3%
	Total	887	88.7%

Value	Missing Data	Unweighted Frequency	%
.	-	113	11.3%

Value	Missing Data	Unweighted Frequency	%
	Total	113	11.3%

This variable has 887 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2748-2748 (width: 1; decimal: 0)

Variable Type: numeric

MHWEEKTOTALA4: Hours Per Week Main

Value	Label	Unweighted Frequency	%
0	-	313	31.3%
4	-	1	0.1%
5	-	1	0.1%
6	-	1	0.1%
7	-	3	0.3%
8	-	3	0.3%
10	-	7	0.7%
11	-	1	0.1%
12	-	2	0.2%
13	-	2	0.2%
14	-	1	0.1%
15	-	3	0.3%
17	-	1	0.1%
18	-	3	0.3%
19	-	1	0.1%
20	-	25	2.5%
21	-	4	0.4%
23	-	2	0.2%
24	-	5	0.5%
25	-	24	2.4%
26	-	3	0.3%
27	-	4	0.4%
28	-	7	0.7%
29	-	2	0.2%
30	-	62	6.2%

Value	Label	Unweighted Frequency	%
32	-	10	1.0%
35	-	38	3.8%
36	-	6	0.6%
37	-	2	0.2%
38	-	8	0.8%
39	-	1	0.1%
40	-	144	14.4%
42	-	4	0.4%
43	-	3	0.3%
44	-	3	0.3%
45	-	19	1.9%
46	-	2	0.2%
48	-	4	0.4%
50	-	20	2.0%
51	-	1	0.1%
53	-	1	0.1%
55	-	5	0.5%
56	-	1	0.1%
58	-	1	0.1%
60	-	13	1.3%
63	-	1	0.1%
65	-	3	0.3%
66	-	1	0.1%
70	-	3	0.3%
72	-	1	0.1%
Total		794	79.4%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	202	20.2%
Total		206	20.6%

This variable has 794 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 22.76

- Median: 25.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 144.00
- Standard Deviation: 22.01

Location: 2749-2752 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

MWORKFULLTIMEA4: Mother works full time

Value	Label	Unweighted Frequency	%
0	No	491	49.1%
1	Yes	392	39.2%
	Total	883	88.3%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2753-2756 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

ANYSELFEMPA4: Mom endorsed any self employment type

Value	Label	Unweighted Frequency	%
0	No	759	75.9%
1	Yes	133	13.3%
	Total	892	89.2%
Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 2757-2757 (width: 1; decimal: 0)

Variable Type: numeric

SELFEMPOVERLAPA4: Number of types of mom self-employment

Value	Label	Unweighted Frequency	%
0	No self employment	759	75.9%
1	One type of self employment	123	12.3%
2	Two types of self employment	9	0.9%
3	Three types of self employment	1	0.1%
	Total	892	89.2%
Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 2758-2758 (width: 1; decimal: 0)

Variable Type: numeric

HHMOMEARNEDA4: Mom's earned income

Value	Label	Unweighted Frequency	%
0.00	-	179	17.9%
28.00	-	1	0.1%
30.00	-	1	0.1%
31.00	-	1	0.1%
32.00	-	1	0.1%
33.00	-	1	0.1%
40.00	-	1	0.1%
90.00	-	1	0.1%
200.00	-	2	0.2%
300.00	-	1	0.1%
500.00	-	3	0.3%
600.00	-	1	0.1%
878.00	-	1	0.1%

Value	Label	Unweighted Frequency	%
900.00	-	3	0.3%
950.00	-	1	0.1%
1000.00	-	5	0.5%
1500.00	-	6	0.6%
1600.00	-	1	0.1%
1700.00	-	1	0.1%
1800.00	-	1	0.1%
2000.00	-	8	0.8%
2400.00	-	1	0.1%
2500.00	-	12	1.2%
2800.00	-	2	0.2%
3000.00	-	9	0.9%
3600.00	-	2	0.2%
3700.00	-	1	0.1%
4000.00	-	6	0.6%
4300.00	-	1	0.1%
4500.00	-	1	0.1%
5000.00	-	26	2.6%
5100.00	-	1	0.1%
5500.00	-	2	0.2%
6000.00	-	16	1.6%
6300.00	-	1	0.1%
7000.00	-	6	0.6%
7200.00	-	2	0.2%
7424.00	-	1	0.1%
7500.00	-	21	2.1%
8000.00	-	11	1.1%
9000.00	-	8	0.8%
9400.00	-	1	0.1%
9504.00	-	1	0.1%
9588.00	-	1	0.1%
9600.00	-	1	0.1%
10000.00	-	31	3.1%
10188.00	-	1	0.1%
11000.00	-	11	1.1%

Value	Label	Unweighted Frequency	%
12000.00	-	22	2.2%
12500.00	-	17	1.7%
	Total	840	84.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-888.00	.d = Don't know	48	4.8%
.	-	112	11.2%
	Total	160	16.0%

This variable has 840 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 15876.09
- Median: 12500.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 330000.00
- Standard Deviation: 20093.35

Location: 2759-2767 (width: 9; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -888.00 , .

HHTOTALINCOMEA4: Total household earned income - all sources

Value	Label	Unweighted Frequency	%
0.00	-	43	4.3%
28.00	-	1	0.1%
30.00	-	1	0.1%
32.00	-	1	0.1%
50.00	-	1	0.1%
67.00	-	1	0.1%
75.00	-	1	0.1%
235.00	-	1	0.1%
359.00	-	1	0.1%
600.00	-	1	0.1%
720.00	-	1	0.1%
750.00	-	1	0.1%
800.00	-	1	0.1%
878.00	-	1	0.1%

Value	Label	Unweighted Frequency	%
900.00	-	2	0.2%
1000.00	-	6	0.6%
1200.00	-	1	0.1%
1213.00	-	1	0.1%
1500.00	-	1	0.1%
1800.00	-	1	0.1%
1900.00	-	1	0.1%
1920.00	-	1	0.1%
2000.00	-	2	0.2%
2044.00	-	1	0.1%
2400.00	-	1	0.1%
2500.00	-	2	0.2%
2800.00	-	1	0.1%
2880.00	-	1	0.1%
3000.00	-	2	0.2%
3320.00	-	1	0.1%
3500.00	-	2	0.2%
3600.00	-	1	0.1%
4000.00	-	5	0.5%
4200.00	-	2	0.2%
4300.00	-	1	0.1%
4800.00	-	1	0.1%
5000.00	-	25	2.5%
5300.00	-	1	0.1%
5460.00	-	1	0.1%
5500.00	-	3	0.3%
6000.00	-	11	1.1%
6156.00	-	1	0.1%
7000.00	-	9	0.9%
7200.00	-	1	0.1%
7400.00	-	1	0.1%
7440.00	-	1	0.1%
7500.00	-	1	0.1%
8000.00	-	6	0.6%
8400.00	-	1	0.1%

Value	Label	Unweighted Frequency	%
8800.00	-	1	0.1%
	Total	821	82.1%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-888.00	.d = Don't know	67	6.7%
.	-	112	11.2%
	Total	179	17.9%

This variable has 821 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 29470.58
- Median: 21600.00
- Minimum: 0.00
- Maximum: 730000.00
- Standard Deviation: 38165.93

Location: 2768-2776 (width: 9; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -888.00, .

HHTAXREFUNDA4: Received Tax Refund

Value	Label	Unweighted Frequency	%
0	No	275	27.5%
1	Yes	590	59.0%
	Total	865	86.5%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	23	2.3%
.	-	112	11.2%
	Total	135	13.5%

This variable has 865 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2777-2780 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHINCOMEPERSONALA4: Had income from own earnings or wages

Value	Label	Unweighted Frequency	%
0	No	430	43.0%
1	Yes	450	45.0%
	Total	880	88.0%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	8	0.8%
.	-	112	11.2%
	Total	120	12.0%

This variable has 880 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2781-2784 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHINCOMEFROMHHA4: Household members had income from earnings or wages

Value	Label	Unweighted Frequency	%
0	No	547	54.7%
1	Yes	331	33.1%
	Total	878	87.8%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	10	1.0%
.	-	112	11.2%
	Total	122	12.2%

This variable has 878 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2785-2788 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHINCOMEFROMGOVA4: Had income support from government

Value	Label	Unweighted Frequency	%
0	No	677	67.7%
1	Yes	205	20.5%
	Total	882	88.2%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	6	0.6%
.	-	112	11.2%
	Total	118	11.8%

This variable has 882 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2789-2792 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHINCOMEFROMOTHERA4: Had other income source

Value	Label	Unweighted Frequency	%
0	No	766	76.6%
1	Yes	115	11.5%
	Total	881	88.1%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	7	0.7%
.	-	112	11.2%
	Total	119	11.9%

This variable has 881 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2793-2796 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHINCOMEFROMINKINDA4: Had income from in-kind sources

Value	Label	Unweighted Frequency	%
0	No	179	17.9%
1	Yes	703	70.3%
	Total	882	88.2%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	6	0.6%
.	-	112	11.2%
	Total	118	11.8%

This variable has 882 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2797-2800 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHBOOKPURCHP30DA4: Book Purchased Past 30 Days

Value	Label	Unweighted Frequency	%
0	No	265	26.5%
1	Yes	618	61.8%
	Total	883	88.3%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	3	0.3%
.	-	114	11.4%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2801-2804 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHTOYSP30DA4: Toys Purchased Past 30 Days

Value	Label	Unweighted Frequency	%
0	No	118	11.8%
1	Yes	766	76.6%
	Total	884	88.4%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	2	0.2%
.	-	114	11.4%
	Total	116	11.6%

This variable has 884 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2805-2808 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHCLTHESP30DA4: Clothes Purchased Past 30 Days

Value	Label	Unweighted Frequency	%
0	No	70	7.0%
1	Yes	812	81.2%
	Total	882	88.2%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	114	11.4%
	Total	118	11.8%

This variable has 882 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2809-2812 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHVIDEOSP30DA4: Videos Purchased Past 30 Days

Value	Label	Unweighted Frequency	%
0	No	318	31.8%
1	Yes	565	56.5%
	Total	883	88.3%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	3	0.3%
.	-	114	11.4%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2813-2816 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHACTIVITIESP30DA4: Activities Purchased Past 30 Days

Value	Label	Unweighted Frequency	%
0	No	362	36.2%
1	Yes	520	52.0%
	Total	882	88.2%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	114	11.4%
	Total	118	11.8%

This variable has 882 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2817-2820 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHBOOKAMOUNT30DA4: Money spent on books (past 30 days)

Value	Label	Unweighted Frequency	%
0.00	-	268	26.8%
2.00	-	1	0.1%
3.00	-	3	0.3%
5.00	-	12	1.2%
6.00	-	3	0.3%
7.00	-	3	0.3%
8.00	-	1	0.1%
10.00	-	39	3.9%
12.00	-	4	0.4%
13.00	-	2	0.2%
14.00	-	1	0.1%
14.99	-	1	0.1%
15.00	-	29	2.9%
17.00	-	4	0.4%
18.00	-	3	0.3%
20.00	-	90	9.0%
22.00	-	3	0.3%
24.00	-	1	0.1%
25.00	-	54	5.4%
26.00	-	3	0.3%
27.00	-	2	0.2%
28.00	-	2	0.2%
30.00	-	64	6.4%
35.00	-	10	1.0%
38.00	-	1	0.1%
40.00	-	48	4.8%
42.00	-	1	0.1%
45.00	-	6	0.6%
48.00	-	1	0.1%
50.00	-	75	7.5%
54.00	-	1	0.1%
60.00	-	19	1.9%
65.00	-	1	0.1%
66.00	-	1	0.1%
70.00	-	7	0.7%

Value	Label	Unweighted Frequency	%
72.00	-	1	0.1%
75.00	-	3	0.3%
78.00	-	1	0.1%
80.00	-	10	1.0%
85.00	-	1	0.1%
86.00	-	1	0.1%
90.00	-	1	0.1%
100.00	-	40	4.0%
110.00	-	1	0.1%
120.00	-	5	0.5%
125.00	-	1	0.1%
129.00	-	1	0.1%
130.00	-	1	0.1%
150.00	-	12	1.2%
160.00	-	3	0.3%
Total		877	87.7%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-888.00	.d = Don't know	6	0.6%
.	-	117	11.7%
Total		123	12.3%

This variable has 877 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 36.57
- Median: 20.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 600.00
- Standard Deviation: 59.19

Location: 2821-2827 (*width:* 7; *decimal:* 2)

Variable Type: numeric

(Range of) Missing Values: -888.00, .

HHTOYSAMOUNT30DA4: Money spent on toys (past 30 days)

Value	Label	Unweighted Frequency	%
0	-	119	11.9%

Value	Label	Unweighted Frequency	%
5	-	4	0.4%
6	-	2	0.2%
10	-	18	1.8%
12	-	1	0.1%
15	-	15	1.5%
16	-	1	0.1%
17	-	1	0.1%
20	-	47	4.7%
22	-	1	0.1%
24	-	1	0.1%
25	-	27	2.7%
27	-	2	0.2%
30	-	45	4.5%
32	-	2	0.2%
35	-	4	0.4%
37	-	1	0.1%
38	-	1	0.1%
39	-	1	0.1%
40	-	29	2.9%
42	-	1	0.1%
45	-	8	0.8%
46	-	1	0.1%
50	-	101	10.1%
55	-	3	0.3%
60	-	40	4.0%
63	-	1	0.1%
65	-	7	0.7%
70	-	11	1.1%
72	-	1	0.1%
75	-	10	1.0%
80	-	18	1.8%
85	-	5	0.5%
88	-	1	0.1%
90	-	3	0.3%
95	-	2	0.2%

Value	Label	Unweighted Frequency	%
100	-	118	11.8%
101	-	1	0.1%
110	-	4	0.4%
120	-	9	0.9%
123	-	1	0.1%
125	-	4	0.4%
130	-	1	0.1%
140	-	1	0.1%
150	-	39	3.9%
152	-	1	0.1%
160	-	2	0.2%
165	-	1	0.1%
170	-	2	0.2%
175	-	1	0.1%
Total		873	87.3%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	11	1.1%
.	-	116	11.6%
Total		127	12.7%

This variable has 873 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 98.99
- Median: 60.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2000.00
- Standard Deviation: 136.56

Location: 2828-2831 (*width:* 4; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHCLOTHESAMOUNT30DA4: Money spent on clothes (past 30 days)

Value	Label	Unweighted Frequency	%
0.00	-	71	7.1%
5.00	-	1	0.1%

Value	Label	Unweighted Frequency	%
10.00	-	3	0.3%
15.00	-	1	0.1%
18.00	-	1	0.1%
20.00	-	7	0.7%
25.00	-	6	0.6%
30.00	-	12	1.2%
35.00	-	5	0.5%
36.00	-	1	0.1%
40.00	-	12	1.2%
45.00	-	2	0.2%
50.00	-	48	4.8%
55.00	-	3	0.3%
58.00	-	1	0.1%
60.00	-	30	3.0%
65.00	-	6	0.6%
68.00	-	2	0.2%
70.00	-	9	0.9%
72.82	-	1	0.1%
75.00	-	9	0.9%
76.00	-	1	0.1%
80.00	-	13	1.3%
83.00	-	1	0.1%
85.00	-	2	0.2%
90.00	-	3	0.3%
95.00	-	1	0.1%
100.00	-	113	11.3%
110.00	-	2	0.2%
115.00	-	1	0.1%
120.00	-	24	2.4%
122.00	-	1	0.1%
125.00	-	7	0.7%
130.00	-	4	0.4%
140.00	-	2	0.2%
150.00	-	88	8.8%
152.00	-	1	0.1%

Value	Label	Unweighted Frequency	%
155.00	-	1	0.1%
160.00	-	11	1.1%
170.00	-	3	0.3%
175.00	-	4	0.4%
180.00	-	2	0.2%
185.00	-	1	0.1%
200.00	-	121	12.1%
205.00	-	1	0.1%
210.00	-	2	0.2%
217.00	-	1	0.1%
220.00	-	3	0.3%
225.00	-	2	0.2%
230.00	-	3	0.3%
Total		873	87.3%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-888.00	.d = Don't know	9	0.9%
.	-	118	11.8%
Total		127	12.7%

This variable has 873 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 178.41
- Median: 150.00
- Mode: 200.00
- Minimum: 0.00
- Maximum: 2000.00
- Standard Deviation: 169.71

Location: 2832-2838 (*width:* 7; *decimal:* 2)

Variable Type: numeric

(Range of) Missing Values: -888.00, .

HHACTIVITIESAMOUNT30DA4: Money spent on activities (past 30 days)

Value	Label	Unweighted Frequency	%
0.00	-	370	37.0%
2.00	-	1	0.1%
3.00	-	1	0.1%

Value	Label	Unweighted Frequency	%
5.00	-	1	0.1%
7.00	-	1	0.1%
10.00	-	7	0.7%
10.99	-	1	0.1%
11.00	-	1	0.1%
13.00	-	1	0.1%
14.00	-	1	0.1%
15.00	-	10	1.0%
20.00	-	24	2.4%
22.00	-	1	0.1%
23.00	-	1	0.1%
25.00	-	5	0.5%
26.00	-	1	0.1%
30.00	-	32	3.2%
34.00	-	1	0.1%
35.00	-	5	0.5%
36.00	-	2	0.2%
38.00	-	2	0.2%
40.00	-	26	2.6%
45.00	-	5	0.5%
48.00	-	1	0.1%
49.00	-	1	0.1%
50.00	-	61	6.1%
56.00	-	3	0.3%
57.00	-	1	0.1%
60.00	-	31	3.1%
65.00	-	4	0.4%
67.00	-	1	0.1%
68.00	-	1	0.1%
70.00	-	13	1.3%
75.00	-	15	1.5%
76.00	-	1	0.1%
80.00	-	20	2.0%
85.00	-	2	0.2%
89.00	-	1	0.1%

Value	Label	Unweighted Frequency	%
90.00	-	3	0.3%
94.00	-	2	0.2%
100.00	-	75	7.5%
105.00	-	1	0.1%
110.00	-	1	0.1%
115.00	-	1	0.1%
120.00	-	8	0.8%
125.00	-	2	0.2%
126.00	-	1	0.1%
130.00	-	2	0.2%
140.00	-	1	0.1%
145.00	-	1	0.1%
Total		868	86.8%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-888.00	.d = Don't know	14	1.4%
.	-	118	11.8%
Total		132	13.2%

This variable has 868 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 62.90
- Median: 30.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3000.00
- Standard Deviation: 138.59

Location: 2839-2845 (width: 7; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -888.00, .

HHVIDEOAMOUNT30DA4: Money spent on electronics (past 30 days)

Value	Label	Unweighted Frequency	%
0.00	-	326	32.6%
1.99	-	1	0.1%
2.00	-	1	0.1%
3.00	-	1	0.1%

Value	Label	Unweighted Frequency	%
4.99	-	1	0.1%
5.00	-	2	0.2%
5.99	-	1	0.1%
6.00	-	3	0.3%
7.00	-	6	0.6%
7.99	-	1	0.1%
8.00	-	15	1.5%
8.99	-	2	0.2%
9.00	-	4	0.4%
9.99	-	1	0.1%
10.00	-	21	2.1%
10.99	-	1	0.1%
11.00	-	3	0.3%
11.94	-	1	0.1%
12.00	-	11	1.1%
12.99	-	2	0.2%
13.00	-	4	0.4%
14.00	-	6	0.6%
14.99	-	8	0.8%
15.00	-	27	2.7%
15.99	-	1	0.1%
16.00	-	11	1.1%
16.42	-	1	0.1%
16.99	-	1	0.1%
17.00	-	3	0.3%
18.00	-	6	0.6%
20.00	-	67	6.7%
21.00	-	11	1.1%
22.00	-	6	0.6%
22.93	-	1	0.1%
23.00	-	3	0.3%
24.00	-	7	0.7%
25.00	-	26	2.6%
26.00	-	4	0.4%
27.00	-	1	0.1%

Value	Label	Unweighted Frequency	%
28.00	-	4	0.4%
29.00	-	1	0.1%
30.00	-	53	5.3%
32.00	-	1	0.1%
33.00	-	2	0.2%
34.00	-	1	0.1%
35.00	-	9	0.9%
36.00	-	1	0.1%
37.00	-	2	0.2%
39.99	-	1	0.1%
40.00	-	26	2.6%
Total		875	87.5%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-888.00	.d = Don't know	8	0.8%
.	-	117	11.7%
Total		125	12.5%

This variable has 875 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 27.10
- Median: 15.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 800.00
- Standard Deviation: 50.75

Location: 2846-2852 (width: 7; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -888.00 , .

HHCHILDEXPENSE30DAYSA4: Child-focused expenditure Index (amount in last 30 days)

Value	Label	Unweighted Frequency	%
0.0000000000	-	18	1.8%
10.0000000000	-	1	0.1%
15.0000000000	-	1	0.1%
20.0000000000	-	5	0.5%
21.0000000000	-	1	0.1%

Value	Label	Unweighted Frequency	%
25.0000000000	-	3	0.3%
30.0000000000	-	4	0.4%
33.0000000000	-	1	0.1%
35.0000000000	-	1	0.1%
36.9900016785	-	1	0.1%
40.0000000000	-	3	0.3%
41.0000000000	-	1	0.1%
45.0000000000	-	2	0.2%
46.0000000000	-	1	0.1%
49.0000000000	-	1	0.1%
50.0000000000	-	8	0.8%
55.0000000000	-	2	0.2%
60.0000000000	-	2	0.2%
63.0000000000	-	2	0.2%
65.0000000000	-	1	0.1%
65.9899978638	-	1	0.1%
66.0000000000	-	2	0.2%
70.0000000000	-	4	0.4%
71.0000000000	-	1	0.1%
75.0000000000	-	2	0.2%
76.0000000000	-	1	0.1%
80.0000000000	-	3	0.3%
82.0000000000	-	1	0.1%
83.0000000000	-	3	0.3%
84.0000000000	-	1	0.1%
85.0000000000	-	2	0.2%
90.0000000000	-	6	0.6%
91.0000000000	-	1	0.1%
92.9899978638	-	1	0.1%
93.0000000000	-	1	0.1%
95.0000000000	-	2	0.2%
96.0000000000	-	1	0.1%
100.0000000000	-	10	1.0%
102.0000000000	-	2	0.2%
102.9300003052	-	1	0.1%

Value	Label	Unweighted Frequency	%
105.00000000000	-	5	0.5%
107.00000000000	-	1	0.1%
110.00000000000	-	7	0.7%
111.00000000000	-	1	0.1%
112.00000000000	-	2	0.2%
113.00000000000	-	2	0.2%
115.00000000000	-	1	0.1%
117.00000000000	-	1	0.1%
118.00000000000	-	3	0.3%
120.00000000000	-	5	0.5%
Total		883	88.3%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-777.00000000000	.i = Index/scale assigned missing because too many items were missing	1	0.1%
.	-	116	11.6%
Total		117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 399.2456171029
- Minimum: 0.0000000000
- Maximum: 3510.0000000000
- Standard Deviation: 344.0612494374

Location: 2853-2867 (width: 15; decimal: 10)

Variable Type: numeric

(Range of) Missing Values: -777.0000000000 , .

HHBOOKAMOUNT30DTRUNCA4: Money spent on books (past 30 days) - truncated

Value	Label	Unweighted Frequency	%
0.00	-	268	26.8%
2.00	-	1	0.1%
3.00	-	3	0.3%
5.00	-	12	1.2%
6.00	-	3	0.3%
7.00	-	3	0.3%

Value	Label	Unweighted Frequency	%
8.00	-	1	0.1%
10.00	-	39	3.9%
12.00	-	4	0.4%
13.00	-	2	0.2%
14.00	-	1	0.1%
14.99	-	1	0.1%
15.00	-	29	2.9%
17.00	-	4	0.4%
18.00	-	3	0.3%
20.00	-	90	9.0%
22.00	-	3	0.3%
24.00	-	1	0.1%
25.00	-	54	5.4%
26.00	-	3	0.3%
27.00	-	2	0.2%
28.00	-	2	0.2%
30.00	-	64	6.4%
35.00	-	10	1.0%
38.00	-	1	0.1%
40.00	-	48	4.8%
42.00	-	1	0.1%
45.00	-	6	0.6%
48.00	-	1	0.1%
50.00	-	75	7.5%
54.00	-	1	0.1%
60.00	-	19	1.9%
65.00	-	1	0.1%
66.00	-	1	0.1%
70.00	-	7	0.7%
72.00	-	1	0.1%
75.00	-	3	0.3%
78.00	-	1	0.1%
80.00	-	10	1.0%
85.00	-	1	0.1%
86.00	-	1	0.1%

Value	Label	Unweighted Frequency	%
90.00	-	1	0.1%
100.00	-	40	4.0%
110.00	-	1	0.1%
120.00	-	5	0.5%
125.00	-	1	0.1%
129.00	-	1	0.1%
130.00	-	1	0.1%
150.00	-	12	1.2%
160.00	-	3	0.3%
Total		877	87.7%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-888.00	.d = Don't know	6	0.6%
.	-	117	11.7%
Total		123	12.3%

This variable has 877 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 35.53
- Median: 20.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 300.00
- Standard Deviation: 52.14

Location: 2868-2874 (width: 7; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -888.00, .

HHTOYSAMOUNT30DTRUNCA4: Money spent on toys (past 30 days) - truncated

Value	Label	Unweighted Frequency	%
0	-	119	11.9%
5	-	4	0.4%
6	-	2	0.2%
10	-	18	1.8%
12	-	1	0.1%
15	-	15	1.5%
16	-	1	0.1%

Value	Label	Unweighted Frequency	%
17	-	1	0.1%
20	-	47	4.7%
22	-	1	0.1%
24	-	1	0.1%
25	-	27	2.7%
27	-	2	0.2%
30	-	45	4.5%
32	-	2	0.2%
35	-	4	0.4%
37	-	1	0.1%
38	-	1	0.1%
39	-	1	0.1%
40	-	29	2.9%
42	-	1	0.1%
45	-	8	0.8%
46	-	1	0.1%
50	-	101	10.1%
55	-	3	0.3%
60	-	40	4.0%
63	-	1	0.1%
65	-	7	0.7%
70	-	11	1.1%
72	-	1	0.1%
75	-	10	1.0%
80	-	18	1.8%
85	-	5	0.5%
88	-	1	0.1%
90	-	3	0.3%
95	-	2	0.2%
100	-	118	11.8%
101	-	1	0.1%
110	-	4	0.4%
120	-	9	0.9%
123	-	1	0.1%
125	-	4	0.4%

Value	Label	Unweighted Frequency	%
130	-	1	0.1%
140	-	1	0.1%
150	-	39	3.9%
152	-	1	0.1%
160	-	2	0.2%
165	-	1	0.1%
170	-	2	0.2%
175	-	1	0.1%
Total		873	87.3%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	11	1.1%
.	-	116	11.6%
Total		127	12.7%

This variable has 873 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 95.33
- Median: 60.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 600.00
- Standard Deviation: 110.06

Location: 2875-2878 (width: 4; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -888 , .

HHCLOTHESAMOUNT30DTRUNCA4: Money spent on clothes (past 30 days) - truncated

Value	Label	Unweighted Frequency	%
0.00	-	71	7.1%
5.00	-	1	0.1%
10.00	-	3	0.3%
15.00	-	1	0.1%
18.00	-	1	0.1%
20.00	-	7	0.7%
25.00	-	6	0.6%
30.00	-	12	1.2%

Value	Label	Unweighted Frequency	%
35.00	-	5	0.5%
36.00	-	1	0.1%
40.00	-	12	1.2%
45.00	-	2	0.2%
50.00	-	48	4.8%
55.00	-	3	0.3%
58.00	-	1	0.1%
60.00	-	30	3.0%
65.00	-	6	0.6%
68.00	-	2	0.2%
70.00	-	9	0.9%
72.82	-	1	0.1%
75.00	-	9	0.9%
76.00	-	1	0.1%
80.00	-	13	1.3%
83.00	-	1	0.1%
85.00	-	2	0.2%
90.00	-	3	0.3%
95.00	-	1	0.1%
100.00	-	113	11.3%
110.00	-	2	0.2%
115.00	-	1	0.1%
120.00	-	24	2.4%
122.00	-	1	0.1%
125.00	-	7	0.7%
130.00	-	4	0.4%
140.00	-	2	0.2%
150.00	-	88	8.8%
152.00	-	1	0.1%
155.00	-	1	0.1%
160.00	-	11	1.1%
170.00	-	3	0.3%
175.00	-	4	0.4%
180.00	-	2	0.2%
185.00	-	1	0.1%

Value	Label	Unweighted Frequency	%
200.00	-	121	12.1%
205.00	-	1	0.1%
210.00	-	2	0.2%
217.00	-	1	0.1%
220.00	-	3	0.3%
225.00	-	2	0.2%
230.00	-	3	0.3%
Total		873	87.3%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-888.00	.d = Don't know	9	0.9%
.	-	118	11.8%
Total		127	12.7%

This variable has 873 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 176.12
- Median: 150.00
- Mode: 200.00
- Minimum: 0.00
- Maximum: 900.00
- Standard Deviation: 154.69

Location: 2879-2885 (width: 7; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -888.00 , .

HHACTIVITIESAMOUNT30DTRUNCA4: Money spent on activities (past 30 days) - truncated

Value	Label	Unweighted Frequency	%
0.00	-	370	37.0%
2.00	-	1	0.1%
3.00	-	1	0.1%
5.00	-	1	0.1%
7.00	-	1	0.1%
10.00	-	7	0.7%
10.99	-	1	0.1%
11.00	-	1	0.1%
13.00	-	1	0.1%

Value	Label	Unweighted Frequency	%
14.00	-	1	0.1%
15.00	-	10	1.0%
20.00	-	24	2.4%
22.00	-	1	0.1%
23.00	-	1	0.1%
25.00	-	5	0.5%
26.00	-	1	0.1%
30.00	-	32	3.2%
34.00	-	1	0.1%
35.00	-	5	0.5%
36.00	-	2	0.2%
38.00	-	2	0.2%
40.00	-	26	2.6%
45.00	-	5	0.5%
48.00	-	1	0.1%
49.00	-	1	0.1%
50.00	-	61	6.1%
56.00	-	3	0.3%
57.00	-	1	0.1%
60.00	-	31	3.1%
65.00	-	4	0.4%
67.00	-	1	0.1%
68.00	-	1	0.1%
70.00	-	13	1.3%
75.00	-	15	1.5%
76.00	-	1	0.1%
80.00	-	20	2.0%
85.00	-	2	0.2%
89.00	-	1	0.1%
90.00	-	3	0.3%
94.00	-	2	0.2%
100.00	-	75	7.5%
105.00	-	1	0.1%
110.00	-	1	0.1%
115.00	-	1	0.1%

Value	Label	Unweighted Frequency	%
120.00	-	8	0.8%
125.00	-	2	0.2%
126.00	-	1	0.1%
130.00	-	2	0.2%
140.00	-	1	0.1%
145.00	-	1	0.1%
	Total	868	86.8%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-888.00	.d = Don't know	14	1.4%
.	-	118	11.8%
	Total	132	13.2%

This variable has 868 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 58.65
- Median: 30.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 500.00
- Standard Deviation: 87.42

Location: 2886-2892 (width: 7; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -888.00 , .

HHVIDEOAMOUNT30DTRUNCA4: Money spent on electronics (past 30 days) - truncated

Value	Label	Unweighted Frequency	%
0.00	-	326	32.6%
1.99	-	1	0.1%
2.00	-	1	0.1%
3.00	-	1	0.1%
4.99	-	1	0.1%
5.00	-	2	0.2%
5.99	-	1	0.1%
6.00	-	3	0.3%
7.00	-	6	0.6%
7.99	-	1	0.1%

Value	Label	Unweighted Frequency	%
8.00	-	15	1.5%
8.99	-	2	0.2%
9.00	-	4	0.4%
9.99	-	1	0.1%
10.00	-	21	2.1%
10.99	-	1	0.1%
11.00	-	3	0.3%
11.94	-	1	0.1%
12.00	-	11	1.1%
12.99	-	2	0.2%
13.00	-	4	0.4%
14.00	-	6	0.6%
14.99	-	8	0.8%
15.00	-	27	2.7%
15.99	-	1	0.1%
16.00	-	11	1.1%
16.42	-	1	0.1%
16.99	-	1	0.1%
17.00	-	3	0.3%
18.00	-	6	0.6%
20.00	-	67	6.7%
21.00	-	11	1.1%
22.00	-	6	0.6%
22.93	-	1	0.1%
23.00	-	3	0.3%
24.00	-	7	0.7%
25.00	-	26	2.6%
26.00	-	4	0.4%
27.00	-	1	0.1%
28.00	-	4	0.4%
29.00	-	1	0.1%
30.00	-	53	5.3%
32.00	-	1	0.1%
33.00	-	2	0.2%
34.00	-	1	0.1%

Value	Label	Unweighted Frequency	%
35.00	-	9	0.9%
36.00	-	1	0.1%
37.00	-	2	0.2%
39.99	-	1	0.1%
40.00	-	26	2.6%
	Total	875	87.5%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-888.00	.d = Don't know	8	0.8%
.	-	117	11.7%
	Total	125	12.5%

This variable has 875 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 25.55
- Median: 15.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 200.00
- Standard Deviation: 36.21

Location: 2893-2899 (*width:* 7; *decimal:* 2)

Variable Type: numeric

(Range of) Missing Values: -888.00, .

HHCHILDEXPENSE30DAYSTRUNCA4: Child-focused expenditure Index (amount in last 30 days) - truncated

Value	Label	Unweighted Frequency	%
0.0000000000	-	18	1.8%
10.0000000000	-	1	0.1%
15.0000000000	-	1	0.1%
20.0000000000	-	5	0.5%
21.0000000000	-	1	0.1%
25.0000000000	-	3	0.3%
30.0000000000	-	4	0.4%
33.0000000000	-	1	0.1%
35.0000000000	-	1	0.1%
36.9900016785	-	1	0.1%

Value	Label	Unweighted Frequency	%
40.00000000000	-	3	0.3%
41.00000000000	-	1	0.1%
45.00000000000	-	2	0.2%
46.00000000000	-	1	0.1%
49.00000000000	-	1	0.1%
50.00000000000	-	8	0.8%
55.00000000000	-	2	0.2%
60.00000000000	-	2	0.2%
63.00000000000	-	2	0.2%
65.00000000000	-	1	0.1%
65.9899978638	-	1	0.1%
66.00000000000	-	2	0.2%
70.00000000000	-	4	0.4%
71.00000000000	-	1	0.1%
75.00000000000	-	2	0.2%
76.00000000000	-	1	0.1%
80.00000000000	-	3	0.3%
82.00000000000	-	1	0.1%
83.00000000000	-	3	0.3%
84.00000000000	-	1	0.1%
85.00000000000	-	2	0.2%
90.00000000000	-	6	0.6%
91.00000000000	-	1	0.1%
92.9899978638	-	1	0.1%
93.00000000000	-	1	0.1%
95.00000000000	-	2	0.2%
96.00000000000	-	1	0.1%
100.00000000000	-	10	1.0%
102.00000000000	-	2	0.2%
102.9300003052	-	1	0.1%
105.00000000000	-	5	0.5%
107.00000000000	-	1	0.1%
110.00000000000	-	7	0.7%
111.00000000000	-	1	0.1%
112.00000000000	-	2	0.2%

Value	Label	Unweighted Frequency	%
113.00000000000	-	2	0.2%
115.00000000000	-	1	0.1%
117.00000000000	-	1	0.1%
118.00000000000	-	3	0.3%
120.00000000000	-	5	0.5%
	Total	883	88.3%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-777.00000000000	.i = Index/scale assigned missing because too many items were missing	1	0.1%
.	-	116	11.6%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 386.6125480203
- Minimum: 0.0000000000
- Maximum: 2000.0000000000
- Standard Deviation: 295.5329619675

Location: 2900-2914 (width: 15; decimal: 10)

Variable Type: numeric

(Range of) Missing Values: -777.0000000000 , .

HHPAIDCCCOSTA4: Cost of paid child care last month

Value	Label	Unweighted Frequency	%
0.00	-	697	69.7%
1.00	-	1	0.1%
20.00	-	1	0.1%
30.00	-	2	0.2%
40.00	-	2	0.2%
48.00	-	1	0.1%
50.00	-	2	0.2%
56.00	-	1	0.1%
60.00	-	2	0.2%
65.00	-	1	0.1%
80.00	-	5	0.5%

Value	Label	Unweighted Frequency	%
88.00	-	1	0.1%
90.00	-	1	0.1%
100.00	-	16	1.6%
102.00	-	1	0.1%
104.00	-	1	0.1%
110.00	-	1	0.1%
120.00	-	2	0.2%
130.00	-	1	0.1%
148.00	-	1	0.1%
150.00	-	10	1.0%
158.00	-	1	0.1%
160.00	-	3	0.3%
169.52	-	1	0.1%
175.00	-	3	0.3%
180.00	-	1	0.1%
191.00	-	1	0.1%
198.00	-	1	0.1%
200.00	-	11	1.1%
211.00	-	1	0.1%
220.00	-	1	0.1%
225.00	-	1	0.1%
250.00	-	7	0.7%
258.00	-	1	0.1%
267.00	-	1	0.1%
269.00	-	1	0.1%
275.00	-	1	0.1%
280.00	-	1	0.1%
300.00	-	11	1.1%
320.00	-	1	0.1%
325.00	-	1	0.1%
340.00	-	1	0.1%
350.00	-	1	0.1%
380.00	-	1	0.1%
400.00	-	18	1.8%
450.00	-	4	0.4%

Value	Label	Unweighted Frequency	%
480.00	-	4	0.4%
500.00	-	11	1.1%
520.00	-	3	0.3%
540.00	-	1	0.1%
	Total	880	88.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-888.00	.d = Don't know	3	0.3%
.	-	117	11.7%
	Total	120	12.0%

This variable has 880 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 70.69
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1080.00
- Standard Deviation: 175.92

Location: 2915-2921 (width: 7; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -888.00, .

HHADJPAIDCCCOSTA4: Cost of paid child care last month adjusted for number of children

Value	Label	Unweighted Frequency	%
0.0000000000	-	697	69.7%
1.0000000000	-	1	0.1%
6.6666666667	-	1	0.1%
15.0000000000	-	1	0.1%
21.6666666667	-	1	0.1%
25.0000000000	-	1	0.1%
26.0000000000	-	1	0.1%
30.0000000000	-	2	0.2%
40.0000000000	-	2	0.2%
48.0000000000	-	1	0.1%
50.0000000000	-	1	0.1%
56.0000000000	-	1	0.1%

Value	Label	Unweighted Frequency	%
58.3333333334	-	1	0.1%
60.0000000000	-	1	0.1%
70.3333333334	-	1	0.1%
74.0000000000	-	1	0.1%
80.0000000000	-	5	0.5%
85.7142857143	-	1	0.1%
88.0000000000	-	1	0.1%
90.0000000000	-	1	0.1%
95.5000000000	-	1	0.1%
100.0000000000	-	17	1.7%
102.0000000000	-	1	0.1%
104.0000000000	-	1	0.1%
110.0000000000	-	1	0.1%
120.0000000000	-	2	0.2%
125.0000000000	-	1	0.1%
150.0000000000	-	10	1.0%
158.0000000000	-	1	0.1%
160.0000000000	-	3	0.3%
169.5200000000	-	1	0.1%
175.0000000000	-	2	0.2%
180.0000000000	-	1	0.1%
198.0000000000	-	1	0.1%
200.0000000000	-	16	1.6%
220.0000000000	-	1	0.1%
225.0000000000	-	1	0.1%
240.0000000000	-	1	0.1%
250.0000000000	-	7	0.7%
258.0000000000	-	1	0.1%
267.0000000000	-	1	0.1%
269.0000000000	-	1	0.1%
275.0000000000	-	1	0.1%
280.0000000000	-	1	0.1%
300.0000000000	-	13	1.3%
320.0000000000	-	1	0.1%
325.0000000000	-	1	0.1%

Value	Label	Unweighted Frequency	%
340.0000000000	-	1	0.1%
350.0000000000	-	1	0.1%
360.0000000000	-	1	0.1%
	Total	880	88.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-888.0000000000	.d = Don't know	2	0.2%
.	-	118	11.8%
	Total	120	12.0%

This variable has 880 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 65.4133344156
- Median: 0.0000000000
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 1080.0000000000
- Standard Deviation: 166.6792436526

Location: 2922-2936 (width: 15; decimal: 10)

Variable Type: numeric

(Range of) Missing Values: -888.0000000000 , .

CFCLASTWEEKA4: Child spent at least 5hrs in non-relative care last week

Value	Label	Unweighted Frequency	%
0	No	747	74.7%
1	Yes	138	13.8%
	Total	885	88.5%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	2	0.2%
.	-	113	11.3%
	Total	115	11.5%

This variable has 885 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2937-2940 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , ..

HHDCLASTWEEKA4: Child spent at least 5hrs in day care center last week

Value	Label	Unweighted Frequency	%
0	No	431	43.1%
1	Yes	454	45.4%
	Total	885	88.5%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	2	0.2%
.	-	113	11.3%
	Total	115	11.5%

This variable has 885 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2941-2944 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , ..

READBOOKSWEEKCALCA4: Read Books Together Past Week- for calculating

Value	Label	Unweighted Frequency	%
0.0	-	67	6.7%
1.5	-	375	37.5%
4.0	-	340	34.0%
6.5	-	101	10.1%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888.0	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.92
- Median: 1.50

- Mode: 1.50
- Minimum: 0.00
- Maximum: 6.50
- Standard Deviation: 1.85

Location: 2945-2950 (width: 6; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: -888.0 , .

TELLSTORIESWEEKCALCA4: Tell Stories Past Week- for calculating

Value	Label	Unweighted Frequency	%
0.0	-	161	16.1%
1.5	-	340	34.0%
4.0	-	225	22.5%
6.5	-	157	15.7%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888.0	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.75
- Median: 1.50
- Mode: 1.50
- Minimum: 0.00
- Maximum: 6.50
- Standard Deviation: 2.21

Location: 2951-2956 (width: 6; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: -888.0 , .

PLAYBUILDWEEKCALCA4: Play to Build Things Past Week- for calculating

Value	Label	Unweighted Frequency	%
0.0	-	58	5.8%
1.5	-	176	17.6%
4.0	-	291	29.1%
6.5	-	358	35.8%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888.0	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.25
- Median: 4.00
- Mode: 6.50
- Minimum: 0.00
- Maximum: 6.50
- Standard Deviation: 2.18

Location: 2957-2962 (width: 6; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: -888.0, .

PRETENDPLAYWEEKCALCA4: Pretend Play Past Week- for calculating

Value	Label	Unweighted Frequency	%
0.0	-	164	16.4%
1.5	-	250	25.0%
4.0	-	248	24.8%
6.5	-	221	22.1%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888.0	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 3.17
- Median: 4.00
- Mode: 1.50
- Minimum: 0.00
- Maximum: 6.50
- Standard Deviation: 2.37

Location: 2963-2968 (width: 6; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: -888.0, .

LEARNINGACTWEEKCALCA4: Learning Activities Past Week- for calculating

Value	Label	Unweighted Frequency	%
0.0	-	44	4.4%
1.5	-	170	17.0%
4.0	-	337	33.7%
6.5	-	331	33.1%
	Total	882	88.2%

Value	Missing Data	Unweighted Frequency	%
-888.0	.d = Don't know	5	0.5%
.	-	113	11.3%
	Total	118	11.8%

This variable has 882 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.26
- Median: 4.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 6.50
- Standard Deviation: 2.07

Location: 2969-2974 (width: 6; decimal: 1)

Variable Type: numeric

(Range of Missing Values: -888.0 , .

SCREENACTWEEKCALCA4: Screen Activities Past Week- for calculating

Value	Label	Unweighted Frequency	%
0.0	-	61	6.1%
1.5	-	170	17.0%
4.0	-	257	25.7%
6.5	-	395	39.5%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888.0	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.36

- Median: 4.00
- Mode: 6.50
- Minimum: 0.00
- Maximum: 6.50
- Standard Deviation: 2.23

Location: 2975-2980 (width: 6; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: -888.0 , .

READBOOKSTIMECALCA4: Read Books Together Time per Day- for calculating

Value	Label	Unweighted Frequency	%
2.0	-	40	4.0%
7.5	-	304	30.4%
15.5	-	267	26.7%
25.5	-	137	13.7%
35.0	-	68	6.8%
	Total	816	81.6%
Value	Missing Data	Unweighted Frequency	%
.	-	184	18.4%
	Total	184	18.4%

This variable has 816 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 15.16
- Median: 15.50
- Mode: 7.50
- Minimum: 2.00
- Maximum: 35.00
- Standard Deviation: 9.01

Location: 2981-2984 (width: 4; decimal: 1)

Variable Type: numeric

TELLSTORIESTIMECALCA4: Tell Stories Time per Day- for calculating

Value	Label	Unweighted Frequency	%
2.0	-	58	5.8%
7.5	-	287	28.7%
15.5	-	204	20.4%
25.5	-	107	10.7%
35.0	-	65	6.5%

Value	Label	Unweighted Frequency	%
Total		721	72.1%
Value	Missing Data	Unweighted Frequency	%
-888.0	.d = Don't know	1	0.1%
.	-	278	27.8%
Total		279	27.9%

This variable has 721 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 14.47
- Median: 15.50
- Mode: 7.50
- Minimum: 2.00
- Maximum: 35.00
- Standard Deviation: 9.40

Location: 2985-2990 (width: 6; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: -888.0, .

PLAYBUILDTIMECALCA4: Play to Build Things Time per Day- for calculating

Value	Label	Unweighted Frequency	%
Total		825	82.5%
Value	Missing Data	Unweighted Frequency	%
.	-	175	17.5%
Total		175	17.5%

This variable has 825 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 23.68
- Median: 25.50
- Mode: 35.00
- Minimum: 2.00
- Maximum: 35.00
- Standard Deviation: 10.29

Location: 2991-2994 (width: 4; decimal: 1)

Variable Type: numeric

PRETENDPLAYTIMECALCA4: Pretend Play Time per Day- for calculating

Value	Label	Unweighted Frequency	%
2.0	-	23	2.3%
7.5	-	140	14.0%
15.5	-	200	20.0%
25.5	-	151	15.1%
35.0	-	205	20.5%
	Total	719	71.9%
Value	Missing Data	Unweighted Frequency	%
.	-	281	28.1%
	Total	281	28.1%

This variable has 719 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 21.17
- Median: 15.50
- Mode: 35.00
- Minimum: 2.00
- Maximum: 35.00
- Standard Deviation: 10.76

Location: 2995-2998 (width: 4; decimal: 1)

Variable Type: numeric

LEARNINGACTTIMECALCA4: Learning Activities Time per Day- for calculating

Value	Label	Unweighted Frequency	%
2.0	-	15	1.5%
7.5	-	160	16.0%
15.5	-	223	22.3%
25.5	-	210	21.0%
35.0	-	230	23.0%
	Total	838	83.8%
Value	Missing Data	Unweighted Frequency	%
.	-	162	16.2%
	Total	162	16.2%

This variable has 838 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 21.59
- Median: 25.50
- Mode: 35.00
- Minimum: 2.00
- Maximum: 35.00
- Standard Deviation: 10.39

Location: 2999-3002 (width: 4; decimal: 1)

Variable Type: numeric

SCREENACTTIMECALCA4: Screen Activities Time per Day- for calculating

Value	Label	Unweighted Frequency	%
2.0	-	7	0.7%
7.5	-	53	5.3%
15.5	-	119	11.9%
25.5	-	196	19.6%
35.0	-	447	44.7%
	Total	822	82.2%
Value	Missing Data	Unweighted Frequency	%
.	-	178	17.8%
	Total	178	17.8%

This variable has 822 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 27.86
- Median: 35.00
- Mode: 35.00
- Minimum: 2.00
- Maximum: 35.00
- Standard Deviation: 9.15

Location: 3003-3006 (width: 4; decimal: 1)

Variable Type: numeric

MREADBOOKSTOTALA4: readbooks total

Value	Label	Unweighted Frequency	%
0.00	-	67	6.7%
3.00	-	29	2.9%
8.00	-	10	1.0%
11.25	-	163	16.3%

Value	Label	Unweighted Frequency	%
13.00	-	1	0.1%
23.25	-	115	11.5%
30.00	-	117	11.7%
38.25	-	47	4.7%
48.75	-	24	2.4%
52.50	-	21	2.1%
62.00	-	121	12.1%
100.75	-	31	3.1%
102.00	-	68	6.8%
140.00	-	24	2.4%
165.75	-	22	2.2%
227.50	-	23	2.3%
Total		883	88.3%

Value	Missing Data	Unweighted Frequency	%
.	-	117	11.7%
Total		117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 47.64
- Median: 30.00
- Mode: 11.25
- Minimum: 0.00
- Maximum: 227.50
- Standard Deviation: 49.04

Location: 3007-3012 (width: 6; decimal: 2)

Variable Type: numeric

MTELLSTORIESTOTALA4: tellstories total

Value	Label	Unweighted Frequency	%
0.00	-	161	16.1%
3.00	-	42	4.2%
8.00	-	9	0.9%
11.25	-	160	16.0%
13.00	-	7	0.7%
23.25	-	81	8.1%

Value	Label	Unweighted Frequency	%
30.00	-	91	9.1%
38.25	-	43	4.3%
48.75	-	36	3.6%
52.50	-	14	1.4%
62.00	-	76	7.6%
100.75	-	47	4.7%
102.00	-	27	2.7%
140.00	-	22	2.2%
165.75	-	37	3.7%
227.50	-	29	2.9%
Total		882	88.2%

Value	Missing Data	Unweighted Frequency	%
.	-	118	11.8%
Total		118	11.8%

This variable has 882 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 44.05
- Median: 23.25
- Mode: 0.00
- Minimum: 0.00
- Maximum: 227.50
- Standard Deviation: 54.56

Location: 3013-3018 (width: 6; decimal: 2)

Variable Type: numeric

MPLAYBUILDTOTALA4: playbuild total

Value	Label	Unweighted Frequency	%
0.00	-	58	5.8%
3.00	-	4	0.4%
8.00	-	3	0.3%
11.25	-	57	5.7%
13.00	-	4	0.4%
23.25	-	51	5.1%
30.00	-	35	3.5%
38.25	-	41	4.1%

Value	Label	Unweighted Frequency	%
48.75	-	22	2.2%
52.50	-	23	2.3%
62.00	-	92	9.2%
100.75	-	58	5.8%
102.00	-	79	7.9%
140.00	-	82	8.2%
165.75	-	82	8.2%
227.50	-	192	19.2%
Total		883	88.3%

Value	Missing Data	Unweighted Frequency	%
.	-	117	11.7%
Total		117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 107.78
- Median: 100.75
- Mode: 227.50
- Minimum: 0.00
- Maximum: 227.50
- Standard Deviation: 79.30

Location: 3019-3024 (width: 6; decimal: 2)

Variable Type: numeric

MPRETENDPLAYTOTALA4: pretendplay total

Value	Label	Unweighted Frequency	%
0.00	-	164	16.4%
3.00	-	17	1.7%
8.00	-	5	0.5%
11.25	-	79	7.9%
13.00	-	1	0.1%
23.25	-	87	8.7%
30.00	-	44	4.4%
38.25	-	43	4.3%
48.75	-	17	1.7%
52.50	-	24	2.4%

Value	Label	Unweighted Frequency	%
62.00	-	79	7.9%
100.75	-	34	3.4%
102.00	-	66	6.6%
140.00	-	54	5.4%
165.75	-	42	4.2%
227.50	-	127	12.7%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
.	-	117	11.7%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 75.36
- Median: 48.75
- Mode: 0.00
- Minimum: 0.00
- Maximum: 227.50
- Standard Deviation: 78.05

Location: 3025-3030 (width: 6; decimal: 2)

Variable Type: numeric

MLEARNINGACTTOTALA4: learningact total

Value	Label	Unweighted Frequency	%
0.00	-	44	4.4%
3.00	-	6	0.6%
8.00	-	5	0.5%
11.25	-	65	6.5%
13.00	-	4	0.4%
23.25	-	51	5.1%
30.00	-	49	4.9%
38.25	-	32	3.2%
48.75	-	46	4.6%
52.50	-	16	1.6%
62.00	-	117	11.7%
100.75	-	55	5.5%

Value	Label	Unweighted Frequency	%
102.00	-	101	10.1%
140.00	-	65	6.5%
165.75	-	77	7.7%
227.50	-	149	14.9%
	Total	882	88.2%

Value	Missing Data	Unweighted Frequency	%
.	-	118	11.8%
	Total	118	11.8%

This variable has 882 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 98.26
- Median: 100.75
- Mode: 227.50
- Minimum: 0.00
- Maximum: 227.50
- Standard Deviation: 74.78

Location: 3031-3036 (width: 6; decimal: 2)

Variable Type: numeric

MSCREENACTTOTALA4: screenact total

Value	Label	Unweighted Frequency	%
0.00	-	61	6.1%
3.00	-	3	0.3%
11.25	-	25	2.5%
13.00	-	4	0.4%
23.25	-	28	2.8%
30.00	-	17	1.7%
38.25	-	60	6.0%
48.75	-	11	1.1%
52.50	-	54	5.4%
62.00	-	66	6.6%
100.75	-	25	2.5%
102.00	-	67	6.7%
140.00	-	107	10.7%
165.75	-	69	6.9%

Value	Label	Unweighted Frequency	%
227.50	-	286	28.6%
Total		883	88.3%
Value	Missing Data	Unweighted Frequency	%
.	-	117	11.7%
Total		117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 126.95
- Median: 140.00
- Mode: 227.50
- Minimum: 0.00
- Maximum: 227.50
- Standard Deviation: 82.93

Location: 3037-3042 (width: 6; decimal: 2)

Variable Type: numeric

MMOTHERCHILDACTA4: Time on Mother-Focal Child Activities

Value	Label	Unweighted Frequency	%
0.00	-	5	0.5%
13.00	-	1	0.1%
25.50	-	1	0.1%
26.25	-	1	0.1%
31.50	-	1	0.1%
34.50	-	1	0.1%
40.50	-	1	0.1%
45.75	-	1	0.1%
48.75	-	1	0.1%
52.50	-	1	0.1%
63.50	-	1	0.1%
63.75	-	2	0.2%
66.75	-	3	0.3%
69.75	-	2	0.2%
71.25	-	1	0.1%
72.75	-	1	0.1%
79.25	-	1	0.1%

Value	Label	Unweighted Frequency	%
84.75	-	1	0.1%
85.25	-	1	0.1%
86.25	-	2	0.2%
87.00	-	1	0.1%
90.75	-	1	0.1%
92.25	-	1	0.1%
94.50	-	1	0.1%
96.50	-	1	0.1%
97.50	-	1	0.1%
100.75	-	1	0.1%
102.75	-	1	0.1%
105.00	-	1	0.1%
105.25	-	1	0.1%
106.50	-	1	0.1%
107.25	-	1	0.1%
107.75	-	1	0.1%
110.25	-	1	0.1%
111.00	-	1	0.1%
114.00	-	2	0.2%
114.50	-	2	0.2%
117.00	-	1	0.1%
118.50	-	1	0.1%
122.00	-	1	0.1%
123.00	-	1	0.1%
125.75	-	1	0.1%
127.75	-	1	0.1%
128.00	-	1	0.1%
131.00	-	1	0.1%
132.75	-	2	0.2%
133.25	-	1	0.1%
134.00	-	1	0.1%
135.75	-	1	0.1%
137.50	-	1	0.1%
	Total	883	88.3%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	117	11.7%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 499.87
- Minimum: 0.00
- Maximum: 1365.00
- Standard Deviation: 266.70

Location: 3043-3049 (width: 7; decimal: 2)

Variable Type: numeric

MBEDTIMEA4: Regular bedtime

Value	Label	Unweighted Frequency	%
0	No	229	22.9%
1	Yes	653	65.3%
	Total	882	88.2%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	5	0.5%
.	-	113	11.3%
	Total	118	11.8%

This variable has 882 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3050-3053 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

MMEALTIMEDA4: RECODE of mealtime (Meal Time)

Value	Label	Unweighted Frequency	%
0	No	46	4.6%
1	Yes	837	83.7%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3054-3057 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

MCHILDMSROUTINEA4: Child Meal and Sleep Routine Index

Value	Label	Unweighted Frequency	%
0	-	19	1.9%
1	-	236	23.6%
2	-	627	62.7%
	Total	882	88.2%

Value	Missing Data	Unweighted Frequency	%
-777	.i = Index/scale assigned missing because too many items were missing	1	0.1%
.	-	117	11.7%
	Total	118	11.8%

This variable has 882 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.69
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.51

Location: 3058-3061 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -777 , .

MTYPICALBEDTIMEA4: Typical Bedtime

Value	Label	Unweighted Frequency	%
1	Before 6:00pm	0	0.0%

Value	Label	Unweighted Frequency	%
2	6:00pm	0	0.0%
3	6:30pm	1	0.1%
4	7:00pm	15	1.5%
5	7:30pm	27	2.7%
6	8:00pm	120	12.0%
7	8:30pm	130	13.0%
8	9:00pm	158	15.8%
9	9:30pm	86	8.6%
10	10:00pm	80	8.0%
11	10:30pm	17	1.7%
12	11:00pm	13	1.3%
13	After 11:00pm	6	0.6%
Total		653	65.3%
Value	Missing Data	Unweighted Frequency	%
.	-	347	34.7%
Total		347	34.7%

This variable has 653 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 3.00
- Maximum: 13.00

Location: 3062-3063 (width: 2; decimal: 0)

Variable Type: numeric

CCBCLANXDEPRAWA4: CBCL subindex 1 Raw: Anxiety/Depression

Value	Label	Unweighted Frequency	%
0	-	52	5.2%
1	-	94	9.4%
2	-	144	14.4%
3	-	135	13.5%
4	-	123	12.3%
5	-	103	10.3%
6	-	87	8.7%
7	-	57	5.7%
8	-	38	3.8%

Value	Label	Unweighted Frequency	%
9	-	21	2.1%
10	-	15	1.5%
11	-	7	0.7%
12	-	4	0.4%
13	-	1	0.1%
14	-	1	0.1%
16	-	1	0.1%
Total		883	88.3%

Value	Missing Data	Unweighted Frequency	%
.	-	117	11.7%
Total		117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 3.99
- Median: 4.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 16.00
- Standard Deviation: 2.60

Location: 3064-3065 (width: 2; decimal: 0)

Variable Type: numeric

CCBCLANXDEPTA4: CBCL subindex 1 T-score: Anxiety/Depression

Value	Label	Unweighted Frequency	%
50	-	146	14.6%
51	-	144	14.4%
52	-	135	13.5%
56	-	123	12.3%
59	-	103	10.3%
63	-	87	8.7%
66	-	57	5.7%
69	-	38	3.8%
70	-	21	2.1%
74	-	15	1.5%
79	-	7	0.7%

Value	Label	Unweighted Frequency	%
83	-	4	0.4%
87	-	1	0.1%
91	-	1	0.1%
100	-	1	0.1%
	Total	883	88.3%
Value	Missing Data	Unweighted Frequency	%
.	-	117	11.7%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 56.89
- Median: 56.00
- Mode: 50.00
- Minimum: 50.00
- Maximum: 100.00
- Standard Deviation: 7.33

Location: 3066-3068 (width: 3; decimal: 0)

Variable Type: numeric

CCBCLAGGBEHAVIORRAWA4: CBCL subindex 2 Raw: Aggresive Behavior

Value	Label	Unweighted Frequency	%
0	-	21	2.1%
1	-	27	2.7%
2	-	27	2.7%
3	-	44	4.4%
4	-	47	4.7%
5	-	41	4.1%
6	-	43	4.3%
7	-	49	4.9%
8	-	41	4.1%
9	-	46	4.6%
10	-	37	3.7%
11	-	51	5.1%
12	-	44	4.4%
13	-	38	3.8%

Value	Label	Unweighted Frequency	%
14	-	42	4.2%
15	-	33	3.3%
16	-	39	3.9%
17	-	32	3.2%
18	-	31	3.1%
19	-	20	2.0%
20	-	16	1.6%
21	-	19	1.9%
22	-	16	1.6%
23	-	15	1.5%
24	-	12	1.2%
25	-	12	1.2%
26	-	7	0.7%
27	-	6	0.6%
28	-	7	0.7%
29	-	4	0.4%
30	-	3	0.3%
31	-	5	0.5%
32	-	2	0.2%
34	-	5	0.5%
	Total	882	88.2%

Value	Missing Data	Unweighted Frequency	%
-777	.i = Index/scale assigned missing because too many items were missing	1	0.1%
.	-	117	11.7%
	Total	118	11.8%

This variable has 882 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 11.60
- Median: 11.00
- Mode: 11.00
- Minimum: 0.00
- Maximum: 34.00
- Standard Deviation: 7.30

Location: 3069-3072 (*width:* 4; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -777, .)

CCBCLAGGBEHAVIORTA4: CBCL subindex 2 T-score: Aggresive Behavior

Value	Label	Unweighted Frequency	%
50	-	340	34.0%
51	-	83	8.3%
52	-	51	5.1%
53	-	44	4.4%
55	-	38	3.8%
56	-	42	4.2%
58	-	33	3.3%
59	-	39	3.9%
60	-	32	3.2%
62	-	31	3.1%
63	-	20	2.0%
64	-	16	1.6%
65	-	19	1.9%
66	-	16	1.6%
68	-	15	1.5%
69	-	12	1.2%
70	-	12	1.2%
72	-	7	0.7%
75	-	6	0.6%
77	-	7	0.7%
79	-	4	0.4%
82	-	3	0.3%
84	-	5	0.5%
86	-	2	0.2%
91	-	5	0.5%
Total		882	88.2%
Value	Missing Data	Unweighted Frequency	%
-777	.i = Index/scale assigned missing because too many items were missing	1	0.1%
.	-	117	11.7%
Total		118	11.8%

This variable has 882 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 55.65

- Median: 52.00
- Mode: 50.00
- Minimum: 50.00
- Maximum: 91.00
- Standard Deviation: 7.70

Location: 3073-3076 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -777 , .

CCBCLATTENTIONRAWA4: CBCL subindex 3 Raw: Attention Problems

Value	Label	Unweighted Frequency	%
0	-	54	5.4%
1	-	102	10.2%
2	-	155	15.5%
3	-	147	14.7%
4	-	152	15.2%
5	-	110	11.0%
6	-	73	7.3%
7	-	49	4.9%
8	-	27	2.7%
9	-	8	0.8%
10	-	6	0.6%
Total		883	88.3%
Value	Missing Data	Unweighted Frequency	%
.	-	117	11.7%
Total		117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 3.56
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 2.15

Location: 3077-3078 (width: 2; decimal: 0)

Variable Type: numeric

CCBCLATTENTIONTA4: CBCL subindex 3 T-score: Attention Problems

Value	Label	Unweighted Frequency	%
50	-	156	15.6%
51	-	155	15.5%
53	-	147	14.7%
57	-	152	15.2%
62	-	110	11.0%
67	-	73	7.3%
70	-	49	4.9%
73	-	27	2.7%
77	-	8	0.8%
80	-	6	0.6%
Total		883	88.3%
Value	Missing Data	Unweighted Frequency	%
.	-	117	11.7%
Total		117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 57.04
- Median: 53.00
- Mode: 50.00
- Minimum: 50.00
- Maximum: 80.00
- Standard Deviation: 7.31

Location: 3079-3080 (width: 2; decimal: 0)

Variable Type: numeric

CCBCLEMOREACTIVERAWA4: CBCL subindex 4 Raw: Emotionally Reactive

Value	Label	Unweighted Frequency	%
0	-	154	15.4%
1	-	163	16.3%
2	-	145	14.5%
3	-	111	11.1%
4	-	77	7.7%
5	-	66	6.6%
6	-	60	6.0%
7	-	33	3.3%

Value	Label	Unweighted Frequency	%
8	-	28	2.8%
9	-	9	0.9%
10	-	9	0.9%
11	-	9	0.9%
12	-	8	0.8%
13	-	2	0.2%
14	-	6	0.6%
15	-	1	0.1%
16	-	1	0.1%
	Total	882	88.2%

Value	Missing Data	Unweighted Frequency	%
-777	.i = Index/scale assigned missing because too many items were missing	1	0.1%
.	-	117	11.7%
	Total	118	11.8%

This variable has 882 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 3.11
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 16.00
- Standard Deviation: 2.92

Location: 3081-3084 (width: 4; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -777 , .

CCBCLEMOREACTIVETA4: CBCL subindex 4 T-score: Emotionally Reactive

Value	Label	Unweighted Frequency	%
50	-	317	31.7%
51	-	145	14.5%
55	-	111	11.1%
59	-	77	7.7%
62	-	66	6.6%
65	-	60	6.0%
67	-	33	3.3%
69	-	28	2.8%

Value	Label	Unweighted Frequency	%
70	-	9	0.9%
73	-	9	0.9%
77	-	9	0.9%
80	-	8	0.8%
83	-	2	0.2%
87	-	6	0.6%
90	-	1	0.1%
93	-	1	0.1%
Total		882	88.2%

Value	Missing Data	Unweighted Frequency	%
-777	.i = Index/scale assigned missing because too many items were missing	1	0.1%
.	-	117	11.7%
Total		118	11.8%

This variable has 882 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 56.14
- Median: 51.00
- Mode: 50.00
- Minimum: 50.00
- Maximum: 93.00
- Standard Deviation: 7.86

Location: 3085-3088 (*width:* 4; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -777, .

CCBCLINDEXA4: Child Behavior Checklist Index

Value	Label	Unweighted Frequency	%
0	-	6	0.6%
1	-	5	0.5%
2	-	8	0.8%
3	-	8	0.8%
4	-	17	1.7%
5	-	15	1.5%
6	-	13	1.3%
7	-	21	2.1%
8	-	18	1.8%

Value	Label	Unweighted Frequency	%
9	-	29	2.9%
10	-	27	2.7%
11	-	31	3.1%
12	-	27	2.7%
13	-	29	2.9%
14	-	27	2.7%
15	-	22	2.2%
16	-	25	2.5%
17	-	27	2.7%
18	-	33	3.3%
19	-	19	1.9%
20	-	22	2.2%
21	-	27	2.7%
22	-	36	3.6%
23	-	27	2.7%
24	-	21	2.1%
25	-	28	2.8%
26	-	19	1.9%
27	-	26	2.6%
28	-	19	1.9%
29	-	19	1.9%
30	-	19	1.9%
31	-	17	1.7%
32	-	19	1.9%
33	-	13	1.3%
34	-	15	1.5%
35	-	15	1.5%
36	-	9	0.9%
37	-	8	0.8%
38	-	15	1.5%
39	-	10	1.0%
40	-	7	0.7%
41	-	9	0.9%
42	-	11	1.1%
43	-	3	0.3%

Value	Label	Unweighted Frequency	%
44	-	6	0.6%
45	-	6	0.6%
46	-	3	0.3%
47	-	10	1.0%
48	-	1	0.1%
49	-	6	0.6%
	Total	882	88.2%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-777	.i = Index/scale assigned missing because too many items were missing	1	0.1%
.	-	117	11.7%
	Total	118	11.8%

This variable has 882 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 22.27
- Median: 21.00
- Mode: 22.00
- Minimum: 0.00
- Maximum: 68.00
- Standard Deviation: 12.75

Location: 3089-3092 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -777, .

CPEDSTOTALA4: PEDS total

Value	Label	Unweighted Frequency	%
0	-	498	49.8%
1	-	144	14.4%
2	-	110	11.0%
3	-	43	4.3%
4	-	44	4.4%
5	-	19	1.9%
6	-	28	2.8%
	Total	886	88.6%

Value	Missing Data	Unweighted Frequency	%
.	-	114	11.4%
	Total	114	11.4%

This variable has 886 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.57

Location: 3093-3093 (width: 1; decimal: 0)

Variable Type: numeric

CPEDSTOTALDA4: PEDS dummy total

Value	Label	Unweighted Frequency	%
0	-	498	49.8%
1	-	215	21.5%
2	-	94	9.4%
3	-	79	7.9%
	Total	886	88.6%

Value	Missing Data	Unweighted Frequency	%
.	-	114	11.4%
	Total	114	11.4%

This variable has 886 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.72
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.97

Location: 3094-3094 (width: 1; decimal: 0)

Variable Type: numeric

CCHEALTHA4: Child Health

Value	Label	Unweighted Frequency	%
1	Excellent	480	48.0%

Value	Label	Unweighted Frequency	%
2	Very good	237	23.7%
3	Good	123	12.3%
4	Fair	41	4.1%
5	Poor	3	0.3%
	Total	884	88.4%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	2	0.2%
.	-	114	11.4%
	Total	116	11.6%

This variable has 884 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3095-3098 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

CCSICKA4: Child Sick

Value	Label	Unweighted Frequency	%
1	0-1 times	269	26.9%
2	2-3 times	423	42.3%
3	4-6 times	140	14.0%
4	7 or more times	52	5.2%
	Total	884	88.4%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	2	0.2%
.	-	114	11.4%
	Total	116	11.6%

This variable has 884 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3099-3102 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -888 , .

CCCHRONHEALTHA4: Child chronic health diagnosis

Value	Label	Unweighted Frequency	%
0	No	816	81.6%
1	Yes	68	6.8%
	Total	884	88.4%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	2	0.2%
.	-	114	11.4%
	Total	116	11.6%

This variable has 884 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3103-3106 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

CEARLYINTERVENTIONA4: Early Intervention Services

Value	Label	Unweighted Frequency	%
0	No	736	73.6%
1	Yes	148	14.8%
	Total	884	88.4%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	2	0.2%
.	-	114	11.4%
	Total	116	11.6%

This variable has 884 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3107-3110 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

CCDEVTDIAGA4: Child developmental condition diagnosis

Value	Label	Unweighted Frequency	%
0	No	757	75.7%
1	Yes	124	12.4%
	Total	881	88.1%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	5	0.5%
.	-	114	11.4%
	Total	119	11.9%

This variable has 881 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3111-3114 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

CSICKHEALTHA4: Child Overall Poor Health Index

Value	Label	Unweighted Frequency	%
2	-	167	16.7%
3	-	292	29.2%
4	-	206	20.6%
5	-	106	10.6%
6	-	67	6.7%
7	-	27	2.7%
8	-	15	1.5%
9	-	3	0.3%
10	-	1	0.1%
	Total	884	88.4%
Value	Missing Data	Unweighted Frequency	%
-777	.i = Index/scale assigned missing because too many items were missing	1	0.1%
.	-	115	11.5%
	Total	116	11.6%

This variable has 884 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 3.75
- Median: 3.00
- Mode: 3.00
- Minimum: 2.00
- Maximum: 10.00
- Standard Deviation: 1.46

Location: 3115-3118 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -777, ..

HHEXPENSEWORRYA4: Worry always or very frequently about expenses

Value	Label	Unweighted Frequency	%
0	Occasionally or never	628	62.8%
1	frequently or more	255	25.5%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3119-3122 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888, ..

HHTOTALSPENDINGA4: Household spent more than income

Value	Label	Unweighted Frequency	%
0	No	491	49.1%
1	Yes	375	37.5%
	Total	866	86.6%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	21	2.1%
.	-	113	11.3%
	Total	134	13.4%

This variable has 866 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3123-3126 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHMISSEDPAYMENTA4: Missed a rent or mortgage payment

Value	Label	Unweighted Frequency	%
0	No	627	62.7%
1	Yes	252	25.2%
	Total	879	87.9%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	8	0.8%
.	-	113	11.3%
	Total	121	12.1%

This variable has 879 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3127-3130 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHMISSUTILITYPYMTA4: Missed Utility Payment

Value	Label	Unweighted Frequency	%
0	No or N/A	625	62.5%
1	Yes	258	25.8%
	Total	883	88.3%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3131-3134 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHSHUTOFFUTILITYA4: Shut Off Utilities

Value	Label	Unweighted Frequency	%
0	No	188	18.8%
1	Yes	70	7.0%
	Total	258	25.8%

Value	Missing Data	Unweighted Frequency	%
.	-	742	74.2%
	Total	742	74.2%

This variable has 258 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3135-3135 (width: 1; decimal: 0)

Variable Type: numeric

MMEVICTEDA4: Mom Evicted

Value	Label	Unweighted Frequency	%
0	No	828	82.8%
1	Yes	55	5.5%
	Total	883	88.3%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3136-3139 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHEMERGENCYFUNDSA4: Haven't set aside emergency funds

Value	Label	Unweighted Frequency	%
0	Yes	353	35.3%
1	No	527	52.7%
	Total	880	88.0%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	7	0.7%
.	-	113	11.3%
	Total	120	12.0%

This variable has 880 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3140-3143 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHLOSEINCOMEA4: Could not cover a month of expenses without income

Value	Label	Unweighted Frequency	%
0	Yes	596	59.6%
1	No	281	28.1%
	Total	877	87.7%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	10	1.0%
.	-	113	11.3%
	Total	123	12.3%

This variable has 877 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3144-3147 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -888 , .

HHECONSTRESSA4: Index of Economic Stress

Value	Label	Unweighted Frequency	%
0	-	167	16.7%
1	-	184	18.4%
2	-	161	16.1%
3	-	139	13.9%
4	-	102	10.2%
5	-	66	6.6%
6	-	44	4.4%
7	-	12	1.2%
8	-	8	0.8%
Total		883	88.3%
Value	Missing Data	Unweighted Frequency	%
.	-	117	11.7%
Total		117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.35
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 1.90

Location: 3148-3148 (width: 1; decimal: 0)

Variable Type: numeric

HHNOTENOUGHFOODA4: Sometimes/Often didn't have enough food

Value	Label	Unweighted Frequency	%
0	No	661	66.1%
1	Yes	219	21.9%
Total		880	88.0%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	7	0.7%

Value	Missing Data	Unweighted Frequency	%
.	-	113	11.3%
	Total	120	12.0%

This variable has 880 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3149-3152 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHNOBALFOODA4: Sometimes/Often couldn't afford balanced meals

Value	Label	Unweighted Frequency	%
0	No	694	69.4%
1	Yes	187	18.7%
	Total	881	88.1%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	6	0.6%
.	-	113	11.3%
	Total	119	11.9%

This variable has 881 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3153-3156 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHCUTMEALFREQA4: Almost every or some months

Value	Label	Unweighted Frequency	%
0	No	49	4.9%
1	Yes	63	6.3%
	Total	112	11.2%

Value	Missing Data	Unweighted Frequency	%
.	-	888	88.8%

Value	Missing Data	Unweighted Frequency	%
	Total	888	88.8%

This variable has 112 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3157-3157 (width: 1; decimal: 0)

Variable Type: numeric

HHEATLESSA4: Ever ate less than felt they should

Value	Label	Unweighted Frequency	%
0	No	719	71.9%
1	Yes	160	16.0%
	Total	879	87.9%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	8	0.8%
.	-	113	11.3%
	Total	121	12.1%

This variable has 879 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3158-3161 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HCUTMEALSIZEA4: Ever cut size or skipped meals

Value	Label	Unweighted Frequency	%
0	No	733	73.3%
1	Yes	150	15.0%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%

Value	Missing Data	Unweighted Frequency	%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3162-3165 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHHUNGRY4: Was hungry but couldn't afford to eat

Value	Label	Unweighted Frequency	%
0	No	786	78.6%
1	Yes	96	9.6%
	Total	882	88.2%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	114	11.4%
	Total	118	11.8%

This variable has 882 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3166-3169 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHFOODINSECURITYA4: Food Insecurity Index

Value	Label	Unweighted Frequency	%
0	-	561	56.1%
1	-	113	11.3%
2	-	60	6.0%
3	-	43	4.3%
4	-	38	3.8%

Value	Label	Unweighted Frequency	%
5	-	47	4.7%
6	-	21	2.1%
	Total	883	88.3%
Value	Missing Data	Unweighted Frequency	%
.	-	117	11.7%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.99
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.65

Location: 3170-3170 (width: 1; decimal: 0)

Variable Type: numeric

MANXIETYA4: Feeling Anxious

Value	Label	Unweighted Frequency	%
0	Not at all	481	48.1%
1	Several days	249	24.9%
2	More than half the days	69	6.9%
3	Nearly every day	82	8.2%
	Total	881	88.1%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	6	0.6%
.	-	113	11.3%
	Total	119	11.9%

This variable has 881 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 3171-3174 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

MNOCONTROLWORRYA4: Uncontrollable worrying

Value	Label	Unweighted Frequency	%
0	Not at all	486	48.6%
1	Several days	245	24.5%
2	More than half the days	87	8.7%
3	Nearly every day	65	6.5%
	Total	883	88.3%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 3175-3178 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

MWORRIEDA4: Worried about everything

Value	Label	Unweighted Frequency	%
0	Not at all	351	35.1%
1	Several days	327	32.7%
2	More than half the days	101	10.1%
3	Nearly every day	103	10.3%
	Total	882	88.2%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	5	0.5%
.	-	113	11.3%
	Total	118	11.8%

This variable has 882 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 3179-3182 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

MMORELAXA4: Trouble Relaxing

Value	Label	Unweighted Frequency	%
0	Not at all	412	41.2%
1	Several days	286	28.6%
2	More than half the days	82	8.2%
3	Nearly every day	103	10.3%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 3183-3186 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

MRESTLESSA4: Restless

Value	Label	Unweighted Frequency	%
0	Not at all	603	60.3%
1	Several days	171	17.1%
2	More than half the days	60	6.0%
3	Nearly every day	49	4.9%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%

Value	Missing Data	Unweighted Frequency	%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 3187-3190 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

MANNOYEDA4: Annoyed and Irritable

Value	Label	Unweighted Frequency	%
0	Not at all	472	47.2%
1	Several days	270	27.0%
2	More than half the days	82	8.2%
3	Nearly every day	59	5.9%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 3191-3194 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

MAFRAIDA4: Afraid of something awful

Value	Label	Unweighted Frequency	%
0	Not at all	666	66.6%
1	Several days	128	12.8%
2	More than half the days	47	4.7%
3	Nearly every day	42	4.2%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 3195-3198 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

MGAD7A4: GAD-7 total score

Value	Label	Unweighted Frequency	%
0	-	215	21.5%
1	-	82	8.2%
2	-	77	7.7%
3	-	73	7.3%
4	-	74	7.4%
5	-	48	4.8%
6	-	51	5.1%
7	-	51	5.1%
8	-	25	2.5%
9	-	33	3.3%
10	-	33	3.3%
11	-	23	2.3%
12	-	18	1.8%
13	-	16	1.6%
14	-	9	0.9%
15	-	11	1.1%
16	-	14	1.4%
17	-	6	0.6%
18	-	6	0.6%
19	-	8	0.8%
20	-	4	0.4%
21	-	6	0.6%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
.	-	117	11.7%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.80
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 21.00
- Standard Deviation: 4.96

Location: 3199-3200 (width: 2; decimal: 0)

Variable Type: numeric

MBOTHEREDA4: Bothered

Value	Label	Unweighted Frequency	%
0	Not at all	585	58.5%
1	Several days	214	21.4%
2	More than half the days	51	5.1%
3	Nearly every day	33	3.3%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 3201-3204 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

MDEPRESSED4: Depressed

Value	Label	Unweighted Frequency	%
0	Not at all	582	58.2%

Value	Label	Unweighted Frequency	%
1	Several days	199	19.9%
2	More than half the days	55	5.5%
3	Nearly every day	44	4.4%
	Total	880	88.0%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	7	0.7%
.	-	113	11.3%
	Total	120	12.0%

This variable has 880 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 3205-3208 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

MINSOMNIAA4: Insomnia

Value	Label	Unweighted Frequency	%
0	Not at all	469	46.9%
1	Several days	237	23.7%
2	More than half the days	95	9.5%
3	Nearly every day	82	8.2%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 3209-3212 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

MLETHARGICA4: Lethargic

Value	Label	Unweighted Frequency	%
0	Not at all	319	31.9%
1	Several days	357	35.7%
2	More than half the days	121	12.1%
3	Nearly every day	86	8.6%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 3213-3216 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

MNOAPPETITEA4: No Appetite

Value	Label	Unweighted Frequency	%
0	Not at all	558	55.8%
1	Several days	203	20.3%
2	More than half the days	71	7.1%
3	Nearly every day	51	5.1%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 3217-3220 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

MFAILUREA4: Failure

Value	Label	Unweighted Frequency	%
0	Not at all	649	64.9%
1	Several days	144	14.4%
2	More than half the days	53	5.3%
3	Nearly every day	37	3.7%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 3221-3224 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

MCONCENTRATEA4: Concentrate

Value	Label	Unweighted Frequency	%
0	Not at all	648	64.8%
1	Several days	148	14.8%
2	More than half the days	43	4.3%
3	Nearly every day	44	4.4%
	Total	883	88.3%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 3225-3228 (width: 4; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -888 , .

MSLUGGISHA4: Sluggish

Value	Label	Unweighted Frequency	%
0	Not at all	734	73.4%
1	Several days	109	10.9%
2	More than half the days	28	2.8%
3	Nearly every day	12	1.2%
	Total	883	88.3%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	4	0.4%
.	-	113	11.3%
	Total	117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 3229-3232 (width: 4; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -888 , .

MPHQ8A4: PHQ-8 total score

Value	Label	Unweighted Frequency	%
0	-	211	21.1%
1	-	112	11.2%
2	-	106	10.6%
3	-	82	8.2%
4	-	62	6.2%
5	-	47	4.7%
6	-	39	3.9%
7	-	37	3.7%

Value	Label	Unweighted Frequency	%
8	-	34	3.4%
9	-	27	2.7%
10	-	21	2.1%
11	-	21	2.1%
12	-	12	1.2%
13	-	8	0.8%
14	-	21	2.1%
15	-	9	0.9%
16	-	6	0.6%
17	-	10	1.0%
18	-	6	0.6%
19	-	1	0.1%
20	-	3	0.3%
21	-	2	0.2%
22	-	3	0.3%
24	-	3	0.3%
Total		883	88.3%

Value	Missing Data	Unweighted Frequency	%
.	-	117	11.7%
Total		117	11.7%

This variable has 883 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.32
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 4.81

Location: 3233-3234 (width: 2; decimal: 0)

Variable Type: numeric

MRELCURRENTA4: Currently in a relationship or partnership

Value	Label	Unweighted Frequency	%
0	No	338	33.8%
1	Yes	542	54.2%

Value	Label	Unweighted Frequency	%
Total		880	88.0%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	7	0.7%
.	-	113	11.3%
Total		120	12.0%

This variable has 880 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3235-3238 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

MRELLASTYEAR4: Last year in a relationship or partnership

Value	Label	Unweighted Frequency	%
Total		338	33.8%
Value	Missing Data	Unweighted Frequency	%
0	No	197	19.7%
1	Yes	141	14.1%
Total		338	33.8%

Value	Label	Unweighted Frequency	%
Total		662	66.2%
Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	7	0.7%
.	-	655	65.5%
Total		662	66.2%

This variable has 338 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3239-3242 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

ANYASSESSMENTDONEA4: Any child assessment completed

Value	Label	Unweighted Frequency	%
Total		862	86.2%
Value	Missing Data	Unweighted Frequency	%
0	No	138	13.8%
1	Yes	862	86.2%

Value	Label	Unweighted Frequency	%
	Total	1,000	100.0%

This variable has 1,000 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3243-3243 (width: 1; decimal: 0)

Variable Type: numeric

COWMONORAWA4: ROWPVT monolingual raw score

Value	Label	Unweighted Frequency	%
0	-	4	0.4%
1	-	7	0.7%
2	-	5	0.5%
3	-	1	0.1%
5	-	2	0.2%
7	-	1	0.1%
9	-	1	0.1%
12	-	1	0.1%
15	-	1	0.1%
16	-	2	0.2%
18	-	2	0.2%
21	-	2	0.2%
22	-	2	0.2%
23	-	3	0.3%
25	-	3	0.3%
26	-	3	0.3%
27	-	4	0.4%
28	-	4	0.4%
30	-	6	0.6%
31	-	5	0.5%
32	-	4	0.4%
33	-	5	0.5%
34	-	2	0.2%
35	-	3	0.3%
36	-	10	1.0%

Value	Label	Unweighted Frequency	%
37	-	7	0.7%
38	-	6	0.6%
39	-	9	0.9%
40	-	6	0.6%
41	-	9	0.9%
42	-	13	1.3%
43	-	10	1.0%
44	-	11	1.1%
45	-	11	1.1%
46	-	15	1.5%
47	-	14	1.4%
48	-	14	1.4%
49	-	16	1.6%
50	-	20	2.0%
51	-	20	2.0%
52	-	16	1.6%
53	-	20	2.0%
54	-	14	1.4%
55	-	14	1.4%
56	-	12	1.2%
57	-	9	0.9%
58	-	14	1.4%
59	-	5	0.5%
60	-	6	0.6%
61	-	10	1.0%
Total		428	42.8%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-999	.r = Refused	20	2.0%
.	-	552	55.2%
Total		572	57.2%

This variable has 428 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 46.25

- Median: 49.00
- Minimum: 0.00
- Maximum: 85.00
- Standard Deviation: 15.45

Location: 3244-3247 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -999, .

PVTENGLISHA4: PVT done in English

Value	Label	Unweighted Frequency	%
0	No	429	42.9%
1	Yes	432	43.2%
	Total	861	86.1%
Value	Missing Data	Unweighted Frequency	%
.	-	139	13.9%
	Total	139	13.9%

This variable has 861 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3248-3248 (width: 1; decimal: 0)

Variable Type: numeric

COWMONORAWDROPA4: ROWPVT Mono removed due to being invalid

Value	Label	Unweighted Frequency	%
0	No	872	87.2%
1	Yes	20	2.0%
	Total	892	89.2%
Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3249-3249 (width: 1; decimal: 0)

Variable Type: numeric

OWMONOROBUSTA4: ROWPVT mono robustness marker

Value	Label	Unweighted Frequency	%
0	No	878	87.8%
1	Yes	14	1.4%
	Total	892	89.2%
Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3250-3250 (width: 1; decimal: 0)

Variable Type: numeric

OWMONOCONCEPTROBUSTA4: ROWPVT mono conceptual robustness marker

Value	Label	Unweighted Frequency	%
0	No	878	87.8%
1	Yes	14	1.4%
	Total	892	89.2%
Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3251-3251 (width: 1; decimal: 0)

Variable Type: numeric

COWMONOSTANDARDA4: ROWPVT monolingual standard score

Value	Label	Unweighted Frequency	%
54	-	20	2.0%
56	-	1	0.1%

Value	Label	Unweighted Frequency	%
60	-	1	0.1%
64	-	1	0.1%
66	-	2	0.2%
68	-	2	0.2%
73	-	2	0.2%
74	-	2	0.2%
75	-	3	0.3%
77	-	3	0.3%
78	-	4	0.4%
80	-	5	0.5%
81	-	4	0.4%
82	-	1	0.1%
83	-	7	0.7%
84	-	4	0.4%
85	-	6	0.6%
86	-	6	0.6%
87	-	3	0.3%
88	-	6	0.6%
89	-	8	0.8%
90	-	11	1.1%
91	-	7	0.7%
92	-	13	1.3%
93	-	10	1.0%
94	-	16	1.6%
95	-	17	1.7%
96	-	14	1.4%
97	-	13	1.3%
98	-	13	1.3%
99	-	14	1.4%
100	-	22	2.2%
101	-	15	1.5%
102	-	21	2.1%
103	-	24	2.4%
104	-	11	1.1%
105	-	16	1.6%

Value	Label	Unweighted Frequency	%
106	-	10	1.0%
107	-	13	1.3%
108	-	8	0.8%
109	-	7	0.7%
110	-	13	1.3%
111	-	10	1.0%
112	-	7	0.7%
113	-	2	0.2%
114	-	3	0.3%
115	-	4	0.4%
116	-	3	0.3%
117	-	2	0.2%
118	-	5	0.5%
Total		428	42.8%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-999	.r = Refused	20	2.0%
.	-	552	55.2%
Total		572	57.2%

This variable has 428 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 96.58
- Median: 99.00
- Mode: 103.00
- Minimum: 54.00
- Maximum: 133.00
- Standard Deviation: 14.47

Location: 3252-3255 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -999, .

COWMONOPERCENTILEA4: ROWPVT monolingual percentile score

Value	Label	Unweighted Frequency	%
0.8999999762	-	22	2.2%
1.0000000000	-	3	0.3%
2.0000000000	-	2	0.2%

Value	Label	Unweighted Frequency	%
4.0000000000	-	4	0.4%
5.0000000000	-	3	0.3%
6.0000000000	-	3	0.3%
7.0000000000	-	4	0.4%
9.0000000000	-	5	0.5%
10.0000000000	-	4	0.4%
11.0000000000	-	1	0.1%
13.0000000000	-	7	0.7%
14.0000000000	-	4	0.4%
16.0000000000	-	6	0.6%
18.0000000000	-	6	0.6%
19.0000000000	-	3	0.3%
21.0000000000	-	6	0.6%
23.0000000000	-	8	0.8%
25.0000000000	-	11	1.1%
27.0000000000	-	7	0.7%
30.0000000000	-	13	1.3%
32.0000000000	-	10	1.0%
34.0000000000	-	16	1.6%
37.0000000000	-	17	1.7%
39.0000000000	-	14	1.4%
42.0000000000	-	13	1.3%
45.0000000000	-	13	1.3%
47.0000000000	-	14	1.4%
50.0000000000	-	22	2.2%
53.0000000000	-	15	1.5%
55.0000000000	-	21	2.1%
58.0000000000	-	24	2.4%
61.0000000000	-	11	1.1%
63.0000000000	-	16	1.6%
66.0000000000	-	10	1.0%
68.0000000000	-	13	1.3%
70.0000000000	-	8	0.8%
73.0000000000	-	7	0.7%
75.0000000000	-	13	1.3%

Value	Label	Unweighted Frequency	%
77.00000000000	-	10	1.0%
79.00000000000	-	7	0.7%
81.00000000000	-	2	0.2%
83.00000000000	-	3	0.3%
84.00000000000	-	4	0.4%
86.00000000000	-	3	0.3%
87.00000000000	-	2	0.2%
88.00000000000	-	5	0.5%
91.00000000000	-	3	0.3%
92.00000000000	-	1	0.1%
93.00000000000	-	3	0.3%
94.00000000000	-	1	0.1%
Total		428	42.8%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-999.00000000000	.r = Refused	20	2.0%
.	-	552	55.2%
Total		572	57.2%

This variable has 428 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 45.4971962605
- Median: 47.0000000000
- Mode: 58.0000000000
- Minimum: 0.8999999762
- Maximum: 99.0000000000
- Standard Deviation: 24.7112133893

Location: 3256-3270 (*width:* 15; *decimal:* 10)

Variable Type: numeric

(Range of) Missing Values: -999.0000000000 , .

COWBIRAWA4: ROWPVT bilingual raw score

Value	Label	Unweighted Frequency	%
0	-	3	0.3%
1	-	4	0.4%
3	-	2	0.2%
4	-	4	0.4%

Value	Label	Unweighted Frequency	%
5	-	3	0.3%
8	-	1	0.1%
9	-	2	0.2%
11	-	3	0.3%
12	-	2	0.2%
13	-	2	0.2%
15	-	3	0.3%
16	-	2	0.2%
17	-	1	0.1%
18	-	1	0.1%
19	-	2	0.2%
20	-	2	0.2%
21	-	2	0.2%
22	-	5	0.5%
23	-	3	0.3%
24	-	7	0.7%
25	-	8	0.8%
26	-	4	0.4%
27	-	5	0.5%
28	-	8	0.8%
29	-	13	1.3%
30	-	11	1.1%
31	-	8	0.8%
32	-	9	0.9%
33	-	7	0.7%
34	-	8	0.8%
35	-	8	0.8%
36	-	7	0.7%
37	-	3	0.3%
38	-	6	0.6%
39	-	6	0.6%
40	-	9	0.9%
41	-	3	0.3%
42	-	13	1.3%
43	-	3	0.3%

Value	Label	Unweighted Frequency	%
44	-	3	0.3%
45	-	2	0.2%
46	-	4	0.4%
47	-	5	0.5%
48	-	5	0.5%
49	-	8	0.8%
50	-	5	0.5%
51	-	2	0.2%
52	-	5	0.5%
53	-	1	0.1%
54	-	3	0.3%
Total		273	27.3%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-999	.r = Refused	11	1.1%
.	-	716	71.6%
Total		727	72.7%

This variable has 273 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 36.04
- Median: 35.00
- Minimum: 0.00
- Maximum: 98.00
- Standard Deviation: 16.42

Location: 3271-3274 (width: 4; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -999, .)

PVTBILINGUALA4: PVT done in bilingual form

Value	Label	Unweighted Frequency	%
0	No	585	58.5%
1	Yes	276	27.6%
Total		861	86.1%

Value	Missing Data	Unweighted Frequency	%
-		139	13.9%
	Total	139	13.9%

This variable has 861 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3275-3275 (width: 1; decimal: 0)

Variable Type: numeric

COWBIRAWDROPA4: ROWPVT Bi removed due to being invalid

Value	Label	Unweighted Frequency	%
0	No	881	88.1%
1	Yes	11	1.1%
	Total	892	89.2%

Value	Missing Data	Unweighted Frequency	%
-		108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3276-3276 (width: 1; decimal: 0)

Variable Type: numeric

OWBIROBUSTA4: ROWPVT bi robustness marker

Value	Label	Unweighted Frequency	%
0	No	866	86.6%
1	Yes	26	2.6%
	Total	892	89.2%

Value	Missing Data	Unweighted Frequency	%
-		108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3277-3277 (width: 1; decimal: 0)

Variable Type: numeric

OWBICONCEPTROBUSTA4: ROWPVT bi conceptual robustness marker

Value	Label	Unweighted Frequency	%
0	No	866	86.6%
1	Yes	26	2.6%
	Total	892	89.2%

Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3278-3278 (width: 1; decimal: 0)

Variable Type: numeric

COWBISTANDARDA4: ROWPVT bilingual standard score

Value	Label	Unweighted Frequency	%
54	-	7	0.7%
56	-	3	0.3%
57	-	2	0.2%
58	-	2	0.2%
59	-	2	0.2%
64	-	2	0.2%
66	-	1	0.1%
69	-	4	0.4%
70	-	1	0.1%
71	-	1	0.1%
72	-	3	0.3%
73	-	1	0.1%
74	-	1	0.1%

Value	Label	Unweighted Frequency	%
75	-	1	0.1%
77	-	1	0.1%
78	-	2	0.2%
80	-	4	0.4%
81	-	1	0.1%
82	-	1	0.1%
83	-	3	0.3%
84	-	6	0.6%
85	-	1	0.1%
86	-	3	0.3%
87	-	7	0.7%
88	-	9	0.9%
89	-	4	0.4%
90	-	6	0.6%
91	-	10	1.0%
92	-	17	1.7%
93	-	7	0.7%
94	-	5	0.5%
95	-	11	1.1%
96	-	10	1.0%
97	-	5	0.5%
98	-	5	0.5%
99	-	8	0.8%
100	-	5	0.5%
101	-	8	0.8%
102	-	8	0.8%
103	-	6	0.6%
104	-	3	0.3%
105	-	8	0.8%
106	-	2	0.2%
107	-	6	0.6%
108	-	6	0.6%
109	-	6	0.6%
110	-	2	0.2%
111	-	12	1.2%

Value	Label	Unweighted Frequency	%
112	-	1	0.1%
113	-	5	0.5%
	Total	272	27.2%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-999	.r = Refused	11	1.1%
.	-	717	71.7%
	Total	728	72.8%

This variable has 272 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 96.13
- Median: 96.00
- Mode: 92.00
- Minimum: 54.00
- Maximum: 145.00
- Standard Deviation: 16.68

Location: 3279-3282 (*width:* 4; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -999, .

COWBIPERCENTILEA4: ROWPVT bilingual percentile score

Value	Label	Unweighted Frequency	%
0.0900000036	-	4	0.4%
0.8999999762	-	12	1.2%
1.0000000000	-	3	0.3%
2.0000000000	-	5	0.5%
3.0000000000	-	4	0.4%
4.0000000000	-	2	0.2%
5.0000000000	-	1	0.1%
6.0000000000	-	1	0.1%
7.0000000000	-	2	0.2%
9.0000000000	-	4	0.4%
10.0000000000	-	1	0.1%
11.0000000000	-	1	0.1%
13.0000000000	-	3	0.3%
14.0000000000	-	6	0.6%

Value	Label	Unweighted Frequency	%
16.00000000000	-	1	0.1%
18.00000000000	-	3	0.3%
19.00000000000	-	7	0.7%
21.00000000000	-	9	0.9%
23.00000000000	-	4	0.4%
25.00000000000	-	6	0.6%
27.00000000000	-	10	1.0%
30.00000000000	-	17	1.7%
32.00000000000	-	7	0.7%
34.00000000000	-	5	0.5%
37.00000000000	-	11	1.1%
39.00000000000	-	10	1.0%
42.00000000000	-	5	0.5%
45.00000000000	-	5	0.5%
47.00000000000	-	8	0.8%
50.00000000000	-	5	0.5%
53.00000000000	-	8	0.8%
55.00000000000	-	8	0.8%
58.00000000000	-	6	0.6%
61.00000000000	-	3	0.3%
63.00000000000	-	8	0.8%
66.00000000000	-	2	0.2%
68.00000000000	-	6	0.6%
70.00000000000	-	6	0.6%
73.00000000000	-	6	0.6%
75.00000000000	-	2	0.2%
77.00000000000	-	12	1.2%
79.00000000000	-	1	0.1%
81.00000000000	-	5	0.5%
83.00000000000	-	2	0.2%
84.00000000000	-	8	0.8%
86.00000000000	-	3	0.3%
87.00000000000	-	3	0.3%
88.00000000000	-	2	0.2%
90.00000000000	-	2	0.2%

Value	Label	Unweighted Frequency	%
91.0000000000	-	4	0.4%
	Total	272	27.2%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-999.0000000000	.r = Refused	11	1.1%
.	-	717	71.7%
	Total	728	72.8%

This variable has 272 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 44.4266911811
- Median: 39.0000000000
- Mode: 30.0000000000
- Minimum: 0.0900000036
- Maximum: 99.9000015259
- Standard Deviation: 28.5505934574

Location: 3283-3297 (width: 15; decimal: 10)

Variable Type: numeric

(Range of) Missing Values: -999.0000000000 , .

CROWPVTA4: ROWPVT conceptual score

Value	Label	Unweighted Frequency	%
0	-	7	0.7%
1	-	11	1.1%
2	-	5	0.5%
3	-	3	0.3%
4	-	4	0.4%
5	-	5	0.5%
7	-	1	0.1%
8	-	1	0.1%
9	-	3	0.3%
11	-	3	0.3%
12	-	3	0.3%
13	-	2	0.2%
15	-	4	0.4%
16	-	5	0.5%
17	-	2	0.2%

Value	Label	Unweighted Frequency	%
18	-	2	0.2%
19	-	3	0.3%
20	-	4	0.4%
21	-	6	0.6%
22	-	7	0.7%
23	-	8	0.8%
24	-	7	0.7%
25	-	13	1.3%
26	-	12	1.2%
27	-	8	0.8%
28	-	16	1.6%
29	-	15	1.5%
30	-	14	1.4%
31	-	16	1.6%
32	-	10	1.0%
33	-	9	0.9%
34	-	19	1.9%
35	-	18	1.8%
36	-	14	1.4%
37	-	12	1.2%
38	-	19	1.9%
39	-	11	1.1%
40	-	15	1.5%
41	-	20	2.0%
42	-	18	1.8%
43	-	21	2.1%
44	-	19	1.9%
45	-	27	2.7%
46	-	21	2.1%
47	-	22	2.2%
48	-	25	2.5%
49	-	23	2.3%
50	-	23	2.3%
51	-	21	2.1%
52	-	12	1.2%

Value	Label	Unweighted Frequency	%
	Total	700	70.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-999	.r = Refused	31	3.1%
.	-	269	26.9%
	Total	300	30.0%

This variable has 700 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 40.24
- Median: 42.00
- Mode: 45.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 15.93

Location: 3298-3301 (*width:* 4; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -999, .

CROWPVTSTDA4: ROWPVT conceptual score - standardized

Value	Label	Unweighted Frequency	%
-2.483097314835	-	7	0.7%
-2.421385765076	-	11	1.1%
-2.359674215317	-	5	0.5%
-2.297962665558	-	3	0.3%
-2.236251115799	-	4	0.4%
-2.174539566040	-	5	0.5%
-2.051116466522	-	1	0.1%
-1.989404797554	-	1	0.1%
-1.927693128586	-	3	0.3%
-1.804270029068	-	3	0.3%
-1.742558360100	-	3	0.3%
-1.680846810341	-	2	0.2%
-1.557423710823	-	4	0.4%
-1.495712161064	-	5	0.5%
-1.434000611305	-	2	0.2%
-1.372288942337	-	2	0.2%

Value	Label	Unweighted Frequency	%
-1.310577392578	-	3	0.3%
-1.248865842819	-	4	0.4%
-1.187154293060	-	6	0.6%
-1.125442743301	-	7	0.7%
-1.063731193542	-	8	0.8%
-1.002019524574	-	7	0.7%
-0.940307974815	-	13	1.3%
-0.878596425056	-	12	1.2%
-0.816884875298	-	8	0.8%
-0.755173265934	-	16	1.6%
-0.693461716175	-	15	1.5%
-0.631750166416	-	14	1.4%
-0.570038557053	-	16	1.6%
-0.508327007294	-	10	1.0%
-0.446615457535	-	9	0.9%
-0.384903877974	-	19	1.9%
-0.323192328215	-	18	1.8%
-0.261480748653	-	14	1.4%
-0.199769169092	-	12	1.2%
-0.138057589531	-	19	1.9%
-0.076346024871	-	11	1.1%
-0.014634458348	-	15	1.5%
0.047077111900	-	20	2.0%
0.108788684011	-	18	1.8%
0.170500263572	-	21	2.1%
0.232211828232	-	19	1.9%
0.293923377991	-	27	2.7%
0.355634957552	-	21	2.1%
0.417346537113	-	22	2.2%
0.479058086872	-	25	2.5%
0.540769696236	-	23	2.3%
0.602481245995	-	23	2.3%
0.664192855358	-	21	2.1%
0.725904405117	-	12	1.2%
	Total	700	70.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	300	30.0%
	Total	300	30.0%

This variable has 700 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.000000000636
- Median: 0.108788684011
- Mode: 0.293923377991
- Minimum: -2.483097314835
- Maximum: 3.502924919128
- Standard Deviation: 0.983117885917

Location: 3302-3316 (width: 15; decimal: 12)

Variable Type: numeric

CMATRICESRAWA4: Matrices raw score

Value	Label	Unweighted Frequency	%
0	-	35	3.5%
1	-	36	3.6%
2	-	13	1.3%
3	-	18	1.8%
4	-	24	2.4%
5	-	53	5.3%
6	-	58	5.8%
7	-	101	10.1%
8	-	106	10.6%
9	-	112	11.2%
10	-	82	8.2%
11	-	77	7.7%
12	-	26	2.6%
13	-	16	1.6%
14	-	5	0.5%
15	-	4	0.4%
16	-	2	0.2%
22	-	1	0.1%
	Total	769	76.9%

Value	Missing Data	Unweighted Frequency	%
-999	.r = Refused	19	1.9%
.	-	212	21.2%
	Total	231	23.1%

This variable has 769 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 7.49
- Median: 8.00
- Mode: 9.00
- Minimum: 0.00
- Maximum: 22.00
- Standard Deviation: 3.34

Location: 3317-3320 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -999 , .

CMATRICESDROPA4: Matrices removed due to being invalid

Value	Label	Unweighted Frequency	%
0	No	873	87.3%
1	Yes	19	1.9%
	Total	892	89.2%

Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3321-3321 (width: 1; decimal: 0)

Variable Type: numeric

MATROBUSTA4: Matrices robustness marker

Value	Label	Unweighted Frequency	%
0	No	860	86.0%
1	Yes	32	3.2%
	Total	892	89.2%

Value	Missing Data	Unweighted Frequency	%
-		108	10.8%
Total		108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3322-3322 (width: 1; decimal: 0)

Variable Type: numeric

CMATRICESSTDA4: Matrices raw score - standardized

Value	Label	Unweighted Frequency	%
-2.229346275330	-	35	3.5%
-1.931661248207	-	36	3.6%
-1.633976459503	-	13	1.3%
-1.336291551590	-	18	1.8%
-1.038606643677	-	24	2.4%
-0.740921735764	-	53	5.3%
-0.443236887455	-	58	5.8%
-0.145552024245	-	101	10.1%
0.152132838964	-	106	10.6%
0.449817717075	-	112	11.2%
0.747502565384	-	82	8.2%
1.045187473297	-	77	7.7%
1.342872262001	-	26	2.6%
1.640557050705	-	16	1.6%
1.938241958618	-	5	0.5%
2.235926866531	-	4	0.4%
2.533611774445	-	2	0.2%
4.319720745087	-	1	0.1%
	Total	769	76.9%

Value	Missing Data	Unweighted Frequency	%
.	-	231	23.1%
	Total	231	23.1%

This variable has 769 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: -0.000000009902
- Median: 0.152132838964
- Mode: 0.449817717075
- Minimum: -2.229346275330
- Maximum: 4.319720745087
- Standard Deviation: 0.994073373384

Location: 3323-3337 (width: 15; decimal: 12)

Variable Type: numeric

CMATRICESTA4: Matrices t-score

Value	Label	Unweighted Frequency	%
10	-	2	0.2%
14	-	3	0.3%
17	-	12	1.2%
20	-	1	0.1%
22	-	2	0.2%
23	-	12	1.2%
25	-	2	0.2%
28	-	6	0.6%
32	-	3	0.3%
35	-	2	0.2%
37	-	9	0.9%
39	-	5	0.5%
41	-	21	2.1%
43	-	2	0.2%
44	-	1	0.1%
45	-	23	2.3%
46	-	7	0.7%
48	-	4	0.4%
49	-	40	4.0%
50	-	10	1.0%
51	-	4	0.4%
52	-	3	0.3%
53	-	36	3.6%
54	-	7	0.7%
55	-	2	0.2%
56	-	43	4.3%
57	-	12	1.2%

Value	Label	Unweighted Frequency	%
58	-	1	0.1%
60	-	35	3.5%
63	-	34	3.4%
66	-	14	1.4%
69	-	10	1.0%
72	-	2	0.2%
75	-	1	0.1%
78	-	1	0.1%
87	-	1	0.1%
Total		373	37.3%

Value	Missing Data	Unweighted Frequency	%
-999	.r = Refused	5	0.5%
.	-	622	62.2%
Total		627	62.7%

This variable has 373 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 50.04
- Median: 53.00
- Mode: 56.00
- Minimum: 10.00
- Maximum: 87.00
- Standard Deviation: 13.17

Location: 3338-3341 (width: 4; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -999 , .

CREADINGRAWA4: Reading House raw score

Value	Label	Unweighted Frequency	%
0	-	75	7.5%
1	-	145	14.5%
2	-	152	15.2%
3	-	138	13.8%
4	-	94	9.4%
5	-	58	5.8%
6	-	38	3.8%
7	-	16	1.6%

Value	Label	Unweighted Frequency	%
8	-	19	1.9%
9	-	9	0.9%
10	-	6	0.6%
11	-	3	0.3%
12	-	1	0.1%
	Total	754	75.4%
Value	Missing Data	Unweighted Frequency	%
-999	.r = Refused	24	2.4%
.	-	222	22.2%
	Total	246	24.6%

This variable has 754 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.93
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.21

Location: 3342-3345 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -999, .

CREADINGDROPA4: Readinghouse removed due to being invalid

Value	Label	Unweighted Frequency	%
0	No	868	86.8%
1	Yes	24	2.4%
	Total	892	89.2%
Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3346-3346 (width: 1; decimal: 0)

Variable Type: numeric

READINGROBUSTA4: Readinghouse robustness marker

Value	Label	Unweighted Frequency	%
0	No	872	87.2%
1	Yes	20	2.0%
	Total	892	89.2%
Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3347-3347 (width: 1; decimal: 0)

Variable Type: numeric

CREADINGSTDA4: Reading House raw score - standardized

Value	Label	Unweighted Frequency	%
-1.305440187454	-	75	7.5%
-0.859449326992	-	145	14.5%
-0.413458406925	-	152	15.2%
0.032532494515	-	138	13.8%
0.478523373604	-	94	9.4%
0.924514353275	-	58	5.8%
1.370505213737	-	38	3.8%
1.816496014595	-	16	1.6%
2.262486934662	-	19	1.9%
2.708477735519	-	9	0.9%
3.154468774796	-	6	0.6%
3.600459814072	-	3	0.3%
4.046450614929	-	1	0.1%
	Total	754	75.4%

Value	Missing Data	Unweighted Frequency	%
.	-	246	24.6%
	Total	246	24.6%

This variable has 754 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: -0.000000002698
- Median: 0.032532494515
- Mode: -0.413458406925
- Minimum: -1.305440187454
- Maximum: 4.046450614929
- Standard Deviation: 0.987682728162

Location: 3348-3362 (width: 15; decimal: 12)

Variable Type: numeric

CREADINGLEVELA4: Reading House reading level

Value	Label	Unweighted Frequency	%
0	Below Average	478	47.8%
1	Average	236	23.6%
2	Above Average	40	4.0%
	Total	754	75.4%

Value	Missing Data	Unweighted Frequency	%
-999	.r = Refused	24	2.4%
.	-	222	22.2%
	Total	246	24.6%

This variable has 754 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 3363-3366 (width: 4; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -999, .)

CPSRAAICA4: PSRA Attention/Impulse Control Scale

Value	Label	Unweighted Frequency	%
1	-	9	0.9%
2	-	7	0.7%
3	-	2	0.2%

Value	Label	Unweighted Frequency	%
4	-	7	0.7%
5	-	5	0.5%
6	-	6	0.6%
7	-	9	0.9%
8	-	8	0.8%
9	-	4	0.4%
10	-	6	0.6%
11	-	8	0.8%
12	-	11	1.1%
13	-	5	0.5%
14	-	3	0.3%
15	-	4	0.4%
16	-	6	0.6%
17	-	6	0.6%
18	-	12	1.2%
19	-	9	0.9%
20	-	8	0.8%
21	-	5	0.5%
22	-	10	1.0%
23	-	7	0.7%
24	-	14	1.4%
25	-	9	0.9%
26	-	16	1.6%
27	-	12	1.2%
28	-	9	0.9%
29	-	15	1.5%
30	-	12	1.2%
31	-	12	1.2%
32	-	14	1.4%
33	-	13	1.3%
34	-	17	1.7%
35	-	15	1.5%
36	-	19	1.9%
37	-	26	2.6%
38	-	15	1.5%

Value	Label	Unweighted Frequency	%
39	-	19	1.9%
40	-	22	2.2%
41	-	21	2.1%
42	-	23	2.3%
43	-	35	3.5%
44	-	31	3.1%
45	-	27	2.7%
46	-	28	2.8%
47	-	35	3.5%
48	-	36	3.6%
49	-	38	3.8%
50	-	67	6.7%
Total		843	84.3%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	157	15.7%
Total		157	15.7%

This variable has 843 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 36.38
- Median: 41.00
- Mode: 51.00
- Minimum: 1.00
- Maximum: 51.00
- Standard Deviation: 13.83

Location: 3367-3368 (*width:* 2; *decimal:* 0)

Variable Type: numeric

CPSRAPESA4: PSRA Positive Emotion Scale

Value	Label	Unweighted Frequency	%
0	-	4	0.4%
1	-	7	0.7%
2	-	4	0.4%
3	-	5	0.5%
4	-	4	0.4%

Value	Label	Unweighted Frequency	%
5	-	5	0.5%
6	-	4	0.4%
7	-	8	0.8%
8	-	10	1.0%
9	-	21	2.1%
10	-	16	1.6%
11	-	10	1.0%
12	-	20	2.0%
13	-	33	3.3%
14	-	38	3.8%
15	-	45	4.5%
16	-	59	5.9%
17	-	65	6.5%
18	-	68	6.8%
19	-	64	6.4%
20	-	59	5.9%
21	-	70	7.0%
22	-	71	7.1%
23	-	63	6.3%
24	-	90	9.0%
	Total	843	84.3%
Value	Missing Data	Unweighted Frequency	%
.	-	157	15.7%
	Total	157	15.7%

This variable has 843 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 17.65
- Median: 18.00
- Mode: 24.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 5.17

Location: 3369-3370 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	-	46	4.6%
2	-	1	0.1%
3	-	86	8.6%
4	-	64	6.4%
5	-	49	4.9%
6	-	67	6.7%
7	-	65	6.5%
8	-	62	6.2%
9	-	16	1.6%
10	-	71	7.1%
11	-	96	9.6%
12	-	32	3.2%
13	-	33	3.3%
14	-	29	2.9%
15	-	70	7.0%
16	-	60	6.0%
17	-	2	0.2%
Total		849	84.9%

Value	Missing Data	Unweighted Frequency	%
.	-	151	15.1%
Total		151	15.1%

This variable has 849 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 8.64
- Median: 8.00
- Mode: 11.00
- Minimum: 1.00
- Maximum: 17.00
- Standard Deviation: 4.46

Location: 3371-3372 (width: 2; decimal: 0)

Variable Type: numeric

MBMIA4: Mom's Body Mass Index

Value	Label	Unweighted Frequency	%
15.926133155823	-	1	0.1%

Value	Label	Unweighted Frequency	%
16.246641159058	-	1	0.1%
16.327659606934	-	1	0.1%
16.625356674194	-	1	0.1%
16.901519775391	-	1	0.1%
17.432147979736	-	1	0.1%
17.493921279907	-	1	0.1%
17.624765396118	-	1	0.1%
17.802171707153	-	1	0.1%
17.849998474121	-	1	0.1%
17.876560211182	-	1	0.1%
17.890625000000	-	2	0.2%
17.925853729248	-	1	0.1%
17.993747711182	-	1	0.1%
18.169708251953	-	1	0.1%
18.206476211548	-	1	0.1%
18.304403305054	-	1	0.1%
18.548973083496	-	1	0.1%
18.642545700073	-	1	0.1%
18.740205764771	-	1	0.1%
18.792779922485	-	1	0.1%
18.872516632080	-	1	0.1%
18.880016326904	-	1	0.1%
18.885793685913	-	1	0.1%
18.896654129028	-	1	0.1%
18.942472457886	-	1	0.1%
18.991239547729	-	1	0.1%
19.011516571045	-	1	0.1%
19.111442565918	-	1	0.1%
19.135929107666	-	1	0.1%
19.313114166260	-	2	0.2%
19.354402542114	-	1	0.1%
19.369052886963	-	1	0.1%
19.394380569458	-	1	0.1%
19.490299224854	-	1	0.1%
19.545780181885	-	1	0.1%

Value	Label	Unweighted Frequency	%
19.598915100098	-	2	0.2%
19.699787139893	-	1	0.1%
19.709014892578	-	1	0.1%
19.767526626587	-	1	0.1%
19.810144424438	-	1	0.1%
19.824016571045	-	1	0.1%
19.842329025269	-	1	0.1%
19.928237915039	-	1	0.1%
19.993053436279	-	1	0.1%
20.025287628174	-	1	0.1%
20.049047470093	-	1	0.1%
20.072919845581	-	1	0.1%
20.075763702393	-	1	0.1%
20.242267608643	-	1	0.1%
	Total	805	80.5%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	195	19.5%
	Total	195	19.5%

This variable has 805 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 31.012349083705
- Minimum: 15.926133155823
- Maximum: 75.971473693848
- Standard Deviation: 8.093687389933

Location: 3373-3387 (width: 15; decimal: 12)

Variable Type: numeric

CBMIA4: Child's Body Mass Index

Value	Label	Unweighted Frequency	%
11.6664714813	-	1	0.1%
12.0553531647	-	1	0.1%
12.1617784500	-	1	0.1%
12.2074079514	-	1	0.1%
12.4442358017	-	2	0.2%

Value	Label	Unweighted Frequency	%
12.7540721893	-	2	0.2%
12.9584608078	-	1	0.1%
12.9805078507	-	1	0.1%
13.2242679596	-	1	0.1%
13.2532472611	-	1	0.1%
13.2541847229	-	1	0.1%
13.3622875214	-	2	0.2%
13.4198932648	-	1	0.1%
13.4702959061	-	1	0.1%
13.4953107834	-	1	0.1%
13.4987163544	-	1	0.1%
13.5153446198	-	2	0.2%
13.6077718735	-	1	0.1%
13.6108827591	-	1	0.1%
13.6817388535	-	1	0.1%
13.7298707962	-	1	0.1%
13.7440671921	-	1	0.1%
13.7842998505	-	2	0.2%
13.8392648697	-	2	0.2%
13.8539457321	-	1	0.1%
13.8603382111	-	1	0.1%
13.8664808273	-	3	0.3%
13.8840646744	-	2	0.2%
13.8967723847	-	1	0.1%
13.9513235092	-	4	0.4%
13.9883375168	-	2	0.2%
13.9997653961	-	2	0.2%
14.0613641739	-	3	0.3%
14.0825071335	-	1	0.1%
14.0891132355	-	1	0.1%
14.1024427414	-	1	0.1%
14.1092929840	-	2	0.2%
14.1258468628	-	5	0.5%
14.1293468475	-	1	0.1%
14.1688585281	-	1	0.1%

Value	Label	Unweighted Frequency	%
14.2030401230	-	2	0.2%
14.2289552689	-	2	0.2%
14.2450504303	-	2	0.2%
14.2472810745	-	1	0.1%
14.2586364746	-	2	0.2%
14.2626657486	-	1	0.1%
14.2731981278	-	3	0.3%
14.3873023987	-	2	0.2%
14.3967342377	-	1	0.1%
14.3997583389	-	6	0.6%
	Total	811	81.1%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-999.0000000000	.r = Refused	1	0.1%
.	-	188	18.8%
	Total	189	18.9%

This variable has 811 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 16.5852868813
- Minimum: 11.6664714813
- Maximum: 34.3521041870
- Standard Deviation: 2.2279994350

Location: 3388-3402 (*width:* 15; *decimal:* 10)

Variable Type: numeric

(Range of) Missing Values: -999.0000000000, .

CBMIPERCENTILEA4: Child's BMI Percentile

Value	Label	Unweighted Frequency	%
0.0000000656368	-	1	0.1%
0.0000027567055	-	1	0.1%
0.0000096874137	-	1	0.1%
0.0000130866920	-	1	0.1%
0.0001357295550	-	1	0.1%
0.0001647620666	-	1	0.1%
0.0003388096811	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0010367976502	-	1	0.1%
0.0011812999146	-	1	0.1%
0.0033462441061	-	1	0.1%
0.0058441520669	-	2	0.2%
0.0102497506887	-	1	0.1%
0.0104857124388	-	1	0.1%
0.0105242431164	-	1	0.1%
0.0115241184831	-	1	0.1%
0.0119983805344	-	1	0.1%
0.0141676971689	-	1	0.1%
0.0148733966053	-	1	0.1%
0.0167975910008	-	1	0.1%
0.0205901507288	-	1	0.1%
0.0215406976640	-	1	0.1%
0.0243402440101	-	1	0.1%
0.0281047075987	-	1	0.1%
0.0284370593727	-	2	0.2%
0.0322152078152	-	1	0.1%
0.0385834388435	-	2	0.2%
0.0408762209117	-	1	0.1%
0.0424639619887	-	2	0.2%
0.0457486994565	-	1	0.1%
0.0493041276932	-	1	0.1%
0.0535816252232	-	1	0.1%
0.0567937232554	-	1	0.1%
0.0571395829320	-	1	0.1%
0.0653944164515	-	2	0.2%
0.0655528232455	-	1	0.1%
0.0659827589989	-	1	0.1%
0.0684856697917	-	1	0.1%
0.0694938153028	-	1	0.1%
0.0707501024008	-	1	0.1%
0.0730285048485	-	1	0.1%
0.0748734697700	-	1	0.1%
0.0760745182633	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0775146558881	-	2	0.2%
0.0779910534620	-	1	0.1%
0.0797922834754	-	1	0.1%
0.0822826847434	-	1	0.1%
0.0844039022923	-	1	0.1%
0.0861361622810	-	1	0.1%
0.0884606987238	-	1	0.1%
0.0937442705035	-	1	0.1%
	Total	811	81.1%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	189	18.9%
	Total	189	18.9%

This variable has 811 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.6430117400700
- Minimum: 0.0000000656368
- Maximum: 1.000000000000000
- Standard Deviation: 0.3096242913400

Location: 3403-3417 (width: 15; decimal: 13)

Variable Type: numeric

E1_ABS_THETAA4A4: E1_abs_theta

Value	Label	Unweighted Frequency	%
1.299860000610	-	1	0.1%
1.341660022736	-	1	0.1%
1.353829979897	-	1	0.1%
1.363929986954	-	1	0.1%
1.376199960709	-	1	0.1%
1.378029942513	-	1	0.1%
1.492249965668	-	1	0.1%
1.582720041275	-	1	0.1%
1.596600055695	-	1	0.1%
1.600819945335	-	1	0.1%
1.666849970818	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.682229995728	-	1	0.1%
1.688240051270	-	1	0.1%
1.701640009880	-	1	0.1%
1.754340052605	-	1	0.1%
1.808820009232	-	1	0.1%
1.815989971161	-	1	0.1%
1.842829942703	-	1	0.1%
1.855309963226	-	1	0.1%
1.890939950943	-	1	0.1%
1.938779950142	-	1	0.1%
1.941709995270	-	1	0.1%
1.957290053368	-	1	0.1%
1.963350057602	-	1	0.1%
2.005320072174	-	1	0.1%
2.009140014648	-	1	0.1%
2.017230033875	-	1	0.1%
2.034849882126	-	1	0.1%
2.052860021591	-	1	0.1%
2.068389892578	-	1	0.1%
2.091320037842	-	1	0.1%
2.101720094681	-	1	0.1%
2.114150047302	-	1	0.1%
2.134160041809	-	1	0.1%
2.158570051193	-	1	0.1%
2.186749935150	-	1	0.1%
2.193229913712	-	1	0.1%
2.210299968719	-	1	0.1%
2.239269971848	-	1	0.1%
2.272900104523	-	1	0.1%
2.306180000305	-	1	0.1%
2.315259933472	-	1	0.1%
2.317970037460	-	1	0.1%
2.360749959946	-	1	0.1%
2.372499942780	-	1	0.1%
2.375020027161	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.376770019531	-	1	0.1%
2.385109901428	-	1	0.1%
2.389859914780	-	1	0.1%
2.390690088272	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 5.822921488307
- Minimum: 1.299860000610
- Maximum: 34.434101104736
- Standard Deviation: 3.384233788986

Location: 3418-3432 (width: 15; decimal: 12)

Variable Type: numeric

[E1_ABS_ALPHAA4A4: E1_abs_alpha](#)

Value	Label	Unweighted Frequency	%
0.341940999031	-	1	0.1%
0.344173014164	-	1	0.1%
0.353199005127	-	1	0.1%
0.380140006542	-	1	0.1%
0.387616008520	-	1	0.1%
0.390881985426	-	1	0.1%
0.394138991833	-	1	0.1%
0.404269993305	-	1	0.1%
0.432902991772	-	1	0.1%
0.434457987547	-	1	0.1%
0.459369003773	-	1	0.1%
0.462594985962	-	1	0.1%
0.481171011925	-	1	0.1%
0.483348011971	-	1	0.1%
0.495324999094	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.503865003586	-	1	0.1%
0.523176014423	-	1	0.1%
0.523407995701	-	1	0.1%
0.523711979389	-	1	0.1%
0.532113015652	-	1	0.1%
0.534977018833	-	1	0.1%
0.561913013458	-	1	0.1%
0.562277019024	-	1	0.1%
0.571677982807	-	1	0.1%
0.583782970905	-	1	0.1%
0.584461987019	-	1	0.1%
0.585985004902	-	1	0.1%
0.587301015854	-	1	0.1%
0.606793999672	-	1	0.1%
0.615266978741	-	1	0.1%
0.617069005966	-	1	0.1%
0.619822978973	-	1	0.1%
0.622560977936	-	1	0.1%
0.641871988773	-	1	0.1%
0.648124992847	-	1	0.1%
0.652936995029	-	1	0.1%
0.652993977070	-	1	0.1%
0.655887007713	-	1	0.1%
0.657567024231	-	1	0.1%
0.663390994072	-	1	0.1%
0.670422017574	-	1	0.1%
0.670952975750	-	1	0.1%
0.687177002430	-	1	0.1%
0.687587022781	-	1	0.1%
0.687663972378	-	1	0.1%
0.690509974957	-	1	0.1%
0.690635025501	-	1	0.1%
0.692575991154	-	1	0.1%
0.693822026253	-	1	0.1%
0.695042014122	-	1	0.1%

Value	Label	Unweighted Frequency	%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.827247355837
- Minimum: 0.341940999031
- Maximum: 14.326999664307
- Standard Deviation: 1.223216183667

Location: 3433-3447 (width: 15; decimal: 12)

Variable Type: numeric

E1_ABS_BETAA4A4: E1_abs_beta

Value	Label	Unweighted Frequency	%
0.0866776034236	-	1	0.1%
0.1017920002341	-	1	0.1%
0.1141749992967	-	1	0.1%
0.1191489994526	-	1	0.1%
0.1197929978371	-	1	0.1%
0.1217819973826	-	1	0.1%
0.1225970014930	-	1	0.1%
0.1311369985342	-	1	0.1%
0.1325529962778	-	1	0.1%
0.1401900053024	-	1	0.1%
0.1450410038233	-	1	0.1%
0.1471849977970	-	1	0.1%
0.1479279994965	-	1	0.1%
0.1526190042496	-	1	0.1%
0.1536830067635	-	1	0.1%
0.1554609984159	-	1	0.1%
0.1564660072327	-	1	0.1%
0.1629669964314	-	1	0.1%
0.1655890047550	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1707960069180	-	1	0.1%
0.1743330061436	-	1	0.1%
0.1753959953785	-	1	0.1%
0.1805710047483	-	1	0.1%
0.1826689988375	-	1	0.1%
0.1844460070133	-	1	0.1%
0.1883510053158	-	1	0.1%
0.1890369951725	-	1	0.1%
0.1892440021038	-	1	0.1%
0.1912800073624	-	1	0.1%
0.1935469955206	-	1	0.1%
0.1949439942837	-	1	0.1%
0.1960790008307	-	1	0.1%
0.1979559957981	-	1	0.1%
0.1986770033836	-	1	0.1%
0.1995189934969	-	1	0.1%
0.2022349983454	-	1	0.1%
0.2031880021095	-	1	0.1%
0.2042170017958	-	1	0.1%
0.2046770006418	-	1	0.1%
0.2084030061960	-	1	0.1%
0.2096679955721	-	1	0.1%
0.2143069952726	-	1	0.1%
0.2158160060644	-	1	0.1%
0.2160319983959	-	1	0.1%
0.2164960056543	-	1	0.1%
0.2184720039368	-	1	0.1%
0.2193299978971	-	1	0.1%
0.2194029986858	-	1	0.1%
0.2197179943323	-	1	0.1%
0.2197410017252	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4914913202056
- Minimum: 0.0866776034236
- Maximum: 3.4664599895477
- Standard Deviation: 0.3175898688486

Location: 3448-3462 (width: 15; decimal: 13)

Variable Type: numeric

E1_ABS_GAMMAA4A4: E1_abs_gamma

Value	Label	Unweighted Frequency	%
0.0545365996659	-	1	0.1%
0.0547676011920	-	1	0.1%
0.0551891997457	-	1	0.1%
0.0562105998397	-	1	0.1%
0.0604384988546	-	1	0.1%
0.0628345012665	-	1	0.1%
0.0635225027800	-	1	0.1%
0.0636314004660	-	1	0.1%
0.0646053999662	-	1	0.1%
0.0669659972191	-	1	0.1%
0.0676203966141	-	1	0.1%
0.0698541030288	-	1	0.1%
0.0699931979179	-	1	0.1%
0.0736730992794	-	1	0.1%
0.0765831023455	-	1	0.1%
0.0786295980215	-	1	0.1%
0.0864986032248	-	1	0.1%
0.0870876982808	-	1	0.1%
0.0890318974853	-	1	0.1%
0.0892136991024	-	1	0.1%
0.0905980020761	-	1	0.1%
0.0937040969729	-	1	0.1%
0.0962148010731	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1015259996057	-	1	0.1%
0.1018309965730	-	1	0.1%
0.1022259965539	-	1	0.1%
0.1023899987340	-	1	0.1%
0.1042800024152	-	1	0.1%
0.1053920015693	-	1	0.1%
0.1058240011334	-	1	0.1%
0.1066289991140	-	1	0.1%
0.1078889966011	-	1	0.1%
0.1083210036159	-	1	0.1%
0.1088740006089	-	1	0.1%
0.1093640029430	-	1	0.1%
0.1108710020781	-	1	0.1%
0.1117869988084	-	1	0.1%
0.1119809970260	-	1	0.1%
0.1127950027585	-	1	0.1%
0.1141540035605	-	1	0.1%
0.1154849976301	-	1	0.1%
0.1163240000606	-	1	0.1%
0.1166049987078	-	1	0.1%
0.1167510002851	-	1	0.1%
0.1169079989195	-	1	0.1%
0.1172669976950	-	1	0.1%
0.1172680035233	-	1	0.1%
0.1188229992986	-	1	0.1%
0.1194780021906	-	1	0.1%
0.1214189976454	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3338701818600
- Minimum: 0.0545365996659
- Maximum: 2.6237900257111
- Standard Deviation: 0.2547322336038

Location: 3463-3477 (width: 15; decimal: 13)

Variable Type: numeric

E2_ABS_THETAA4A4: E2_abs_theta

Value	Label	Unweighted Frequency	%
1.192239999771	-	1	0.1%
1.301740050316	-	1	0.1%
1.317569971085	-	1	0.1%
1.394379973412	-	1	0.1%
1.427579998970	-	1	0.1%
1.449020028114	-	1	0.1%
1.610100030899	-	1	0.1%
1.638530015945	-	1	0.1%
1.756659984589	-	1	0.1%
1.759549975395	-	1	0.1%
1.768849968910	-	1	0.1%
1.836850047112	-	1	0.1%
1.965950012207	-	1	0.1%
1.985829949379	-	1	0.1%
2.040529966354	-	1	0.1%
2.051899909973	-	1	0.1%
2.063699960709	-	1	0.1%
2.102960109711	-	1	0.1%
2.106100082397	-	1	0.1%
2.119659900665	-	1	0.1%
2.126480102539	-	1	0.1%
2.143349885941	-	1	0.1%
2.172849893570	-	1	0.1%
2.190160036087	-	1	0.1%
2.211770057678	-	1	0.1%
2.236310005188	-	1	0.1%
2.245670080185	-	1	0.1%
2.280420064926	-	1	0.1%
2.296799898148	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.303679943085	-	1	0.1%
2.303930044174	-	1	0.1%
2.315200090408	-	1	0.1%
2.324539899826	-	1	0.1%
2.340640068054	-	1	0.1%
2.351739883423	-	1	0.1%
2.352169990540	-	1	0.1%
2.356699943542	-	1	0.1%
2.366760015488	-	1	0.1%
2.368180036545	-	1	0.1%
2.370310068130	-	1	0.1%
2.389400005341	-	1	0.1%
2.394730091095	-	1	0.1%
2.396519899368	-	1	0.1%
2.414499998093	-	1	0.1%
2.451590061188	-	1	0.1%
2.466209888458	-	1	0.1%
2.474519968033	-	1	0.1%
2.489409923553	-	1	0.1%
2.497270107269	-	1	0.1%
2.508769989014	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 5.336868593198
- Minimum: 1.192239999771
- Maximum: 22.648700714111
- Standard Deviation: 2.590614913008

Location: 3478-3492 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E2_ABS_ALPHAA4A4: E2_abs_alpha

Value	Label	Unweighted Frequency	%
0.335263013840	-	1	0.1%
0.423413008451	-	1	0.1%
0.430426001549	-	1	0.1%
0.440486997366	-	1	0.1%
0.450439989567	-	1	0.1%
0.460871011019	-	1	0.1%
0.487001001835	-	1	0.1%
0.519855976105	-	1	0.1%
0.525358974934	-	1	0.1%
0.539295017719	-	1	0.1%
0.547218978405	-	1	0.1%
0.551330983639	-	1	0.1%
0.571785986423	-	1	0.1%
0.572234988213	-	1	0.1%
0.586588978767	-	1	0.1%
0.588199019432	-	1	0.1%
0.598830997944	-	1	0.1%
0.599431991577	-	1	0.1%
0.602274000645	-	1	0.1%
0.614584982395	-	1	0.1%
0.616603016853	-	1	0.1%
0.618128001690	-	1	0.1%
0.618874013424	-	1	0.1%
0.632157981396	-	1	0.1%
0.633508026600	-	1	0.1%
0.654223978519	-	1	0.1%
0.660535991192	-	1	0.1%
0.670888006687	-	1	0.1%
0.672637999058	-	1	0.1%
0.675221025944	-	1	0.1%
0.698237001896	-	1	0.1%
0.702778995037	-	1	0.1%
0.710305988789	-	1	0.1%
0.710753023624	-	1	0.1%
0.716919004917	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.725381970406	-	1	0.1%
0.725562989712	-	1	0.1%
0.732248008251	-	1	0.1%
0.734277009964	-	1	0.1%
0.734717011452	-	1	0.1%
0.738985002041	-	1	0.1%
0.739237010479	-	1	0.1%
0.745145976543	-	1	0.1%
0.746928989887	-	1	0.1%
0.758273005486	-	1	0.1%
0.760199010372	-	1	0.1%
0.765973985195	-	1	0.1%
0.780493021011	-	1	0.1%
0.780562996864	-	1	0.1%
0.780634999275	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.817302428670
- Minimum: 0.335263013840
- Maximum: 12.616900444031
- Standard Deviation: 1.161849393128

Location: 3493-3507 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E2_ABS_BETAA4A4: E2_abs_beta

Value	Label	Unweighted Frequency	%
0.1104450002313	-	1	0.1%
0.1245540007949	-	1	0.1%
0.1296329945326	-	1	0.1%
0.1344279944897	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1378619968891	-	1	0.1%
0.1385229974985	-	1	0.1%
0.1386750042439	-	1	0.1%
0.1401219964027	-	1	0.1%
0.1574289947748	-	1	0.1%
0.1620099991560	-	1	0.1%
0.1626369953156	-	1	0.1%
0.1640080064535	-	1	0.1%
0.1660239994526	-	1	0.1%
0.1671449989080	-	1	0.1%
0.1750649958849	-	1	0.1%
0.1754959970713	-	1	0.1%
0.1758420020342	-	1	0.1%
0.1805460005999	-	1	0.1%
0.1809179931879	-	1	0.1%
0.1842859983444	-	1	0.1%
0.1845629960299	-	1	0.1%
0.1881549954414	-	1	0.1%
0.1901700049639	-	1	0.1%
0.1902509927750	-	1	0.1%
0.1907829940319	-	1	0.1%
0.1918829977512	-	1	0.1%
0.1932210028172	-	1	0.1%
0.1932960003614	-	1	0.1%
0.1944569945335	-	1	0.1%
0.1949860006571	-	1	0.1%
0.1965479999781	-	1	0.1%
0.1966149955988	-	1	0.1%
0.2012729942799	-	1	0.1%
0.2029780000448	-	1	0.1%
0.2080180048943	-	1	0.1%
0.2085729986429	-	1	0.1%
0.2115399986506	-	1	0.1%
0.2136110067368	-	1	0.1%
0.2148209959269	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.2162840068340	-	1	0.1%
0.2168149948120	-	1	0.1%
0.2175240069628	-	1	0.1%
0.2185139954090	-	1	0.1%
0.2218260020018	-	1	0.1%
0.2252500057220	-	1	0.1%
0.2272509932518	-	1	0.1%
0.2280039936304	-	1	0.1%
0.2293709963560	-	1	0.1%
0.2302509993315	-	1	0.1%
0.2306209951639	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5922465004235
- Minimum: 0.1104450002313
- Maximum: 4.3754901885986
- Standard Deviation: 0.4407513105037

Location: 3508-3522 (width: 15; decimal: 13)

Variable Type: numeric

E2_ABS_GAMMAA4A4: E2_abs_gamma

Value	Label	Unweighted Frequency	%
0.0559582002461	-	1	0.1%
0.0578636005521	-	1	0.1%
0.0618604011834	-	1	0.1%
0.0648526996374	-	1	0.1%
0.0652908012271	-	1	0.1%
0.0657264962792	-	1	0.1%
0.0671468004584	-	1	0.1%
0.0672096982598	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0675562992692	-	1	0.1%
0.0696967989206	-	1	0.1%
0.0698765963316	-	1	0.1%
0.0740891993046	-	1	0.1%
0.0745441988111	-	1	0.1%
0.0746899992228	-	1	0.1%
0.0758488029242	-	1	0.1%
0.0786866024137	-	1	0.1%
0.0798121988773	-	1	0.1%
0.0810116007924	-	1	0.1%
0.0850173011422	-	1	0.1%
0.0851422995329	-	1	0.1%
0.0872609987855	-	1	0.1%
0.0886081010103	-	1	0.1%
0.0915928035975	-	1	0.1%
0.0942756012082	-	1	0.1%
0.0954943001270	-	1	0.1%
0.0961643010378	-	1	0.1%
0.0979038029909	-	1	0.1%
0.0983531028032	-	1	0.1%
0.0990639999509	-	1	0.1%
0.1024229973555	-	1	0.1%
0.1036109998822	-	1	0.1%
0.1049320027232	-	1	0.1%
0.1053700000048	-	1	0.1%
0.1060089990497	-	1	0.1%
0.1072110012174	-	1	0.1%
0.1073049977422	-	1	0.1%
0.1083189994097	-	1	0.1%
0.1092329993844	-	1	0.1%
0.1093790009618	-	1	0.1%
0.1094480007887	-	1	0.1%
0.1115669980645	-	1	0.1%
0.1121909990907	-	1	0.1%
0.1122490018606	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1139139980078	-	1	0.1%
0.1153130009770	-	1	0.1%
0.1172500029206	-	1	0.1%
0.1181150004268	-	1	0.1%
0.1184699982405	-	1	0.1%
0.1189789995551	-	1	0.1%
0.1193820014596	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4131447303083
- Minimum: 0.0559582002461
- Maximum: 2.6432700157166
- Standard Deviation: 0.3949904393857

Location: 3523-3537 (width: 15; decimal: 13)

Variable Type: numeric

E3_ABS_THETAA4A4: E3_abs_theta

Value	Label	Unweighted Frequency	%
1.415249943733	-	1	0.1%
1.416829943657	-	1	0.1%
1.451529979706	-	1	0.1%
1.466220021248	-	1	0.1%
1.528280019760	-	1	0.1%
1.591179966927	-	1	0.1%
1.633679986000	-	1	0.1%
1.718039989471	-	1	0.1%
1.771559953690	-	1	0.1%
1.779870033264	-	1	0.1%
1.780879974365	-	1	0.1%
1.893100023270	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.922119975090	-	1	0.1%
1.989279985428	-	1	0.1%
2.059649944305	-	1	0.1%
2.166960000992	-	1	0.1%
2.193589925766	-	1	0.1%
2.238250017166	-	1	0.1%
2.262049913406	-	1	0.1%
2.267960071564	-	1	0.1%
2.320339918137	-	1	0.1%
2.396359920502	-	1	0.1%
2.401200056076	-	1	0.1%
2.407020092010	-	1	0.1%
2.429640054703	-	1	0.1%
2.455159902573	-	1	0.1%
2.460680007935	-	1	0.1%
2.469239950180	-	1	0.1%
2.470340013504	-	1	0.1%
2.471669912338	-	1	0.1%
2.477220058441	-	1	0.1%
2.514800071716	-	1	0.1%
2.525439977646	-	1	0.1%
2.526649951935	-	1	0.1%
2.544239997864	-	1	0.1%
2.569519996643	-	1	0.1%
2.573460102081	-	1	0.1%
2.596709966660	-	1	0.1%
2.610970020294	-	1	0.1%
2.635309934616	-	1	0.1%
2.641940116882	-	1	0.1%
2.642169952393	-	1	0.1%
2.660379886627	-	1	0.1%
2.665669918060	-	1	0.1%
2.669600009918	-	1	0.1%
2.671999931335	-	1	0.1%
2.724970102310	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.727689981461	-	1	0.1%
2.733220100403	-	1	0.1%
2.741689920425	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 5.773594268335
- Minimum: 1.415249943733
- Maximum: 18.232200622559
- Standard Deviation: 2.497149461281

Location: 3538-3552 (width: 15; decimal: 12)

Variable Type: numeric

E3_ABS_ALPHAA4A4: E3_abs_alpha

Value	Label	Unweighted Frequency	%
0.362751990557	-	1	0.1%
0.407741993666	-	1	0.1%
0.413560986519	-	1	0.1%
0.472539991140	-	1	0.1%
0.522033989429	-	1	0.1%
0.531359016895	-	1	0.1%
0.534310996532	-	1	0.1%
0.547963023186	-	1	0.1%
0.548393011093	-	1	0.1%
0.557933986187	-	1	0.1%
0.587002992630	-	1	0.1%
0.612966001034	-	1	0.1%
0.618400990963	-	1	0.1%
0.619364023209	-	1	0.1%
0.623628020287	-	1	0.1%
0.625844001770	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.631736993790	-	1	0.1%
0.636332988739	-	1	0.1%
0.638004004955	-	1	0.1%
0.640793025494	-	1	0.1%
0.642350018024	-	1	0.1%
0.654201984406	-	1	0.1%
0.672881007195	-	1	0.1%
0.675159990788	-	1	0.1%
0.717593014240	-	1	0.1%
0.725259006023	-	1	0.1%
0.733581006527	-	1	0.1%
0.734314024448	-	1	0.1%
0.734431028366	-	1	0.1%
0.752026975155	-	1	0.1%
0.765103995800	-	1	0.1%
0.774712979794	-	1	0.1%
0.776422977448	-	1	0.1%
0.782486021519	-	1	0.1%
0.797303020954	-	1	0.1%
0.806798994541	-	1	0.1%
0.811100006104	-	1	0.1%
0.813979029655	-	1	0.1%
0.814952015877	-	1	0.1%
0.815419018269	-	1	0.1%
0.832762002945	-	1	0.1%
0.838122010231	-	1	0.1%
0.841125011444	-	1	0.1%
0.854049026966	-	1	0.1%
0.865755021572	-	1	0.1%
0.872080981731	-	1	0.1%
0.877273023129	-	1	0.1%
0.881042003632	-	1	0.1%
0.892018973827	-	1	0.1%
0.896628975868	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.002928484750
- Minimum: 0.362751990557
- Maximum: 12.374400138855
- Standard Deviation: 1.153786334433

Location: 3553-3567 (width: 15; decimal: 12)

Variable Type: numeric

E3_ABS_BETAA4A4: E3_abs_beta

Value	Label	Unweighted Frequency	%
0.1221180036664	-	1	0.1%
0.1244790032506	-	1	0.1%
0.1293040066957	-	1	0.1%
0.1341249942780	-	1	0.1%
0.1346330046654	-	1	0.1%
0.1357299983501	-	1	0.1%
0.1363489925861	-	1	0.1%
0.1364679932594	-	1	0.1%
0.1424259990454	-	1	0.1%
0.1481969952583	-	1	0.1%
0.1506119966507	-	1	0.1%
0.1509760022163	-	1	0.1%
0.1593939960003	-	1	0.1%
0.1613029986620	-	1	0.1%
0.1618150025606	-	1	0.1%
0.1642269939184	-	1	0.1%
0.1710660010576	-	1	0.1%
0.1797260046005	-	1	0.1%
0.1801429986954	-	1	0.1%
0.1814830005169	-	1	0.1%
0.1863719969988	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1865909993649	-	1	0.1%
0.1905200034380	-	1	0.1%
0.1957740038633	-	1	0.1%
0.2002300024033	-	1	0.1%
0.2047040015459	-	1	0.1%
0.2049019932747	-	1	0.1%
0.2064909934998	-	1	0.1%
0.2079280018806	-	1	0.1%
0.2090419977903	-	1	0.1%
0.2098110020161	-	1	0.1%
0.2111109942198	-	1	0.1%
0.2118050009012	-	1	0.1%
0.2149520069361	-	1	0.1%
0.2162449955940	-	1	0.1%
0.2181529998779	-	1	0.1%
0.2194660007954	-	1	0.1%
0.2207680046558	-	1	0.1%
0.2211759984493	-	1	0.1%
0.2272610068321	-	1	0.1%
0.2351610064507	-	1	0.1%
0.2362979948521	-	1	0.1%
0.2370229959488	-	1	0.1%
0.2371360063553	-	1	0.1%
0.2372040003538	-	1	0.1%
0.2376340031624	-	1	0.1%
0.2394029945135	-	1	0.1%
0.2471210062504	-	1	0.1%
0.2474820017815	-	1	0.1%
0.2477329969406	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.7764619089917
- Minimum: 0.1221180036664
- Maximum: 6.5967597961426
- Standard Deviation: 0.7237145186071

Location: 3568-3582 (width: 15; decimal: 13)

Variable Type: numeric

E3_ABS_GAMMAA4A4: E3_abs_gamma

Value	Label	Unweighted Frequency	%
0.0545311011374	-	1	0.1%
0.0547646991909	-	1	0.1%
0.0565581992269	-	1	0.1%
0.0568374991417	-	1	0.1%
0.0583506003022	-	1	0.1%
0.0596558004618	-	1	0.1%
0.0606390982866	-	1	0.1%
0.0640097036958	-	1	0.1%
0.0685240998864	-	1	0.1%
0.0688892975450	-	1	0.1%
0.0723579972982	-	1	0.1%
0.0729440003633	-	1	0.1%
0.0730914026499	-	1	0.1%
0.0753139033914	-	1	0.1%
0.0770613998175	-	1	0.1%
0.0827163979411	-	1	0.1%
0.0832969993353	-	1	0.1%
0.0840668007731	-	1	0.1%
0.0866955965757	-	1	0.1%
0.0873837023973	-	1	0.1%
0.0904022008181	-	1	0.1%
0.0920798033476	-	1	0.1%
0.0922020003200	-	1	0.1%
0.0928310006857	-	1	0.1%
0.0939207971096	-	1	0.1%
0.0971013978124	-	1	0.1%
0.0978488028049	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0980572998524	-	1	0.1%
0.0991121977568	-	1	0.1%
0.1004220023751	-	1	0.1%
0.1019880026579	-	1	0.1%
0.1027309969068	-	1	0.1%
0.1033470034599	-	1	0.1%
0.1043680012226	-	1	0.1%
0.1055120006204	-	1	0.1%
0.1073509976268	-	1	0.1%
0.1074120029807	-	1	0.1%
0.1077480018139	-	1	0.1%
0.1084560006857	-	1	0.1%
0.1091269999743	-	1	0.1%
0.1093299984932	-	1	0.1%
0.1096289977431	-	1	0.1%
0.1110180020332	-	1	0.1%
0.1126260012388	-	1	0.1%
0.1129499971867	-	1	0.1%
0.1145190000534	-	1	0.1%
0.1148350015283	-	1	0.1%
0.1153459995985	-	1	0.1%
0.1160729974508	-	1	0.1%
0.1170279979706	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.6100362660392
- Minimum: 0.0545311011374
- Maximum: 8.4379901885986
- Standard Deviation: 0.7885472549215

Location: 3583-3597 (width: 15; decimal: 13)

Variable Type: numeric

E4_ABS_THETAA4A4: E4_abs_theta

Value	Label	Unweighted Frequency	%
0.716711997986	-	1	0.1%
0.994832992554	-	1	0.1%
1.049139976501	-	1	0.1%
1.085409998894	-	1	0.1%
1.170920014381	-	1	0.1%
1.304469943047	-	1	0.1%
1.472620010376	-	1	0.1%
1.606899976730	-	1	0.1%
1.648470044136	-	1	0.1%
1.661999940872	-	1	0.1%
1.671769976616	-	1	0.1%
1.713940024376	-	1	0.1%
1.715100049973	-	1	0.1%
1.720379948616	-	1	0.1%
1.733579993248	-	1	0.1%
1.738129973412	-	1	0.1%
1.793239951134	-	1	0.1%
1.892889976501	-	1	0.1%
1.938030004501	-	1	0.1%
1.992239952087	-	1	0.1%
2.005019903183	-	1	0.1%
2.019200086594	-	1	0.1%
2.021579980850	-	1	0.1%
2.095550060272	-	1	0.1%
2.120749950409	-	1	0.1%
2.191679954529	-	1	0.1%
2.204540014267	-	1	0.1%
2.220580101013	-	1	0.1%
2.227030038834	-	1	0.1%
2.230249881744	-	1	0.1%
2.268699884415	-	1	0.1%
2.308690071106	-	1	0.1%
2.321249961853	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.332010030746	-	1	0.1%
2.424979925156	-	1	0.1%
2.437599897385	-	1	0.1%
2.474189996719	-	1	0.1%
2.486649990082	-	1	0.1%
2.490180015564	-	1	0.1%
2.514610052109	-	1	0.1%
2.516590118408	-	1	0.1%
2.524950027466	-	1	0.1%
2.587879896164	-	1	0.1%
2.595210075378	-	1	0.1%
2.618690013885	-	1	0.1%
2.664160013199	-	1	0.1%
2.671560049057	-	1	0.1%
2.681139945984	-	1	0.1%
2.704659938812	-	1	0.1%
2.722049951553	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 6.083668121982
- Minimum: 0.716711997986
- Maximum: 18.240699768066
- Standard Deviation: 2.906052986964

Location: 3598-3612 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E4_ABS_ALPHAA4A4: E4_abs_alpha

Value	Label	Unweighted Frequency	%
0.280173003674	-	1	0.1%
0.287223994732	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.358307987452	-	1	0.1%
0.363514006138	-	1	0.1%
0.378149986267	-	1	0.1%
0.387475997210	-	1	0.1%
0.396434009075	-	1	0.1%
0.415697991848	-	1	0.1%
0.424225002527	-	1	0.1%
0.425339996815	-	1	0.1%
0.441466987133	-	1	0.1%
0.487129002810	-	1	0.1%
0.503959000111	-	1	0.1%
0.526719987392	-	1	0.1%
0.551894009113	-	1	0.1%
0.564576983452	-	1	0.1%
0.581781029701	-	1	0.1%
0.584077000618	-	1	0.1%
0.592004001141	-	1	0.1%
0.598048985004	-	1	0.1%
0.641238987446	-	1	0.1%
0.644792973995	-	1	0.1%
0.646046996117	-	1	0.1%
0.657732009888	-	1	0.1%
0.681625008583	-	1	0.1%
0.685241997242	-	1	0.1%
0.712234973907	-	1	0.1%
0.718527019024	-	1	0.1%
0.734109997749	-	1	0.1%
0.734309971333	-	1	0.1%
0.736477017403	-	1	0.1%
0.738583981991	-	1	0.1%
0.739682018757	-	1	0.1%
0.739866018295	-	1	0.1%
0.744248986244	-	1	0.1%
0.748426020145	-	1	0.1%
0.751105010509	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.757475018501	-	1	0.1%
0.764173984528	-	1	0.1%
0.764833986759	-	1	0.1%
0.774053990841	-	1	0.1%
0.776700973511	-	1	0.1%
0.791936993599	-	1	0.1%
0.803911983967	-	1	0.1%
0.813787996769	-	1	0.1%
0.815097987652	-	1	0.1%
0.821600019932	-	1	0.1%
0.824428021908	-	1	0.1%
0.825755000114	-	1	0.1%
0.826623976231	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.978939417438
- Minimum: 0.280173003674
- Maximum: 12.133000373840
- Standard Deviation: 1.208401702185

Location: 3613-3627 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E4_ABS_BETAA4A4: E4_abs_beta

Value	Label	Unweighted Frequency	%
0.0798095986247	-	1	0.1%
0.0953963026404	-	1	0.1%
0.0979131981730	-	1	0.1%
0.0984688028693	-	1	0.1%
0.1063510030508	-	1	0.1%
0.1114969998598	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1245369985700	-	1	0.1%
0.1249950006604	-	1	0.1%
0.1258369982243	-	1	0.1%
0.1323810070753	-	1	0.1%
0.1330740004778	-	1	0.1%
0.1351139992476	-	1	0.1%
0.1390209943056	-	1	0.1%
0.1390410065651	-	1	0.1%
0.1419059932232	-	1	0.1%
0.1419789940119	-	1	0.1%
0.1423639953136	-	1	0.1%
0.1451520025730	-	1	0.1%
0.1486929953098	-	1	0.1%
0.1488250046968	-	1	0.1%
0.1548780053854	-	1	0.1%
0.1549379974604	-	1	0.1%
0.1563680022955	-	1	0.1%
0.1572010070086	-	1	0.1%
0.1609849929810	-	1	0.1%
0.1615310013294	-	1	0.1%
0.1626020073891	-	1	0.1%
0.1646820008755	-	1	0.1%
0.1654759943485	-	1	0.1%
0.1680770069361	-	1	0.1%
0.1688050031662	-	1	0.1%
0.1691900044680	-	1	0.1%
0.1692599952221	-	1	0.1%
0.1711699962616	-	1	0.1%
0.1727900058031	-	1	0.1%
0.1794719994068	-	1	0.1%
0.1798370033503	-	1	0.1%
0.1817640066147	-	1	0.1%
0.1857250034809	-	1	0.1%
0.1857959926128	-	1	0.1%
0.1878719925880	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1889300048351	-	1	0.1%
0.1908430010080	-	1	0.1%
0.1909310072660	-	1	0.1%
0.1919589936733	-	1	0.1%
0.1947789937258	-	1	0.1%
0.1961030066013	-	1	0.1%
0.1963279992342	-	1	0.1%
0.1963859945536	-	1	0.1%
0.1976339966059	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5079180525137
- Minimum: 0.0798095986247
- Maximum: 4.3908300399780
- Standard Deviation: 0.3485157408085

Location: 3628-3642 (width: 15; decimal: 13)

Variable Type: numeric

E4_ABS_GAMMAA4A4: E4_abs_gamma

Value	Label	Unweighted Frequency	%
0.0276123005897	-	1	0.1%
0.0379345007241	-	1	0.1%
0.0384191982448	-	1	0.1%
0.0398165993392	-	1	0.1%
0.0458048991859	-	1	0.1%
0.0458701997995	-	1	0.1%
0.0505423992872	-	1	0.1%
0.0518966987729	-	1	0.1%
0.0529041998088	-	1	0.1%
0.0534707009792	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0540422014892	-	1	0.1%
0.0545055009425	-	1	0.1%
0.0554719008505	-	1	0.1%
0.0576587989926	-	1	0.1%
0.0578248016536	-	1	0.1%
0.0578678995371	-	1	0.1%
0.0581015013158	-	1	0.1%
0.0594602003694	-	1	0.1%
0.0627077966928	-	1	0.1%
0.0632046014071	-	1	0.1%
0.0642120987177	-	1	0.1%
0.0642462000251	-	1	0.1%
0.0644887983799	-	1	0.1%
0.0648033991456	-	1	0.1%
0.0669682994485	-	1	0.1%
0.0670673027635	-	1	0.1%
0.0684920996428	-	1	0.1%
0.0694497004151	-	1	0.1%
0.0695962011814	-	1	0.1%
0.0699388980865	-	1	0.1%
0.0710565000772	-	1	0.1%
0.0733494982123	-	1	0.1%
0.0734871029854	-	1	0.1%
0.0735085010529	-	1	0.1%
0.0736815035343	-	1	0.1%
0.0739059001207	-	1	0.1%
0.0743763968349	-	1	0.1%
0.0746233016253	-	1	0.1%
0.0746454969049	-	1	0.1%
0.0748101025820	-	1	0.1%
0.0758107006550	-	1	0.1%
0.0762140974402	-	1	0.1%
0.0787772014737	-	1	0.1%
0.0791461020708	-	1	0.1%
0.0805599987507	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0813421979547	-	1	0.1%
0.0816667973995	-	1	0.1%
0.0821300968528	-	1	0.1%
0.0823514014482	-	1	0.1%
0.0829776003957	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2951424675028
- Minimum: 0.0276123005897
- Maximum: 4.1261601448059
- Standard Deviation: 0.3354686239602

Location: 3643-3657 (width: 15; decimal: 13)

Variable Type: numeric

E5_ABS_THETAA4A4: E5_abs_theta

Value	Label	Unweighted Frequency	%
0.389077007771	-	1	0.1%
0.658290028572	-	1	0.1%
0.757049024105	-	1	0.1%
1.046759963036	-	1	0.1%
1.118759989738	-	1	0.1%
1.148790001869	-	1	0.1%
1.193869948387	-	1	0.1%
1.238590002060	-	1	0.1%
1.297109961510	-	1	0.1%
1.319039940834	-	1	0.1%
1.366899967194	-	1	0.1%
1.430739998817	-	1	0.1%
1.507369995117	-	1	0.1%
1.521939992905	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.619969964027	-	1	0.1%
1.688030004501	-	1	0.1%
1.713359951973	-	1	0.1%
1.727599978447	-	1	0.1%
1.803110003471	-	1	0.1%
1.807659983635	-	1	0.1%
1.880599975586	-	1	0.1%
1.890089988708	-	1	0.1%
1.912050008774	-	1	0.1%
1.935760021210	-	1	0.1%
1.947110056877	-	1	0.1%
1.973170042038	-	1	0.1%
1.993780016899	-	1	0.1%
2.001410007477	-	1	0.1%
2.025120019913	-	1	0.1%
2.065210103989	-	1	0.1%
2.072710037231	-	1	0.1%
2.080620050430	-	1	0.1%
2.116410017014	-	1	0.1%
2.153559923172	-	1	0.1%
2.156219959259	-	1	0.1%
2.160860061646	-	1	0.1%
2.193030118942	-	1	0.1%
2.200089931488	-	1	0.1%
2.230509996414	-	1	0.1%
2.231509923935	-	1	0.1%
2.243020057678	-	1	0.1%
2.245389938354	-	1	0.1%
2.287110090256	-	1	0.1%
2.307290077209	-	1	0.1%
2.313839912415	-	1	0.1%
2.330169916153	-	1	0.1%
2.355890035629	-	1	0.1%
2.376990079880	-	1	0.1%
2.377909898758	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.425590038300	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 6.278008777106
- Minimum: 0.389077007771
- Maximum: 20.499900817871
- Standard Deviation: 3.255941708214

Location: 3658-3672 (width: 15; decimal: 12)

Variable Type: numeric

E5_ABS_ALPHAA4A4: E5_abs_alpha

Value	Label	Unweighted Frequency	%
0.136692002416	-	1	0.1%
0.225877001882	-	1	0.1%
0.265504986048	-	1	0.1%
0.268148005009	-	1	0.1%
0.276856005192	-	1	0.1%
0.312671989202	-	1	0.1%
0.353181004524	-	1	0.1%
0.362264990807	-	1	0.1%
0.396142005920	-	1	0.1%
0.416301012039	-	1	0.1%
0.433046996593	-	1	0.1%
0.442474007607	-	1	0.1%
0.442541986704	-	1	0.1%
0.454436987638	-	1	0.1%
0.457653999329	-	1	0.1%
0.469107002020	-	1	0.1%
0.484730005264	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.488415002823	-	1	0.1%
0.502780020237	-	1	0.1%
0.508113980293	-	1	0.1%
0.508432984352	-	1	0.1%
0.511810004711	-	1	0.1%
0.514391005039	-	1	0.1%
0.535706996918	-	1	0.1%
0.544879019260	-	1	0.1%
0.577893972397	-	1	0.1%
0.589657008648	-	1	0.1%
0.602061986923	-	1	0.1%
0.606247007847	-	1	0.1%
0.612918972969	-	1	0.1%
0.617478013039	-	1	0.1%
0.619414985180	-	1	0.1%
0.621375977993	-	1	0.1%
0.622927010059	-	1	0.1%
0.632835984230	-	1	0.1%
0.637301027775	-	1	0.1%
0.651075005531	-	1	0.1%
0.651980996132	-	1	0.1%
0.657877027988	-	1	0.1%
0.660084009171	-	1	0.1%
0.661716997623	-	1	0.1%
0.665598988533	-	1	0.1%
0.669708013535	-	1	0.1%
0.673317015171	-	1	0.1%
0.674808025360	-	1	0.1%
0.677918970585	-	1	0.1%
0.685892999172	-	1	0.1%
0.696146011353	-	1	0.1%
0.704746007919	-	1	0.1%
0.705954015255	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.937695044943
- Minimum: 0.136692002416
- Maximum: 10.446900367737
- Standard Deviation: 1.230330391908

Location: 3673-3687 (width: 15; decimal: 12)

Variable Type: numeric

E5_ABS_BETAA4A4: E5_abs_beta

Value	Label	Unweighted Frequency	%
0.0251634996384	-	1	0.1%
0.0557505004108	-	1	0.1%
0.0589810982347	-	1	0.1%
0.0643791034818	-	1	0.1%
0.0721457004547	-	1	0.1%
0.0749557018280	-	1	0.1%
0.0753908008337	-	1	0.1%
0.0860837996006	-	1	0.1%
0.0913437008858	-	1	0.1%
0.0929612964392	-	1	0.1%
0.1000770032406	-	1	0.1%
0.1005949974060	-	1	0.1%
0.1032370030880	-	1	0.1%
0.1044009998441	-	1	0.1%
0.1046189963818	-	1	0.1%
0.1059670001268	-	1	0.1%
0.1074879989028	-	1	0.1%
0.1101119965315	-	1	0.1%
0.1107629984617	-	1	0.1%
0.1126620024443	-	1	0.1%
0.1167920008302	-	1	0.1%
0.1200639978051	-	1	0.1%
0.1234809979796	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1243830025196	-	1	0.1%
0.1268060058355	-	1	0.1%
0.1317230015993	-	1	0.1%
0.1320910006762	-	1	0.1%
0.1327999979258	-	1	0.1%
0.1330340057611	-	1	0.1%
0.1333959996700	-	1	0.1%
0.1346800029278	-	1	0.1%
0.1351359933615	-	1	0.1%
0.1358119994402	-	1	0.1%
0.1380220055580	-	1	0.1%
0.1415160000324	-	1	0.1%
0.1424739956856	-	1	0.1%
0.1443649977446	-	1	0.1%
0.1446979939938	-	1	0.1%
0.1466819941998	-	1	0.1%
0.1467940062284	-	1	0.1%
0.1480399966240	-	1	0.1%
0.1506730020046	-	1	0.1%
0.1511919945478	-	1	0.1%
0.1518680006266	-	1	0.1%
0.1523000001907	-	1	0.1%
0.1541589945555	-	1	0.1%
0.1548029929399	-	1	0.1%
0.1574649959803	-	1	0.1%
0.1575819998980	-	1	0.1%
0.1590210050344	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3706517419562
- Minimum: 0.0251634996384
- Maximum: 1.4731800556183
- Standard Deviation: 0.1889489568541

Location: 3688-3702 (width: 15; decimal: 13)

Variable Type: numeric

E5_ABS_GAMMAA4A4: E5_abs_gamma

Value	Label	Unweighted Frequency	%
0.0091296201572	-	1	0.1%
0.0170066002756	-	1	0.1%
0.0186838991940	-	1	0.1%
0.0293191000819	-	1	0.1%
0.0295887999237	-	1	0.1%
0.0321144983172	-	1	0.1%
0.0332143008709	-	1	0.1%
0.0340971983969	-	1	0.1%
0.0378388985991	-	1	0.1%
0.0382172018290	-	1	0.1%
0.0383105985820	-	1	0.1%
0.0385318994522	-	1	0.1%
0.0386921018362	-	1	0.1%
0.0399806015193	-	1	0.1%
0.0411337986588	-	1	0.1%
0.0436154007912	-	1	0.1%
0.0447998009622	-	1	0.1%
0.0453436002135	-	1	0.1%
0.0456577986479	-	1	0.1%
0.0463934987783	-	1	0.1%
0.0471118018031	-	1	0.1%
0.0472786016762	-	1	0.1%
0.0485115014017	-	1	0.1%
0.0492837987840	-	1	0.1%
0.0492862984538	-	1	0.1%
0.0493611991405	-	1	0.1%
0.0496490001678	-	1	0.1%
0.0499978996813	-	1	0.1%
0.0502172000706	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0503689013422	-	1	0.1%
0.0507723987103	-	1	0.1%
0.0508464016020	-	1	0.1%
0.0509131997824	-	1	0.1%
0.0515648014843	-	1	0.1%
0.0517379008234	-	1	0.1%
0.0517796985805	-	1	0.1%
0.0518050007522	-	1	0.1%
0.0518825016916	-	1	0.1%
0.0520402006805	-	1	0.1%
0.0522285997868	-	1	0.1%
0.0528238005936	-	1	0.1%
0.0533824004233	-	1	0.1%
0.0542199984193	-	1	0.1%
0.0543444007635	-	1	0.1%
0.0544148981571	-	1	0.1%
0.0544345006347	-	1	0.1%
0.0547327995300	-	1	0.1%
0.0554590001702	-	1	0.1%
0.0564891993999	-	1	0.1%
0.0571963004768	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.1411185337493
- Minimum: 0.0091296201572
- Maximum: 0.7680789828300
- Standard Deviation: 0.0807323987015

Location: 3703-3717 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E6_ABS_THETAA4A4: E6_abs_theta

Value	Label	Unweighted Frequency	%
0.323646992445	-	1	0.1%
0.450240999460	-	1	0.1%
0.595972001553	-	1	0.1%
0.792208015919	-	1	0.1%
0.847311973572	-	1	0.1%
0.881335020065	-	1	0.1%
0.982797026634	-	1	0.1%
0.995904982090	-	1	0.1%
1.018149971962	-	1	0.1%
1.074130058289	-	1	0.1%
1.110749959946	-	1	0.1%
1.134729981422	-	1	0.1%
1.228620052338	-	1	0.1%
1.240669965744	-	1	0.1%
1.347100019455	-	1	0.1%
1.367100000381	-	1	0.1%
1.415519952774	-	1	0.1%
1.459319949150	-	1	0.1%
1.484910011292	-	1	0.1%
1.502619981766	-	1	0.1%
1.523339986801	-	1	0.1%
1.544360041618	-	1	0.1%
1.546830058098	-	1	0.1%
1.592720031738	-	1	0.1%
1.594210028648	-	1	0.1%
1.640630006790	-	1	0.1%
1.653339982033	-	1	0.1%
1.654180049896	-	1	0.1%
1.675539970398	-	1	0.1%
1.700170040131	-	1	0.1%
1.711390018463	-	1	0.1%
1.726330041885	-	1	0.1%
1.733999967575	-	1	0.1%
1.736379981041	-	1	0.1%
1.756780028343	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.757779955864	-	1	0.1%
1.773900032043	-	1	0.1%
1.775290012360	-	1	0.1%
1.804870009422	-	1	0.1%
1.811439990997	-	1	0.1%
1.863809943199	-	1	0.1%
1.891579985619	-	1	0.1%
1.905519962311	-	1	0.1%
1.948709964752	-	1	0.1%
1.957280039787	-	1	0.1%
1.969089984894	-	1	0.1%
1.977460026741	-	1	0.1%
1.987460017204	-	1	0.1%
2.030819892883	-	1	0.1%
2.067640066147	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 5.876046742171
- Minimum: 0.323646992445
- Maximum: 21.243999481201
- Standard Deviation: 3.308453912776

Location: 3718-3732 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E6_ABS_ALPHA4A4: E6_abs_alpha

Value	Label	Unweighted Frequency	%
0.109970003366	-	1	0.1%
0.131585001945	-	1	0.1%
0.169246003032	-	1	0.1%
0.182126000524	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.207494005561	-	1	0.1%
0.239068001509	-	1	0.1%
0.281973987818	-	1	0.1%
0.290141999722	-	1	0.1%
0.291364997625	-	1	0.1%
0.313122004271	-	1	0.1%
0.339251995087	-	1	0.1%
0.352486997843	-	1	0.1%
0.352492004633	-	1	0.1%
0.358841001987	-	1	0.1%
0.375348985195	-	1	0.1%
0.380495995283	-	1	0.1%
0.385253995657	-	1	0.1%
0.386252999306	-	1	0.1%
0.387225002050	-	1	0.1%
0.388720989227	-	1	0.1%
0.391790986061	-	1	0.1%
0.396757006645	-	1	0.1%
0.403670996428	-	1	0.1%
0.412822008133	-	1	0.1%
0.413165986538	-	1	0.1%
0.458076000214	-	1	0.1%
0.459776997566	-	1	0.1%
0.479456990957	-	1	0.1%
0.486303985119	-	1	0.1%
0.486570000648	-	1	0.1%
0.510110020638	-	1	0.1%
0.511404991150	-	1	0.1%
0.516718983650	-	1	0.1%
0.517409980297	-	1	0.1%
0.517431974411	-	1	0.1%
0.529111027718	-	1	0.1%
0.531857013702	-	1	0.1%
0.540502011776	-	1	0.1%
0.543645024300	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.549277007580	-	1	0.1%
0.552505016327	-	1	0.1%
0.594285011292	-	1	0.1%
0.595885992050	-	1	0.1%
0.595928013325	-	1	0.1%
0.614916026592	-	1	0.1%
0.616672992706	-	1	0.1%
0.622375011444	-	1	0.1%
0.638480007648	-	1	0.1%
0.641216993332	-	1	0.1%
0.648186028004	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.849442675364
- Minimum: 0.109970003366
- Maximum: 10.379699707031
- Standard Deviation: 1.215076483514

Location: 3733-3747 (width: 15; decimal: 12)

Variable Type: numeric

E6_ABS_BETAA4A4: E6_abs_beta

Value	Label	Unweighted Frequency	%
0.0253116004169	-	1	0.1%
0.0264535993338	-	1	0.1%
0.0281403996050	-	1	0.1%
0.0419371016324	-	1	0.1%
0.0518669001758	-	1	0.1%
0.0571047998965	-	1	0.1%
0.0624600015581	-	1	0.1%
0.0675204023719	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0685221031308	-	1	0.1%
0.0690359026194	-	1	0.1%
0.0763660967350	-	1	0.1%
0.0766000002623	-	1	0.1%
0.0770694985986	-	1	0.1%
0.0778649002314	-	1	0.1%
0.0792590007186	-	1	0.1%
0.0835765972733	-	1	0.1%
0.0851896032691	-	1	0.1%
0.0893798992038	-	1	0.1%
0.0894175991416	-	1	0.1%
0.0911998003721	-	1	0.1%
0.0946521013975	-	1	0.1%
0.0951763987541	-	1	0.1%
0.0972955971956	-	1	0.1%
0.0973253995180	-	1	0.1%
0.1013370007277	-	1	0.1%
0.1024110019207	-	1	0.1%
0.1026569977403	-	1	0.1%
0.1038680002093	-	1	0.1%
0.1050729975104	-	1	0.1%
0.1055250018835	-	1	0.1%
0.1056480035186	-	1	0.1%
0.1070540025830	-	1	0.1%
0.1086490005255	-	1	0.1%
0.1097339987755	-	1	0.1%
0.1099559962749	-	1	0.1%
0.1114550009370	-	1	0.1%
0.1114899963140	-	1	0.1%
0.1134890019894	-	1	0.1%
0.1162360012531	-	1	0.1%
0.1168410032988	-	1	0.1%
0.1175640001893	-	1	0.1%
0.1190769970417	-	1	0.1%
0.1201499998569	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1202839985490	-	1	0.1%
0.1233609989285	-	1	0.1%
0.1240760013461	-	1	0.1%
0.1245409995317	-	1	0.1%
0.1272149980068	-	1	0.1%
0.1278530061245	-	1	0.1%
0.1284489929676	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3155907995699
- Minimum: 0.0253116004169
- Maximum: 1.7889900207520
- Standard Deviation: 0.1772716537309

Location: 3748-3762 (width: 15; decimal: 13)

Variable Type: numeric

E6_ABS_GAMMAA4A4: E6_abs_gamma

Value	Label	Unweighted Frequency	%
0.0080118402839	-	1	0.1%
0.0086997700855	-	1	0.1%
0.0087679503486	-	1	0.1%
0.0135367000476	-	1	0.1%
0.0145362000912	-	1	0.1%
0.0182101000100	-	1	0.1%
0.0225841999054	-	1	0.1%
0.0244711004198	-	1	0.1%
0.0245060008019	-	1	0.1%
0.0246444996446	-	1	0.1%
0.0247246995568	-	1	0.1%
0.0297717992216	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0299770999700	-	1	0.1%
0.0301812998950	-	1	0.1%
0.0310600008816	-	1	0.1%
0.0322350002825	-	1	0.1%
0.0329068005085	-	1	0.1%
0.0335986018181	-	1	0.1%
0.0340300984681	-	1	0.1%
0.0341802015901	-	1	0.1%
0.0358299985528	-	1	0.1%
0.0359034016728	-	1	0.1%
0.0359121002257	-	1	0.1%
0.0368238985538	-	1	0.1%
0.0368528999388	-	1	0.1%
0.0371148996055	-	1	0.1%
0.0381645001471	-	1	0.1%
0.0382953993976	-	1	0.1%
0.0386479012668	-	1	0.1%
0.0398869998753	-	1	0.1%
0.0399062000215	-	1	0.1%
0.0402254015207	-	1	0.1%
0.0414265990257	-	1	0.1%
0.0416250005364	-	1	0.1%
0.0418490990996	-	1	0.1%
0.0421479009092	-	1	0.1%
0.0421887002885	-	1	0.1%
0.0425129011273	-	1	0.1%
0.0426087006927	-	1	0.1%
0.0426467992365	-	1	0.1%
0.0429482012987	-	1	0.1%
0.0435393005610	-	1	0.1%
0.0437240004539	-	1	0.1%
0.0437995009124	-	1	0.1%
0.0440664999187	-	1	0.1%
0.0441889986396	-	1	0.1%
0.0442535988986	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0443078987300	-	1	0.1%
0.0443778000772	-	1	0.1%
0.0446702018380	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.1046561244025
- Minimum: 0.0080118402839
- Maximum: 0.6567180156708
- Standard Deviation: 0.0562284476104

Location: 3763-3777 (width: 15; decimal: 13)

Variable Type: numeric

E7_ABS_THETAA4A4: E7_abs_theta

Value	Label	Unweighted Frequency	%
0.243101000786	-	1	0.1%
0.395453006029	-	1	0.1%
0.434495002031	-	1	0.1%
0.580034017563	-	1	0.1%
0.829078018665	-	1	0.1%
0.867353022099	-	1	0.1%
0.874825000763	-	1	0.1%
0.906368970871	-	1	0.1%
0.958635985851	-	1	0.1%
0.990558981895	-	1	0.1%
0.999137997627	-	1	0.1%
1.012779951096	-	1	0.1%
1.053069949150	-	1	0.1%
1.059929966927	-	1	0.1%
1.061400055885	-	1	0.1%
1.089390039444	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.091529965401	-	1	0.1%
1.227939963341	-	1	0.1%
1.229279994965	-	1	0.1%
1.235579967499	-	1	0.1%
1.250120043755	-	1	0.1%
1.298269987106	-	1	0.1%
1.301900029182	-	1	0.1%
1.302039980888	-	1	0.1%
1.312299966812	-	1	0.1%
1.319110035896	-	1	0.1%
1.319769978523	-	1	0.1%
1.333269953728	-	1	0.1%
1.372720003128	-	1	0.1%
1.375820040703	-	1	0.1%
1.384420037270	-	1	0.1%
1.391250014305	-	1	0.1%
1.393450021744	-	1	0.1%
1.402179956436	-	1	0.1%
1.409680008888	-	1	0.1%
1.412750005722	-	1	0.1%
1.427520036697	-	1	0.1%
1.452839970589	-	1	0.1%
1.457610011101	-	1	0.1%
1.471670031548	-	1	0.1%
1.482290029526	-	1	0.1%
1.499519944191	-	1	0.1%
1.505079984665	-	1	0.1%
1.513370037079	-	1	0.1%
1.516549944878	-	1	0.1%
1.523259997368	-	1	0.1%
1.530910015106	-	1	0.1%
1.532089948654	-	1	0.1%
1.534270048141	-	1	0.1%
1.594159960747	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.642463594583
- Minimum: 0.243101000786
- Maximum: 20.133100509644
- Standard Deviation: 2.685639782985

Location: 3778-3792 (width: 15; decimal: 12)

Variable Type: numeric

E7_ABS_ALPHAA4A4: E7_abs_alpha

Value	Label	Unweighted Frequency	%
0.117073997855	-	1	0.1%
0.166114002466	-	1	0.1%
0.179252997041	-	1	0.1%
0.185997992754	-	1	0.1%
0.195985004306	-	1	0.1%
0.204943999648	-	1	0.1%
0.205289006233	-	1	0.1%
0.207467004657	-	1	0.1%
0.223377004266	-	1	0.1%
0.233357995749	-	1	0.1%
0.241391003132	-	1	0.1%
0.251179993153	-	1	0.1%
0.278019994497	-	1	0.1%
0.343625992537	-	1	0.1%
0.366052985191	-	1	0.1%
0.371196001768	-	1	0.1%
0.371445000172	-	1	0.1%
0.373773008585	-	1	0.1%
0.374370008707	-	1	0.1%
0.380160003901	-	1	0.1%
0.381886988878	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.393361002207	-	1	0.1%
0.404931008816	-	1	0.1%
0.410293996334	-	1	0.1%
0.411036014557	-	1	0.1%
0.418875008821	-	1	0.1%
0.419986009598	-	1	0.1%
0.422944009304	-	1	0.1%
0.442604005337	-	1	0.1%
0.447820991278	-	1	0.1%
0.450260996819	-	1	0.1%
0.452971994877	-	1	0.1%
0.469444990158	-	1	0.1%
0.470304012299	-	1	0.1%
0.471129000187	-	1	0.1%
0.476354002953	-	1	0.1%
0.480112999678	-	1	0.1%
0.480150997639	-	1	0.1%
0.481620013714	-	1	0.1%
0.483489990234	-	1	0.1%
0.490289986134	-	1	0.1%
0.508234977722	-	1	0.1%
0.508608996868	-	1	0.1%
0.514546990395	-	1	0.1%
0.514692008495	-	1	0.1%
0.522768020630	-	1	0.1%
0.527301013470	-	1	0.1%
0.529507994652	-	1	0.1%
0.530920028687	-	1	0.1%
0.532802999020	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.728127863431
- Minimum: 0.117073997855
- Maximum: 11.392299652100
- Standard Deviation: 1.238638534041

Location: 3793-3807 (width: 15; decimal: 12)

Variable Type: numeric

E7_ABS_BETAA4A4: E7_abs_beta

Value	Label	Unweighted Frequency	%
0.0173038002104	-	1	0.1%
0.0258705001324	-	1	0.1%
0.0279016997665	-	1	0.1%
0.0331450998783	-	1	0.1%
0.0473323985934	-	1	0.1%
0.0559502989054	-	1	0.1%
0.0562586002052	-	1	0.1%
0.0579379014671	-	1	0.1%
0.0585198998451	-	1	0.1%
0.0587332993746	-	1	0.1%
0.0609305985272	-	1	0.1%
0.0629258975387	-	1	0.1%
0.0658781975508	-	1	0.1%
0.0659969970584	-	1	0.1%
0.0675257965922	-	1	0.1%
0.0727981999516	-	1	0.1%
0.0728290006518	-	1	0.1%
0.0753837972879	-	1	0.1%
0.0762007981539	-	1	0.1%
0.0764411017299	-	1	0.1%
0.0766173973680	-	1	0.1%
0.0798673033714	-	1	0.1%
0.0825449004769	-	1	0.1%
0.0832322984934	-	1	0.1%
0.0833579003811	-	1	0.1%
0.0849587991834	-	1	0.1%
0.0866959020495	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0884099006653	-	1	0.1%
0.0895586013794	-	1	0.1%
0.0913997963071	-	1	0.1%
0.0917256996036	-	1	0.1%
0.0929379016161	-	1	0.1%
0.0941118001938	-	1	0.1%
0.0969832018018	-	1	0.1%
0.0977895036340	-	1	0.1%
0.0984541028738	-	1	0.1%
0.0985613018274	-	1	0.1%
0.1002440005541	-	1	0.1%
0.1012040004134	-	1	0.1%
0.1018659994006	-	1	0.1%
0.1022330000997	-	1	0.1%
0.1023050025105	-	1	0.1%
0.1032439991832	-	1	0.1%
0.1040339991450	-	1	0.1%
0.1049529984593	-	1	0.1%
0.1054589971900	-	1	0.1%
0.1060310006142	-	1	0.1%
0.1061599999666	-	1	0.1%
0.1068089976907	-	1	0.1%
0.1074479967356	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2415665804896
- Minimum: 0.0173038002104
- Maximum: 2.3035500049591
- Standard Deviation: 0.1505496321993

Location: 3808-3822 (width: 15; decimal: 13)

Variable Type: numeric

E7_ABS_GAMMAA4A4: E7_abs_gamma

Value	Label	Unweighted Frequency	%
0.0079317996278	-	1	0.1%
0.0080643501133	-	1	0.1%
0.0086314603686	-	1	0.1%
0.0098317600787	-	1	0.1%
0.0142046995461	-	1	0.1%
0.0161777008325	-	1	0.1%
0.0184891000390	-	1	0.1%
0.0208115000278	-	1	0.1%
0.0220378991216	-	1	0.1%
0.0229090005159	-	1	0.1%
0.0233887992799	-	1	0.1%
0.0246024001390	-	1	0.1%
0.0250093005598	-	1	0.1%
0.0252702999860	-	1	0.1%
0.0255819000304	-	1	0.1%
0.0262182001024	-	1	0.1%
0.0266750007868	-	1	0.1%
0.0266801994294	-	1	0.1%
0.0268954001367	-	1	0.1%
0.0278028007597	-	1	0.1%
0.0280537996441	-	1	0.1%
0.0283268000931	-	1	0.1%
0.0287784002721	-	1	0.1%
0.0289425998926	-	1	0.1%
0.0290952995420	-	1	0.1%
0.0297167003155	-	1	0.1%
0.0306634996086	-	1	0.1%
0.0318033993244	-	1	0.1%
0.0319379009306	-	1	0.1%
0.0320109017193	-	1	0.1%
0.0323066003621	-	1	0.1%
0.0323865003884	-	1	0.1%
0.0327011011541	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0331952981651	-	1	0.1%
0.0343933999538	-	1	0.1%
0.0344205014408	-	1	0.1%
0.0349429994822	-	1	0.1%
0.0354363992810	-	1	0.1%
0.0354781001806	-	1	0.1%
0.0356234982610	-	1	0.1%
0.0361693985760	-	1	0.1%
0.0362547002733	-	1	0.1%
0.0364164002240	-	1	0.1%
0.0365095995367	-	1	0.1%
0.0365244001150	-	1	0.1%
0.0367924012244	-	1	0.1%
0.0370762981474	-	1	0.1%
0.0371521003544	-	1	0.1%
0.0374375991523	-	1	0.1%
0.0374456010759	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.0780187980012
- Minimum: 0.0079317996278
- Maximum: 1.0479899644852
- Standard Deviation: 0.0516506574520

Location: 3823-3837 (width: 15; decimal: 13)

Variable Type: numeric

E8_ABS_THETAA4A4: E8_abs_theta

Value	Label	Unweighted Frequency	%
1.032510042191	-	1	0.1%
1.317800045013	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.431640028954	-	1	0.1%
1.558930039406	-	1	0.1%
1.591199994087	-	1	0.1%
1.779350042343	-	1	0.1%
1.786560058594	-	1	0.1%
1.835219979286	-	1	0.1%
1.872059941292	-	1	0.1%
1.893030047417	-	1	0.1%
1.959720015526	-	1	0.1%
1.997429966927	-	1	0.1%
2.017489910126	-	1	0.1%
2.115570068359	-	1	0.1%
2.155719995499	-	1	0.1%
2.220520019531	-	1	0.1%
2.222349882126	-	1	0.1%
2.230299949646	-	1	0.1%
2.240509986877	-	1	0.1%
2.247450113297	-	1	0.1%
2.253590106964	-	1	0.1%
2.261369943619	-	1	0.1%
2.268310070038	-	1	0.1%
2.274410009384	-	1	0.1%
2.282399892807	-	1	0.1%
2.295510053635	-	1	0.1%
2.297650098801	-	1	0.1%
2.318900108337	-	1	0.1%
2.322259902954	-	1	0.1%
2.364340066910	-	1	0.1%
2.401530027390	-	1	0.1%
2.435820102692	-	1	0.1%
2.445909976959	-	1	0.1%
2.491719961166	-	1	0.1%
2.509040117264	-	1	0.1%
2.516669988632	-	1	0.1%
2.524529933929	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.525799989700	-	1	0.1%
2.545530080795	-	1	0.1%
2.570230007172	-	1	0.1%
2.574100017548	-	1	0.1%
2.595520019531	-	1	0.1%
2.600529909134	-	1	0.1%
2.633909940720	-	1	0.1%
2.634740114212	-	1	0.1%
2.638639926910	-	1	0.1%
2.655639886856	-	1	0.1%
2.669770002365	-	1	0.1%
2.716809988022	-	1	0.1%
2.724600076675	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 7.006107706773
- Minimum: 1.032510042191
- Maximum: 28.781099319458
- Standard Deviation: 3.924176411534

Location: 3838-3852 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E8_ABS_ALPHAA4A4: E8_abs_alpha

Value	Label	Unweighted Frequency	%
0.265756011009	-	1	0.1%
0.414557009935	-	1	0.1%
0.421979993582	-	1	0.1%
0.438035994768	-	1	0.1%
0.447147011757	-	1	0.1%
0.486499994993	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.494711995125	-	1	0.1%
0.499006986618	-	1	0.1%
0.525026977062	-	1	0.1%
0.527948975563	-	1	0.1%
0.528096020222	-	1	0.1%
0.540199995041	-	1	0.1%
0.547351002693	-	1	0.1%
0.579002022743	-	1	0.1%
0.580532014370	-	1	0.1%
0.592555999756	-	1	0.1%
0.604968011379	-	1	0.1%
0.608924984932	-	1	0.1%
0.646331012249	-	1	0.1%
0.648087024689	-	1	0.1%
0.650806009769	-	1	0.1%
0.655378997326	-	1	0.1%
0.660109996796	-	1	0.1%
0.664879024029	-	1	0.1%
0.667779028416	-	1	0.1%
0.676020026207	-	1	0.1%
0.682658016682	-	1	0.1%
0.683166027069	-	1	0.1%
0.702500998974	-	1	0.1%
0.704234004021	-	1	0.1%
0.709294974804	-	1	0.1%
0.712458014488	-	1	0.1%
0.714725017548	-	1	0.1%
0.722253978252	-	1	0.1%
0.730544984341	-	1	0.1%
0.732379019260	-	1	0.1%
0.733789980412	-	1	0.1%
0.735471010208	-	1	0.1%
0.742058992386	-	1	0.1%
0.762071013451	-	1	0.1%
0.762095987797	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.768588006496	-	1	0.1%
0.768958985806	-	1	0.1%
0.769971013069	-	1	0.1%
0.778765976429	-	1	0.1%
0.785148978233	-	1	0.1%
0.787310004234	-	1	0.1%
0.787461996078	-	1	0.1%
0.789436995983	-	1	0.1%
0.795107007027	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.158094233311
- Minimum: 0.265756011009
- Maximum: 12.736000061035
- Standard Deviation: 1.437824565963

Location: 3853-3867 (width: 15; decimal: 12)

Variable Type: numeric

E8_ABS_BETAA4A4: E8_abs_beta

Value	Label	Unweighted Frequency	%
0.1127500012517	-	1	0.1%
0.1217499971390	-	1	0.1%
0.1263950020075	-	1	0.1%
0.1543180048466	-	1	0.1%
0.1611520051956	-	1	0.1%
0.1642179936171	-	1	0.1%
0.1739290058613	-	1	0.1%
0.1758850067854	-	1	0.1%
0.1770209968090	-	1	0.1%
0.1828390061855	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1854230016470	-	1	0.1%
0.1856839954853	-	1	0.1%
0.1901620030403	-	1	0.1%
0.1945820003748	-	1	0.1%
0.1947049945593	-	1	0.1%
0.1953089982271	-	1	0.1%
0.1973180025816	-	1	0.1%
0.1973389983177	-	1	0.1%
0.1989730000496	-	1	0.1%
0.2021649926901	-	1	0.1%
0.2102120071650	-	1	0.1%
0.2169689983130	-	1	0.1%
0.2174129933119	-	1	0.1%
0.2175000011921	-	1	0.1%
0.2179020047188	-	1	0.1%
0.2249290049076	-	1	0.1%
0.2294570058584	-	1	0.1%
0.2306700050831	-	1	0.1%
0.2314189970493	-	1	0.1%
0.2332929968834	-	1	0.1%
0.2338159978390	-	1	0.1%
0.2343059927225	-	1	0.1%
0.2368630021811	-	1	0.1%
0.2375459969044	-	1	0.1%
0.2400739938021	-	1	0.1%
0.2433180063963	-	1	0.1%
0.2437999993563	-	1	0.1%
0.2442470043898	-	1	0.1%
0.2443439960480	-	1	0.1%
0.2454739958048	-	1	0.1%
0.2472950071096	-	1	0.1%
0.2478660047054	-	1	0.1%
0.2487120032310	-	1	0.1%
0.2500999867916	-	1	0.1%
0.2522079944611	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.2531679868698	-	1	0.1%
0.2549790143967	-	1	0.1%
0.2573049962521	-	1	0.1%
0.2601880133152	-	1	0.1%
0.2614449858665	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.6785173464001
- Minimum: 0.1127500012517
- Maximum: 5.6501898765564
- Standard Deviation: 0.4770644901931

Location: 3868-3882 (width: 15; decimal: 13)

Variable Type: numeric

E8_ABS_GAMMAA4A4: E8_abs_gamma

Value	Label	Unweighted Frequency	%
0.0532561987638	-	1	0.1%
0.0608766004443	-	1	0.1%
0.0670844018459	-	1	0.1%
0.0696400031447	-	1	0.1%
0.0761853978038	-	1	0.1%
0.0834242999554	-	1	0.1%
0.0872469022870	-	1	0.1%
0.0889723002911	-	1	0.1%
0.0894588008523	-	1	0.1%
0.0911301001906	-	1	0.1%
0.0916649028659	-	1	0.1%
0.0934732034802	-	1	0.1%
0.0970743969083	-	1	0.1%
0.1019050031900	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1094679981470	-	1	0.1%
0.1107989996672	-	1	0.1%
0.1175120025873	-	1	0.1%
0.1206429973245	-	1	0.1%
0.1222710013390	-	1	0.1%
0.1231829971075	-	1	0.1%
0.1244620010257	-	1	0.1%
0.1252339929342	-	1	0.1%
0.1261080056429	-	1	0.1%
0.1261119991541	-	1	0.1%
0.1278630048037	-	1	0.1%
0.1287920027971	-	1	0.1%
0.1331409960985	-	1	0.1%
0.1340509951115	-	1	0.1%
0.1340609937906	-	1	0.1%
0.1365630030632	-	1	0.1%
0.1388339996338	-	1	0.1%
0.1388690024614	-	1	0.1%
0.1395259946585	-	1	0.1%
0.1412999927998	-	1	0.1%
0.1414079964161	-	1	0.1%
0.1437499970198	-	1	0.1%
0.1454519927502	-	1	0.1%
0.1458809971809	-	1	0.1%
0.1477809995413	-	1	0.1%
0.1490810066462	-	1	0.1%
0.1499979943037	-	1	0.1%
0.1509770005941	-	1	0.1%
0.1518120020628	-	1	0.1%
0.1520359963179	-	1	0.1%
0.1521580070257	-	1	0.1%
0.1527860015631	-	1	0.1%
0.1538400053978	-	1	0.1%
0.1553730070591	-	1	0.1%
0.1554609984159	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1559640020132	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4767422166425
- Minimum: 0.0532561987638
- Maximum: 5.0082201957703
- Standard Deviation: 0.4207859173977

Location: 3883-3897 (width: 15; decimal: 13)

Variable Type: numeric

E9_ABS_THETAA4A4: E9_abs_theta

Value	Label	Unweighted Frequency	%
1.085860013962	-	1	0.1%
1.425670027733	-	1	0.1%
1.462399959564	-	1	0.1%
1.848690032959	-	1	0.1%
1.868409991264	-	1	0.1%
1.878239989281	-	1	0.1%
1.879199981689	-	1	0.1%
1.885210037231	-	1	0.1%
1.959130048752	-	1	0.1%
1.983860015869	-	1	0.1%
1.996690034866	-	1	0.1%
1.997959971428	-	1	0.1%
2.024840116501	-	1	0.1%
2.025480031967	-	1	0.1%
2.073600053787	-	1	0.1%
2.075439929962	-	1	0.1%
2.081269979477	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.185369968414	-	1	0.1%
2.243510007858	-	1	0.1%
2.256730079651	-	1	0.1%
2.257630109787	-	1	0.1%
2.310849905014	-	1	0.1%
2.314860105515	-	1	0.1%
2.331079959869	-	1	0.1%
2.331089973450	-	1	0.1%
2.344180107117	-	1	0.1%
2.381540060043	-	1	0.1%
2.418200016022	-	1	0.1%
2.491050004959	-	1	0.1%
2.491919994354	-	1	0.1%
2.543560028076	-	1	0.1%
2.547300100327	-	1	0.1%
2.555010080338	-	1	0.1%
2.586580038071	-	1	0.1%
2.587430000305	-	1	0.1%
2.598720073700	-	1	0.1%
2.650399923325	-	1	0.1%
2.651329994202	-	1	0.1%
2.660749912262	-	1	0.1%
2.690170049667	-	1	0.1%
2.700409889221	-	1	0.1%
2.705950021744	-	1	0.1%
2.735630035400	-	1	0.1%
2.738450050354	-	1	0.1%
2.741699934006	-	1	0.1%
2.760289907455	-	1	0.1%
2.766949892044	-	1	0.1%
2.778000116348	-	1	0.1%
2.847290039063	-	1	0.1%
2.864959955215	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 6.071586665354
- Minimum: 1.085860013962
- Maximum: 21.234899520874
- Standard Deviation: 2.873825207852

Location: 3898-3912 (width: 15; decimal: 12)

Variable Type: numeric

E9_ABS_ALPHAA4A4: E9_abs_alpha

Value	Label	Unweighted Frequency	%
0.271910011768	-	1	0.1%
0.376432001591	-	1	0.1%
0.477441012859	-	1	0.1%
0.504518985748	-	1	0.1%
0.526643991470	-	1	0.1%
0.536366999149	-	1	0.1%
0.558932006359	-	1	0.1%
0.577358007431	-	1	0.1%
0.579852998257	-	1	0.1%
0.593352019787	-	1	0.1%
0.597472012043	-	1	0.1%
0.598641991615	-	1	0.1%
0.603380024433	-	1	0.1%
0.617546975613	-	1	0.1%
0.622564971447	-	1	0.1%
0.638248980045	-	1	0.1%
0.648203015327	-	1	0.1%
0.655449986458	-	1	0.1%
0.658697009087	-	1	0.1%
0.668061971664	-	1	0.1%
0.668983995914	-	1	0.1%
0.675014972687	-	1	0.1%
0.678771018982	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.679283022881	-	1	0.1%
0.682568013668	-	1	0.1%
0.695051014423	-	1	0.1%
0.730543017387	-	1	0.1%
0.739148974419	-	1	0.1%
0.741392016411	-	1	0.1%
0.742220997810	-	1	0.1%
0.752394974232	-	1	0.1%
0.755945980549	-	1	0.1%
0.761316001415	-	1	0.1%
0.764416992664	-	1	0.1%
0.768535971642	-	1	0.1%
0.779133975506	-	1	0.1%
0.794175028801	-	1	0.1%
0.794607996941	-	1	0.1%
0.798343002796	-	1	0.1%
0.808588027954	-	1	0.1%
0.809233009815	-	1	0.1%
0.815476000309	-	1	0.1%
0.820098996162	-	1	0.1%
0.826582014561	-	1	0.1%
0.834941983223	-	1	0.1%
0.838365018368	-	1	0.1%
0.840072989464	-	1	0.1%
0.847805023193	-	1	0.1%
0.849322974682	-	1	0.1%
0.850426971912	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.986225669506
- Minimum: 0.271910011768
- Maximum: 15.724599838257
- Standard Deviation: 1.266195812373

Location: 3913-3927 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E9_ABS_BETAA4A4: E9_abs_beta

Value	Label	Unweighted Frequency	%
0.1080569997430	-	1	0.1%
0.1380310058594	-	1	0.1%
0.1389649957418	-	1	0.1%
0.1695369929075	-	1	0.1%
0.1735929995775	-	1	0.1%
0.1791269928217	-	1	0.1%
0.1826590001583	-	1	0.1%
0.1828760057688	-	1	0.1%
0.1853030025959	-	1	0.1%
0.1863079965115	-	1	0.1%
0.1897529959679	-	1	0.1%
0.1905660033226	-	1	0.1%
0.1950419992208	-	1	0.1%
0.1950549930334	-	1	0.1%
0.1978330016136	-	1	0.1%
0.1998710036278	-	1	0.1%
0.2006880044937	-	1	0.1%
0.2055629938841	-	1	0.1%
0.2056339979172	-	1	0.1%
0.2067530006170	-	1	0.1%
0.2106879949570	-	1	0.1%
0.2140340059996	-	1	0.1%
0.2153770029545	-	1	0.1%
0.2167530059814	-	1	0.1%
0.2168810069561	-	1	0.1%
0.2183340042830	-	1	0.1%
0.2207790017128	-	1	0.1%
0.2257319986820	-	1	0.1%
0.2258069962263	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.2263340055943	-	1	0.1%
0.2278970032930	-	1	0.1%
0.2280270010233	-	1	0.1%
0.2281139940023	-	1	0.1%
0.2286929935217	-	1	0.1%
0.2301290035248	-	1	0.1%
0.2306589931250	-	1	0.1%
0.2324270009995	-	1	0.1%
0.2326730042696	-	1	0.1%
0.2336309999228	-	1	0.1%
0.2336400002241	-	1	0.1%
0.2353069931269	-	1	0.1%
0.2369350045919	-	1	0.1%
0.2396160066128	-	1	0.1%
0.2419179975986	-	1	0.1%
0.2429269999266	-	1	0.1%
0.2437929958105	-	1	0.1%
0.2470930069685	-	1	0.1%
0.2481400072575	-	1	0.1%
0.2506240010262	-	1	0.1%
0.2526359856129	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.7956847493932
- Minimum: 0.1080569997430
- Maximum: 6.1603798866272
- Standard Deviation: 0.7559826110644

Location: 3928-3942 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E9_ABS_GAMMAA4A4: E9_abs_gamma

Value	Label	Unweighted Frequency	%
0.0486098006368	-	1	0.1%
0.0567196011543	-	1	0.1%
0.0582695007324	-	1	0.1%
0.0645978003740	-	1	0.1%
0.0739500969648	-	1	0.1%
0.0786257982254	-	1	0.1%
0.0847766995430	-	1	0.1%
0.0851719006896	-	1	0.1%
0.0890183001757	-	1	0.1%
0.0907173007727	-	1	0.1%
0.0908105969429	-	1	0.1%
0.0908399000764	-	1	0.1%
0.0919319987297	-	1	0.1%
0.0933094024658	-	1	0.1%
0.0970532000065	-	1	0.1%
0.0975990965962	-	1	0.1%
0.1005989983678	-	1	0.1%
0.1012929975986	-	1	0.1%
0.1016739979386	-	1	0.1%
0.1035030037165	-	1	0.1%
0.1049429997802	-	1	0.1%
0.1073129996657	-	1	0.1%
0.1085769981146	-	1	0.1%
0.1091149970889	-	1	0.1%
0.1093040034175	-	1	0.1%
0.1119859963655	-	1	0.1%
0.1156980022788	-	1	0.1%
0.1158239990473	-	1	0.1%
0.1187629997730	-	1	0.1%
0.1206789985299	-	1	0.1%
0.1209790036082	-	1	0.1%
0.1225090026855	-	1	0.1%
0.1235549971461	-	1	0.1%
0.1253200024366	-	1	0.1%
0.1260640025139	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1275890022516	-	1	0.1%
0.1282529979944	-	1	0.1%
0.1291369944811	-	1	0.1%
0.1293359994888	-	1	0.1%
0.1293700039387	-	1	0.1%
0.1296759992838	-	1	0.1%
0.1299259960651	-	1	0.1%
0.1312810033560	-	1	0.1%
0.1316799968481	-	1	0.1%
0.1326240003109	-	1	0.1%
0.1351609975100	-	1	0.1%
0.1358689963818	-	1	0.1%
0.1365309953690	-	1	0.1%
0.1368779987097	-	1	0.1%
0.1371099948883	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.6220139785909
- Minimum: 0.0486098006368
- Maximum: 7.5895199775696
- Standard Deviation: 0.7754424751287

Location: 3943-3957 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E10_ABS_THETAA4A4: E10_abs_theta

Value	Label	Unweighted Frequency	%
0.936168015003	-	1	0.1%
1.337960004807	-	1	0.1%
1.343819975853	-	1	0.1%
1.736060023308	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.745110034943	-	1	0.1%
1.827350020409	-	1	0.1%
1.842790007591	-	1	0.1%
1.974779963493	-	1	0.1%
2.063770055771	-	1	0.1%
2.152349948883	-	1	0.1%
2.196599960327	-	1	0.1%
2.256669998169	-	1	0.1%
2.305079936981	-	1	0.1%
2.363579988480	-	1	0.1%
2.422950029373	-	1	0.1%
2.431689977646	-	1	0.1%
2.478970050812	-	1	0.1%
2.508749961853	-	1	0.1%
2.571919918060	-	1	0.1%
2.614140033722	-	1	0.1%
2.628799915314	-	1	0.1%
2.629600048065	-	1	0.1%
2.630009889603	-	1	0.1%
2.637180089951	-	1	0.1%
2.644059896469	-	1	0.1%
2.654059886932	-	1	0.1%
2.661940097809	-	1	0.1%
2.701400041580	-	1	0.1%
2.709029912949	-	1	0.1%
2.711839914322	-	1	0.1%
2.714370012283	-	1	0.1%
2.719789981842	-	1	0.1%
2.727269887924	-	1	0.1%
2.753999948502	-	1	0.1%
2.762490034103	-	1	0.1%
2.793359994888	-	1	0.1%
2.843120098114	-	1	0.1%
2.864890098572	-	1	0.1%
2.904609918594	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.917949914932	-	1	0.1%
2.929310083389	-	1	0.1%
2.947530031204	-	1	0.1%
2.959650039673	-	1	0.1%
2.977220058441	-	1	0.1%
3.007760047913	-	1	0.1%
3.020879983902	-	1	0.1%
3.050800085068	-	1	0.1%
3.051719903946	-	1	0.1%
3.070640087128	-	1	0.1%
3.079329967499	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 6.481917697856
- Minimum: 0.936168015003
- Maximum: 22.099199295044
- Standard Deviation: 3.017382928617

Location: 3958-3972 (width: 15; decimal: 12)

Variable Type: numeric

E10_ABS_ALPHAA4A4: E10_abs_alpha

Value	Label	Unweighted Frequency	%
0.298193991184	-	1	0.1%
0.300671994686	-	1	0.1%
0.369258999825	-	1	0.1%
0.440533995628	-	1	0.1%
0.463526993990	-	1	0.1%
0.494199007750	-	1	0.1%
0.499426990747	-	1	0.1%
0.540757000446	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.568780004978	-	1	0.1%
0.583208024502	-	1	0.1%
0.589107990265	-	1	0.1%
0.604611992836	-	1	0.1%
0.608524024487	-	1	0.1%
0.616568028927	-	1	0.1%
0.630949974060	-	1	0.1%
0.664898991585	-	1	0.1%
0.680390000343	-	1	0.1%
0.695905029774	-	1	0.1%
0.715969026089	-	1	0.1%
0.717132985592	-	1	0.1%
0.717335999012	-	1	0.1%
0.739657998085	-	1	0.1%
0.746559023857	-	1	0.1%
0.754495024681	-	1	0.1%
0.769401013851	-	1	0.1%
0.777665019035	-	1	0.1%
0.788133978844	-	1	0.1%
0.793778002262	-	1	0.1%
0.798873007298	-	1	0.1%
0.803664028645	-	1	0.1%
0.808740019798	-	1	0.1%
0.833441019058	-	1	0.1%
0.834693014622	-	1	0.1%
0.838433980942	-	1	0.1%
0.853864014149	-	1	0.1%
0.869018018246	-	1	0.1%
0.876263022423	-	1	0.1%
0.878041982651	-	1	0.1%
0.878391981125	-	1	0.1%
0.879948973656	-	1	0.1%
0.882528007030	-	1	0.1%
0.885519981384	-	1	0.1%
0.886030018330	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.901187002659	-	1	0.1%
0.902275025845	-	1	0.1%
0.903149008751	-	1	0.1%
0.904965996742	-	1	0.1%
0.907294988632	-	1	0.1%
0.908339977264	-	1	0.1%
0.911787986755	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.035756566991
- Minimum: 0.298193991184
- Maximum: 16.620599746704
- Standard Deviation: 1.301475124024

Location: 3973-3987 (width: 15; decimal: 12)

Variable Type: numeric

E10_ABS_BETAA4A4: E10_abs_beta

Value	Label	Unweighted Frequency	%
0.0685368999839	-	1	0.1%
0.0810154005885	-	1	0.1%
0.1163690015674	-	1	0.1%
0.1266639977694	-	1	0.1%
0.1272509992123	-	1	0.1%
0.1409450024366	-	1	0.1%
0.1480710059404	-	1	0.1%
0.1560039967299	-	1	0.1%
0.1587750017643	-	1	0.1%
0.1591459959745	-	1	0.1%
0.1613789945841	-	1	0.1%
0.1616709977388	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1646330058575	-	1	0.1%
0.1671209931374	-	1	0.1%
0.1672240048647	-	1	0.1%
0.1687349975109	-	1	0.1%
0.1693200021982	-	1	0.1%
0.1761469990015	-	1	0.1%
0.1823119968176	-	1	0.1%
0.1853989958763	-	1	0.1%
0.1863670051098	-	1	0.1%
0.1878090053797	-	1	0.1%
0.1906429976225	-	1	0.1%
0.1916279941797	-	1	0.1%
0.1934449970722	-	1	0.1%
0.2000550031662	-	1	0.1%
0.2009260058403	-	1	0.1%
0.2052679955959	-	1	0.1%
0.2074660062790	-	1	0.1%
0.2094780057669	-	1	0.1%
0.2133260071278	-	1	0.1%
0.2133550047874	-	1	0.1%
0.2159699946642	-	1	0.1%
0.2160110026598	-	1	0.1%
0.2167740017176	-	1	0.1%
0.2176499962807	-	1	0.1%
0.2187280058861	-	1	0.1%
0.2217009961605	-	1	0.1%
0.2238750010729	-	1	0.1%
0.2242629975080	-	1	0.1%
0.2251449972391	-	1	0.1%
0.2256789952517	-	1	0.1%
0.2271019965410	-	1	0.1%
0.2295749932528	-	1	0.1%
0.2324450016022	-	1	0.1%
0.2378509938717	-	2	0.2%
0.2392259985209	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.2398999929428	-	1	0.1%
0.2422859966755	-	1	0.1%
0.2464970052242	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.6383110174892
- Minimum: 0.0685368999839
- Maximum: 7.5587801933289
- Standard Deviation: 0.5620223785991

Location: 3988-4002 (width: 15; decimal: 13)

Variable Type: numeric

E10_ABS_GAMMAA4A4: E10_abs_gamma

Value	Label	Unweighted Frequency	%
0.0268955007195	-	1	0.1%
0.0324378982186	-	1	0.1%
0.0413448996842	-	1	0.1%
0.0425281003118	-	1	0.1%
0.0531685017049	-	1	0.1%
0.0574841983616	-	1	0.1%
0.0585765987635	-	1	0.1%
0.0591357983649	-	1	0.1%
0.0597603991628	-	1	0.1%
0.0621990002692	-	1	0.1%
0.0627456977963	-	1	0.1%
0.0628841966391	-	1	0.1%
0.0705868005753	-	1	0.1%
0.0722756013274	-	1	0.1%
0.0731337964535	-	1	0.1%
0.0747525990009	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0767085030675	-	1	0.1%
0.0780036002398	-	1	0.1%
0.0780163034797	-	1	0.1%
0.0783388018608	-	1	0.1%
0.0811100974679	-	1	0.1%
0.0811586976051	-	1	0.1%
0.0819310024381	-	1	0.1%
0.0821703970432	-	1	0.1%
0.0840986967087	-	1	0.1%
0.0861579999328	-	1	0.1%
0.0886852964759	-	1	0.1%
0.0923074036837	-	1	0.1%
0.0971285030246	-	1	0.1%
0.0989240035415	-	1	0.1%
0.0993615984917	-	1	0.1%
0.1005849987268	-	1	0.1%
0.1008760035038	-	1	0.1%
0.1022680029273	-	1	0.1%
0.1023190021515	-	1	0.1%
0.1036119982600	-	1	0.1%
0.1036380007863	-	1	0.1%
0.1040109992027	-	1	0.1%
0.1040529981256	-	1	0.1%
0.1056250035763	-	1	0.1%
0.1056270003319	-	1	0.1%
0.1075230017304	-	1	0.1%
0.1081200018525	-	1	0.1%
0.1090560033917	-	1	0.1%
0.1095070019364	-	1	0.1%
0.1095120012760	-	1	0.1%
0.1095549985766	-	1	0.1%
0.1096249967813	-	1	0.1%
0.1105440035462	-	1	0.1%
0.1122950017452	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4646949813220
- Minimum: 0.0268955007195
- Maximum: 5.6722397804260
- Standard Deviation: 0.5839315333453

Location: 4003-4017 (width: 15; decimal: 13)

Variable Type: numeric

E11_ABS_THETAA4A4: E11_abs_theta

Value	Label	Unweighted Frequency	%
1.111260056496	-	1	0.1%
1.135939955711	-	1	0.1%
1.169489979744	-	1	0.1%
1.294559955597	-	1	0.1%
1.474079966545	-	1	0.1%
1.773900032043	-	1	0.1%
1.775009989738	-	1	0.1%
2.047430038452	-	1	0.1%
2.105720043182	-	1	0.1%
2.136250019073	-	1	0.1%
2.191050052643	-	1	0.1%
2.255899906158	-	1	0.1%
2.283760070801	-	1	0.1%
2.306659936905	-	1	0.1%
2.342250108719	-	1	0.1%
2.347229957581	-	1	0.1%
2.365649938583	-	1	0.1%
2.388109922409	-	1	0.1%
2.484740018845	-	1	0.1%
2.488569974899	-	1	0.1%
2.513459920883	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.525340080261	-	1	0.1%
2.534780025482	-	1	0.1%
2.534800052643	-	1	0.1%
2.616159915924	-	1	0.1%
2.640569925308	-	1	0.1%
2.676419973373	-	1	0.1%
2.721980094910	-	1	0.1%
2.726619958878	-	1	0.1%
2.741470098495	-	1	0.1%
2.758939981461	-	1	0.1%
2.805360078812	-	1	0.1%
2.812410116196	-	1	0.1%
2.818279981613	-	1	0.1%
2.830929994583	-	1	0.1%
2.863830089569	-	1	0.1%
2.871309995651	-	1	0.1%
2.880919933319	-	1	0.1%
2.920490026474	-	1	0.1%
2.973320007324	-	1	0.1%
2.973750114441	-	1	0.1%
2.977590084076	-	1	0.1%
2.987139940262	-	1	0.1%
3.023400068283	-	1	0.1%
3.028800010681	-	1	0.1%
3.045789957047	-	1	0.1%
3.101959943771	-	1	0.1%
3.113300085068	-	1	0.1%
3.155649900436	-	1	0.1%
3.156759977341	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 6.988670573700
- Minimum: 1.111260056496
- Maximum: 23.062400817871
- Standard Deviation: 3.497459176529

Location: 4018-4032 (width: 15; decimal: 12)

Variable Type: numeric

E11_ABS_ALPHAA4A4: E11_abs_alpha

Value	Label	Unweighted Frequency	%
0.265509009361	-	1	0.1%
0.314343988895	-	1	0.1%
0.375299006701	-	1	0.1%
0.415333986282	-	1	0.1%
0.478381991386	-	1	0.1%
0.485000997782	-	1	0.1%
0.496122986078	-	1	0.1%
0.497267007828	-	1	0.1%
0.504276990891	-	1	0.1%
0.507716000080	-	1	0.1%
0.517899990082	-	1	0.1%
0.519589006901	-	1	0.1%
0.529636979103	-	1	0.1%
0.556738972664	-	1	0.1%
0.594675004482	-	1	0.1%
0.600974977016	-	1	0.1%
0.637401998043	-	1	0.1%
0.639770984650	-	1	0.1%
0.642167985439	-	1	0.1%
0.653928995132	-	1	0.1%
0.664157986641	-	1	0.1%
0.671010971069	-	1	0.1%
0.679916977882	-	1	0.1%
0.685199975967	-	1	0.1%
0.696925997734	-	1	0.1%
0.699133992195	-	1	0.1%
0.699395000935	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.717525005341	-	1	0.1%
0.718146026134	-	1	0.1%
0.727838993073	-	1	0.1%
0.731705009937	-	1	0.1%
0.744385004044	-	1	0.1%
0.749628007412	-	1	0.1%
0.751689016819	-	1	0.1%
0.758935987949	-	1	0.1%
0.793308973312	-	1	0.1%
0.796997010708	-	1	0.1%
0.801792979240	-	1	0.1%
0.805890977383	-	1	0.1%
0.809962987900	-	1	0.1%
0.814437985420	-	1	0.1%
0.816138982773	-	1	0.1%
0.832074999809	-	1	0.1%
0.840197026730	-	1	0.1%
0.848712027073	-	1	0.1%
0.850333988667	-	1	0.1%
0.850921988487	-	1	0.1%
0.851324975491	-	1	0.1%
0.852321028709	-	1	0.1%
0.854240000248	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.073351539279
- Minimum: 0.265509009361
- Maximum: 14.020299911499
- Standard Deviation: 1.353258451534

Location: 4033-4047 (width: 15; decimal: 12)

Variable Type: numeric

E11_ABS_BETAA4A4: E11_abs_beta

Value	Label	Unweighted Frequency	%
0.0750456973910	-	1	0.1%
0.0798467025161	-	1	0.1%
0.1071600019932	-	1	0.1%
0.1139739975333	-	1	0.1%
0.1162630021572	-	1	0.1%
0.1226209998131	-	1	0.1%
0.1272930055857	-	1	0.1%
0.1273320019245	-	1	0.1%
0.1288640052080	-	1	0.1%
0.1293540000916	-	1	0.1%
0.1326570063829	-	1	0.1%
0.1396130025387	-	1	0.1%
0.1396249979734	-	1	0.1%
0.1442130059004	-	1	0.1%
0.1451639980078	-	1	0.1%
0.1477749943733	-	1	0.1%
0.1549690067768	-	1	0.1%
0.1553689986467	-	1	0.1%
0.1562689989805	-	1	0.1%
0.1567759960890	-	1	0.1%
0.1604309976101	-	1	0.1%
0.1628369987011	-	1	0.1%
0.1638250052929	-	1	0.1%
0.1657000035048	-	1	0.1%
0.1672039926052	-	1	0.1%
0.1708360016346	-	1	0.1%
0.1734620034695	-	1	0.1%
0.1750890016556	-	1	0.1%
0.1751479953527	-	1	0.1%
0.1779869943857	-	1	0.1%
0.1815059930086	-	1	0.1%
0.1817259937525	-	1	0.1%
0.1832090020180	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1835609972477	-	1	0.1%
0.1837940067053	-	1	0.1%
0.1859589964151	-	1	0.1%
0.1861259937286	-	1	0.1%
0.1868200004101	-	1	0.1%
0.1883630007505	-	1	0.1%
0.1935900002718	-	1	0.1%
0.1960790008307	-	1	0.1%
0.1963990032673	-	1	0.1%
0.1970729976892	-	1	0.1%
0.1971389949322	-	1	0.1%
0.1996240019798	-	1	0.1%
0.2009260058403	-	1	0.1%
0.2016949951649	-	1	0.1%
0.2021410018206	-	1	0.1%
0.2032209932804	-	1	0.1%
0.2038230001926	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4057116401569
- Minimum: 0.0750456973910
- Maximum: 1.3227900266647
- Standard Deviation: 0.1891499634939

Location: 4048-4062 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E11_ABS_GAMMAA4A4: E11_abs_gamma

Value	Label	Unweighted Frequency	%
0.0212008003145	-	1	0.1%
0.0331196002662	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0331371985376	-	1	0.1%
0.0353590995073	-	1	0.1%
0.0387085005641	-	1	0.1%
0.0421994999051	-	1	0.1%
0.0424226000905	-	1	0.1%
0.0433443002403	-	1	0.1%
0.0436057001352	-	1	0.1%
0.0479073002934	-	1	0.1%
0.0489459000528	-	1	0.1%
0.0522685982287	-	1	0.1%
0.0532143004239	-	1	0.1%
0.0536657981575	-	1	0.1%
0.0547221004963	-	1	0.1%
0.0573831014335	-	1	0.1%
0.0584160014987	-	1	0.1%
0.0592098012567	-	1	0.1%
0.0594539009035	-	1	0.1%
0.0612929016352	-	1	0.1%
0.0632695034146	-	1	0.1%
0.0636992976069	-	1	0.1%
0.0638391971588	-	1	0.1%
0.0665792971849	-	1	0.1%
0.0673914998770	-	1	0.1%
0.0674401000142	-	1	0.1%
0.0689902976155	-	1	0.1%
0.0699352025986	-	1	0.1%
0.0710935965180	-	1	0.1%
0.0716921985149	-	1	0.1%
0.0718804001808	-	1	0.1%
0.0721615999937	-	1	0.1%
0.0727240964770	-	1	0.1%
0.0732451975346	-	1	0.1%
0.0748244971037	-	1	0.1%
0.0754100978374	-	1	0.1%
0.0755518972874	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0758733004332	-	1	0.1%
0.0763505995274	-	1	0.1%
0.0763709992170	-	1	0.1%
0.0765627026558	-	1	0.1%
0.0769800990820	-	1	0.1%
0.0773814022541	-	1	0.1%
0.0774940997362	-	1	0.1%
0.0777250975370	-	1	0.1%
0.0782283023000	-	1	0.1%
0.0782746002078	-	1	0.1%
0.0784178003669	-	1	0.1%
0.0795745030046	-	1	0.1%
0.0796341970563	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.1806651809607
- Minimum: 0.0212008003145
- Maximum: 0.7974230051041
- Standard Deviation: 0.1053094623122

Location: 4063-4077 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E12_ABS_THETAA4A4: E12_abs_theta

Value	Label	Unweighted Frequency	%
0.697219014168	-	1	0.1%
0.705928027630	-	1	0.1%
0.904089987278	-	1	0.1%
0.940501987934	-	1	0.1%
1.035210013390	-	1	0.1%
1.164459943771	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.194300055504	-	1	0.1%
1.238829970360	-	1	0.1%
1.314450025558	-	1	0.1%
1.461770057678	-	1	0.1%
1.498250007629	-	1	0.1%
1.526540040970	-	1	0.1%
1.584969997406	-	1	0.1%
1.602640032768	-	1	0.1%
1.683220028877	-	1	0.1%
1.710250020027	-	1	0.1%
1.767470002174	-	1	0.1%
1.805969953537	-	1	0.1%
1.848940014839	-	1	0.1%
1.858739972115	-	1	0.1%
1.938120007515	-	1	0.1%
1.949190020561	-	1	0.1%
1.950780034065	-	1	0.1%
1.955330014229	-	1	0.1%
1.961629986763	-	1	0.1%
1.999040007591	-	1	0.1%
2.036780118942	-	1	0.1%
2.080709934235	-	1	0.1%
2.125380039215	-	1	0.1%
2.132679939270	-	1	0.1%
2.142149925232	-	1	0.1%
2.176290035248	-	1	0.1%
2.197530031204	-	1	0.1%
2.222529888153	-	1	0.1%
2.231889963150	-	1	0.1%
2.251480102539	-	1	0.1%
2.259479999542	-	1	0.1%
2.261790037155	-	1	0.1%
2.276789903641	-	1	0.1%
2.349090099335	-	1	0.1%
2.379470109940	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.384850025177	-	1	0.1%
2.414720058441	-	1	0.1%
2.420850038528	-	1	0.1%
2.425309896469	-	1	0.1%
2.440779924393	-	1	0.1%
2.447410106659	-	1	0.1%
2.451020002365	-	1	0.1%
2.461030006409	-	1	0.1%
2.508549928665	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 6.324730624079
- Minimum: 0.697219014168
- Maximum: 21.418500900269
- Standard Deviation: 3.334220428934

Location: 4078-4092 (width: 15; decimal: 12)

Variable Type: numeric

E12_ABS_ALPHA4A4: E12_abs_alpha

Value	Label	Unweighted Frequency	%
0.177821993828	-	1	0.1%
0.202602997422	-	1	0.1%
0.248028993607	-	1	0.1%
0.251421004534	-	1	0.1%
0.256532013416	-	1	0.1%
0.336337000132	-	1	0.1%
0.338862985373	-	1	0.1%
0.350329995155	-	1	0.1%
0.353662014008	-	1	0.1%
0.388987004757	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.392809987068	-	1	0.1%
0.442827999592	-	1	0.1%
0.449297010899	-	1	0.1%
0.452349990606	-	1	0.1%
0.458081990480	-	1	0.1%
0.474579989910	-	1	0.1%
0.496293991804	-	1	0.1%
0.510459005833	-	1	0.1%
0.518261015415	-	1	0.1%
0.518639028072	-	1	0.1%
0.526570975780	-	1	0.1%
0.533917009830	-	1	0.1%
0.552199006081	-	1	0.1%
0.556877017021	-	1	0.1%
0.569613993168	-	1	0.1%
0.589408993721	-	1	0.1%
0.593191981316	-	1	0.1%
0.610076010227	-	1	0.1%
0.622949004173	-	1	0.1%
0.628345012665	-	1	0.1%
0.631084978580	-	1	0.1%
0.637786984444	-	1	0.1%
0.657811999321	-	1	0.1%
0.659654021263	-	1	0.1%
0.661203026772	-	1	0.1%
0.674655973911	-	1	0.1%
0.676580011845	-	1	0.1%
0.685956001282	-	1	0.1%
0.692604005337	-	1	0.1%
0.695994973183	-	1	0.1%
0.704928994179	-	1	0.1%
0.716992020607	-	1	0.1%
0.718223989010	-	1	0.1%
0.719349980354	-	1	0.1%
0.730458974838	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.731651008129	-	1	0.1%
0.732658982277	-	1	0.1%
0.734549999237	-	1	0.1%
0.737477004528	-	1	0.1%
0.751033008099	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.964101116654
- Minimum: 0.177821993828
- Maximum: 11.775500297546
- Standard Deviation: 1.318378067908

Location: 4093-4107 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E12_ABS_BETAA4A4: E12_abs_beta

Value	Label	Unweighted Frequency	%
0.0470555014908	-	1	0.1%
0.0541227981448	-	1	0.1%
0.0558318011463	-	1	0.1%
0.0561528988183	-	1	0.1%
0.0564508996904	-	1	0.1%
0.0692372992635	-	1	0.1%
0.0716146007180	-	1	0.1%
0.0869330018759	-	1	0.1%
0.0874340012670	-	1	0.1%
0.0946727022529	-	1	0.1%
0.1017000004649	-	1	0.1%
0.1107190027833	-	1	0.1%
0.1110929995775	-	1	0.1%
0.1180749982595	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1236250028014	-	1	0.1%
0.1282349973917	-	1	0.1%
0.1284070014954	-	1	0.1%
0.1284900009632	-	1	0.1%
0.1293420046568	-	1	0.1%
0.1309310048819	-	1	0.1%
0.1310770064592	-	1	0.1%
0.1366890072823	-	1	0.1%
0.1373710036278	-	1	0.1%
0.1374219954014	-	1	0.1%
0.1380359977484	-	1	0.1%
0.1383270025253	-	1	0.1%
0.1386470049620	-	1	0.1%
0.1391990035772	-	1	0.1%
0.1397480070591	-	1	0.1%
0.1399340033531	-	1	0.1%
0.1399910002947	-	1	0.1%
0.1412419974804	-	1	0.1%
0.1419209986925	-	1	0.1%
0.1439809948206	-	1	0.1%
0.1487450003624	-	1	0.1%
0.1494469940662	-	1	0.1%
0.1495379954576	-	1	0.1%
0.1495819985867	-	1	0.1%
0.1505569964647	-	1	0.1%
0.1509190052748	-	1	0.1%
0.1514289975166	-	1	0.1%
0.1540080010891	-	1	0.1%
0.1554780006409	-	1	0.1%
0.1558780074120	-	1	0.1%
0.1573529988527	-	1	0.1%
0.1573680043221	-	1	0.1%
0.1578540056944	-	1	0.1%
0.1578789949417	-	1	0.1%
0.1584070026875	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1589860022068	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3666709467261
- Minimum: 0.0470555014908
- Maximum: 3.0296700000763
- Standard Deviation: 0.2085982762244

Location: 4108-4122 (width: 15; decimal: 13)

Variable Type: numeric

E12_ABS_GAMMAA4A4: E12_abs_gamma

Value	Label	Unweighted Frequency	%
0.0158779993653	-	1	0.1%
0.0183690991253	-	1	0.1%
0.0184145998210	-	1	0.1%
0.0186308007687	-	1	0.1%
0.0200491007417	-	1	0.1%
0.0244247000664	-	1	0.1%
0.0256041008979	-	1	0.1%
0.0294550992548	-	1	0.1%
0.0367830991745	-	1	0.1%
0.0370201990008	-	1	0.1%
0.0394373983145	-	1	0.1%
0.0395512990654	-	1	0.1%
0.0399246998131	-	1	0.1%
0.0400995016098	-	1	0.1%
0.0406824983656	-	1	0.1%
0.0413685999811	-	1	0.1%
0.0422367006540	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0431297011673	-	1	0.1%
0.0432532988489	-	1	0.1%
0.0443612001836	-	1	0.1%
0.0446836017072	-	1	0.1%
0.0459649004042	-	1	0.1%
0.0462255999446	-	1	0.1%
0.0462924987078	-	1	0.1%
0.0463241003454	-	1	0.1%
0.0468669012189	-	1	0.1%
0.0487685985863	-	1	0.1%
0.0494919009507	-	1	0.1%
0.0495193004608	-	1	0.1%
0.0497663989663	-	1	0.1%
0.0504419989884	-	1	0.1%
0.0507414005697	-	1	0.1%
0.0508364997804	-	1	0.1%
0.0519234985113	-	1	0.1%
0.0520359985530	-	1	0.1%
0.0522602982819	-	1	0.1%
0.0522769987583	-	1	0.1%
0.0526918992400	-	1	0.1%
0.0529945008457	-	1	0.1%
0.0533276982605	-	1	0.1%
0.0539323985577	-	1	0.1%
0.0541585013270	-	1	0.1%
0.0558523014188	-	1	0.1%
0.0558969005942	-	1	0.1%
0.0559179000556	-	1	0.1%
0.0564372017980	-	1	0.1%
0.0567678995430	-	1	0.1%
0.0568552017212	-	1	0.1%
0.0569674000144	-	1	0.1%
0.0582304000854	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.1371790404798
- Minimum: 0.0158779993653
- Maximum: 1.1950700283051
- Standard Deviation: 0.0849650078942

Location: 4123-4137 (width: 15; decimal: 13)

Variable Type: numeric

E13_ABS_THETAA4A4: E13_abs_theta

Value	Label	Unweighted Frequency	%
0.436832994223	-	1	0.1%
0.674705028534	-	1	0.1%
0.748811006546	-	1	0.1%
0.776736974716	-	1	0.1%
0.787743985653	-	1	0.1%
0.840178012848	-	1	0.1%
0.863146007061	-	1	0.1%
0.897870004177	-	1	0.1%
0.923875987530	-	1	0.1%
1.019659996033	-	1	0.1%
1.043879985809	-	1	0.1%
1.051280021667	-	1	0.1%
1.061650037766	-	1	0.1%
1.117269992828	-	1	0.1%
1.125360012054	-	1	0.1%
1.127290010452	-	1	0.1%
1.178359985352	-	1	0.1%
1.180979967117	-	1	0.1%
1.191699981689	-	1	0.1%
1.196460008621	-	1	0.1%
1.210829973221	-	1	0.1%
1.239529967308	-	1	0.1%
1.239660024643	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.262390017509	-	1	0.1%
1.345569968224	-	1	0.1%
1.371700048447	-	1	0.1%
1.380059957504	-	1	0.1%
1.396299958229	-	1	0.1%
1.400840044022	-	1	0.1%
1.405840039253	-	1	0.1%
1.410730004311	-	1	0.1%
1.458459973335	-	1	0.1%
1.483759999275	-	1	0.1%
1.486930012703	-	1	0.1%
1.542590022087	-	1	0.1%
1.551530003548	-	1	0.1%
1.562669992447	-	1	0.1%
1.580360054970	-	1	0.1%
1.583899974823	-	1	0.1%
1.592290043831	-	1	0.1%
1.600649952888	-	1	0.1%
1.636649966240	-	1	0.1%
1.648079991341	-	1	0.1%
1.658120036125	-	1	0.1%
1.702550053596	-	1	0.1%
1.709429979324	-	1	0.1%
1.719959974289	-	1	0.1%
1.721740007401	-	1	0.1%
1.745550036430	-	1	0.1%
1.756739974022	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.681497164509
- Minimum: 0.436832994223
- Maximum: 31.814399719238
- Standard Deviation: 2.760027557804

Location: 4138-4152 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E13_ABS_ALPHA4A4: E13_abs_alpha

Value	Label	Unweighted Frequency	%
0.155351996422	-	1	0.1%
0.174455001950	-	1	0.1%
0.186611995101	-	1	0.1%
0.187387004495	-	1	0.1%
0.198845997453	-	1	0.1%
0.213756993413	-	1	0.1%
0.236113995314	-	1	0.1%
0.257200986147	-	1	0.1%
0.265832990408	-	1	0.1%
0.273010998964	-	1	0.1%
0.289364010096	-	1	0.1%
0.308290988207	-	1	0.1%
0.309974014759	-	1	0.1%
0.329486995935	-	1	0.1%
0.364286988974	-	1	0.1%
0.373344004154	-	1	0.1%
0.380777001381	-	1	0.1%
0.391074001789	-	1	0.1%
0.394697993994	-	1	0.1%
0.395375013351	-	1	0.1%
0.396670997143	-	1	0.1%
0.402489006519	-	1	0.1%
0.406383991241	-	1	0.1%
0.406888008118	-	1	0.1%
0.414205014706	-	1	0.1%
0.421384990215	-	1	0.1%
0.429185003042	-	1	0.1%
0.440521985292	-	1	0.1%
0.456133991480	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.456903010607	-	1	0.1%
0.457883000374	-	1	0.1%
0.459405004978	-	1	0.1%
0.464249998331	-	1	0.1%
0.465878993273	-	1	0.1%
0.471601992846	-	1	0.1%
0.478780001402	-	1	0.1%
0.479259997606	-	1	0.1%
0.484676003456	-	1	0.1%
0.485994994640	-	1	0.1%
0.503603994846	-	1	0.1%
0.504491984844	-	1	0.1%
0.509616017342	-	1	0.1%
0.511901974678	-	1	0.1%
0.513791024685	-	1	0.1%
0.517104029655	-	1	0.1%
0.522490978241	-	1	0.1%
0.523739993572	-	1	0.1%
0.542294025421	-	1	0.1%
0.555257022381	-	1	0.1%
0.560525000095	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.615368592365
- Minimum: 0.155351996422
- Maximum: 11.007900238037
- Standard Deviation: 1.072614121270

Location: 4153-4167 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E13_ABS_BETAA4A4: E13_abs_beta

Value	Label	Unweighted Frequency	%
0.0343393981457	-	1	0.1%
0.0366646982729	-	1	0.1%
0.0405355989933	-	1	0.1%
0.0421842001379	-	1	0.1%
0.0540605001152	-	1	0.1%
0.0587823018432	-	1	0.1%
0.0673115998507	-	1	0.1%
0.0697999969125	-	1	0.1%
0.0750022009015	-	1	0.1%
0.0758405998349	-	1	0.1%
0.0827023983002	-	1	0.1%
0.0856890976429	-	1	0.1%
0.0863377973437	-	1	0.1%
0.0888290032744	-	1	0.1%
0.0890806019306	-	1	0.1%
0.0891513004899	-	1	0.1%
0.0897950977087	-	1	0.1%
0.0900356993079	-	1	0.1%
0.0913593024015	-	1	0.1%
0.0918150022626	-	1	0.1%
0.0931382998824	-	1	0.1%
0.0932862013578	-	1	0.1%
0.0935046002269	-	1	0.1%
0.0936838984489	-	1	0.1%
0.0946000963449	-	1	0.1%
0.0961410999298	-	1	0.1%
0.0963592976332	-	1	0.1%
0.0971757024527	-	1	0.1%
0.0978052988648	-	1	0.1%
0.0992771014571	-	1	0.1%
0.1007279977202	-	1	0.1%
0.1011440008879	-	1	0.1%
0.1027759984136	-	1	0.1%
0.1053090021014	-	1	0.1%
0.1065339967608	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1083000004292	-	1	0.1%
0.1083519980311	-	1	0.1%
0.1086219996214	-	1	0.1%
0.1104059964418	-	1	0.1%
0.1109500005841	-	1	0.1%
0.1111740022898	-	1	0.1%
0.1124500036240	-	1	0.1%
0.1133479997516	-	1	0.1%
0.1135310009122	-	1	0.1%
0.1144400015473	-	1	0.1%
0.1158739998937	-	1	0.1%
0.1159150004387	-	1	0.1%
0.1182629987597	-	1	0.1%
0.1195449978113	-	1	0.1%
0.1201649978757	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2806252632636
- Minimum: 0.0343393981457
- Maximum: 1.4869600534439
- Standard Deviation: 0.1520358495101

Location: 4168-4182 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E13_ABS_GAMMAA4A4: E13_abs_gamma

Value	Label	Unweighted Frequency	%
0.0114599000663	-	1	0.1%
0.0117648001760	-	1	0.1%
0.0130722997710	-	1	0.1%
0.0154098002240	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0226884000003	-	1	0.1%
0.0230938997120	-	1	0.1%
0.0243462994695	-	1	0.1%
0.0244754999876	-	1	0.1%
0.0245999991894	-	1	0.1%
0.0255936998874	-	1	0.1%
0.0259323995560	-	1	0.1%
0.0282387007028	-	1	0.1%
0.0287819001824	-	1	0.1%
0.0292038004845	-	1	0.1%
0.0312547013164	-	1	0.1%
0.0314216017723	-	1	0.1%
0.0324012003839	-	1	0.1%
0.0324996002018	-	1	0.1%
0.0325503982604	-	1	0.1%
0.0328111015260	-	1	0.1%
0.0331095010042	-	1	0.1%
0.0332830995321	-	1	0.1%
0.0342369005084	-	1	0.1%
0.0348258018494	-	1	0.1%
0.0354592986405	-	1	0.1%
0.0356560982764	-	1	0.1%
0.0358630008996	-	1	0.1%
0.0359068997204	-	1	0.1%
0.0363583005965	-	1	0.1%
0.0363898016512	-	1	0.1%
0.0366941988468	-	1	0.1%
0.0378859005868	-	1	0.1%
0.0380751006305	-	1	0.1%
0.0383296012878	-	1	0.1%
0.0388346016407	-	1	0.1%
0.0389989987016	-	1	0.1%
0.0393147990108	-	1	0.1%
0.0393476001918	-	1	0.1%
0.0393917001784	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0397468991578	-	1	0.1%
0.0411720015109	-	1	0.1%
0.0412826985121	-	1	0.1%
0.0415216013789	-	1	0.1%
0.0415425002575	-	1	0.1%
0.0415610000491	-	1	0.1%
0.0416410006583	-	1	0.1%
0.0419325008988	-	1	0.1%
0.0421372987330	-	1	0.1%
0.0422185994685	-	1	0.1%
0.0423628985882	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.0971387858494
- Minimum: 0.0114599000663
- Maximum: 0.4298639893532
- Standard Deviation: 0.0515365316104

Location: 4183-4197 (width: 15; decimal: 13)

Variable Type: numeric

E14_ABS_THETAA4A4: E14_abs_theta

Value	Label	Unweighted Frequency	%
1.183249950409	-	1	0.1%
1.216750025749	-	1	0.1%
1.440559983253	-	1	0.1%
1.669999957085	-	1	0.1%
1.741860032082	-	1	0.1%
1.818789958954	-	1	0.1%
1.845890045166	-	1	0.1%
1.858160018921	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.899250030518	-	1	0.1%
1.902570009232	-	1	0.1%
1.991279959679	-	1	0.1%
2.034480094910	-	1	0.1%
2.039779901505	-	1	0.1%
2.109139919281	-	1	0.1%
2.124320030212	-	1	0.1%
2.206370115280	-	1	0.1%
2.214910030365	-	1	0.1%
2.257740020752	-	1	0.1%
2.280149936676	-	1	0.1%
2.319119930267	-	1	0.1%
2.335230112076	-	1	0.1%
2.337219953537	-	1	0.1%
2.344779968262	-	1	0.1%
2.358769893646	-	1	0.1%
2.388139963150	-	1	0.1%
2.402930021286	-	1	0.1%
2.408459901810	-	1	0.1%
2.442889928818	-	1	0.1%
2.449620008469	-	1	0.1%
2.454839944839	-	1	0.1%
2.463330030441	-	1	0.1%
2.464260101318	-	1	0.1%
2.477950096130	-	1	0.1%
2.483920097351	-	1	0.1%
2.486969947815	-	1	0.1%
2.491889953613	-	1	0.1%
2.529109954834	-	1	0.1%
2.541320085526	-	1	0.1%
2.545049905777	-	1	0.1%
2.546260118484	-	1	0.1%
2.547359943390	-	1	0.1%
2.560879945755	-	1	0.1%
2.575710058212	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.591799974442	-	1	0.1%
2.640899896622	-	1	0.1%
2.644390106201	-	1	0.1%
2.648669958115	-	1	0.1%
2.665070056915	-	1	0.1%
2.676399946213	-	1	0.1%
2.683269977570	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 6.568469140367
- Minimum: 1.183249950409
- Maximum: 30.664600372314
- Standard Deviation: 3.738213647405

Location: 4198-4212 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E14_ABS_ALPHAA4A4: E14_abs_alpha

Value	Label	Unweighted Frequency	%
0.215385004878	-	1	0.1%
0.281298995018	-	1	0.1%
0.420771002769	-	1	0.1%
0.422060012817	-	1	0.1%
0.444628000259	-	1	0.1%
0.534555971622	-	1	0.1%
0.556312978268	-	1	0.1%
0.563920021057	-	1	0.1%
0.564777016640	-	1	0.1%
0.577313005924	-	1	0.1%
0.587050974369	-	1	0.1%
0.589258015156	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.597575008869	-	1	0.1%
0.605009973049	-	1	0.1%
0.613979995251	-	1	0.1%
0.617702007294	-	1	0.1%
0.618457973003	-	1	0.1%
0.628507018089	-	1	0.1%
0.646094977856	-	1	0.1%
0.653091013432	-	1	0.1%
0.654165983200	-	1	0.1%
0.657967984676	-	1	0.1%
0.659057974815	-	1	0.1%
0.667475998402	-	1	0.1%
0.672075986862	-	1	0.1%
0.673224985600	-	1	0.1%
0.679545998573	-	1	0.1%
0.691363990307	-	1	0.1%
0.691621005535	-	1	0.1%
0.691664993763	-	1	0.1%
0.698077976704	-	1	0.1%
0.705217003822	-	1	0.1%
0.709317982197	-	1	0.1%
0.715511023998	-	1	0.1%
0.719478011131	-	1	0.1%
0.724192976952	-	1	0.1%
0.725422978401	-	1	0.1%
0.733896017075	-	1	0.1%
0.745904982090	-	1	0.1%
0.752825975418	-	1	0.1%
0.753916978836	-	1	0.1%
0.755882978439	-	1	0.1%
0.756362020969	-	1	0.1%
0.760258972645	-	1	0.1%
0.766201019287	-	1	0.1%
0.766605973244	-	1	0.1%
0.773510992527	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.775502026081	-	1	0.1%
0.777833998203	-	1	0.1%
0.778334021568	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.006047789872
- Minimum: 0.215385004878
- Maximum: 18.469499588013
- Standard Deviation: 1.393951155526

Location: 4213-4227 (width: 15; decimal: 12)

Variable Type: numeric

E14_ABS_BETAA4A4: E14_abs_beta

Value	Label	Unweighted Frequency	%
0.0972839966416	-	1	0.1%
0.0998131036758	-	1	0.1%
0.1376450061798	-	1	0.1%
0.1437200009823	-	1	0.1%
0.1596889942884	-	1	0.1%
0.1628009974957	-	1	0.1%
0.1655659973621	-	1	0.1%
0.1714980006218	-	1	0.1%
0.1724310070276	-	1	0.1%
0.1727219969034	-	1	0.1%
0.1797219961882	-	1	0.1%
0.1804849952459	-	1	0.1%
0.1811279952526	-	1	0.1%
0.1830880045891	-	1	0.1%
0.1864439994097	-	1	0.1%
0.1870069950819	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1898819953203	-	1	0.1%
0.193250004768	-	1	0.1%
0.1937959939241	-	1	0.1%
0.1952500045300	-	1	0.1%
0.1972060054541	-	1	0.1%
0.2000399976969	-	1	0.1%
0.2010360062122	-	1	0.1%
0.2023939937353	-	1	0.1%
0.2030339986086	-	1	0.1%
0.2059320062399	-	1	0.1%
0.2061379998922	-	1	0.1%
0.2063129991293	-	1	0.1%
0.2097029983997	-	1	0.1%
0.2111189961433	-	1	0.1%
0.2131569981575	-	1	0.1%
0.2133969962597	-	1	0.1%
0.2134509980679	-	1	0.1%
0.2144609987736	-	1	0.1%
0.2150879949331	-	1	0.1%
0.2172539979219	-	1	0.1%
0.2207960039377	-	1	0.1%
0.2227659970522	-	1	0.1%
0.2243430018425	-	1	0.1%
0.2280610054731	-	1	0.1%
0.2283879965544	-	1	0.1%
0.2299090027809	-	1	0.1%
0.2318809926510	-	1	0.1%
0.2328979969025	-	1	0.1%
0.2343550026417	-	1	0.1%
0.2362290024757	-	1	0.1%
0.2364050000906	-	1	0.1%
0.2371200025082	-	1	0.1%
0.2373739928007	-	1	0.1%
0.2392269968987	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.7478715390682
- Minimum: 0.0972839966416
- Maximum: 8.3769798278809
- Standard Deviation: 0.7691205194053

Location: 4228-4242 (width: 15; decimal: 13)

Variable Type: numeric

E14_ABS_GAMMAA4A4: E14_abs_gamma

Value	Label	Unweighted Frequency	%
0.0465989001095	-	1	0.1%
0.0480164997280	-	1	0.1%
0.0509058013558	-	1	0.1%
0.0619672015309	-	1	0.1%
0.0678768977523	-	1	0.1%
0.0683816000819	-	1	0.1%
0.0699004977942	-	1	0.1%
0.0732588991523	-	1	0.1%
0.0798024013638	-	1	0.1%
0.0823642015457	-	1	0.1%
0.0941653996706	-	1	0.1%
0.0949221029878	-	1	0.1%
0.0963651984930	-	1	0.1%
0.0987443998456	-	1	0.1%
0.0990161970258	-	1	0.1%
0.1015179976821	-	1	0.1%
0.1020070016384	-	1	0.1%
0.1036500036716	-	1	0.1%
0.1062360033393	-	1	0.1%
0.1091110035777	-	1	0.1%
0.1102200001478	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1134489998221	-	1	0.1%
0.1137100011110	-	1	0.1%
0.1138669997454	-	1	0.1%
0.1140509992838	-	1	0.1%
0.1141010001302	-	1	0.1%
0.1145659983158	-	1	0.1%
0.1172700002789	-	1	0.1%
0.1187959983945	-	1	0.1%
0.1192890033126	-	1	0.1%
0.1223940029740	-	1	0.1%
0.1229989975691	-	1	0.1%
0.1237090006471	-	1	0.1%
0.1237910017371	-	1	0.1%
0.1238780021667	-	1	0.1%
0.1243320032954	-	1	0.1%
0.1244219988585	-	1	0.1%
0.1266559958458	-	1	0.1%
0.1268800050020	-	1	0.1%
0.1281989961863	-	1	0.1%
0.1283230036497	-	1	0.1%
0.1305789947510	-	1	0.1%
0.1308410018682	-	1	0.1%
0.1310559958220	-	1	0.1%
0.1326780021191	-	1	0.1%
0.1330129951239	-	1	0.1%
0.1330720037222	-	1	0.1%
0.1350450068712	-	1	0.1%
0.1372810006142	-	1	0.1%
0.1373489946127	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.6363692787756
- Minimum: 0.0465989001095
- Maximum: 9.9366502761841
- Standard Deviation: 0.8849457368034

Location: 4243-4257 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E15_ABS_THETAA4A4: E15_abs_theta

Value	Label	Unweighted Frequency	%
1.030400037766	-	1	0.1%
1.418750047684	-	1	0.1%
1.488000035286	-	1	0.1%
1.559399962425	-	1	0.1%
1.691769957542	-	1	0.1%
1.802700042725	-	1	0.1%
1.812899947166	-	1	0.1%
1.827980041504	-	1	0.1%
1.897879958153	-	1	0.1%
1.922960042953	-	1	0.1%
1.976889967918	-	1	0.1%
2.071700096130	-	1	0.1%
2.080509901047	-	1	0.1%
2.087340116501	-	1	0.1%
2.100899934769	-	1	0.1%
2.133019924164	-	1	0.1%
2.197390079498	-	1	0.1%
2.198590040207	-	1	0.1%
2.209280014038	-	1	0.1%
2.265110015869	-	1	0.1%
2.299000024796	-	1	0.1%
2.302629947662	-	1	0.1%
2.328809976578	-	1	0.1%
2.386100053787	-	1	0.1%
2.388639926910	-	1	0.1%
2.391779899597	-	1	0.1%
2.405550003052	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.414439916611	-	1	0.1%
2.440520048141	-	1	0.1%
2.486520051956	-	1	0.1%
2.497740030289	-	1	0.1%
2.519459962845	-	1	0.1%
2.525749921799	-	1	0.1%
2.537430047989	-	1	0.1%
2.550889968872	-	1	0.1%
2.551549911499	-	1	0.1%
2.617500066757	-	1	0.1%
2.656219959259	-	1	0.1%
2.657310009003	-	1	0.1%
2.667249917984	-	1	0.1%
2.697240114212	-	1	0.1%
2.712699890137	-	1	0.1%
2.732409954071	-	1	0.1%
2.750669956207	-	1	0.1%
2.792439937592	-	1	0.1%
2.792989969254	-	1	0.1%
2.810329914093	-	1	0.1%
2.836499929428	-	1	0.1%
2.843470096588	-	1	0.1%
2.854020118713	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 6.283635245388
- Minimum: 1.030400037766
- Maximum: 27.028099060059
- Standard Deviation: 3.228257851073

Location: 4258-4272 (width: 15; decimal: 12)

Variable Type: numeric

E15_ABS_ALPHAA4A4: E15_abs_alpha

Value	Label	Unweighted Frequency	%
0.235761001706	-	1	0.1%
0.382849991322	-	1	0.1%
0.443450003862	-	1	0.1%
0.448311001062	-	1	0.1%
0.455725997686	-	1	0.1%
0.456476986408	-	1	0.1%
0.459118992090	-	1	0.1%
0.499022006989	-	1	0.1%
0.502941012383	-	1	0.1%
0.506169021130	-	1	0.1%
0.543116986752	-	1	0.1%
0.544570982456	-	1	0.1%
0.554825007915	-	1	0.1%
0.586215972900	-	1	0.1%
0.590084016323	-	1	0.1%
0.603431999683	-	1	0.1%
0.641595005989	-	1	0.1%
0.642890989780	-	1	0.1%
0.657225012779	-	1	0.1%
0.660308003426	-	1	0.1%
0.671887993813	-	1	0.1%
0.672339022160	-	1	0.1%
0.676460981369	-	1	0.1%
0.690156996250	-	1	0.1%
0.690429985523	-	1	0.1%
0.695600986481	-	1	0.1%
0.708981990814	-	1	0.1%
0.711490988731	-	1	0.1%
0.722648024559	-	1	0.1%
0.726751029491	-	1	0.1%
0.728280007839	-	1	0.1%
0.729472994804	-	1	0.1%
0.730935990810	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.731148004532	-	1	0.1%
0.733680009842	-	1	0.1%
0.735578000546	-	1	0.1%
0.756552994251	-	1	0.1%
0.759216010571	-	1	0.1%
0.767910003662	-	1	0.1%
0.777278006077	-	1	0.1%
0.786657989025	-	1	0.1%
0.788429975510	-	1	0.1%
0.789342999458	-	1	0.1%
0.790098011494	-	1	0.1%
0.792127013206	-	1	0.1%
0.806236982346	-	1	0.1%
0.808817028999	-	1	0.1%
0.816545009613	-	1	0.1%
0.817233026028	-	1	0.1%
0.822960972786	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.904142151884
- Minimum: 0.235761001706
- Maximum: 21.045299530029
- Standard Deviation: 1.396083498245

Location: 4273-4287 (width: 15; decimal: 12)

Variable Type: numeric

E15_ABS_BETAA4A4: E15_abs_beta

Value	Label	Unweighted Frequency	%
0.0917896032333	-	1	0.1%
0.1282159984112	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1369159966707	-	1	0.1%
0.1374720036983	-	1	0.1%
0.1413609981537	-	1	0.1%
0.1445370018482	-	1	0.1%
0.1461990028620	-	1	0.1%
0.1486479938030	-	1	0.1%
0.1493330001831	-	1	0.1%
0.1580750048161	-	1	0.1%
0.1617369949818	-	1	0.1%
0.1625429987907	-	1	0.1%
0.1679639965296	-	1	0.1%
0.1683959960938	-	1	0.1%
0.1711460053921	-	1	0.1%
0.1743330061436	-	1	0.1%
0.1783179938793	-	1	0.1%
0.1890179961920	-	1	0.1%
0.1907040029764	-	1	0.1%
0.1909819990396	-	1	0.1%
0.1911419928074	-	1	0.1%
0.1926839947701	-	1	0.1%
0.1930769979954	-	1	0.1%
0.1938430070877	-	1	0.1%
0.1953240036964	-	1	0.1%
0.1974350064993	-	1	0.1%
0.1974879950285	-	1	0.1%
0.1981810033321	-	1	0.1%
0.2005469948053	-	1	0.1%
0.2007489949465	-	1	0.1%
0.2019180059433	-	1	0.1%
0.2048150002956	-	1	0.1%
0.2049680054188	-	1	0.1%
0.2052289992571	-	1	0.1%
0.2065519988537	-	1	0.1%
0.2071709930897	-	1	0.1%
0.2080840021372	-	2	0.2%

Value	Label	Unweighted Frequency	%
0.2081560045481	-	1	0.1%
0.2081640064716	-	1	0.1%
0.2111099958420	-	1	0.1%
0.2134499996901	-	1	0.1%
0.2144230008125	-	1	0.1%
0.2156260013580	-	1	0.1%
0.2159889936447	-	1	0.1%
0.2170999944210	-	1	0.1%
0.2172590047121	-	1	0.1%
0.2175280004740	-	1	0.1%
0.2176660001278	-	1	0.1%
0.2198819965124	-	1	0.1%
0.2211399972439	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5484711450781
- Minimum: 0.0917896032333
- Maximum: 4.1287398338318
- Standard Deviation: 0.4604683396708

Location: 4288-4302 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E15_ABS_GAMMAA4A4: E15_abs_gamma

Value	Label	Unweighted Frequency	%
0.0421843007207	-	1	0.1%
0.0529870018363	-	1	0.1%
0.0568092986941	-	1	0.1%
0.0574062988162	-	1	0.1%
0.0591018013656	-	1	0.1%
0.0601481981575	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0624466985464	-	1	0.1%
0.0639605969191	-	1	0.1%
0.0689126029611	-	1	0.1%
0.0700509026647	-	1	0.1%
0.0711167976260	-	1	0.1%
0.0748338997364	-	1	0.1%
0.0756865963340	-	1	0.1%
0.0772178024054	-	1	0.1%
0.0774981975555	-	1	0.1%
0.0807558968663	-	1	0.1%
0.0811093971133	-	1	0.1%
0.0827820971608	-	1	0.1%
0.0830636993051	-	1	0.1%
0.0839136019349	-	1	0.1%
0.0848030969501	-	1	0.1%
0.0850522965193	-	1	0.1%
0.0854298993945	-	1	0.1%
0.0857834964991	-	1	0.1%
0.0897068977356	-	1	0.1%
0.0906765982509	-	1	0.1%
0.0920718982816	-	1	0.1%
0.0921109020710	-	1	0.1%
0.0924583971500	-	1	0.1%
0.0937075987458	-	1	0.1%
0.0950933992863	-	1	0.1%
0.0976352021098	-	1	0.1%
0.0982401967049	-	1	0.1%
0.0994170978665	-	1	0.1%
0.1004249975085	-	1	0.1%
0.1017789989710	-	1	0.1%
0.1019309982657	-	1	0.1%
0.1025699973106	-	1	0.1%
0.1033679991961	-	1	0.1%
0.1039389967918	-	1	0.1%
0.1050760000944	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1053790003061	-	1	0.1%
0.1062349975109	-	1	0.1%
0.1068039983511	-	1	0.1%
0.1080560013652	-	1	0.1%
0.1085959970951	-	1	0.1%
0.1087889969349	-	1	0.1%
0.1089349985123	-	1	0.1%
0.1089740023017	-	1	0.1%
0.1090100035071	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3909181436587
- Minimum: 0.0421843007207
- Maximum: 5.7861199378967
- Standard Deviation: 0.4862010606694

Location: 4303-4317 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E16_ABS_THETAA4A4: E16_abs_theta

Value	Label	Unweighted Frequency	%
0.899349987507	-	1	0.1%
1.141839981079	-	1	0.1%
1.603240013123	-	1	0.1%
1.807989954948	-	1	0.1%
1.826889991760	-	1	0.1%
1.865110039711	-	1	0.1%
1.924059987068	-	1	0.1%
1.990669965744	-	1	0.1%
2.112950086594	-	1	0.1%
2.169379949570	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.173619985580	-	1	0.1%
2.235120058060	-	1	0.1%
2.244410037994	-	1	0.1%
2.268419981003	-	1	0.1%
2.285300016403	-	1	0.1%
2.326859951019	-	1	0.1%
2.361599922180	-	1	0.1%
2.444319963455	-	1	0.1%
2.492269992828	-	1	0.1%
2.540780067444	-	1	0.1%
2.556879997253	-	1	0.1%
2.558820009232	-	1	0.1%
2.569989919662	-	1	0.1%
2.591109991074	-	1	0.1%
2.601219892502	-	1	0.1%
2.625250101089	-	1	0.1%
2.695110082626	-	1	0.1%
2.717910051346	-	1	0.1%
2.732640028000	-	1	0.1%
2.738509893417	-	1	0.1%
2.780519962311	-	1	0.1%
2.782769918442	-	1	0.1%
2.813699960709	-	1	0.1%
2.841059923172	-	1	0.1%
2.883769989014	-	1	0.1%
2.893320083618	-	1	0.1%
2.939990043640	-	1	0.1%
2.942399978638	-	1	0.1%
2.961240053177	-	1	0.1%
2.964859962463	-	1	0.1%
2.999079942703	-	1	0.1%
3.035769939423	-	1	0.1%
3.040260076523	-	1	0.1%
3.050600051880	-	1	0.1%
3.052939891815	-	1	0.1%

Value	Label	Unweighted Frequency	%
3.115740060806	-	1	0.1%
3.141289949417	-	1	0.1%
3.199310064316	-	1	0.1%
3.211970090866	-	1	0.1%
3.231810092926	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 6.786524309739
- Minimum: 0.899349987507
- Maximum: 25.933799743652
- Standard Deviation: 3.328505569402

Location: 4318-4332 (width: 15; decimal: 12)

Variable Type: numeric

E16_ABS_ALPHA4A4: E16_abs_alpha

Value	Label	Unweighted Frequency	%
0.213963001966	-	1	0.1%
0.354119986296	-	1	0.1%
0.440979987383	-	1	0.1%
0.443987995386	-	1	0.1%
0.464529007673	-	1	0.1%
0.482605993748	-	1	0.1%
0.531852006912	-	1	0.1%
0.572169005871	-	1	0.1%
0.597239971161	-	1	0.1%
0.614754974842	-	1	0.1%
0.621460020542	-	1	0.1%
0.622640013695	-	1	0.1%
0.648783028126	-	1	0.1%
0.664550006390	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.669448018074	-	1	0.1%
0.675716996193	-	1	0.1%
0.677255988121	-	1	0.1%
0.683580994606	-	1	0.1%
0.698789000511	-	1	0.1%
0.706314027309	-	1	0.1%
0.733416020870	-	1	0.1%
0.735463976860	-	1	0.1%
0.737325012684	-	1	0.1%
0.738574028015	-	1	0.1%
0.741509974003	-	1	0.1%
0.765879988670	-	1	0.1%
0.766807973385	-	1	0.1%
0.780812978745	-	1	0.1%
0.787419021130	-	1	0.1%
0.793976008892	-	1	0.1%
0.800899982452	-	1	0.1%
0.804331004620	-	1	0.1%
0.806264996529	-	1	0.1%
0.811905980110	-	1	0.1%
0.818310022354	-	1	0.1%
0.822695970535	-	1	0.1%
0.822808027267	-	1	0.1%
0.825779974461	-	1	0.1%
0.829271018505	-	1	0.1%
0.839585006237	-	1	0.1%
0.841143012047	-	1	0.1%
0.841827988625	-	1	0.1%
0.843870997429	-	1	0.1%
0.844828009605	-	1	0.1%
0.845425009727	-	1	0.1%
0.846414983273	-	1	0.1%
0.854016005993	-	1	0.1%
0.857731997967	-	1	0.1%
0.860539972782	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.867802977562	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.018760648813
- Minimum: 0.213963001966
- Maximum: 18.264999389648
- Standard Deviation: 1.388004252060

Location: 4333-4347 (width: 15; decimal: 12)

Variable Type: numeric

E16_ABS_BETAA4A4: E16_abs_beta

Value	Label	Unweighted Frequency	%
0.0716247037053	-	1	0.1%
0.1191829964519	-	1	0.1%
0.1340519934893	-	1	0.1%
0.1341779977083	-	1	0.1%
0.1348579972982	-	1	0.1%
0.1388240009546	-	1	0.1%
0.1454589962959	-	1	0.1%
0.1463219970465	-	1	0.1%
0.1539980024099	-	1	0.1%
0.1598860025406	-	1	0.1%
0.1603350043297	-	1	0.1%
0.1609310060740	-	1	0.1%
0.1628710031509	-	1	0.1%
0.1629260033369	-	1	0.1%
0.1632039994001	-	1	0.1%
0.1658239960670	-	1	0.1%
0.1690810024738	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1702969968319	-	1	0.1%
0.1779370009899	-	1	0.1%
0.1782239973545	-	1	0.1%
0.1816619932652	-	1	0.1%
0.1844670027494	-	1	0.1%
0.1873999983072	-	1	0.1%
0.1884399950504	-	1	0.1%
0.1902869939804	-	1	0.1%
0.1910479962826	-	1	0.1%
0.1927720010281	-	1	0.1%
0.1935410052538	-	1	0.1%
0.1950149983168	-	1	0.1%
0.1969030052423	-	1	0.1%
0.1988250017166	-	1	0.1%
0.1993069946766	-	1	0.1%
0.2014079988003	-	1	0.1%
0.2027029991150	-	1	0.1%
0.2045550048351	-	1	0.1%
0.2064049988985	-	1	0.1%
0.2064249962568	-	1	0.1%
0.2071239948273	-	1	0.1%
0.2085389941931	-	1	0.1%
0.2088930010796	-	1	0.1%
0.2108370065689	-	1	0.1%
0.2122980058193	-	1	0.1%
0.2126819938421	-	1	0.1%
0.2127929925919	-	1	0.1%
0.2129369974136	-	1	0.1%
0.2133540064096	-	1	0.1%
0.2143370062113	-	1	0.1%
0.2162089943886	-	1	0.1%
0.2166820019484	-	1	0.1%
0.2177830040455	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4630423647931
- Minimum: 0.0716247037053
- Maximum: 1.8830599784851
- Standard Deviation: 0.2441412839227

Location: 4348-4362 (width: 15; decimal: 13)

Variable Type: numeric

E16_ABS_GAMMAA4A4: E16_abs_gamma

Value	Label	Unweighted Frequency	%
0.0337278991938	-	1	0.1%
0.0404975004494	-	1	0.1%
0.0429018996656	-	1	0.1%
0.0433036983013	-	1	0.1%
0.0470747984946	-	1	0.1%
0.0501939989626	-	1	0.1%
0.0531628988683	-	1	0.1%
0.0534331984818	-	1	0.1%
0.0536478012800	-	1	0.1%
0.0543053001165	-	1	0.1%
0.0562697015703	-	1	0.1%
0.0566006004810	-	1	0.1%
0.0599426999688	-	1	0.1%
0.0599514991045	-	1	0.1%
0.0656365007162	-	1	0.1%
0.0662157982588	-	1	0.1%
0.0679396986961	-	1	0.1%
0.0704511031508	-	1	0.1%
0.0704953968525	-	1	0.1%
0.0732972994447	-	1	0.1%
0.0740017965436	-	1	0.1%
0.0777283012867	-	1	0.1%
0.0777636021376	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0783291012049	-	1	0.1%
0.0795497968793	-	1	0.1%
0.0819258987904	-	1	0.1%
0.0822385996580	-	1	0.1%
0.0824579969049	-	1	0.1%
0.0824773013592	-	1	0.1%
0.0825662985444	-	1	0.1%
0.0831753984094	-	1	0.1%
0.0831782966852	-	1	0.1%
0.0833394974470	-	1	0.1%
0.0844170972705	-	1	0.1%
0.0846019014716	-	1	0.1%
0.0875525996089	-	1	0.1%
0.0898441970348	-	1	0.1%
0.0903730019927	-	1	0.1%
0.0907721966505	-	1	0.1%
0.0917821004987	-	1	0.1%
0.0941788032651	-	1	0.1%
0.0952180027962	-	1	0.1%
0.0955455973744	-	1	0.1%
0.0974389985204	-	1	0.1%
0.0980164036155	-	1	0.1%
0.0982227027416	-	1	0.1%
0.0987432003021	-	1	0.1%
0.1000489965081	-	1	0.1%
0.1001880019903	-	1	0.1%
0.1002999991179	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2727156456491
- Minimum: 0.0337278991938
- Maximum: 2.2698700428009
- Standard Deviation: 0.2280603697615

Location: 4363-4377 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E18_ABS_THETAA4A4: E18_abs_theta

Value	Label	Unweighted Frequency	%
1.234529972076	-	1	0.1%
1.546309947968	-	1	0.1%
1.556939959526	-	1	0.1%
1.946409940720	-	1	0.1%
1.951660037041	-	1	0.1%
2.023329973221	-	1	0.1%
2.112540006638	-	1	0.1%
2.217530012131	-	1	0.1%
2.229820013046	-	1	0.1%
2.252019882202	-	1	0.1%
2.296350002289	-	1	0.1%
2.327739953995	-	1	0.1%
2.333329916000	-	1	0.1%
2.338579893112	-	1	0.1%
2.345329999924	-	1	0.1%
2.352689981461	-	1	0.1%
2.407089948654	-	1	0.1%
2.430200099945	-	1	0.1%
2.477710008621	-	1	0.1%
2.480040073395	-	1	0.1%
2.488169908524	-	1	0.1%
2.496740102768	-	1	0.1%
2.545830011368	-	1	0.1%
2.565639972687	-	1	0.1%
2.596600055695	-	1	0.1%
2.598839998245	-	1	0.1%
2.599179983139	-	1	0.1%
2.609349966049	-	1	0.1%
2.658730030060	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.674449920654	-	1	0.1%
2.674750089645	-	1	0.1%
2.685600042343	-	1	0.1%
2.694550037384	-	1	0.1%
2.709340095520	-	1	0.1%
2.713500022888	-	1	0.1%
2.718359947205	-	1	0.1%
2.722460031509	-	1	0.1%
2.771280050278	-	1	0.1%
2.780879974365	-	1	0.1%
2.808109998703	-	1	0.1%
2.825469970703	-	1	0.1%
2.869649887085	-	1	0.1%
2.894020080566	-	1	0.1%
2.907239913940	-	1	0.1%
2.917289972305	-	1	0.1%
2.921979904175	-	1	0.1%
2.923619985580	-	1	0.1%
2.941770076752	-	1	0.1%
2.957509994507	-	1	0.1%
2.990319967270	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 6.405814579766
- Minimum: 1.234529972076
- Maximum: 18.725400924683
- Standard Deviation: 2.893550808692

Location: 4378-4392 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E18_ABS_ALPHAA4A4: E18_abs_alpha

Value	Label	Unweighted Frequency	%
0.312503010035	-	1	0.1%
0.464928001165	-	1	0.1%
0.478471994400	-	1	0.1%
0.484414011240	-	1	0.1%
0.493851006031	-	1	0.1%
0.532077014446	-	1	0.1%
0.545930981636	-	1	0.1%
0.552393972874	-	1	0.1%
0.578594982624	-	1	0.1%
0.589654982090	-	1	0.1%
0.592732012272	-	1	0.1%
0.593518972397	-	1	0.1%
0.605543017387	-	1	0.1%
0.612585008144	-	1	0.1%
0.612857997417	-	1	0.1%
0.640981018543	-	1	0.1%
0.667644023895	-	1	0.1%
0.674439013004	-	1	0.1%
0.693006992340	-	1	0.1%
0.693422973156	-	1	0.1%
0.695668995380	-	1	0.1%
0.716547012329	-	1	0.1%
0.720148026943	-	1	0.1%
0.737758994102	-	1	0.1%
0.742039978504	-	1	0.1%
0.753654003143	-	1	0.1%
0.767225027084	-	1	0.1%
0.769316971302	-	1	0.1%
0.774321019650	-	1	0.1%
0.780589997768	-	1	0.1%
0.783405005932	-	1	0.1%
0.794736981392	-	1	0.1%
0.797744989395	-	1	0.1%
0.810817003250	-	1	0.1%
0.815437972546	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.821501970291	-	1	0.1%
0.825210988522	-	1	0.1%
0.829216003418	-	1	0.1%
0.834097981453	-	1	0.1%
0.837280988693	-	1	0.1%
0.838975012302	-	1	0.1%
0.840048015118	-	1	0.1%
0.855255007744	-	1	0.1%
0.867343008518	-	1	0.1%
0.870687007904	-	1	0.1%
0.878987014294	-	1	0.1%
0.889487028122	-	1	0.1%
0.897131979465	-	1	0.1%
0.897219002247	-	1	0.1%
0.897791028023	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.997752712100
- Minimum: 0.312503010035
- Maximum: 17.561700820923
- Standard Deviation: 1.273774729856

Location: 4393-4407 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E18_ABS_BETAA4A4: E18_abs_beta

Value	Label	Unweighted Frequency	%
0.087279200554	-	1	0.1%
0.118113003671	-	1	0.1%
0.134492993355	-	1	0.1%
0.136453002691	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.153777003288	-	1	0.1%
0.154483005404	-	1	0.1%
0.158748000860	-	1	0.1%
0.159813001752	-	1	0.1%
0.162314996123	-	1	0.1%
0.162881001830	-	1	0.1%
0.163672998548	-	1	0.1%
0.165205001831	-	1	0.1%
0.167054995894	-	1	0.1%
0.174289003015	-	1	0.1%
0.175171002746	-	1	0.1%
0.177061006427	-	1	0.1%
0.181929007173	-	1	0.1%
0.186125993729	-	1	0.1%
0.187859997153	-	1	0.1%
0.189136996865	-	1	0.1%
0.191651999950	-	1	0.1%
0.191680997610	-	1	0.1%
0.194918006659	-	1	0.1%
0.199336007237	-	1	0.1%
0.200837999582	-	1	0.1%
0.201150998473	-	1	0.1%
0.201976999640	-	1	0.1%
0.203264996409	-	1	0.1%
0.207477003336	-	1	0.1%
0.209782004356	-	1	0.1%
0.213991001248	-	1	0.1%
0.216509997845	-	1	0.1%
0.218655005097	-	1	0.1%
0.223496004939	-	1	0.1%
0.225327998400	-	1	0.1%
0.225510999560	-	1	0.1%
0.225939005613	-	1	0.1%
0.227872997522	-	1	0.1%
0.231443002820	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.232457995415	-	1	0.1%
0.232888996601	-	1	0.1%
0.235152006149	-	1	0.1%
0.235244005919	-	1	0.1%
0.235773995519	-	1	0.1%
0.237433999777	-	1	0.1%
0.239414006472	-	1	0.1%
0.240394994617	-	1	0.1%
0.240805998445	-	1	0.1%
0.241137996316	-	1	0.1%
0.241680994630	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.575048455455
- Minimum: 0.087279200554
- Maximum: 13.080100059509
- Standard Deviation: 0.621076275901

Location: 4408-4422 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E18_ABS_GAMMAA4A4: E18_abs_gamma

Value	Label	Unweighted Frequency	%
0.0340307988226	-	1	0.1%
0.0361088998616	-	1	0.1%
0.0518760010600	-	1	0.1%
0.0530560985208	-	1	0.1%
0.0549582988024	-	1	0.1%
0.0550150014460	-	1	0.1%
0.0553203001618	-	1	0.1%
0.0596511997283	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0597054995596	-	1	0.1%
0.0631889030337	-	1	0.1%
0.0677815973759	-	1	0.1%
0.0701718032360	-	1	0.1%
0.0705325007439	-	1	0.1%
0.0745576992631	-	1	0.1%
0.0748637020588	-	1	0.1%
0.0753374025226	-	1	0.1%
0.0763553008437	-	1	0.1%
0.0775360986590	-	1	0.1%
0.0785043016076	-	1	0.1%
0.0790446028113	-	1	0.1%
0.0811009034514	-	1	0.1%
0.0838970988989	-	1	0.1%
0.0840144976974	-	1	0.1%
0.0841849967837	-	1	0.1%
0.0846521034837	-	1	0.1%
0.0871599018574	-	1	0.1%
0.0878854021430	-	1	0.1%
0.0886590033770	-	1	0.1%
0.0902175977826	-	1	0.1%
0.0909786969423	-	1	0.1%
0.0911211967468	-	1	0.1%
0.0942927002907	-	1	0.1%
0.0961814969778	-	1	0.1%
0.0963419005275	-	1	0.1%
0.0967651009560	-	1	0.1%
0.0982777997851	-	1	0.1%
0.0992316976190	-	1	0.1%
0.1005909964442	-	1	0.1%
0.1007670015097	-	1	0.1%
0.1011670008302	-	1	0.1%
0.1022170037031	-	1	0.1%
0.1032579988241	-	1	0.1%
0.1036190018058	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1038300022483	-	1	0.1%
0.1039529964328	-	1	0.1%
0.1042030006647	-	1	0.1%
0.1043860018253	-	1	0.1%
0.1050489991903	-	1	0.1%
0.1053130030632	-	1	0.1%
0.1061770021915	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3896760306503
- Minimum: 0.0340307988226
- Maximum: 8.0136604309082
- Standard Deviation: 0.4976644827604

Location: 4423-4437 (width: 15; decimal: 13)

Variable Type: numeric

E19_ABS_THETAA4A4: E19_abs_theta

Value	Label	Unweighted Frequency	%
0.979906022549	-	1	0.1%
1.134809970856	-	1	0.1%
1.288079977036	-	1	0.1%
1.546519994736	-	1	0.1%
1.566740036011	-	1	0.1%
1.621860027313	-	1	0.1%
1.635779976845	-	1	0.1%
1.662979960442	-	1	0.1%
1.681139945984	-	1	0.1%
1.706599950790	-	1	0.1%
1.749889969826	-	1	0.1%
1.923789978027	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.038379907608	-	1	0.1%
2.062489986420	-	1	0.1%
2.197299957275	-	1	0.1%
2.252239942551	-	1	0.1%
2.263269901276	-	1	0.1%
2.295350074768	-	1	0.1%
2.310729980469	-	1	0.1%
2.419939994812	-	1	0.1%
2.427510023117	-	1	0.1%
2.436039924622	-	1	0.1%
2.438440084457	-	1	0.1%
2.452209949493	-	1	0.1%
2.462409973145	-	1	0.1%
2.488590002060	-	1	0.1%
2.511389970779	-	1	0.1%
2.546610116959	-	1	0.1%
2.580950021744	-	1	0.1%
2.588510036469	-	1	0.1%
2.597009897232	-	1	0.1%
2.597769975662	-	1	0.1%
2.602969884872	-	1	0.1%
2.605469942093	-	1	0.1%
2.630800008774	-	1	0.1%
2.677839994431	-	1	0.1%
2.682199954987	-	1	0.1%
2.682569980621	-	1	0.1%
2.710669994354	-	1	0.1%
2.718489885330	-	1	0.1%
2.727540016174	-	1	0.1%
2.727629899979	-	1	0.1%
2.751029968262	-	1	0.1%
2.760699987411	-	1	0.1%
2.766779899597	-	1	0.1%
2.767110109329	-	1	0.1%
2.769629955292	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.787070035934	-	1	0.1%
2.805429935455	-	1	0.1%
2.813560009003	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 6.098299271274
- Minimum: 0.979906022549
- Maximum: 17.799800872803
- Standard Deviation: 2.835833114558

Location: 4438-4452 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E19_ABS_ALPHAA4A4: E19_abs_alpha

Value	Label	Unweighted Frequency	%
0.318455010653	-	1	0.1%
0.374121993780	-	1	0.1%
0.377094000578	-	1	0.1%
0.382230013609	-	1	0.1%
0.393884986639	-	1	0.1%
0.396946996450	-	1	0.1%
0.452953010798	-	1	0.1%
0.455157995224	-	1	0.1%
0.489751011133	-	1	0.1%
0.501313984394	-	1	0.1%
0.522695004940	-	1	0.1%
0.526010990143	-	1	0.1%
0.531889975071	-	1	0.1%
0.561708986759	-	1	0.1%
0.562099993229	-	1	0.1%
0.562663972378	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.583050012589	-	1	0.1%
0.595364987850	-	1	0.1%
0.638477027416	-	1	0.1%
0.666308999062	-	1	0.1%
0.681291997433	-	1	0.1%
0.681465983391	-	1	0.1%
0.682859003544	-	1	0.1%
0.694386005402	-	1	0.1%
0.733434021473	-	1	0.1%
0.745934009552	-	1	0.1%
0.753911972046	-	1	0.1%
0.754877984524	-	1	0.1%
0.762546002865	-	1	0.1%
0.766745984554	-	1	0.1%
0.769299983978	-	1	0.1%
0.769966006279	-	1	0.1%
0.780434012413	-	1	0.1%
0.782137989998	-	1	0.1%
0.788249015808	-	1	0.1%
0.807097971439	-	1	0.1%
0.809548020363	-	1	0.1%
0.813625991344	-	1	0.1%
0.821923017502	-	1	0.1%
0.836983978748	-	1	0.1%
0.838131010532	-	1	0.1%
0.842337012291	-	1	0.1%
0.844581007957	-	1	0.1%
0.847459018230	-	1	0.1%
0.850742995739	-	1	0.1%
0.856544017792	-	1	0.1%
0.863943994045	-	1	0.1%
0.864696979523	-	1	0.1%
0.868369996548	-	1	0.1%
0.871016025543	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.972777202679
- Minimum: 0.318455010653
- Maximum: 13.080699920654
- Standard Deviation: 1.215050721549

Location: 4453-4467 (width: 15; decimal: 12)

Variable Type: numeric

E19_ABS_BETAA4A4: E19_abs_beta

Value	Label	Unweighted Frequency	%
0.0639688000083	-	1	0.1%
0.1019039973617	-	1	0.1%
0.1025210022926	-	1	0.1%
0.1173909977078	-	1	0.1%
0.1301060020924	-	1	0.1%
0.1331019997597	-	1	0.1%
0.1338710039854	-	1	0.1%
0.1419380009174	-	1	0.1%
0.1429339945316	-	1	0.1%
0.1452630013227	-	1	0.1%
0.1456020027399	-	1	0.1%
0.1537339985371	-	1	0.1%
0.1539179980755	-	1	0.1%
0.1553270071745	-	1	0.1%
0.1597709953785	-	1	0.1%
0.1649049967527	-	1	0.1%
0.1659370064735	-	1	0.1%
0.1674910038710	-	1	0.1%
0.1682830005884	-	1	0.1%
0.1686329990625	-	1	0.1%
0.1687570065260	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1694429963827	-	1	0.1%
0.1748110055923	-	1	0.1%
0.1779450029135	-	1	0.1%
0.1798350065947	-	1	0.1%
0.1812299937010	-	1	0.1%
0.1819690018892	-	1	0.1%
0.1876820027828	-	1	0.1%
0.1887490004301	-	1	0.1%
0.1909389942884	-	1	0.1%
0.1922540068626	-	1	0.1%
0.1943269968033	-	1	0.1%
0.1946389973164	-	1	0.1%
0.1955830007792	-	1	0.1%
0.1956579983234	-	1	0.1%
0.1968970000744	-	1	0.1%
0.1985139995813	-	1	0.1%
0.1986369937658	-	1	0.1%
0.1987379938364	-	1	0.1%
0.1996760070324	-	1	0.1%
0.2004110068083	-	1	0.1%
0.2009160071611	-	1	0.1%
0.2027059942484	-	1	0.1%
0.2035260051489	-	1	0.1%
0.2039539963007	-	1	0.1%
0.2050559967756	-	1	0.1%
0.2057359963655	-	1	0.1%
0.2060420066118	-	1	0.1%
0.2087039947510	-	1	0.1%
0.2104659974575	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4572193053415
- Minimum: 0.0639688000083
- Maximum: 3.4019699096680
- Standard Deviation: 0.2708355359609

Location: 4468-4482 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E19_ABS_GAMMAA4A4: E19_abs_gamma

Value	Label	Unweighted Frequency	%
0.0241312999278	-	1	0.1%
0.0324342995882	-	1	0.1%
0.0388996005058	-	1	0.1%
0.0446677990258	-	1	0.1%
0.0447420999408	-	1	0.1%
0.0476462990046	-	1	0.1%
0.0483505986631	-	1	0.1%
0.0495381988585	-	1	0.1%
0.0498168990016	-	1	0.1%
0.0534306988120	-	1	0.1%
0.0538684017956	-	1	0.1%
0.0552260987461	-	1	0.1%
0.0555380992591	-	1	0.1%
0.0569625012577	-	1	0.1%
0.0609069988132	-	1	0.1%
0.0609255991876	-	1	0.1%
0.0618615001440	-	1	0.1%
0.0629874989390	-	1	0.1%
0.0657353997231	-	1	0.1%
0.0657529011369	-	1	0.1%
0.0687369033694	-	1	0.1%
0.0688844025135	-	1	0.1%
0.0702565982938	-	1	0.1%
0.0703141987324	-	1	0.1%
0.0714088976383	-	1	0.1%
0.0716639012098	-	1	0.1%
0.0718040987849	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0721020027995	-	1	0.1%
0.0722064971924	-	1	0.1%
0.0748526006937	-	1	0.1%
0.0749529004097	-	1	0.1%
0.0749633014202	-	1	0.1%
0.0751309022307	-	1	0.1%
0.0751712024212	-	1	0.1%
0.0757403969765	-	1	0.1%
0.0758140012622	-	1	0.1%
0.0792666003108	-	1	0.1%
0.0796450972557	-	1	0.1%
0.0806204006076	-	1	0.1%
0.0810348987579	-	1	0.1%
0.0823938995600	-	1	0.1%
0.0824789032340	-	1	0.1%
0.0826300978661	-	1	0.1%
0.0841581970453	-	1	0.1%
0.0848755985498	-	1	0.1%
0.0852262973785	-	1	0.1%
0.0853094011545	-	1	0.1%
0.0853563025594	-	1	0.1%
0.0857139974833	-	1	0.1%
0.0867033004761	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2409600428343
- Minimum: 0.0241312999278
- Maximum: 3.4421699047089
- Standard Deviation: 0.2236822432443

Location: 4483-4497 (width: 15; decimal: 13)

Variable Type: numeric

E20_ABS_THETAA4A4: E20_abs_theta

Value	Label	Unweighted Frequency	%
0.417302995920	-	1	0.1%
0.808752000332	-	1	0.1%
0.873824000359	-	1	0.1%
1.063089966774	-	1	0.1%
1.150720000267	-	1	0.1%
1.222919940948	-	1	0.1%
1.229990005493	-	1	0.1%
1.247329950333	-	1	0.1%
1.282420039177	-	1	0.1%
1.320350050926	-	1	0.1%
1.388450026512	-	1	0.1%
1.396600008011	-	1	0.1%
1.409500002861	-	1	0.1%
1.420959949493	-	1	0.1%
1.429829955101	-	1	0.1%
1.433590054512	-	1	0.1%
1.462620019913	-	1	0.1%
1.517989993095	-	1	0.1%
1.554469943047	-	1	0.1%
1.618970036507	-	1	0.1%
1.632820010185	-	1	0.1%
1.640359997749	-	1	0.1%
1.664559960365	-	1	0.1%
1.681769967079	-	1	0.1%
1.751170039177	-	1	0.1%
1.753819942474	-	1	0.1%
1.758980035782	-	1	0.1%
1.804460048676	-	1	0.1%
1.805619955063	-	1	0.1%
1.811669945717	-	1	0.1%
1.821490049362	-	1	0.1%
1.824859976768	-	1	0.1%
1.835569977760	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.842170000076	-	1	0.1%
1.906630039215	-	1	0.1%
1.906679987907	-	1	0.1%
1.932510018349	-	1	0.1%
1.935670018196	-	1	0.1%
2.004570007324	-	1	0.1%
2.008820056915	-	1	0.1%
2.012219905853	-	1	0.1%
2.013180017471	-	1	0.1%
2.025360107422	-	1	0.1%
2.034310102463	-	1	0.1%
2.039050102234	-	1	0.1%
2.048880100250	-	1	0.1%
2.052930116653	-	1	0.1%
2.069400072098	-	1	0.1%
2.073139905930	-	1	0.1%
2.074290037155	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 5.068430332530
- Minimum: 0.417302995920
- Maximum: 15.845499992371
- Standard Deviation: 2.567330334757

Location: 4498-4512 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E20_ABS_ALPHAA4A4: E20_abs_alpha

Value	Label	Unweighted Frequency	%
0.182262003422	-	1	0.1%
0.216398000717	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.255771011114	-	1	0.1%
0.324488013983	-	1	0.1%
0.346846014261	-	1	0.1%
0.351763993502	-	1	0.1%
0.362206012011	-	1	0.1%
0.366584002972	-	1	0.1%
0.369264990091	-	1	0.1%
0.372651010752	-	1	0.1%
0.373926013708	-	1	0.1%
0.379202008247	-	1	0.1%
0.384083986282	-	1	0.1%
0.409565985203	-	1	0.1%
0.414636999369	-	1	0.1%
0.451759010553	-	1	0.1%
0.506627023220	-	1	0.1%
0.510766029358	-	1	0.1%
0.531488001347	-	1	0.1%
0.534879028797	-	1	0.1%
0.538960993290	-	1	0.1%
0.553485989571	-	1	0.1%
0.559782028198	-	1	0.1%
0.560030996799	-	1	0.1%
0.583172023296	-	1	0.1%
0.585931003094	-	1	0.1%
0.587668001652	-	1	0.1%
0.588110029697	-	1	0.1%
0.589155018330	-	1	0.1%
0.598161995411	-	1	0.1%
0.605904996395	-	1	0.1%
0.610131978989	-	1	0.1%
0.610661983490	-	1	0.1%
0.614481985569	-	1	0.1%
0.624854028225	-	1	0.1%
0.627649009228	-	1	0.1%
0.628947973251	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.632929027081	-	1	0.1%
0.635300993919	-	1	0.1%
0.636645019054	-	1	0.1%
0.639496982098	-	1	0.1%
0.639621019363	-	1	0.1%
0.643413007259	-	1	0.1%
0.646947979927	-	1	0.1%
0.647947013378	-	1	0.1%
0.648557007313	-	1	0.1%
0.651099979877	-	1	0.1%
0.657374024391	-	1	0.1%
0.666595995426	-	1	0.1%
0.668192982674	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.796264007918
- Minimum: 0.182262003422
- Maximum: 10.838899612427
- Standard Deviation: 1.136060322600

Location: 4513-4527 (*width:* 15; *decimal:* 12)

Variable Type: numeric

[E20_ABS_BETAA4A4: E20_abs_beta](#)

Value	Label	Unweighted Frequency	%
0.0345549993217	-	1	0.1%
0.0601735003293	-	1	0.1%
0.0640785992146	-	1	0.1%
0.0868541002274	-	1	0.1%
0.0915485993028	-	1	0.1%
0.0993430018425	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1072420030832	-	1	0.1%
0.1082919985056	-	1	0.1%
0.1096939966083	-	1	0.1%
0.1102280020714	-	1	0.1%
0.1139599978924	-	1	0.1%
0.1178930029273	-	1	0.1%
0.1187279969454	-	1	0.1%
0.1197630017996	-	1	0.1%
0.1219789981842	-	1	0.1%
0.1220130026340	-	1	0.1%
0.1242740005255	-	1	0.1%
0.1250990033150	-	1	0.1%
0.1267780065536	-	1	0.1%
0.1273059993982	-	1	0.1%
0.1288859993219	-	1	0.1%
0.1327629983425	-	1	0.1%
0.1329939961433	-	1	0.1%
0.1338900029659	-	1	0.1%
0.1379040032625	-	1	0.1%
0.1384550035000	-	1	0.1%
0.1402350068092	-	1	0.1%
0.1425389945507	-	1	0.1%
0.1445340067148	-	1	0.1%
0.1451579928398	-	1	0.1%
0.1468340009451	-	1	0.1%
0.1472070068121	-	1	0.1%
0.1480029970407	-	1	0.1%
0.1488610059023	-	1	0.1%
0.1495729982853	-	1	0.1%
0.1496060043573	-	1	0.1%
0.1496399939060	-	1	0.1%
0.1530739963055	-	1	0.1%
0.1533149927855	-	1	0.1%
0.1537099927664	-	1	0.1%
0.1541170030832	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1567039936781	-	1	0.1%
0.1573420017958	-	1	0.1%
0.1586840003729	-	1	0.1%
0.1587440073490	-	1	0.1%
0.1593009978533	-	1	0.1%
0.1595250070095	-	1	0.1%
0.1602430045605	-	1	0.1%
0.1620790064335	-	1	0.1%
0.1620810031891	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4022844356857
- Minimum: 0.0345549993217
- Maximum: 3.9590098857880
- Standard Deviation: 0.2736344249220

Location: 4528-4542 (width: 15; decimal: 13)

Variable Type: numeric

E20_ABS_GAMMAA4A4: E20_abs_gamma

Value	Label	Unweighted Frequency	%
0.0165628008544	-	1	0.1%
0.0235569998622	-	1	0.1%
0.0256500001997	-	1	0.1%
0.0258571002632	-	1	0.1%
0.0340306982398	-	1	0.1%
0.0346143990755	-	1	0.1%
0.0377245992422	-	1	0.1%
0.0410652011633	-	1	0.1%
0.0425839014351	-	1	0.1%
0.0442239008844	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0455088987947	-	1	0.1%
0.0459095984697	-	1	0.1%
0.0460545010865	-	1	0.1%
0.0465994998813	-	1	0.1%
0.0475251004100	-	1	0.1%
0.0480752997100	-	1	0.1%
0.0484118983150	-	1	0.1%
0.0498524010181	-	1	0.1%
0.0504349991679	-	1	0.1%
0.0510880984366	-	1	0.1%
0.0522340014577	-	1	0.1%
0.0523738004267	-	1	0.1%
0.0533208996058	-	1	0.1%
0.0539770983160	-	1	0.1%
0.0542853996158	-	1	0.1%
0.0544354990125	-	1	0.1%
0.0562384016812	-	1	0.1%
0.0563712008297	-	1	0.1%
0.0564301013947	-	1	0.1%
0.0574783012271	-	1	0.1%
0.0591637007892	-	1	0.1%
0.0595505982637	-	1	0.1%
0.0596726983786	-	1	0.1%
0.0601639002562	-	1	0.1%
0.0605338998139	-	1	0.1%
0.0614809989929	-	1	0.1%
0.0621014982462	-	1	0.1%
0.0639583989978	-	1	0.1%
0.0645055025816	-	1	0.1%
0.0645766034722	-	1	0.1%
0.0647699981928	-	1	0.1%
0.0648802965879	-	1	0.1%
0.0658152028918	-	1	0.1%
0.0659746006131	-	1	0.1%
0.0665718019009	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0669552013278	-	1	0.1%
0.0670047029853	-	1	0.1%
0.0670263990760	-	1	0.1%
0.0674438998103	-	1	0.1%
0.0674538016319	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.1877272930631
- Minimum: 0.0165628008544
- Maximum: 3.0041000843048
- Standard Deviation: 0.1793081478707

Location: 4543-4557 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E21_ABS_THETAA4A4: E21_abs_theta

Value	Label	Unweighted Frequency	%
0.972590982914	-	1	0.1%
1.374369978905	-	1	0.1%
1.421650052071	-	1	0.1%
1.659039974213	-	1	0.1%
1.666929960251	-	1	0.1%
1.675430059433	-	1	0.1%
1.752359986305	-	1	0.1%
1.827389955521	-	1	0.1%
1.858070015907	-	1	0.1%
1.908139944077	-	1	0.1%
1.915719985962	-	1	0.1%
1.926259994507	-	1	0.1%
1.943310022354	-	1	0.1%
1.989449977875	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.005350112915	-	1	0.1%
2.008860111237	-	1	0.1%
2.019819974899	-	1	0.1%
2.035799980164	-	1	0.1%
2.100369930267	-	1	0.1%
2.102730035782	-	1	0.1%
2.118449926376	-	1	0.1%
2.123260021210	-	1	0.1%
2.182009935379	-	1	0.1%
2.182859897614	-	1	0.1%
2.184350013733	-	1	0.1%
2.203299999237	-	1	0.1%
2.246239900589	-	1	0.1%
2.250570058823	-	1	0.1%
2.250950098038	-	1	0.1%
2.258339881897	-	1	0.1%
2.274389982224	-	1	0.1%
2.288399934769	-	1	0.1%
2.357889890671	-	1	0.1%
2.398020029068	-	1	0.1%
2.403970003128	-	1	0.1%
2.409699916840	-	1	0.1%
2.412509918213	-	1	0.1%
2.427050113678	-	1	0.1%
2.440840005875	-	1	0.1%
2.444099903107	-	1	0.1%
2.484179973602	-	1	0.1%
2.534699916840	-	1	0.1%
2.558779954910	-	1	0.1%
2.565059900284	-	1	0.1%
2.565860033035	-	1	0.1%
2.566329956055	-	1	0.1%
2.574049949646	-	1	0.1%
2.575629949570	-	1	0.1%
2.579410076141	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.584120035172	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 6.480793416039
- Minimum: 0.972590982914
- Maximum: 28.532699584961
- Standard Deviation: 3.706489531305

Location: 4558-4572 (width: 15; decimal: 12)

Variable Type: numeric

E21_ABS_ALPHAA4A4: E21_abs_alpha

Value	Label	Unweighted Frequency	%
0.233961999416	-	1	0.1%
0.363932013512	-	1	0.1%
0.385006010532	-	1	0.1%
0.386593997478	-	1	0.1%
0.418595999479	-	1	0.1%
0.453725010157	-	1	0.1%
0.513975977898	-	1	0.1%
0.562822997570	-	1	0.1%
0.562865972519	-	1	0.1%
0.582512021065	-	1	0.1%
0.590496003628	-	1	0.1%
0.592655003071	-	1	0.1%
0.592935979366	-	1	0.1%
0.600265026093	-	1	0.1%
0.610099017620	-	1	0.1%
0.611739993095	-	1	0.1%
0.623676002026	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.629514992237	-	1	0.1%
0.638360977173	-	1	0.1%
0.638522028923	-	1	0.1%
0.639230012894	-	1	0.1%
0.644318997860	-	1	0.1%
0.646642029285	-	1	0.1%
0.653478980064	-	1	0.1%
0.653925001621	-	1	0.1%
0.680113971233	-	1	0.1%
0.683049023151	-	1	0.1%
0.684714019299	-	1	0.1%
0.687121987343	-	1	0.1%
0.687829017639	-	1	0.1%
0.688862979412	-	1	0.1%
0.700042009354	-	1	0.1%
0.703616023064	-	1	0.1%
0.706876993179	-	1	0.1%
0.731724977493	-	1	0.1%
0.735742986202	-	1	0.1%
0.740543007851	-	1	0.1%
0.751156985760	-	1	0.1%
0.751271009445	-	1	0.1%
0.757794976234	-	1	0.1%
0.759823024273	-	1	0.1%
0.766413986683	-	1	0.1%
0.771466016769	-	1	0.1%
0.773936986923	-	1	0.1%
0.774789988995	-	1	0.1%
0.782335996628	-	1	0.1%
0.783846974373	-	1	0.1%
0.784092009068	-	1	0.1%
0.785178005695	-	1	0.1%
0.785643994808	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.966240321151
- Minimum: 0.233961999416
- Maximum: 15.109800338745
- Standard Deviation: 1.361082668256

Location: 4573-4587 (width: 15; decimal: 12)

Variable Type: numeric

E21_ABS_BETAA4A4: E21_abs_beta

Value	Label	Unweighted Frequency	%
0.117276996374	-	1	0.1%
0.135178998113	-	1	0.1%
0.138377994299	-	1	0.1%
0.142131999135	-	1	0.1%
0.145138993859	-	1	0.1%
0.155237004161	-	1	0.1%
0.156604006886	-	1	0.1%
0.156816005707	-	1	0.1%
0.157109007239	-	1	0.1%
0.173223003745	-	1	0.1%
0.176948994398	-	1	0.1%
0.179346993566	-	1	0.1%
0.181862995028	-	1	0.1%
0.186128005385	-	1	0.1%
0.187116995454	-	1	0.1%
0.188596993685	-	1	0.1%
0.189186006784	-	1	0.1%
0.193491995335	-	1	0.1%
0.199149996042	-	1	0.1%
0.199227005243	-	1	0.1%
0.200889006257	-	1	0.1%
0.203168004751	-	1	0.1%
0.203866004944	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.207975998521	-	1	0.1%
0.208568006754	-	1	0.1%
0.208918005228	-	1	0.1%
0.209370002151	-	1	0.1%
0.211792007089	-	1	0.1%
0.212138995528	-	1	0.1%
0.212270006537	-	1	0.1%
0.212651997805	-	1	0.1%
0.213788002729	-	1	0.1%
0.214346006513	-	1	0.1%
0.216064006090	-	1	0.1%
0.216267004609	-	1	0.1%
0.216305002570	-	1	0.1%
0.216348007321	-	1	0.1%
0.217239007354	-	1	0.1%
0.217373996973	-	1	0.1%
0.219959005713	-	1	0.1%
0.221789002419	-	1	0.1%
0.224208995700	-	1	0.1%
0.224471002817	-	1	0.1%
0.224976003170	-	1	0.1%
0.225163996220	-	1	0.1%
0.226162001491	-	1	0.1%
0.227053001523	-	1	0.1%
0.227063998580	-	1	0.1%
0.229597002268	-	1	0.1%
0.230639994144	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.700241441236
- Minimum: 0.117276996374
- Maximum: 10.881799697876
- Standard Deviation: 0.691555474009

Location: 4588-4602 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E21_ABS_GAMMAA4A4: E21_abs_gamma

Value	Label	Unweighted Frequency	%
0.041089601815	-	1	0.1%
0.049448400736	-	1	0.1%
0.061774101108	-	1	0.1%
0.073692001402	-	1	0.1%
0.078145399690	-	1	0.1%
0.079892098904	-	1	0.1%
0.083612501621	-	1	0.1%
0.089174203575	-	1	0.1%
0.089957803488	-	1	0.1%
0.090873897076	-	1	0.1%
0.092667602003	-	1	0.1%
0.094475001097	-	1	0.1%
0.097482502460	-	1	0.1%
0.098889902234	-	1	0.1%
0.099682301283	-	1	0.1%
0.101802997291	-	1	0.1%
0.102388001978	-	1	0.1%
0.103097997606	-	1	0.1%
0.103757001460	-	1	0.1%
0.105742000043	-	1	0.1%
0.106090001762	-	1	0.1%
0.109416000545	-	1	0.1%
0.111064001918	-	1	0.1%
0.111100003123	-	1	0.1%
0.112355999649	-	1	0.1%
0.114054001868	-	1	0.1%
0.115659996867	-	1	0.1%
0.116209998727	-	1	0.1%
0.116448000073	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.117971003056	-	1	0.1%
0.119666002691	-	1	0.1%
0.122423000634	-	1	0.1%
0.122601002455	-	1	0.1%
0.123590998352	-	1	0.1%
0.124006003141	-	1	0.1%
0.125486001372	-	1	0.1%
0.125951007009	-	1	0.1%
0.126765996218	-	1	0.1%
0.126829996705	-	1	0.1%
0.127068996429	-	1	0.1%
0.127316996455	-	1	0.1%
0.127357006073	-	1	0.1%
0.128175005317	-	1	0.1%
0.128249004483	-	1	0.1%
0.128918007016	-	1	0.1%
0.130489006639	-	1	0.1%
0.130574002862	-	1	0.1%
0.132273003459	-	1	0.1%
0.133103996515	-	1	0.1%
0.133213996887	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.580875072611
- Minimum: 0.041089601815
- Maximum: 10.713199615479
- Standard Deviation: 0.787083692439

Location: 4603-4617 (width: 15; decimal: 12)

Variable Type: numeric

E22_ABS_THETAA4A4: E22_abs_theta

Value	Label	Unweighted Frequency	%
1.417880058289	-	1	0.1%
1.422019958496	-	1	0.1%
1.466079950333	-	1	0.1%
1.722350001335	-	1	0.1%
1.766700029373	-	1	0.1%
1.784790039063	-	1	0.1%
1.868420004845	-	1	0.1%
1.890439987183	-	1	0.1%
1.900480031967	-	1	0.1%
1.903169989586	-	1	0.1%
1.954759955406	-	1	0.1%
1.980239987373	-	1	0.1%
2.060849905014	-	1	0.1%
2.201689958572	-	1	0.1%
2.209640026093	-	1	0.1%
2.218369960785	-	1	0.1%
2.227050065994	-	1	0.1%
2.240720033646	-	1	0.1%
2.256920099258	-	1	0.1%
2.260430097580	-	1	0.1%
2.273309946060	-	1	0.1%
2.285749912262	-	1	0.1%
2.293649911880	-	1	0.1%
2.298979997635	-	1	0.1%
2.307579994202	-	1	0.1%
2.317300081253	-	1	0.1%
2.344320058823	-	1	0.1%
2.361629962921	-	1	0.1%
2.366110086441	-	1	0.1%
2.402879953384	-	1	0.1%
2.413290023804	-	1	0.1%
2.413700103760	-	1	0.1%
2.448800086975	-	1	0.1%
2.502409934998	-	1	0.1%
2.518529891968	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.526590108871	-	1	0.1%
2.528510093689	-	1	0.1%
2.548310041428	-	1	0.1%
2.551490068436	-	1	0.1%
2.552999973297	-	1	0.1%
2.582000017166	-	1	0.1%
2.594880104065	-	1	0.1%
2.630709886551	-	1	0.1%
2.644459962845	-	1	0.1%
2.651530027390	-	1	0.1%
2.673680067062	-	1	0.1%
2.685169935226	-	1	0.1%
2.685839891434	-	1	0.1%
2.711790084839	-	1	0.1%
2.727639913559	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 5.878049904532
- Minimum: 1.417880058289
- Maximum: 17.168100357056
- Standard Deviation: 2.746676370719

Location: 4618-4632 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E22_ABS_ALPHAA4A4: E22_abs_alpha

Value	Label	Unweighted Frequency	%
0.348529994488	-	1	0.1%
0.361331999302	-	1	0.1%
0.381292998791	-	1	0.1%
0.413376003504	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.492976993322	-	1	0.1%
0.514593005180	-	1	0.1%
0.522940993309	-	1	0.1%
0.538676023483	-	1	0.1%
0.549565017223	-	1	0.1%
0.553623020649	-	1	0.1%
0.565015017986	-	1	0.1%
0.575680971146	-	1	0.1%
0.597678005695	-	1	0.1%
0.603213012218	-	1	0.1%
0.609916985035	-	1	0.1%
0.619899988174	-	1	0.1%
0.641332983971	-	1	0.1%
0.641453981400	-	1	0.1%
0.647646009922	-	1	0.1%
0.680773973465	-	1	0.1%
0.681034982204	-	1	0.1%
0.687745988369	-	1	0.1%
0.690707027912	-	1	0.1%
0.701407015324	-	1	0.1%
0.703065991402	-	1	0.1%
0.727168023586	-	1	0.1%
0.728451013565	-	1	0.1%
0.731995999813	-	1	0.1%
0.739823997021	-	1	0.1%
0.741780996323	-	1	0.1%
0.742350995541	-	1	0.1%
0.743346989155	-	1	0.1%
0.750380992889	-	1	0.1%
0.751232981682	-	1	0.1%
0.776226997375	-	1	0.1%
0.778204023838	-	1	0.1%
0.782248973846	-	1	0.1%
0.786330997944	-	1	0.1%
0.791648983955	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.797966003418	-	1	0.1%
0.802277982235	-	1	0.1%
0.804232001305	-	1	0.1%
0.806270003319	-	1	0.1%
0.817048013210	-	1	0.1%
0.833085000515	-	1	0.1%
0.833483994007	-	1	0.1%
0.842052996159	-	1	0.1%
0.843470990658	-	1	0.1%
0.845543980598	-	1	0.1%
0.847283005714	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.926926794620
- Minimum: 0.348529994488
- Maximum: 17.058099746704
- Standard Deviation: 1.253416710299

Location: 4633-4647 (width: 15; decimal: 12)

Variable Type: numeric

E22_ABS_BETAA4A4: E22_abs_beta

Value	Label	Unweighted Frequency	%
0.0966864973307	-	1	0.1%
0.1219239979982	-	1	0.1%
0.1234249994159	-	1	0.1%
0.1384419947863	-	1	0.1%
0.1531510055065	-	1	0.1%
0.1603710055351	-	1	0.1%
0.1642269939184	-	1	0.1%
0.1654459983110	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1672890037298	-	1	0.1%
0.1697639971972	-	1	0.1%
0.1718779951334	-	1	0.1%
0.1734849959612	-	1	0.1%
0.1802960038185	-	1	0.1%
0.1815669983625	-	1	0.1%
0.1854200065136	-	1	0.1%
0.1857579946518	-	1	0.1%
0.1918790042400	-	1	0.1%
0.1927710026503	-	1	0.1%
0.1928540021181	-	1	0.1%
0.1980070024729	-	1	0.1%
0.1997189968824	-	1	0.1%
0.2046429961920	-	1	0.1%
0.2064529955387	-	1	0.1%
0.2064650058746	-	1	0.1%
0.2066500037909	-	1	0.1%
0.2076320052147	-	1	0.1%
0.2078749984503	-	1	0.1%
0.2080450057983	-	1	0.1%
0.2082760035992	-	1	0.1%
0.2100439965725	-	1	0.1%
0.2122589945793	-	1	0.1%
0.2140630036592	-	1	0.1%
0.2148839980364	-	1	0.1%
0.2185820043087	-	1	0.1%
0.2207150012255	-	1	0.1%
0.2235250025988	-	1	0.1%
0.2240220010281	-	1	0.1%
0.2245009988546	-	1	0.1%
0.2284860014915	-	1	0.1%
0.2289460003376	-	1	0.1%
0.2303369939327	-	1	0.1%
0.2306919991970	-	1	0.1%
0.2313310056925	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.2318110018969	-	1	0.1%
0.2345470041037	-	1	0.1%
0.2352209985256	-	1	0.1%
0.2360379993916	-	1	0.1%
0.2369980067015	-	1	0.1%
0.2373410016298	-	1	0.1%
0.2411610037088	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.7153819936555
- Minimum: 0.0966864973307
- Maximum: 5.9534301757813
- Standard Deviation: 0.6308410768120

Location: 4648-4662 (width: 15; decimal: 13)

Variable Type: numeric

E22_ABS_GAMMAA4A4: E22_abs_gamma

Value	Label	Unweighted Frequency	%
0.0400533005595	-	1	0.1%
0.0405027009547	-	1	0.1%
0.0628027021885	-	1	0.1%
0.0645752027631	-	1	0.1%
0.0676918029785	-	1	0.1%
0.0677589029074	-	1	0.1%
0.0734167993069	-	1	0.1%
0.0751741975546	-	1	0.1%
0.0757678002119	-	1	0.1%
0.0786122977734	-	1	0.1%
0.0808172971010	-	1	0.1%
0.0831172019243	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0846944972873	-	1	0.1%
0.0848758965731	-	1	0.1%
0.0849011987448	-	1	0.1%
0.0858236029744	-	1	0.1%
0.0873958989978	-	1	0.1%
0.0898595973849	-	1	0.1%
0.0910092964768	-	1	0.1%
0.0918715968728	-	1	0.1%
0.0930439010262	-	1	0.1%
0.0946191027761	-	1	0.1%
0.0964542999864	-	1	0.1%
0.0986848995090	-	1	0.1%
0.0993043035269	-	1	0.1%
0.0997714027762	-	1	0.1%
0.1023240014911	-	1	0.1%
0.1028179973364	-	1	0.1%
0.1042160019279	-	1	0.1%
0.1051469966769	-	1	0.1%
0.1059079989791	-	1	0.1%
0.1064779981971	-	1	0.1%
0.1085280030966	-	1	0.1%
0.1091469973326	-	1	0.1%
0.1123270019889	-	1	0.1%
0.1137019991875	-	1	0.1%
0.1145140007138	-	1	0.1%
0.1155880019069	-	1	0.1%
0.1160110011697	-	1	0.1%
0.1172700002789	-	1	0.1%
0.1177240014076	-	1	0.1%
0.1179829984903	-	1	0.1%
0.1180450022221	-	1	0.1%
0.1186340004206	-	1	0.1%
0.1192359998822	-	1	0.1%
0.1193649992347	-	1	0.1%
0.1194199994206	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1197419986129	-	1	0.1%
0.1201839968562	-	1	0.1%
0.1204200014472	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5664955566092
- Minimum: 0.0400533005595
- Maximum: 4.9715499877930
- Standard Deviation: 0.6909586682299

Location: 4663-4677 (width: 15; decimal: 13)

Variable Type: numeric

E23_ABS_THETAA4A4: E23_abs_theta

Value	Label	Unweighted Frequency	%
0.916043996811	-	1	0.1%
1.455600023270	-	1	0.1%
1.460219979286	-	1	0.1%
1.466539978981	-	1	0.1%
1.508200049400	-	1	0.1%
1.552350044250	-	1	0.1%
1.589769959450	-	1	0.1%
1.718410015106	-	1	0.1%
1.866899967194	-	1	0.1%
1.872979998589	-	1	0.1%
1.913149952888	-	1	0.1%
2.060719966888	-	1	0.1%
2.073999881744	-	1	0.1%
2.089519977570	-	1	0.1%
2.107189893723	-	1	0.1%
2.112699985504	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.141010046005	-	1	0.1%
2.188620090485	-	1	0.1%
2.189779996872	-	1	0.1%
2.192209959030	-	1	0.1%
2.196439981461	-	1	0.1%
2.198559999466	-	1	0.1%
2.217530012131	-	1	0.1%
2.238039970398	-	1	0.1%
2.267349958420	-	1	0.1%
2.267970085144	-	1	0.1%
2.274549961090	-	1	0.1%
2.303809881210	-	1	0.1%
2.315160036087	-	1	0.1%
2.326859951019	-	1	0.1%
2.334160089493	-	1	0.1%
2.343410015106	-	1	0.1%
2.365040063858	-	1	0.1%
2.365890026093	-	1	0.1%
2.423870086670	-	1	0.1%
2.428790092468	-	1	0.1%
2.465159893036	-	1	0.1%
2.484450101852	-	1	0.1%
2.547280073166	-	1	0.1%
2.555279970169	-	1	0.1%
2.581650018692	-	1	0.1%
2.611730098724	-	1	0.1%
2.615420103073	-	1	0.1%
2.618099927902	-	1	0.1%
2.624870061874	-	1	0.1%
2.626090049744	-	1	0.1%
2.663810014725	-	1	0.1%
2.671560049057	-	1	0.1%
2.675299882889	-	1	0.1%
2.676709890366	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 5.689643244994
- Minimum: 0.916043996811
- Maximum: 15.941699981689
- Standard Deviation: 2.490701361777

Location: 4678-4692 (width: 15; decimal: 12)

Variable Type: numeric

E23_ABS_ALPHAA4A4: E23_abs_alpha

Value	Label	Unweighted Frequency	%
0.309376001358	-	1	0.1%
0.378197014332	-	1	0.1%
0.382557004690	-	1	0.1%
0.416949003935	-	1	0.1%
0.418733000755	-	1	0.1%
0.468800008297	-	1	0.1%
0.496481001377	-	1	0.1%
0.496526986361	-	1	0.1%
0.510095000267	-	1	0.1%
0.514786005020	-	1	0.1%
0.523828029633	-	1	0.1%
0.569278001785	-	1	0.1%
0.569986999035	-	1	0.1%
0.571191012859	-	1	0.1%
0.581978976727	-	1	0.1%
0.600618004799	-	1	0.1%
0.609656989574	-	1	0.1%
0.620262026787	-	1	0.1%
0.622771024704	-	1	0.1%
0.633808970451	-	1	0.1%
0.639617979527	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.647454977036	-	1	0.1%
0.654856026173	-	1	0.1%
0.656754016876	-	1	0.1%
0.674036979675	-	1	0.1%
0.681940972805	-	1	0.1%
0.686088025570	-	1	0.1%
0.702659010887	-	1	0.1%
0.709366023540	-	1	0.1%
0.716741979122	-	1	0.1%
0.732935011387	-	1	0.1%
0.740293979645	-	1	0.1%
0.745563983917	-	1	0.1%
0.746048986912	-	1	0.1%
0.749523997307	-	1	0.1%
0.758922994137	-	1	0.1%
0.784560978413	-	1	0.1%
0.801818013191	-	1	0.1%
0.802549004555	-	1	0.1%
0.809933006763	-	1	0.1%
0.810106992722	-	1	0.1%
0.810468971729	-	1	0.1%
0.810994029045	-	1	0.1%
0.820694029331	-	1	0.1%
0.824644029140	-	1	0.1%
0.831623971462	-	1	0.1%
0.837166011333	-	1	0.1%
0.844238996506	-	1	0.1%
0.846491992474	-	1	0.1%
0.848402976990	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.946281749628
- Minimum: 0.309376001358
- Maximum: 13.993100166321
- Standard Deviation: 1.136258093130

Location: 4693-4707 (width: 15; decimal: 12)

Variable Type: numeric

E23_ABS_BETAA4A4: E23_abs_beta

Value	Label	Unweighted Frequency	%
0.0660346969962	-	1	0.1%
0.1155249997973	-	1	0.1%
0.1444370001554	-	1	0.1%
0.1498769968748	-	1	0.1%
0.1527269929647	-	1	0.1%
0.1614809930325	-	1	0.1%
0.1668680012226	-	1	0.1%
0.1679870039225	-	1	0.1%
0.1751880049706	-	1	0.1%
0.1751960068941	-	1	0.1%
0.1753749996424	-	1	0.1%
0.1774680018425	-	1	0.1%
0.1835280060768	-	1	0.1%
0.1859669983387	-	1	0.1%
0.1877720057964	-	1	0.1%
0.1886840015650	-	1	0.1%
0.1892620027065	-	1	0.1%
0.1896439939737	-	1	0.1%
0.1900549978018	-	1	0.1%
0.1906860023737	-	1	0.1%
0.1910640001297	-	1	0.1%
0.1912160068750	-	1	0.1%
0.1913630068302	-	1	0.1%
0.1921059936285	-	1	0.1%
0.1932280063629	-	1	0.1%
0.1932680010796	-	1	0.1%
0.1937440037727	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1941909939051	-	1	0.1%
0.1971980035305	-	1	0.1%
0.1977629959583	-	1	0.1%
0.1996600031853	-	1	0.1%
0.2004200071096	-	1	0.1%
0.2022159993649	-	1	0.1%
0.2036190032959	-	1	0.1%
0.2223249971867	-	1	0.1%
0.2232239991426	-	1	0.1%
0.2245399951935	-	1	0.1%
0.2281900048256	-	1	0.1%
0.2283290028572	-	1	0.1%
0.2308920025826	-	1	0.1%
0.2333630025387	-	1	0.1%
0.2352540045977	-	1	0.1%
0.2367810010910	-	1	0.1%
0.2413839995861	-	1	0.1%
0.2445400059223	-	1	0.1%
0.2447389960289	-	1	0.1%
0.2449499964714	-	1	0.1%
0.2471950054169	-	1	0.1%
0.2472019940615	-	1	0.1%
0.2472579926252	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.6868458577769
- Minimum: 0.0660346969962
- Maximum: 6.5340299606323
- Standard Deviation: 0.5673118330480

Location: 4708-4722 (width: 15; decimal: 13)

Variable Type: numeric

E23_ABS_GAMMAA4A4: E23_abs_gamma

Value	Label	Unweighted Frequency	%
0.0257073007524	-	1	0.1%
0.0496222004294	-	1	0.1%
0.0559022985399	-	1	0.1%
0.0559324994683	-	1	0.1%
0.0580741018057	-	1	0.1%
0.0603152997792	-	1	0.1%
0.0603296011686	-	1	0.1%
0.0628945007920	-	1	0.1%
0.0714609026909	-	1	0.1%
0.0730123966932	-	1	0.1%
0.0775154978037	-	1	0.1%
0.0798557028174	-	1	0.1%
0.0807610005140	-	1	0.1%
0.0816638022661	-	1	0.1%
0.0829991027713	-	1	0.1%
0.0853032022715	-	1	0.1%
0.0858459025621	-	1	0.1%
0.0871639996767	-	1	0.1%
0.0881564021111	-	1	0.1%
0.0888015031815	-	1	0.1%
0.0898149982095	-	1	0.1%
0.0925355032086	-	1	0.1%
0.0933291986585	-	1	0.1%
0.0937459021807	-	1	0.1%
0.0940925031900	-	1	0.1%
0.0949319005013	-	1	0.1%
0.0953676998615	-	1	0.1%
0.0973177030683	-	1	0.1%
0.0973189994693	-	1	0.1%
0.0975726991892	-	1	0.1%
0.0985518991947	-	1	0.1%
0.0989027023315	-	1	0.1%
0.0997387021780	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1013069972396	-	1	0.1%
0.1030239984393	-	1	0.1%
0.1078080013394	-	1	0.1%
0.1085740029812	-	1	0.1%
0.1092569977045	-	1	0.1%
0.1096749976277	-	1	0.1%
0.1109289973974	-	1	0.1%
0.1116029992700	-	1	0.1%
0.1120349988341	-	1	0.1%
0.1137169972062	-	1	0.1%
0.1149159967899	-	1	0.1%
0.1150289997458	-	1	0.1%
0.1157409995794	-	1	0.1%
0.1161350011826	-	1	0.1%
0.1164650022984	-	1	0.1%
0.1169150024652	-	1	0.1%
0.1177669987082	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5132041773110
- Minimum: 0.0257073007524
- Maximum: 6.4964299201965
- Standard Deviation: 0.5843965099409

Location: 4723-4737 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E24_ABS_THETAA4A4: E24_abs_theta

Value	Label	Unweighted Frequency	%
0.832291007042	-	1	0.1%
0.876403987408	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.119760036469	-	1	0.1%
1.193480014801	-	1	0.1%
1.247230052948	-	1	0.1%
1.317929983139	-	1	0.1%
1.341140031815	-	1	0.1%
1.364809989929	-	1	0.1%
1.410069942474	-	1	0.1%
1.445639967918	-	1	0.1%
1.452810049057	-	1	0.1%
1.475530028343	-	1	0.1%
1.557080030441	-	1	0.1%
1.557610034943	-	1	0.1%
1.559020042419	-	1	0.1%
1.585510015488	-	1	0.1%
1.597589969635	-	1	0.1%
1.717030048370	-	1	0.1%
1.775840044022	-	1	0.1%
1.783969998360	-	1	0.1%
1.818199992180	-	1	0.1%
1.838760018349	-	1	0.1%
1.882019996643	-	1	0.1%
1.937209963799	-	1	0.1%
1.939270019531	-	1	0.1%
1.955899953842	-	1	0.1%
1.960530042648	-	1	0.1%
1.982560038567	-	1	0.1%
1.993780016899	-	1	0.1%
2.005419969559	-	1	0.1%
2.020349979401	-	1	0.1%
2.097310066223	-	1	0.1%
2.097359895706	-	1	0.1%
2.109649896622	-	1	0.1%
2.130889892578	-	1	0.1%
2.135149955750	-	1	0.1%
2.135360002518	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.138509988785	-	1	0.1%
2.143120050430	-	1	0.1%
2.152349948883	-	1	0.1%
2.160870075226	-	1	0.1%
2.164000034332	-	1	0.1%
2.173180103302	-	1	0.1%
2.184190034866	-	1	0.1%
2.197259902954	-	1	0.1%
2.217669963837	-	1	0.1%
2.254080057144	-	1	0.1%
2.265110015869	-	1	0.1%
2.268260002136	-	1	0.1%
2.306380033493	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 5.218913179894
- Minimum: 0.832291007042
- Maximum: 15.744600296021
- Standard Deviation: 2.479499436510

Location: 4738-4752 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E24_ABS_ALPHAA4A4: E24_abs_alpha

Value	Label	Unweighted Frequency	%
0.268512010574	-	1	0.1%
0.296292990446	-	1	0.1%
0.359982013702	-	1	0.1%
0.371773004532	-	1	0.1%
0.374583989382	-	1	0.1%
0.380966991186	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.396131008863	-	1	0.1%
0.403209000826	-	1	0.1%
0.414274990559	-	1	0.1%
0.423904001713	-	1	0.1%
0.429908990860	-	1	0.1%
0.442207992077	-	1	0.1%
0.449176996946	-	1	0.1%
0.463759988546	-	1	0.1%
0.467525988817	-	1	0.1%
0.488988995552	-	1	0.1%
0.496500998735	-	1	0.1%
0.506555974483	-	1	0.1%
0.522751986980	-	1	0.1%
0.543564975262	-	1	0.1%
0.546765983105	-	1	0.1%
0.573660016060	-	1	0.1%
0.576467990875	-	1	0.1%
0.597097992897	-	1	0.1%
0.608310997486	-	1	0.1%
0.621767997742	-	1	0.1%
0.628884017467	-	1	0.1%
0.638951003551	-	1	0.1%
0.641192972660	-	1	0.1%
0.644926011562	-	1	0.1%
0.662437975407	-	1	0.1%
0.664591014385	-	1	0.1%
0.682192981243	-	1	0.1%
0.682973980904	-	1	0.1%
0.693746984005	-	1	0.1%
0.701454997063	-	1	0.1%
0.703212976456	-	1	0.1%
0.705447971821	-	1	0.1%
0.712135016918	-	1	0.1%
0.721204996109	-	1	0.1%
0.722171008587	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.726960003376	-	1	0.1%
0.733213007450	-	1	0.1%
0.734874010086	-	1	0.1%
0.744917988777	-	1	0.1%
0.748071014881	-	1	0.1%
0.755770027637	-	1	0.1%
0.757287979126	-	1	0.1%
0.757360994816	-	1	0.1%
0.758199989796	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.858598634324
- Minimum: 0.268512010574
- Maximum: 10.135499954224
- Standard Deviation: 1.099192328667

Location: 4753-4767 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E24_ABS_BETAA4A4: E24_abs_beta

Value	Label	Unweighted Frequency	%
0.0601169988513	-	1	0.1%
0.0657934024930	-	1	0.1%
0.1008180007339	-	1	0.1%
0.1094020009041	-	1	0.1%
0.1122459992766	-	1	0.1%
0.1127410009503	-	1	0.1%
0.1207019984722	-	1	0.1%
0.1209049969912	-	1	0.1%
0.1221700012684	-	1	0.1%
0.1287339925766	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1306799948215	-	1	0.1%
0.1309839934111	-	1	0.1%
0.1383260041475	-	1	0.1%
0.1389790028334	-	1	0.1%
0.1389880031347	-	1	0.1%
0.1413870006800	-	1	0.1%
0.1472100019455	-	1	0.1%
0.1489350050688	-	1	0.1%
0.1495199948549	-	1	0.1%
0.1495919972658	-	1	0.1%
0.1534650027752	-	1	0.1%
0.1584240049124	-	1	0.1%
0.1634469926357	-	1	0.1%
0.1677400022745	-	1	0.1%
0.1724050045013	-	1	0.1%
0.1724269986153	-	1	0.1%
0.1740189939737	-	1	0.1%
0.1744070053101	-	1	0.1%
0.1773779988289	-	1	0.1%
0.1826259940863	-	1	0.1%
0.1830569952726	-	1	0.1%
0.1835640072823	-	1	0.1%
0.1843619942665	-	1	0.1%
0.1854079961777	-	1	0.1%
0.1862619966269	-	1	0.1%
0.1873389929533	-	1	0.1%
0.1910630017519	-	1	0.1%
0.1914020031691	-	1	0.1%
0.1925459951162	-	1	0.1%
0.1931640058756	-	1	0.1%
0.1931920051575	-	1	0.1%
0.1954350024462	-	1	0.1%
0.1961130052805	-	1	0.1%
0.1962399929762	-	1	0.1%
0.1966519951820	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1967960000038	-	1	0.1%
0.1971549987793	-	1	0.1%
0.1975689977407	-	1	0.1%
0.1982299983501	-	1	0.1%
0.2007720023394	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4948103893260
- Minimum: 0.0601169988513
- Maximum: 2.8768100738525
- Standard Deviation: 0.3220351923539

Location: 4768-4782 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E24_ABS_GAMMAA4A4: E24_abs_gamma

Value	Label	Unweighted Frequency	%
0.0274573992938	-	1	0.1%
0.0301673002541	-	1	0.1%
0.0357796996832	-	1	0.1%
0.0415600016713	-	1	0.1%
0.0455108992755	-	1	0.1%
0.0493711009622	-	1	0.1%
0.0526520982385	-	1	0.1%
0.0529812015593	-	1	0.1%
0.0530699007213	-	1	0.1%
0.0534327998757	-	1	0.1%
0.0548817999661	-	1	0.1%
0.0550971999764	-	1	0.1%
0.0557496994734	-	1	0.1%
0.0569530986249	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0579756014049	-	1	0.1%
0.0591454990208	-	1	0.1%
0.0605663992465	-	1	0.1%
0.0636807978153	-	1	0.1%
0.0652102977037	-	1	0.1%
0.0688740015030	-	1	0.1%
0.0696443021297	-	1	0.1%
0.0700540989637	-	1	0.1%
0.0723128020763	-	1	0.1%
0.0733427032828	-	1	0.1%
0.0737401023507	-	1	0.1%
0.0741154998541	-	1	0.1%
0.0746197998524	-	1	0.1%
0.0764610022306	-	1	0.1%
0.0773873031139	-	1	0.1%
0.0776553973556	-	1	0.1%
0.0791189000010	-	1	0.1%
0.0791340991855	-	1	0.1%
0.0794667005539	-	1	0.1%
0.0802247971296	-	1	0.1%
0.0811536982656	-	1	0.1%
0.0818307995796	-	1	0.1%
0.0818627998233	-	1	0.1%
0.0828521028161	-	1	0.1%
0.0836040973663	-	1	0.1%
0.0846600010991	-	1	0.1%
0.0852478966117	-	1	0.1%
0.0857426002622	-	1	0.1%
0.0866025984287	-	1	0.1%
0.0870459005237	-	1	0.1%
0.0871893987060	-	1	0.1%
0.0878364965320	-	1	0.1%
0.0879675000906	-	1	0.1%
0.0880424007773	-	1	0.1%
0.0880865976214	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0891522988677	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2888183723068
- Minimum: 0.0274573992938
- Maximum: 3.1778199672699
- Standard Deviation: 0.2772947505892

Location: 4783-4797 (width: 15; decimal: 13)

Variable Type: numeric

E25_ABS_THETAA4A4: E25_abs_theta

Value	Label	Unweighted Frequency	%
1.134209990501	-	1	0.1%
1.251770019531	-	1	0.1%
1.398219943047	-	1	0.1%
1.432780027390	-	1	0.1%
1.445880055428	-	1	0.1%
1.463109970093	-	1	0.1%
1.537649989128	-	1	0.1%
1.609419941902	-	1	0.1%
1.656329989433	-	1	0.1%
1.691480040550	-	1	0.1%
1.694020032883	-	1	0.1%
1.705299973488	-	1	0.1%
1.712419986725	-	1	0.1%
1.764289975166	-	1	0.1%
1.788110017776	-	1	0.1%
1.961770057678	-	1	0.1%
2.041670084000	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.102260112762	-	1	0.1%
2.183160066605	-	1	0.1%
2.224100112915	-	1	0.1%
2.239749908447	-	1	0.1%
2.258110046387	-	1	0.1%
2.266200065613	-	1	0.1%
2.280839920044	-	1	0.1%
2.289999961853	-	1	0.1%
2.297849893570	-	1	0.1%
2.348419904709	-	1	0.1%
2.385090112686	-	1	0.1%
2.390180110931	-	1	0.1%
2.391969919205	-	1	0.1%
2.433330059052	-	1	0.1%
2.441380023956	-	1	0.1%
2.448820114136	-	1	0.1%
2.457050085068	-	1	0.1%
2.461719989777	-	1	0.1%
2.475840091705	-	1	0.1%
2.479059934616	-	1	0.1%
2.488970041275	-	1	0.1%
2.495630025864	-	1	0.1%
2.498270034790	-	1	0.1%
2.504559993744	-	1	0.1%
2.504659891129	-	1	0.1%
2.506710052490	-	1	0.1%
2.517679929733	-	1	0.1%
2.521290063858	-	1	0.1%
2.531510114670	-	1	0.1%
2.558739900589	-	1	0.1%
2.586719989777	-	1	0.1%
2.619129896164	-	1	0.1%
2.620100021362	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 7.248929166388
- Minimum: 1.134209990501
- Maximum: 51.853000640869
- Standard Deviation: 4.825152415217

Location: 4798-4812 (width: 15; decimal: 12)

Variable Type: numeric

E25_ABS_ALPHAA4A4: E25_abs_alpha

Value	Label	Unweighted Frequency	%
0.339293986559	-	1	0.1%
0.351886004210	-	1	0.1%
0.358283013105	-	1	0.1%
0.394901990891	-	1	0.1%
0.426672011614	-	1	0.1%
0.477761000395	-	1	0.1%
0.484376996756	-	1	0.1%
0.498674988747	-	1	0.1%
0.515910983086	-	1	0.1%
0.531543016434	-	1	0.1%
0.543691992760	-	1	0.1%
0.553928971291	-	1	0.1%
0.554251015186	-	1	0.1%
0.555903017521	-	1	0.1%
0.557739019394	-	1	0.1%
0.569786012173	-	1	0.1%
0.569822013378	-	1	0.1%
0.601871013641	-	1	0.1%
0.616033971310	-	1	0.1%
0.619650006294	-	1	0.1%
0.641516983509	-	1	0.1%
0.642098009586	-	1	0.1%
0.646632015705	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.654500007629	-	1	0.1%
0.661370992661	-	1	0.1%
0.670696973801	-	1	0.1%
0.673412024975	-	1	0.1%
0.673516988754	-	1	0.1%
0.677748978138	-	1	0.1%
0.683752000332	-	1	0.1%
0.685123980045	-	1	0.1%
0.686259984970	-	1	0.1%
0.692435979843	-	1	0.1%
0.699540972710	-	1	0.1%
0.711054980755	-	1	0.1%
0.714119017124	-	1	0.1%
0.738864004612	-	1	0.1%
0.759404003620	-	1	0.1%
0.769762992859	-	1	0.1%
0.770568013191	-	1	0.1%
0.781076014042	-	1	0.1%
0.786625027657	-	1	0.1%
0.795471012592	-	1	0.1%
0.803140997887	-	1	0.1%
0.803801000118	-	1	0.1%
0.805963993073	-	1	0.1%
0.808542013168	-	1	0.1%
0.809570014477	-	1	0.1%
0.816882014275	-	1	0.1%
0.831179022789	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.229386595750
- Minimum: 0.339293986559
- Maximum: 19.311199188232
- Standard Deviation: 1.764135764560

Location: 4813-4827 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E25_ABS_BETAA4A4: E25_abs_beta

Value	Label	Unweighted Frequency	%
0.109880998731	-	1	0.1%
0.121748998761	-	1	0.1%
0.123095996678	-	1	0.1%
0.129844993353	-	1	0.1%
0.150249004364	-	1	0.1%
0.163000002503	-	1	0.1%
0.165006995201	-	1	0.1%
0.174623996019	-	1	0.1%
0.177605003119	-	1	0.1%
0.179256007075	-	1	0.1%
0.186647996306	-	1	0.1%
0.189530000091	-	1	0.1%
0.190053999424	-	1	0.1%
0.191622003913	-	1	0.1%
0.193283006549	-	1	0.1%
0.193799003959	-	1	0.1%
0.195777997375	-	1	0.1%
0.201164007187	-	1	0.1%
0.202048003674	-	1	0.1%
0.202404007316	-	1	0.1%
0.205505996943	-	1	0.1%
0.209324002266	-	1	0.1%
0.212052002549	-	1	0.1%
0.213915005326	-	1	0.1%
0.215259000659	-	1	0.1%
0.215797007084	-	1	0.1%
0.218324005604	-	1	0.1%
0.219547003508	-	1	0.1%
0.220109999180	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.221972003579	-	1	0.1%
0.223128005862	-	1	0.1%
0.223285004497	-	1	0.1%
0.223692998290	-	1	0.1%
0.225225999951	-	1	0.1%
0.225403994322	-	1	0.1%
0.226872995496	-	1	0.1%
0.227399006486	-	1	0.1%
0.228738993406	-	1	0.1%
0.232561007142	-	1	0.1%
0.235498994589	-	1	0.1%
0.237751007080	-	1	0.1%
0.238159999251	-	1	0.1%
0.238545000553	-	1	0.1%
0.240723997355	-	1	0.1%
0.241598993540	-	1	0.1%
0.241993993521	-	1	0.1%
0.242023006082	-	1	0.1%
0.242364004254	-	1	0.1%
0.242946997285	-	1	0.1%
0.246079996228	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.675641004042
- Minimum: 0.109880998731
- Maximum: 10.250499725342
- Standard Deviation: 0.584305125408

Location: 4828-4842 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E25_ABS_GAMMAA4A4: E25_abs_gamma

Value	Label	Unweighted Frequency	%
0.0599702000618	-	1	0.1%
0.0712869986892	-	1	0.1%
0.0750354006886	-	1	0.1%
0.0775950998068	-	1	0.1%
0.0785781964660	-	1	0.1%
0.0792047008872	-	1	0.1%
0.0829546973109	-	1	0.1%
0.0845780968666	-	1	0.1%
0.0873868018389	-	1	0.1%
0.0881825014949	-	1	0.1%
0.0945603996515	-	1	0.1%
0.0946983993053	-	1	0.1%
0.0977538973093	-	1	0.1%
0.0981665030122	-	1	0.1%
0.1002070009708	-	1	0.1%
0.1030720025301	-	1	0.1%
0.1030829995871	-	1	0.1%
0.1036600023508	-	1	0.1%
0.1043580025434	-	1	0.1%
0.1047369986773	-	1	0.1%
0.1055329963565	-	1	0.1%
0.1100450009108	-	1	0.1%
0.1103869974613	-	1	0.1%
0.1106600016356	-	1	0.1%
0.1127249971032	-	1	0.1%
0.1129219979048	-	1	0.1%
0.1173119992018	-	1	0.1%
0.1200599968433	-	1	0.1%
0.1200810000300	-	1	0.1%
0.1216799989343	-	1	0.1%
0.1224939972162	-	1	0.1%
0.1232910007238	-	1	0.1%
0.1233839988708	-	1	0.1%
0.1259209960699	-	1	0.1%
0.1269509941339	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1282539963722	-	1	0.1%
0.1284209936857	-	1	0.1%
0.1303800046444	-	1	0.1%
0.1307069957256	-	1	0.1%
0.1320949941874	-	1	0.1%
0.1331399977207	-	1	0.1%
0.1332080066204	-	1	0.1%
0.1343580037355	-	1	0.1%
0.1345829963684	-	1	0.1%
0.1351509988308	-	1	0.1%
0.1370240002871	-	1	0.1%
0.1380019932985	-	1	0.1%
0.1380950063467	-	1	0.1%
0.1395449936390	-	1	0.1%
0.1395860016346	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4642717911524
- Minimum: 0.0599702000618
- Maximum: 5.1489801406860
- Standard Deviation: 0.3949143588830

Location: 4843-4857 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E26_ABS_THETAA4A4: E26_abs_theta

Value	Label	Unweighted Frequency	%
1.294510006905	-	1	0.1%
1.354200005531	-	1	0.1%
1.358700037003	-	1	0.1%
1.382300019264	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.400939941406	-	1	0.1%
1.424100041389	-	1	0.1%
1.464359998703	-	1	0.1%
1.493839979172	-	1	0.1%
1.562530040741	-	1	0.1%
1.722040057182	-	1	0.1%
1.770460009575	-	1	0.1%
1.787829995155	-	1	0.1%
1.814520001411	-	1	0.1%
1.828780055046	-	1	0.1%
1.863890051842	-	1	0.1%
1.899320006371	-	1	0.1%
2.003279924393	-	1	0.1%
2.005939960480	-	1	0.1%
2.011349916458	-	1	0.1%
2.030940055847	-	1	0.1%
2.067070007324	-	1	0.1%
2.070410013199	-	1	0.1%
2.096780061722	-	1	0.1%
2.109770059586	-	1	0.1%
2.116950035095	-	1	0.1%
2.129090070724	-	1	0.1%
2.162149906158	-	1	0.1%
2.167560100555	-	1	0.1%
2.174540042877	-	1	0.1%
2.178679943085	-	1	0.1%
2.182990074158	-	1	0.1%
2.191800117493	-	1	0.1%
2.193120002747	-	1	0.1%
2.196340084076	-	1	0.1%
2.201790094376	-	1	0.1%
2.207520008087	-	1	0.1%
2.219660043716	-	1	0.1%
2.226939916611	-	1	0.1%
2.236540079117	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.242939949036	-	1	0.1%
2.255549907684	-	1	0.1%
2.257070064545	-	1	0.1%
2.268569946289	-	1	0.1%
2.306479930878	-	1	0.1%
2.320310115814	-	1	0.1%
2.326889991760	-	1	0.1%
2.338030099869	-	1	0.1%
2.341219902039	-	1	0.1%
2.345629930496	-	1	0.1%
2.356309890747	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 5.327360261889
- Minimum: 1.294510006905
- Maximum: 23.446899414063
- Standard Deviation: 2.632936747228

Location: 4858-4872 (width: 15; decimal: 12)

Variable Type: numeric

E26_ABS_ALPHAA4A4: E26_abs_alpha

Value	Label	Unweighted Frequency	%
0.236138001084	-	1	0.1%
0.370213001966	-	1	0.1%
0.382750988007	-	1	0.1%
0.385304987431	-	1	0.1%
0.398077994585	-	1	0.1%
0.419427990913	-	1	0.1%
0.437577992678	-	1	0.1%
0.449036002159	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.452089995146	-	1	0.1%
0.465784013271	-	1	0.1%
0.468740999699	-	1	0.1%
0.484418004751	-	1	0.1%
0.486052006483	-	1	0.1%
0.510936975479	-	1	0.1%
0.530310988426	-	1	0.1%
0.536113023758	-	1	0.1%
0.538070976734	-	1	0.1%
0.553920984268	-	1	0.1%
0.557393014431	-	1	0.1%
0.559050023556	-	1	0.1%
0.560429990292	-	1	0.1%
0.564849019051	-	1	0.1%
0.565832018852	-	1	0.1%
0.584095001221	-	1	0.1%
0.588176012039	-	1	0.1%
0.589958012104	-	1	0.1%
0.598658978939	-	1	0.1%
0.604008018970	-	1	0.1%
0.609359979630	-	1	0.1%
0.623512983322	-	1	0.1%
0.635810971260	-	1	0.1%
0.644349992275	-	1	0.1%
0.644622981548	-	1	0.1%
0.657444000244	-	1	0.1%
0.657733023167	-	1	0.1%
0.663114011288	-	1	0.1%
0.665763020515	-	1	0.1%
0.675105988979	-	1	0.1%
0.677841007710	-	1	0.1%
0.682775974274	-	1	0.1%
0.687132000923	-	1	0.1%
0.688836991787	-	1	0.1%
0.692441999912	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.707374989986	-	1	0.1%
0.707704007626	-	1	0.1%
0.719417989254	-	1	0.1%
0.721235990524	-	1	0.1%
0.728356003761	-	1	0.1%
0.733259975910	-	1	0.1%
0.735648989677	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.767287783325
- Minimum: 0.236138001084
- Maximum: 14.472599983215
- Standard Deviation: 1.124100070985

Location: 4873-4887 (width: 15; decimal: 12)

Variable Type: numeric

E26_ABS_BETAA4A4: E26_abs_beta

Value	Label	Unweighted Frequency	%
0.0935022011399	-	1	0.1%
0.1055909991264	-	1	0.1%
0.1165269985795	-	1	0.1%
0.1225619986653	-	1	0.1%
0.1300069987774	-	1	0.1%
0.1379200071096	-	1	0.1%
0.1408240050077	-	1	0.1%
0.1412349939346	-	1	0.1%
0.1414490044117	-	1	0.1%
0.1447169929743	-	1	0.1%
0.1450929939747	-	1	0.1%
0.1456509977579	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1646080017090	-	1	0.1%
0.1662780046463	-	1	0.1%
0.1682589948177	-	1	0.1%
0.1692830026150	-	1	0.1%
0.1701969951391	-	1	0.1%
0.1711540073156	-	1	0.1%
0.1728859990835	-	1	0.1%
0.1730660051107	-	1	0.1%
0.1781029999256	-	1	0.1%
0.1784320026636	-	1	0.1%
0.1786530017853	-	1	0.1%
0.1812389940023	-	1	0.1%
0.1824830025434	-	1	0.1%
0.1831409931183	-	1	0.1%
0.1838960051537	-	1	0.1%
0.1844590008259	-	1	0.1%
0.1879920065403	-	1	0.1%
0.1882770061493	-	1	0.1%
0.1895709931850	-	1	0.1%
0.1898799985647	-	1	0.1%
0.1921609938145	-	1	0.1%
0.1949529945850	-	1	0.1%
0.1966920047998	-	1	0.1%
0.1972550004721	-	1	0.1%
0.1977069973946	-	1	0.1%
0.1979440003633	-	1	0.1%
0.2007309943438	-	1	0.1%
0.2014449983835	-	1	0.1%
0.2023880034685	-	1	0.1%
0.2032729983330	-	1	0.1%
0.2033450007439	-	1	0.1%
0.2053750008345	-	1	0.1%
0.2054110020399	-	1	0.1%
0.2054650038481	-	1	0.1%
0.2057559937239	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.2089529931545	-	1	0.1%
0.2103600054979	-	1	0.1%
0.2109310030937	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5431484087448
- Minimum: 0.0935022011399
- Maximum: 3.5607700347900
- Standard Deviation: 0.3651101790903

Location: 4888-4902 (width: 15; decimal: 13)

Variable Type: numeric

E26_ABS_GAMMAA4A4: E26_abs_gamma

Value	Label	Unweighted Frequency	%
0.0447467006743	-	1	0.1%
0.0460265018046	-	1	0.1%
0.0521812997758	-	1	0.1%
0.0524211004376	-	1	0.1%
0.0587392002344	-	1	0.1%
0.0615008994937	-	1	0.1%
0.0632252991199	-	1	0.1%
0.0640769973397	-	1	0.1%
0.0652431026101	-	1	0.1%
0.0695869997144	-	1	0.1%
0.0716034024954	-	1	0.1%
0.0725487023592	-	1	0.1%
0.0765865966678	-	1	0.1%
0.0792519003153	-	1	0.1%
0.0807415992022	-	1	0.1%
0.0813357010484	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0820854008198	-	1	0.1%
0.0821930989623	-	1	0.1%
0.0833524018526	-	1	0.1%
0.0845203027129	-	1	0.1%
0.0870710015297	-	1	0.1%
0.0871514976025	-	1	0.1%
0.0879990980029	-	1	0.1%
0.0910022035241	-	1	0.1%
0.0912425965071	-	1	0.1%
0.0926100015640	-	1	0.1%
0.0940195024014	-	1	0.1%
0.0943329036236	-	1	0.1%
0.0953489020467	-	1	0.1%
0.0957581028342	-	1	0.1%
0.0963288024068	-	1	0.1%
0.0976492986083	-	1	0.1%
0.0979932993650	-	1	0.1%
0.0979934036732	-	1	0.1%
0.1012390032411	-	1	0.1%
0.1017509996891	-	1	0.1%
0.1024800017476	-	1	0.1%
0.1033649966121	-	1	0.1%
0.1042319983244	-	1	0.1%
0.1070780009031	-	1	0.1%
0.1072100028396	-	1	0.1%
0.1072840020061	-	1	0.1%
0.1080750003457	-	1	0.1%
0.1089650020003	-	1	0.1%
0.1100969985127	-	1	0.1%
0.1103750020266	-	1	0.1%
0.1106519997120	-	1	0.1%
0.1106859967113	-	1	0.1%
0.1116639971733	-	1	0.1%
0.1127289980650	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3762845100875
- Minimum: 0.0447467006743
- Maximum: 2.9226400852203
- Standard Deviation: 0.3387231034228

Location: 4903-4917 (width: 15; decimal: 13)

Variable Type: numeric

[E27_ABS_THETAA4A4: E27_abs_theta](#)

Value	Label	Unweighted Frequency	%
0.388049989939	-	1	0.1%
0.547352015972	-	1	0.1%
0.832392990589	-	1	0.1%
0.856608986855	-	1	0.1%
1.242540001869	-	1	0.1%
1.270210027695	-	1	0.1%
1.324630022049	-	1	0.1%
1.331910014153	-	1	0.1%
1.332960009575	-	1	0.1%
1.346860051155	-	1	0.1%
1.420529961586	-	1	0.1%
1.421120047569	-	1	0.1%
1.446179986000	-	1	0.1%
1.469370007515	-	1	0.1%
1.470039963722	-	1	0.1%
1.547520041466	-	1	0.1%
1.588770031929	-	1	0.1%
1.605180025101	-	1	0.1%
1.618010044098	-	1	0.1%
1.618960022926	-	1	0.1%
1.638839960098	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.642539978027	-	1	0.1%
1.668490052223	-	1	0.1%
1.701179981232	-	1	0.1%
1.730430006981	-	1	0.1%
1.776729941368	-	1	0.1%
1.785199999809	-	1	0.1%
1.806120038033	-	1	0.1%
1.817890048027	-	1	0.1%
1.821069955826	-	1	0.1%
1.825620055199	-	1	0.1%
1.843780040741	-	1	0.1%
1.847210049629	-	1	0.1%
1.878790020943	-	1	0.1%
1.879789948463	-	1	0.1%
1.890599966049	-	1	0.1%
1.894930005074	-	1	0.1%
1.915750026703	-	1	0.1%
2.010770082474	-	1	0.1%
2.027470111847	-	1	0.1%
2.038269996643	-	1	0.1%
2.086950063705	-	1	0.1%
2.091789960861	-	1	0.1%
2.097879886627	-	1	0.1%
2.112479925156	-	1	0.1%
2.142649888992	-	1	0.1%
2.160039901733	-	1	0.1%
2.166589975357	-	1	0.1%
2.170419931412	-	1	0.1%
2.178900003433	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.815984233845
- Minimum: 0.388049989939
- Maximum: 15.883199691772
- Standard Deviation: 2.324772257675

Location: 4918-4932 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E27_ABS_ALPHAA4A4: E27_abs_alpha

Value	Label	Unweighted Frequency	%
0.223939999938	-	1	0.1%
0.285512000322	-	1	0.1%
0.297495990992	-	1	0.1%
0.351792007685	-	1	0.1%
0.373578995466	-	1	0.1%
0.385466009378	-	1	0.1%
0.396656006575	-	1	0.1%
0.397267997265	-	1	0.1%
0.399536997080	-	1	0.1%
0.401612997055	-	1	0.1%
0.444682002068	-	1	0.1%
0.451400995255	-	1	0.1%
0.459962993860	-	1	0.1%
0.462213009596	-	1	0.1%
0.470200985670	-	1	0.1%
0.473751991987	-	1	0.1%
0.486815005541	-	1	0.1%
0.486930996180	-	1	0.1%
0.496551990509	-	1	0.1%
0.504453003407	-	1	0.1%
0.512162983418	-	1	0.1%
0.549507975578	-	1	0.1%
0.551838994026	-	1	0.1%
0.571736991405	-	1	0.1%
0.576213002205	-	1	0.1%
0.606078028679	-	1	0.1%
0.615499019623	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.621394991875	-	1	0.1%
0.626573026180	-	1	0.1%
0.632404029369	-	1	0.1%
0.638630986214	-	1	0.1%
0.640974998474	-	1	0.1%
0.643042027950	-	1	0.1%
0.645362019539	-	1	0.1%
0.648826003075	-	1	0.1%
0.651660025120	-	1	0.1%
0.652131021023	-	1	0.1%
0.656445026398	-	1	0.1%
0.659793019295	-	1	0.1%
0.662212014198	-	1	0.1%
0.668021976948	-	1	0.1%
0.681376993656	-	1	0.1%
0.684476971626	-	1	0.1%
0.691828012466	-	1	0.1%
0.695514023304	-	1	0.1%
0.700850009918	-	1	0.1%
0.703710019588	-	1	0.1%
0.704714000225	-	1	0.1%
0.711229026318	-	1	0.1%
0.714887022972	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.759368558163
- Minimum: 0.223939999938
- Maximum: 10.937000274658
- Standard Deviation: 1.035776043162

Location: 4933-4947 (width: 15; decimal: 12)

Variable Type: numeric

E27_ABS_BETAA4A4: E27_abs_beta

Value	Label	Unweighted Frequency	%
0.0473622009158	-	1	0.1%
0.0712693035603	-	1	0.1%
0.0736299008131	-	1	0.1%
0.0810144990683	-	1	0.1%
0.1056580021977	-	1	0.1%
0.1071280017495	-	1	0.1%
0.1080589964986	-	1	0.1%
0.1152459979057	-	1	0.1%
0.1212029978633	-	1	0.1%
0.1214990019798	-	1	0.1%
0.1215799972415	-	1	0.1%
0.1231829971075	-	1	0.1%
0.1266269981861	-	1	0.1%
0.1280740052462	-	1	0.1%
0.1303080022335	-	1	0.1%
0.1326079964638	-	1	0.1%
0.1358769983053	-	1	0.1%
0.1379490047693	-	1	0.1%
0.1400730013847	-	1	0.1%
0.1470389962196	-	1	0.1%
0.1486839950085	-	1	0.1%
0.1487389951944	-	1	0.1%
0.1493760049343	-	1	0.1%
0.1522780060768	-	1	0.1%
0.1544220000505	-	1	0.1%
0.1593499928713	-	1	0.1%
0.1598719954491	-	1	0.1%
0.1611319929361	-	1	0.1%
0.1626809984446	-	1	0.1%
0.1650699973106	-	1	0.1%
0.1664880067110	-	1	0.1%
0.1687880009413	-	1	0.1%
0.1689790040255	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1717299968004	-	1	0.1%
0.1718699932098	-	1	0.1%
0.1729159951210	-	1	0.1%
0.1735329926014	-	1	0.1%
0.1752090007067	-	1	0.1%
0.1754209995270	-	1	0.1%
0.1777350008488	-	1	0.1%
0.1783860027790	-	1	0.1%
0.1793050020933	-	1	0.1%
0.1797550022602	-	1	0.1%
0.1799120008945	-	1	0.1%
0.1811250001192	-	1	0.1%
0.1815879940987	-	1	0.1%
0.1836870014668	-	1	0.1%
0.1847330033779	-	1	0.1%
0.1860159933567	-	1	0.1%
0.1896380037069	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5198326503437
- Minimum: 0.0473622009158
- Maximum: 2.5510900020599
- Standard Deviation: 0.3587455192655

Location: 4948-4962 (width: 15; decimal: 13)

Variable Type: numeric

E27_ABS_GAMMAA4A4: E27_abs_gamma

Value	Label	Unweighted Frequency	%
0.0251228008419	-	1	0.1%
0.0321725010872	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0394471995533	-	1	0.1%
0.0433952994645	-	1	0.1%
0.0442596003413	-	1	0.1%
0.0456653982401	-	1	0.1%
0.0472392998636	-	1	0.1%
0.0481270998716	-	1	0.1%
0.0497836992145	-	1	0.1%
0.0526250004768	-	1	0.1%
0.0529516004026	-	1	0.1%
0.0563417002559	-	1	0.1%
0.0570678003132	-	1	0.1%
0.0574753992260	-	1	0.1%
0.0597376003861	-	1	0.1%
0.0604641996324	-	1	0.1%
0.0620990991592	-	1	0.1%
0.0640287026763	-	1	0.1%
0.0651490017772	-	1	0.1%
0.0654743015766	-	1	0.1%
0.0673234015703	-	1	0.1%
0.0690144971013	-	1	0.1%
0.0701927021146	-	1	0.1%
0.0704723969102	-	1	0.1%
0.0709661990404	-	1	0.1%
0.0714960992336	-	1	0.1%
0.0727578997612	-	1	0.1%
0.0735637024045	-	1	0.1%
0.0737278982997	-	1	0.1%
0.0746626034379	-	1	0.1%
0.0753659978509	-	1	0.1%
0.0760802030563	-	1	0.1%
0.0784469991922	-	1	0.1%
0.0784633010626	-	1	0.1%
0.0787004977465	-	1	0.1%
0.0787146985531	-	1	0.1%
0.0789809003472	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0795093998313	-	1	0.1%
0.0796739012003	-	1	0.1%
0.0805533975363	-	1	0.1%
0.0816034004092	-	1	0.1%
0.0816060006618	-	1	0.1%
0.0818725973368	-	1	0.1%
0.0820785984397	-	1	0.1%
0.0823329985142	-	1	0.1%
0.0827723965049	-	1	0.1%
0.0829216018319	-	1	0.1%
0.0831338986754	-	1	0.1%
0.0835248976946	-	1	0.1%
0.0872175991535	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3429488680836
- Minimum: 0.0251228008419
- Maximum: 2.6929700374603
- Standard Deviation: 0.3225925935607

Location: 4963-4977 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E28_ABS_THETAA4A4: E28_abs_theta

Value	Label	Unweighted Frequency	%
0.332473993301	-	1	0.1%
0.439494997263	-	1	0.1%
0.725103974342	-	1	0.1%
0.798036992550	-	1	0.1%
0.852558970451	-	1	0.1%
0.924319982529	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.073439955711	-	1	0.1%
1.073619961739	-	1	0.1%
1.098680019379	-	1	0.1%
1.106680035591	-	1	0.1%
1.146239995956	-	1	0.1%
1.227329969406	-	1	0.1%
1.244410037994	-	1	0.1%
1.256620049477	-	1	0.1%
1.258630037308	-	1	0.1%
1.298519968987	-	1	0.1%
1.302829980850	-	1	0.1%
1.335749983788	-	1	0.1%
1.355900049210	-	1	0.1%
1.359009981155	-	1	0.1%
1.378350019455	-	1	0.1%
1.383069992065	-	1	0.1%
1.409039974213	-	1	0.1%
1.410120010376	-	1	0.1%
1.427129983902	-	1	0.1%
1.429319977760	-	1	0.1%
1.442839980125	-	1	0.1%
1.444859981537	-	1	0.1%
1.486590027809	-	1	0.1%
1.511700034142	-	1	0.1%
1.527449965477	-	1	0.1%
1.536900043488	-	1	0.1%
1.541380047798	-	1	0.1%
1.557649970055	-	1	0.1%
1.578909993172	-	1	0.1%
1.590389966965	-	1	0.1%
1.627609968185	-	1	0.1%
1.639199972153	-	1	0.1%
1.641450047493	-	1	0.1%
1.689339995384	-	1	0.1%
1.736479997635	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.752279996872	-	1	0.1%
1.772160053253	-	1	0.1%
1.791880011559	-	1	0.1%
1.806439995766	-	1	0.1%
1.859240055084	-	1	0.1%
1.890140056610	-	1	0.1%
1.901229977608	-	1	0.1%
1.905390024185	-	1	0.1%
1.920150041580	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.303427299617
- Minimum: 0.332473993301
- Maximum: 20.352699279785
- Standard Deviation: 2.249374341633

Location: 4978-4992 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E28_ABS_ALPHA4A4: E28_abs_alpha

Value	Label	Unweighted Frequency	%
0.2060140073299	-	1	0.1%
0.2359659969807	-	1	0.1%
0.2749229967594	-	1	0.1%
0.2907480001450	-	1	0.1%
0.3059180080891	-	1	0.1%
0.3173750042915	-	1	0.1%
0.3357560038567	-	1	0.1%
0.3458180129528	-	1	0.1%
0.3528060019016	-	1	0.1%
0.3576920032501	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.3621689975262	-	1	0.1%
0.3750500082970	-	1	0.1%
0.3793199956417	-	1	0.1%
0.3817830085754	-	1	0.1%
0.3872610032558	-	1	0.1%
0.4271459877491	-	1	0.1%
0.4570940136909	-	1	0.1%
0.4594810009003	-	1	0.1%
0.4819709956646	-	1	0.1%
0.4877139925957	-	1	0.1%
0.5100669860840	-	1	0.1%
0.5146909952164	-	1	0.1%
0.5245820283890	-	1	0.1%
0.5273510217667	-	1	0.1%
0.5307199954987	-	1	0.1%
0.5331090092659	-	1	0.1%
0.5385829806328	-	1	0.1%
0.5403199791908	-	1	0.1%
0.5449590086937	-	1	0.1%
0.5508869886398	-	1	0.1%
0.5695220232010	-	1	0.1%
0.5696719884872	-	1	0.1%
0.5716450214386	-	1	0.1%
0.5734109878540	-	1	0.1%
0.5734310150146	-	1	0.1%
0.5743730068207	-	1	0.1%
0.5842509865761	-	1	0.1%
0.5911809802055	-	1	0.1%
0.5996559858322	-	1	0.1%
0.6015380024910	-	1	0.1%
0.6113070249557	-	1	0.1%
0.6123459935188	-	1	0.1%
0.6139600276947	-	1	0.1%
0.6141340136528	-	1	0.1%
0.6262530088425	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.6271250247955	-	1	0.1%
0.6315339803696	-	1	0.1%
0.6323540210724	-	1	0.1%
0.6342170238495	-	1	0.1%
0.6352990269661	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.7221315152966
- Minimum: 0.2060140073299
- Maximum: 7.1983900070190
- Standard Deviation: 1.0540181402701

Location: 4993-5007 (width: 15; decimal: 13)

Variable Type: numeric

E28_ABS_BETAA4A4: E28_abs_beta

Value	Label	Unweighted Frequency	%
0.0367240011692	-	1	0.1%
0.0495342984796	-	1	0.1%
0.0686883032322	-	1	0.1%
0.0753075033426	-	1	0.1%
0.0886505022645	-	1	0.1%
0.0901779979467	-	1	0.1%
0.0926752015948	-	1	0.1%
0.0932535976171	-	1	0.1%
0.0933507978916	-	1	0.1%
0.0949084982276	-	1	0.1%
0.1022590026259	-	1	0.1%
0.1115970015526	-	1	0.1%
0.1129809990525	-	1	0.1%
0.1136249974370	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1148400008678	-	1	0.1%
0.1193180009723	-	1	0.1%
0.1200900003314	-	1	0.1%
0.1200909987092	-	1	0.1%
0.1222530007362	-	1	0.1%
0.1256980001926	-	1	0.1%
0.1257430016994	-	1	0.1%
0.1285880059004	-	1	0.1%
0.1289490014315	-	1	0.1%
0.1308339983225	-	1	0.1%
0.1361400038004	-	1	0.1%
0.1387590020895	-	1	0.1%
0.1388310045004	-	1	0.1%
0.1394490003586	-	1	0.1%
0.1399029940367	-	1	0.1%
0.1412300020456	-	1	0.1%
0.1425379961729	-	1	0.1%
0.1434029936790	-	1	0.1%
0.1476749926805	-	1	0.1%
0.1484149992466	-	1	0.1%
0.1484619975090	-	1	0.1%
0.1485330015421	-	1	0.1%
0.1493050009012	-	1	0.1%
0.1493940055370	-	1	0.1%
0.1511940062046	-	1	0.1%
0.1543900072575	-	1	0.1%
0.1547109931707	-	1	0.1%
0.1554179936647	-	1	0.1%
0.1554400026798	-	1	0.1%
0.1566540002823	-	1	0.1%
0.1569020003080	-	1	0.1%
0.1591659933329	-	1	0.1%
0.1611620038748	-	1	0.1%
0.1616789996624	-	1	0.1%
0.1617870032787	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1637379974127	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4466319038034
- Minimum: 0.0367240011692
- Maximum: 3.7104299068451
- Standard Deviation: 0.3320189724983

Location: 5008-5022 (width: 15; decimal: 13)

Variable Type: numeric

E28_ABS_GAMMAA4A4: E28_abs_gamma

Value	Label	Unweighted Frequency	%
0.0175793003291	-	1	0.1%
0.0222152005881	-	1	0.1%
0.0304515007883	-	1	0.1%
0.0349978990853	-	1	0.1%
0.0355705991387	-	1	0.1%
0.0356127992272	-	1	0.1%
0.0356292016804	-	1	0.1%
0.0393157005310	-	1	0.1%
0.0406466983259	-	1	0.1%
0.0412395000458	-	1	0.1%
0.0428657010198	-	1	0.1%
0.0448860004544	-	1	0.1%
0.0452140010893	-	1	0.1%
0.0462885983288	-	1	0.1%
0.0474677011371	-	1	0.1%
0.0487467981875	-	1	0.1%
0.0492811985314	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0506995990872	-	1	0.1%
0.0512584000826	-	1	0.1%
0.0516123995185	-	1	0.1%
0.0531110987067	-	1	0.1%
0.0538705997169	-	1	0.1%
0.0550809986889	-	1	0.1%
0.0560049004853	-	1	0.1%
0.0585560984910	-	1	0.1%
0.0587857998908	-	1	0.1%
0.0593447014689	-	1	0.1%
0.0597856007516	-	1	0.1%
0.0601695999503	-	1	0.1%
0.0608131997287	-	1	0.1%
0.0608563013375	-	1	0.1%
0.0616936981678	-	1	0.1%
0.0617972016335	-	1	0.1%
0.0622305981815	-	1	0.1%
0.0627702027559	-	1	0.1%
0.0633741021156	-	1	0.1%
0.0637532994151	-	1	0.1%
0.0640453994274	-	1	0.1%
0.0643557980657	-	1	0.1%
0.0644690990448	-	1	0.1%
0.0652545019984	-	1	0.1%
0.0655139982700	-	1	0.1%
0.0658302977681	-	1	0.1%
0.0661846026778	-	1	0.1%
0.0662240013480	-	1	0.1%
0.0663558989763	-	1	0.1%
0.0667306035757	-	1	0.1%
0.0667665004730	-	1	0.1%
0.0668871030211	-	1	0.1%
0.0671676993370	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2484394825689
- Minimum: 0.0175793003291
- Maximum: 2.3026299476624
- Standard Deviation: 0.2406366301161

Location: 5023-5037 (width: 15; decimal: 13)

Variable Type: numeric

E29_ABS_THETAA4A4: E29_abs_theta

Value	Label	Unweighted Frequency	%
0.451871007681	-	1	0.1%
0.583688020706	-	1	0.1%
0.606037974358	-	1	0.1%
0.622807025909	-	1	0.1%
0.705430984497	-	1	0.1%
0.777695000172	-	1	0.1%
0.800782024860	-	1	0.1%
0.819774985313	-	1	0.1%
0.841278970242	-	1	0.1%
0.845682978630	-	1	0.1%
0.854996979237	-	1	0.1%
0.865020990372	-	1	0.1%
0.945937991142	-	1	0.1%
0.962448000908	-	1	0.1%
0.987317025661	-	1	0.1%
1.009029984474	-	1	0.1%
1.011719942093	-	1	0.1%
1.023830056190	-	1	0.1%
1.032789945602	-	1	0.1%
1.048949956894	-	1	0.1%
1.057960033417	-	1	0.1%
1.058580040932	-	1	0.1%
1.117470026016	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.151859998703	-	1	0.1%
1.157709956169	-	1	0.1%
1.161280035973	-	1	0.1%
1.174880027771	-	1	0.1%
1.203549981117	-	1	0.1%
1.219830036163	-	1	0.1%
1.227390050888	-	1	0.1%
1.239269971848	-	1	0.1%
1.239680051804	-	1	0.1%
1.319519996643	-	1	0.1%
1.345770001411	-	1	0.1%
1.355700016022	-	1	0.1%
1.356629967690	-	1	0.1%
1.357030034065	-	1	0.1%
1.377699971199	-	1	0.1%
1.418409943581	-	1	0.1%
1.424029946327	-	1	0.1%
1.426190018654	-	1	0.1%
1.439100027084	-	1	0.1%
1.448050022125	-	1	0.1%
1.455979943275	-	1	0.1%
1.471570014954	-	1	0.1%
1.478299975395	-	1	0.1%
1.479150056839	-	1	0.1%
1.509610056877	-	1	0.1%
1.530179977417	-	1	0.1%
1.570379972458	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 3.785220320426
- Minimum: 0.451871007681
- Maximum: 16.639499664307
- Standard Deviation: 1.982815260415

Location: 5038-5052 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E29_ABS_ALPHA4A4: E29_abs_alpha

Value	Label	Unweighted Frequency	%
0.1607930064201	-	1	0.1%
0.1899860054255	-	1	0.1%
0.2132969945669	-	1	0.1%
0.2177480012178	-	1	0.1%
0.2718259990215	-	1	0.1%
0.2904779911041	-	1	0.1%
0.2923769950867	-	1	0.1%
0.3036150038242	-	1	0.1%
0.3041740059853	-	1	0.1%
0.3144870102406	-	1	0.1%
0.3148089945316	-	1	0.1%
0.3320220112801	-	1	0.1%
0.3338769972324	-	1	0.1%
0.3433420062065	-	1	0.1%
0.3463250100613	-	1	0.1%
0.3566940128803	-	1	0.1%
0.3614130020142	-	1	0.1%
0.3678730130196	-	1	0.1%
0.3716059923172	-	1	0.1%
0.3800140023232	-	1	0.1%
0.3859800100327	-	1	0.1%
0.3921889960766	-	1	0.1%
0.3934639990330	-	1	0.1%
0.4290690124035	-	1	0.1%
0.4457550048828	-	1	0.1%
0.4576489925385	-	1	0.1%
0.4618850052357	-	1	0.1%
0.4625169932842	-	1	0.1%
0.4635069966316	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.4661659896374	-	1	0.1%
0.4819799959660	-	1	0.1%
0.4823360145092	-	1	0.1%
0.4874539971352	-	1	0.1%
0.4907299876213	-	1	0.1%
0.4999389946461	-	1	0.1%
0.5189999938011	-	1	0.1%
0.5201330184937	-	1	0.1%
0.5228440165520	-	1	0.1%
0.5229610204697	-	1	0.1%
0.5276600122452	-	1	0.1%
0.5352330207825	-	1	0.1%
0.5427110195160	-	1	0.1%
0.5437390208244	-	1	0.1%
0.5481100082397	-	1	0.1%
0.5482479929924	-	1	0.1%
0.5513619780540	-	1	0.1%
0.5529389977455	-	1	0.1%
0.5579950213432	-	1	0.1%
0.5600180029869	-	1	0.1%
0.5652459859848	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.6193024354869
- Minimum: 0.1607930064201
- Maximum: 8.2441997528076
- Standard Deviation: 1.0805788235499

Location: 5053-5067 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E29_ABS_BETAA4A4: E29_abs_beta

Value	Label	Unweighted Frequency	%
0.0307849999517	-	1	0.1%
0.0328105986118	-	1	0.1%
0.0438426993787	-	1	0.1%
0.0484688989818	-	1	0.1%
0.0548767000437	-	1	0.1%
0.0652092993259	-	1	0.1%
0.0737034976482	-	1	0.1%
0.0740161985159	-	1	0.1%
0.0778675973415	-	1	0.1%
0.0861928015947	-	1	0.1%
0.0864152014256	-	1	0.1%
0.0866359993815	-	1	0.1%
0.0895024016500	-	1	0.1%
0.0898467004299	-	1	0.1%
0.0920526981354	-	1	0.1%
0.0937132984400	-	1	0.1%
0.0942343994975	-	1	0.1%
0.0967257991433	-	1	0.1%
0.0969080030918	-	1	0.1%
0.0986832976341	-	1	0.1%
0.0999851971865	-	1	0.1%
0.1003469973803	-	1	0.1%
0.1029369980097	-	1	0.1%
0.1071280017495	-	1	0.1%
0.1076529994607	-	1	0.1%
0.1082059964538	-	1	0.1%
0.1089819967747	-	1	0.1%
0.1094940006733	-	1	0.1%
0.1094990000129	-	1	0.1%
0.1116949990392	-	1	0.1%
0.1117649972439	-	1	0.1%
0.1118109971285	-	1	0.1%
0.1140030026436	-	1	0.1%
0.1158189997077	-	1	0.1%
0.1165539994836	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1165720000863	-	1	0.1%
0.1181650012732	-	1	0.1%
0.1186309978366	-	1	0.1%
0.1187700033188	-	1	0.1%
0.1200279965997	-	1	0.1%
0.1204179972410	-	1	0.1%
0.1223310008645	-	1	0.1%
0.1226740032434	-	1	0.1%
0.1227080002427	-	1	0.1%
0.1234589964151	-	1	0.1%
0.1243330016732	-	1	0.1%
0.1253219991922	-	1	0.1%
0.1279850006104	-	1	0.1%
0.1284710019827	-	1	0.1%
0.1289599984884	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3289667836739
- Minimum: 0.0307849999517
- Maximum: 2.2097198963165
- Standard Deviation: 0.2131318975319

Location: 5068-5082 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E29_ABS_GAMMAA4A4: E29_abs_gamma

Value	Label	Unweighted Frequency	%
0.0131660001352	-	1	0.1%
0.0172907002270	-	1	0.1%
0.0176798999310	-	1	0.1%
0.0199673995376	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0204873997718	-	1	0.1%
0.0230858009309	-	1	0.1%
0.0252451002598	-	1	0.1%
0.0273984000087	-	1	0.1%
0.0299740005285	-	1	0.1%
0.0308197997510	-	1	0.1%
0.0311204995960	-	1	0.1%
0.0323662012815	-	1	0.1%
0.0347910001874	-	1	0.1%
0.0348334014416	-	1	0.1%
0.0358957014978	-	1	0.1%
0.0359449014068	-	1	0.1%
0.0371493995190	-	1	0.1%
0.0386037006974	-	1	0.1%
0.0400477014482	-	1	0.1%
0.0400726981461	-	1	0.1%
0.0418220013380	-	1	0.1%
0.0427649989724	-	1	0.1%
0.0428299009800	-	1	0.1%
0.0433472990990	-	1	0.1%
0.0434697009623	-	1	0.1%
0.0441390015185	-	1	0.1%
0.0445391982794	-	1	0.1%
0.0445769988000	-	1	0.1%
0.0450273007154	-	1	0.1%
0.0460873991251	-	1	0.1%
0.0464502014220	-	1	0.1%
0.0465097986162	-	1	0.1%
0.0467547997832	-	1	0.1%
0.0468861013651	-	1	0.1%
0.0473127998412	-	1	0.1%
0.0474557988346	-	1	0.1%
0.0474779009819	-	1	0.1%
0.0477766990662	-	1	0.1%
0.0478249005973	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0489389002323	-	1	0.1%
0.0496338009834	-	1	0.1%
0.0507154986262	-	1	0.1%
0.0508300997317	-	1	0.1%
0.0514361001551	-	1	0.1%
0.0520595982671	-	1	0.1%
0.0532430000603	-	1	0.1%
0.0540121011436	-	1	0.1%
0.0540352985263	-	1	0.1%
0.0541603006423	-	1	0.1%
0.0543465986848	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.1458717688598
- Minimum: 0.0131660001352
- Maximum: 1.1614999771118
- Standard Deviation: 0.1099608408395

Location: 5083-5097 (width: 15; decimal: 13)

Variable Type: numeric

[E30_ABS_THETAA4A4: E30_abs_theta](#)

Value	Label	Unweighted Frequency	%
0.336741000414	-	1	0.1%
0.428144991398	-	1	0.1%
0.494470000267	-	1	0.1%
0.582647979259	-	1	0.1%
0.605210006237	-	1	0.1%
0.605350017548	-	1	0.1%
0.763962984085	-	1	0.1%
0.791936993599	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.837460994720	-	1	0.1%
0.849126994610	-	1	0.1%
0.861015975475	-	1	0.1%
0.871194005013	-	1	0.1%
0.899457991123	-	1	0.1%
0.902397990227	-	1	0.1%
0.948127985001	-	1	0.1%
0.959453999996	-	1	0.1%
0.962850987911	-	1	0.1%
0.995365977287	-	1	0.1%
0.998766005039	-	1	0.1%
1.046200037003	-	1	0.1%
1.048799991608	-	1	0.1%
1.050529956818	-	1	0.1%
1.052819967270	-	1	0.1%
1.064939975739	-	1	0.1%
1.102470040321	-	1	0.1%
1.106119990349	-	1	0.1%
1.133900046349	-	1	0.1%
1.147119998932	-	1	0.1%
1.177279949188	-	1	0.1%
1.199550032616	-	1	0.1%
1.220999956131	-	1	0.1%
1.230280041695	-	1	0.1%
1.255409955978	-	1	0.1%
1.262869954109	-	1	0.1%
1.273090004921	-	1	0.1%
1.277660012245	-	1	0.1%
1.307489991188	-	1	0.1%
1.339239954948	-	1	0.1%
1.356199979782	-	1	0.1%
1.357990026474	-	1	0.1%
1.371770024300	-	1	0.1%
1.373739957809	-	1	0.1%
1.374099969864	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.376119971275	-	1	0.1%
1.410889983177	-	1	0.1%
1.417070031166	-	1	0.1%
1.422029972076	-	1	0.1%
1.450230002403	-	1	0.1%
1.455139994621	-	1	0.1%
1.455150008202	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 3.814767174261
- Minimum: 0.336741000414
- Maximum: 61.881999969482
- Standard Deviation: 3.077191548409

Location: 5098-5112 (width: 15; decimal: 12)

Variable Type: numeric

E30_ABS_ALPHAA4A4: E30_abs_alpha

Value	Label	Unweighted Frequency	%
0.152123004198	-	1	0.1%
0.158713996410	-	1	0.1%
0.175369992852	-	1	0.1%
0.183376997709	-	1	0.1%
0.193487003446	-	1	0.1%
0.193818002939	-	1	0.1%
0.214592993259	-	1	0.1%
0.223931998014	-	1	0.1%
0.228565007448	-	1	0.1%
0.236530005932	-	1	0.1%
0.258193999529	-	1	0.1%
0.278654992580	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.287589013577	-	1	0.1%
0.290028005838	-	1	0.1%
0.301499009132	-	1	0.1%
0.305849999189	-	1	0.1%
0.323195993900	-	1	0.1%
0.325484007597	-	1	0.1%
0.325966000557	-	1	0.1%
0.348778009415	-	1	0.1%
0.353599995375	-	1	0.1%
0.370977997780	-	1	0.1%
0.372451990843	-	1	0.1%
0.379195988178	-	1	0.1%
0.400734007359	-	1	0.1%
0.404902011156	-	1	0.1%
0.414101004601	-	1	0.1%
0.426766991615	-	1	0.1%
0.430819004774	-	1	0.1%
0.434567004442	-	1	0.1%
0.439067006111	-	1	0.1%
0.445850998163	-	1	0.1%
0.446090012789	-	1	0.1%
0.457280009985	-	1	0.1%
0.461048007011	-	1	0.1%
0.464634001255	-	1	0.1%
0.466785997152	-	1	0.1%
0.473951011896	-	1	0.1%
0.475652992725	-	1	0.1%
0.484892010689	-	1	0.1%
0.494881004095	-	1	0.1%
0.500784993172	-	1	0.1%
0.502407014370	-	1	0.1%
0.502412974834	-	1	0.1%
0.503094017506	-	1	0.1%
0.505474984646	-	1	0.1%
0.511910974979	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.524582028389	-	1	0.1%
0.544439971447	-	1	0.1%
0.548934996128	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.625649386377
- Minimum: 0.152123004198
- Maximum: 15.902299880981
- Standard Deviation: 1.271380154344

Location: 5113-5127 (*width:* 15; *decimal:* 12)

Variable Type: numeric

[**E30_ABS_BETAA4A4: E30_abs_beta**](#)

Value	Label	Unweighted Frequency	%
0.0244396999478	-	1	0.1%
0.0291847009212	-	1	0.1%
0.0320330001414	-	1	0.1%
0.0385154001415	-	1	0.1%
0.0388231985271	-	1	0.1%
0.0432943999767	-	1	0.1%
0.0435175001621	-	1	0.1%
0.0638794004917	-	1	0.1%
0.0646630972624	-	1	0.1%
0.0654235035181	-	1	0.1%
0.0677421018481	-	1	0.1%
0.0693833976984	-	1	0.1%
0.0704578012228	-	1	0.1%
0.0706475973129	-	1	0.1%
0.0709645003080	-	1	0.1%
0.0710067972541	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0769971981645	-	1	0.1%
0.0805838033557	-	1	0.1%
0.0828792974353	-	1	0.1%
0.0837830975652	-	1	0.1%
0.0850801020861	-	1	0.1%
0.0863156020641	-	1	0.1%
0.0887750983238	-	1	0.1%
0.0889184027910	-	1	0.1%
0.0893052965403	-	1	0.1%
0.0909980982542	-	1	0.1%
0.0910264998674	-	1	0.1%
0.0911697000265	-	1	0.1%
0.0917031019926	-	1	0.1%
0.0918425023556	-	1	0.1%
0.0925249010324	-	1	0.1%
0.0955578014255	-	1	0.1%
0.0959957018495	-	1	0.1%
0.0962318032980	-	1	0.1%
0.0982604026794	-	1	0.1%
0.0984911993146	-	1	0.1%
0.0992980003357	-	1	0.1%
0.0999777019024	-	1	0.1%
0.1002169996500	-	1	0.1%
0.1018949970603	-	1	0.1%
0.1048810034990	-	1	0.1%
0.1054280027747	-	1	0.1%
0.1065569967031	-	1	0.1%
0.1066389977932	-	1	0.1%
0.1069879978895	-	1	0.1%
0.1072650030255	-	1	0.1%
0.1079050004482	-	1	0.1%
0.1082530021667	-	1	0.1%
0.1086919978261	-	1	0.1%
0.1091469973326	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2680624713833
- Minimum: 0.0244396999478
- Maximum: 9.7979402542114
- Standard Deviation: 0.4011097293169

Location: 5128-5142 (width: 15; decimal: 13)

Variable Type: numeric

E30_ABS_GAMMAA4A4: E30_abs_gamma

Value	Label	Unweighted Frequency	%
0.0080684004351	-	1	0.1%
0.0109384004027	-	1	0.1%
0.0121256001294	-	1	0.1%
0.0142882997170	-	1	0.1%
0.0159240998328	-	1	0.1%
0.0208745002747	-	1	0.1%
0.0209941007197	-	1	0.1%
0.0220960993320	-	1	0.1%
0.0228652991354	-	1	0.1%
0.0241833999753	-	1	0.1%
0.0248358994722	-	1	0.1%
0.0249674003571	-	1	0.1%
0.0259278994054	-	1	0.1%
0.0275465007871	-	1	0.1%
0.0283093992621	-	1	0.1%
0.0292489007115	-	1	0.1%
0.0293252002448	-	1	0.1%
0.0296515002847	-	1	0.1%
0.0304553005844	-	1	0.1%
0.0315892994404	-	1	0.1%
0.0320326015353	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0325993001461	-	1	0.1%
0.0331037007272	-	1	0.1%
0.0332739017904	-	1	0.1%
0.0333894006908	-	1	0.1%
0.0339953005314	-	1	0.1%
0.0345081984997	-	1	0.1%
0.0346044003963	-	1	0.1%
0.0352048017085	-	1	0.1%
0.0355117991567	-	1	0.1%
0.0358949005604	-	1	0.1%
0.0361770987511	-	1	0.1%
0.0363359004259	-	1	0.1%
0.0364900007844	-	1	0.1%
0.0366951003671	-	1	0.1%
0.0367182008922	-	1	0.1%
0.0369482003152	-	1	0.1%
0.0376163013279	-	1	0.1%
0.0382851995528	-	1	0.1%
0.0386454984546	-	1	0.1%
0.0400854982436	-	1	0.1%
0.0401667989790	-	1	0.1%
0.0402242988348	-	1	0.1%
0.0403501987457	-	1	0.1%
0.0405273996294	-	1	0.1%
0.0408025011420	-	1	0.1%
0.0408984012902	-	1	0.1%
0.0409157983959	-	1	0.1%
0.0412246994674	-	1	0.1%
0.0413533002138	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.1002567648576
- Minimum: 0.0080684004351
- Maximum: 3.9919700622559
- Standard Deviation: 0.1626490038999

Location: 5143-5157 (width: 15; decimal: 13)

Variable Type: numeric

E31_ABS_THETAA4A4: E31_abs_theta

Value	Label	Unweighted Frequency	%
0.318102002144	-	1	0.1%
0.345681995153	-	1	0.1%
0.503738999367	-	1	0.1%
0.693881988525	-	1	0.1%
0.799601018429	-	1	0.1%
0.849213004112	-	1	0.1%
0.871522009373	-	1	0.1%
0.908511996269	-	1	0.1%
0.915731012821	-	1	0.1%
0.937093973160	-	1	0.1%
0.961094975471	-	1	0.1%
0.982747018337	-	1	0.1%
1.062489986420	-	1	0.1%
1.084910035133	-	1	0.1%
1.105389952660	-	1	0.1%
1.145560026169	-	1	0.1%
1.164389967918	-	1	0.1%
1.183050036430	-	1	0.1%
1.211959958076	-	1	0.1%
1.247740030289	-	1	0.1%
1.272920012474	-	1	0.1%
1.274150013924	-	1	0.1%
1.274209976196	-	1	0.1%
1.282760024071	-	1	0.1%
1.284350037575	-	1	0.1%
1.296839952469	-	1	0.1%
1.297970056534	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.306470036507	-	1	0.1%
1.329540014267	-	1	0.1%
1.375579953194	-	1	0.1%
1.378710031509	-	1	0.1%
1.399899959564	-	1	0.1%
1.409829974174	-	1	0.1%
1.42528998518	-	1	0.1%
1.453539967537	-	1	0.1%
1.459540009499	-	1	0.1%
1.463449954987	-	1	0.1%
1.478940010071	-	1	0.1%
1.531100034714	-	1	0.1%
1.550439953804	-	1	0.1%
1.553640007973	-	1	0.1%
1.599239945412	-	1	0.1%
1.604500055313	-	1	0.1%
1.606119990349	-	1	0.1%
1.611140012741	-	1	0.1%
1.617100000381	-	1	0.1%
1.627650022507	-	1	0.1%
1.632030010223	-	1	0.1%
1.639819979668	-	1	0.1%
1.644739985466	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.476914702877
- Minimum: 0.318102002144
- Maximum: 21.384099960327
- Standard Deviation: 2.753780965115

Location: 5158-5172 (width: 15; decimal: 12)

Variable Type: numeric

E31_ABS_ALPHAA4A4: E31_abs_alpha

Value	Label	Unweighted Frequency	%
0.1455550044775	-	1	0.1%
0.1655229926109	-	1	0.1%
0.1661989986897	-	1	0.1%
0.1861989945173	-	1	0.1%
0.2168650031090	-	1	0.1%
0.2300080060959	-	1	0.1%
0.2321379929781	-	1	0.1%
0.2413720041513	-	1	0.1%
0.2655149996281	-	1	0.1%
0.2788619995117	-	1	0.1%
0.2867600023746	-	1	0.1%
0.2924320101738	-	1	0.1%
0.3188099861145	-	1	0.1%
0.3224290013313	-	1	0.1%
0.3365209996700	-	1	0.1%
0.3420169949532	-	1	0.1%
0.3694149851799	-	1	0.1%
0.3761169910431	-	1	0.1%
0.3972670137882	-	1	0.1%
0.4205699861050	-	1	0.1%
0.4211710095406	-	1	0.1%
0.4349290132523	-	1	0.1%
0.4486570060253	-	1	0.1%
0.4598689973354	-	1	0.1%
0.4619950056076	-	1	0.1%
0.4626350104809	-	1	0.1%
0.4648630023003	-	1	0.1%
0.4765209853649	-	1	0.1%
0.4808650016785	-	1	0.1%
0.4859420061111	-	1	0.1%
0.4895760118961	-	1	0.1%
0.4966650009155	-	1	0.1%
0.5023400187492	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.5067089796066	-	1	0.1%
0.5090270042419	-	1	0.1%
0.5189660191536	-	1	0.1%
0.5189819931984	-	1	0.1%
0.5210329890251	-	1	0.1%
0.5211780071259	-	1	0.1%
0.5271170139313	-	1	0.1%
0.5420690178871	-	1	0.1%
0.5428069829941	-	1	0.1%
0.5478479862213	-	1	0.1%
0.5594499707222	-	1	0.1%
0.5616040229797	-	1	0.1%
0.5626900196075	-	1	0.1%
0.5652440190315	-	1	0.1%
0.5689089894295	-	1	0.1%
0.5706099867821	-	1	0.1%
0.5731949806213	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.8861485614035
- Minimum: 0.1455550044775
- Maximum: 9.7370901107788
- Standard Deviation: 1.3842945499173

Location: 5173-5187 (width: 15; decimal: 13)

Variable Type: numeric

E31_ABS_BETAA4A4: E31_abs_beta

Value	Label	Unweighted Frequency	%
0.0204013995826	-	1	0.1%
0.0225533992052	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0271127000451	-	1	0.1%
0.0336076989770	-	1	0.1%
0.0496162995696	-	1	0.1%
0.0502963997424	-	1	0.1%
0.0552315004170	-	1	0.1%
0.0582396984100	-	1	0.1%
0.0592991001904	-	1	0.1%
0.0665287971497	-	1	0.1%
0.0665919035673	-	1	0.1%
0.0667719990015	-	1	0.1%
0.0707975029945	-	1	0.1%
0.0719847008586	-	1	0.1%
0.0726436972618	-	1	0.1%
0.0750747025013	-	1	0.1%
0.0752651989460	-	1	0.1%
0.0756838992238	-	1	0.1%
0.0764503031969	-	1	0.1%
0.0797367990017	-	1	0.1%
0.0827995985746	-	1	0.1%
0.0830352976918	-	1	0.1%
0.0831217020750	-	1	0.1%
0.0840324014425	-	1	0.1%
0.0844286009669	-	1	0.1%
0.0846880003810	-	1	0.1%
0.0847631022334	-	1	0.1%
0.0865658968687	-	1	0.1%
0.0882750973105	-	1	0.1%
0.0898988023400	-	1	0.1%
0.0909895971417	-	1	0.1%
0.0928590968251	-	1	0.1%
0.0935271978378	-	1	0.1%
0.0941430032253	-	1	0.1%
0.0942720994353	-	1	0.1%
0.0944186970592	-	1	0.1%
0.0946324020624	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0949124023318	-	1	0.1%
0.0959713980556	-	1	0.1%
0.0967366993427	-	1	0.1%
0.0968924984336	-	1	0.1%
0.0974377021194	-	1	0.1%
0.0991420969367	-	1	0.1%
0.0998969972134	-	1	0.1%
0.1005510017276	-	1	0.1%
0.1006589978933	-	1	0.1%
0.1007400006056	-	1	0.1%
0.1010039970279	-	1	0.1%
0.1011499986053	-	1	0.1%
0.1022460013628	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2227599770753
- Minimum: 0.0204013995826
- Maximum: 1.0658500194550
- Standard Deviation: 0.1174213568939

Location: 5188-5202 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E31_ABS_GAMMAA4A4: E31_abs_gamma

Value	Label	Unweighted Frequency	%
0.0073476601392	-	1	0.1%
0.0086779901758	-	1	0.1%
0.0088244499639	-	1	0.1%
0.0134896999225	-	1	0.1%
0.0143716996536	-	1	0.1%
0.0151239996776	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0171115994453	-	1	0.1%
0.0214945003390	-	1	0.1%
0.0228883996606	-	1	0.1%
0.0233184993267	-	1	0.1%
0.0234053004533	-	1	0.1%
0.0234884992242	-	1	0.1%
0.0238882005215	-	1	0.1%
0.0242605004460	-	1	0.1%
0.0245248004794	-	1	0.1%
0.0251850001514	-	1	0.1%
0.0253033004701	-	1	0.1%
0.0269213002175	-	1	0.1%
0.0270540993661	-	1	0.1%
0.0275251995772	-	1	0.1%
0.0276366993785	-	1	0.1%
0.0278407000005	-	1	0.1%
0.0278436001390	-	1	0.1%
0.0280767008662	-	1	0.1%
0.0285001005977	-	1	0.1%
0.0291191004217	-	1	0.1%
0.0291233006865	-	1	0.1%
0.0291815996170	-	1	0.1%
0.0292540993541	-	1	0.1%
0.0301066990942	-	1	0.1%
0.0308346003294	-	1	0.1%
0.0312633998692	-	1	0.1%
0.0314360000193	-	1	0.1%
0.0315143987536	-	1	0.1%
0.0317860990763	-	1	0.1%
0.0320330001414	-	1	0.1%
0.0323697999120	-	1	0.1%
0.0327657014132	-	1	0.1%
0.0329511985183	-	1	0.1%
0.0331030003726	-	1	0.1%
0.0331944003701	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0332599990070	-	1	0.1%
0.0344338007271	-	1	0.1%
0.0346946008503	-	1	0.1%
0.0347224995494	-	1	0.1%
0.0348049998283	-	1	0.1%
0.0348432995379	-	1	0.1%
0.0355505011976	-	1	0.1%
0.0356750003994	-	1	0.1%
0.0361431017518	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.0725387257161
- Minimum: 0.0073476601392
- Maximum: 0.3447499871254
- Standard Deviation: 0.0349606797052

Location: 5203-5217 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E32_ABS_THETAA4A4: E32_abs_theta

Value	Label	Unweighted Frequency	%
1.187399983406	-	1	0.1%
1.203119993210	-	1	0.1%
1.239279985428	-	1	0.1%
1.239750027657	-	1	0.1%
1.257480025291	-	1	0.1%
1.288179993629	-	1	0.1%
1.323390007019	-	1	0.1%
1.398569941521	-	1	0.1%
1.518839955330	-	1	0.1%
1.528380036354	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.561859965324	-	1	0.1%
1.626620054245	-	1	0.1%
1.714460015297	-	1	0.1%
1.717200040817	-	1	0.1%
1.740890026093	-	1	0.1%
1.787410020828	-	1	0.1%
1.805430054665	-	1	0.1%
1.832730054855	-	1	0.1%
1.853929996490	-	1	0.1%
1.888929963112	-	1	0.1%
1.897099971771	-	1	0.1%
1.906939983368	-	1	0.1%
1.942039966583	-	1	0.1%
1.984699964523	-	1	0.1%
1.997599959373	-	1	0.1%
2.067349910736	-	1	0.1%
2.076610088348	-	1	0.1%
2.093440055847	-	1	0.1%
2.115999937057	-	1	0.1%
2.141069889069	-	1	0.1%
2.141940116882	-	1	0.1%
2.153630018234	-	1	0.1%
2.168410062790	-	1	0.1%
2.175640106201	-	1	0.1%
2.181839942932	-	1	0.1%
2.221050024033	-	1	0.1%
2.240000009537	-	1	0.1%
2.249890089035	-	1	0.1%
2.258500099182	-	1	0.1%
2.268589973450	-	1	0.1%
2.286700010300	-	1	0.1%
2.300590038300	-	1	0.1%
2.311320066452	-	1	0.1%
2.313349962234	-	1	0.1%
2.324700117111	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.333230018616	-	1	0.1%
2.390830039978	-	1	0.1%
2.391639947891	-	1	0.1%
2.401959896088	-	1	0.1%
2.414740085602	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 6.001296171463
- Minimum: 1.187399983406
- Maximum: 24.281700134277
- Standard Deviation: 3.371069931885

Location: 5218-5232 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E32_ABS_ALPHAA4A4: E32_abs_alpha

Value	Label	Unweighted Frequency	%
0.290686011314	-	1	0.1%
0.364167004824	-	1	0.1%
0.370175987482	-	1	0.1%
0.411832988262	-	1	0.1%
0.446159005165	-	1	0.1%
0.458846986294	-	1	0.1%
0.462512999773	-	1	0.1%
0.463075011969	-	1	0.1%
0.465393990278	-	1	0.1%
0.499029010534	-	1	0.1%
0.513014972210	-	1	0.1%
0.513526976109	-	1	0.1%
0.513583004475	-	1	0.1%
0.519451975822	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.521223008633	-	1	0.1%
0.529515028000	-	1	0.1%
0.529751002789	-	1	0.1%
0.532266974449	-	1	0.1%
0.541401982307	-	1	0.1%
0.542384982109	-	1	0.1%
0.543959975243	-	1	0.1%
0.551828980446	-	1	0.1%
0.568225979805	-	1	0.1%
0.569860994816	-	1	0.1%
0.577045977116	-	1	0.1%
0.584020972252	-	1	0.1%
0.584560990334	-	1	0.1%
0.586461007595	-	1	0.1%
0.596374988556	-	1	0.1%
0.601791977882	-	1	0.1%
0.603882014751	-	1	0.1%
0.604448020458	-	1	0.1%
0.606923997402	-	1	0.1%
0.609978973866	-	1	0.1%
0.621868014336	-	1	0.1%
0.624180972576	-	1	0.1%
0.626950025558	-	1	0.1%
0.630891025066	-	1	0.1%
0.633176982403	-	1	0.1%
0.636245012283	-	1	0.1%
0.640932023525	-	1	0.1%
0.657848000526	-	1	0.1%
0.665392994881	-	1	0.1%
0.665637016296	-	1	0.1%
0.668676972389	-	1	0.1%
0.672667980194	-	1	0.1%
0.682335972786	-	1	0.1%
0.682659983635	-	1	0.1%
0.686765015125	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.690235018730	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.860863510761
- Minimum: 0.290686011314
- Maximum: 19.197099685669
- Standard Deviation: 1.378486955026

Location: 5233-5247 (width: 15; decimal: 12)

Variable Type: numeric

E32_ABS_BETAA4A4: E32_abs_beta

Value	Label	Unweighted Frequency	%
0.0791013985872	-	1	0.1%
0.0972217991948	-	1	0.1%
0.1050250008702	-	1	0.1%
0.1323679983616	-	1	0.1%
0.1379379928112	-	1	0.1%
0.1400990039110	-	1	0.1%
0.1424439996481	-	1	0.1%
0.1475410014391	-	1	0.1%
0.1510799974203	-	1	0.1%
0.1516879945993	-	1	0.1%
0.1537950038910	-	1	0.1%
0.1539559960365	-	1	0.1%
0.1568599939346	-	1	0.1%
0.1583410054445	-	1	0.1%
0.1641670018435	-	1	0.1%
0.1698080003262	-	1	0.1%
0.1702850013971	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1705659925938	-	1	0.1%
0.1708710044622	-	1	0.1%
0.1723430007696	-	1	0.1%
0.1839240044355	-	1	0.1%
0.1848109960556	-	1	0.1%
0.1849109977484	-	1	0.1%
0.1869409978390	-	1	0.1%
0.1896789968014	-	1	0.1%
0.1915439963341	-	1	0.1%
0.1920789927244	-	1	0.1%
0.1949030011892	-	1	0.1%
0.1993100047112	-	1	0.1%
0.1998970061541	-	1	0.1%
0.2009260058403	-	1	0.1%
0.2019889950752	-	1	0.1%
0.2036249935627	-	1	0.1%
0.2043229937553	-	1	0.1%
0.2063889950514	-	1	0.1%
0.2068589925766	-	1	0.1%
0.2083680033684	-	1	0.1%
0.2101970016956	-	1	0.1%
0.2119659930468	-	1	0.1%
0.2128580063581	-	1	0.1%
0.2132370024920	-	1	0.1%
0.2142720073462	-	1	0.1%
0.2151049971581	-	1	0.1%
0.2165729999542	-	1	0.1%
0.2177010029554	-	1	0.1%
0.2195059955120	-	1	0.1%
0.2196860015392	-	1	0.1%
0.2203450053930	-	1	0.1%
0.2219489961863	-	1	0.1%
0.2233829945326	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4890842478111
- Minimum: 0.0791013985872
- Maximum: 3.1948800086975
- Standard Deviation: 0.2978352801875

Location: 5248-5262 (width: 15; decimal: 13)

Variable Type: numeric

E32_ABS_GAMMAA4A4: E32_abs_gamma

Value	Label	Unweighted Frequency	%
0.0391702987254	-	1	0.1%
0.0459294989705	-	1	0.1%
0.0510655008256	-	1	0.1%
0.0568877011538	-	1	0.1%
0.0577035993338	-	1	0.1%
0.0595625005662	-	1	0.1%
0.0596822015941	-	1	0.1%
0.0664329007268	-	1	0.1%
0.0682635009289	-	1	0.1%
0.0700327977538	-	1	0.1%
0.0703008994460	-	1	0.1%
0.0824910029769	-	1	0.1%
0.0848627015948	-	1	0.1%
0.0873295962811	-	1	0.1%
0.0878961011767	-	1	0.1%
0.0892295017838	-	1	0.1%
0.0892732962966	-	1	0.1%
0.0927568972111	-	1	0.1%
0.0947716981173	-	1	0.1%
0.0948849990964	-	1	0.1%
0.0959656983614	-	1	0.1%
0.0965683013201	-	1	0.1%
0.0987318009138	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0997593998909	-	1	0.1%
0.1003149971366	-	1	0.1%
0.1010409966111	-	1	0.1%
0.1012300029397	-	1	0.1%
0.1021479964256	-	1	0.1%
0.1043870002031	-	1	0.1%
0.1053809970617	-	1	0.1%
0.1059049963951	-	1	0.1%
0.1063010022044	-	1	0.1%
0.1069919988513	-	1	0.1%
0.1072790026665	-	1	0.1%
0.1109289973974	-	1	0.1%
0.1115619987249	-	1	0.1%
0.1116650030017	-	1	0.1%
0.1130549982190	-	1	0.1%
0.1141220033169	-	1	0.1%
0.1144580021501	-	1	0.1%
0.1145310029387	-	1	0.1%
0.1150629967451	-	1	0.1%
0.1151830032468	-	1	0.1%
0.1214609965682	-	1	0.1%
0.1237860023975	-	1	0.1%
0.1238420009613	-	1	0.1%
0.1253540068865	-	1	0.1%
0.1255560070276	-	1	0.1%
0.1276340037584	-	1	0.1%
0.1280580013990	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3346814137679
- Minimum: 0.0391702987254
- Maximum: 3.3089499473572
- Standard Deviation: 0.2539615735943

Location: 5263-5277 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E33_ABS_THETAA4A4: E33_abs_theta

Value	Label	Unweighted Frequency	%
0.495968997478	-	1	0.1%
0.927102982998	-	1	0.1%
1.026690006256	-	1	0.1%
1.048439979553	-	1	0.1%
1.092380046844	-	1	0.1%
1.153139948845	-	1	0.1%
1.160030007362	-	1	0.1%
1.187849998474	-	1	0.1%
1.253479957581	-	1	0.1%
1.285840034485	-	1	0.1%
1.289229989052	-	1	0.1%
1.344120025635	-	1	0.1%
1.347069978714	-	1	0.1%
1.356709957123	-	1	0.1%
1.358289957047	-	1	0.1%
1.419880032539	-	1	0.1%
1.478839993477	-	1	0.1%
1.485829949379	-	1	0.1%
1.510290026665	-	1	0.1%
1.515769958496	-	1	0.1%
1.528800010681	-	1	0.1%
1.539219975471	-	1	0.1%
1.580109953880	-	1	0.1%
1.582599997520	-	1	0.1%
1.593019962311	-	1	0.1%
1.594769954681	-	1	0.1%
1.640229940414	-	1	0.1%
1.686280012131	-	1	0.1%
1.752650022507	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.761970043182	-	1	0.1%
1.781110048294	-	1	0.1%
1.782459974289	-	1	0.1%
1.802340030670	-	1	0.1%
1.817370057106	-	1	0.1%
1.820950031281	-	1	0.1%
1.889240026474	-	1	0.1%
1.903329968452	-	1	0.1%
1.924819946289	-	1	0.1%
1.945970058441	-	1	0.1%
1.950000047684	-	1	0.1%
1.952039957047	-	1	0.1%
1.960639953613	-	1	0.1%
1.962630033493	-	1	0.1%
1.968639969826	-	1	0.1%
1.970739960670	-	1	0.1%
1.975360035896	-	1	0.1%
2.009119987488	-	1	0.1%
2.042449951172	-	1	0.1%
2.045000076294	-	1	0.1%
2.067739963531	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.777143447761
- Minimum: 0.495968997478
- Maximum: 21.112400054932
- Standard Deviation: 2.556018824425

Location: 5278-5292 (width: 15; decimal: 12)

Variable Type: numeric

E33_ABS_ALPHAA4A4: E33_abs_alpha

Value	Label	Unweighted Frequency	%
0.213044002652	-	1	0.1%
0.301964998245	-	1	0.1%
0.333799988031	-	1	0.1%
0.336156010628	-	1	0.1%
0.382120996714	-	1	0.1%
0.405692011118	-	1	0.1%
0.407205998898	-	1	0.1%
0.408416986465	-	1	0.1%
0.409215003252	-	1	0.1%
0.410964012146	-	1	0.1%
0.420643985271	-	1	0.1%
0.420823007822	-	1	0.1%
0.422392994165	-	1	0.1%
0.424800008535	-	1	0.1%
0.435072004795	-	1	0.1%
0.438362985849	-	1	0.1%
0.444198995829	-	1	0.1%
0.447919994593	-	1	0.1%
0.449306994677	-	1	0.1%
0.468497991562	-	1	0.1%
0.474848985672	-	1	0.1%
0.476458996534	-	1	0.1%
0.476687014103	-	1	0.1%
0.479010999203	-	1	0.1%
0.491531014442	-	1	0.1%
0.494179010391	-	1	0.1%
0.494863986969	-	1	0.1%
0.495023995638	-	1	0.1%
0.496455997229	-	1	0.1%
0.503153979778	-	1	0.1%
0.505575001240	-	1	0.1%
0.509984016418	-	1	0.1%
0.535817027092	-	1	0.1%
0.541498005390	-	1	0.1%
0.545769989491	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.546199023724	-	1	0.1%
0.550893008709	-	1	0.1%
0.566021978855	-	1	0.1%
0.566901981831	-	1	0.1%
0.568561017513	-	1	0.1%
0.571929991245	-	1	0.1%
0.573164999485	-	1	0.1%
0.579124987125	-	1	0.1%
0.591301977634	-	1	0.1%
0.596445024014	-	1	0.1%
0.600336015224	-	1	0.1%
0.601760029793	-	1	0.1%
0.605835020542	-	1	0.1%
0.613090991974	-	1	0.1%
0.618766009808	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.606587393296
- Minimum: 0.213044002652
- Maximum: 18.155799865723
- Standard Deviation: 1.135981827649

Location: 5293-5307 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E33_ABS_BETAA4A4: E33_abs_beta

Value	Label	Unweighted Frequency	%
0.0405565984547	-	1	0.1%
0.0680259019136	-	1	0.1%
0.0953513011336	-	1	0.1%
0.0995177030563	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1005010008812	-	1	0.1%
0.1051250025630	-	1	0.1%
0.1090279966593	-	1	0.1%
0.1108779981732	-	1	0.1%
0.1113260015845	-	1	0.1%
0.1120740026236	-	1	0.1%
0.1148379966617	-	1	0.1%
0.1206770017743	-	1	0.1%
0.1215360015631	-	1	0.1%
0.1260620057583	-	1	0.1%
0.1279769986868	-	1	0.1%
0.1290509998798	-	1	0.1%
0.1300819963217	-	1	0.1%
0.1304560005665	-	1	0.1%
0.1320430040359	-	1	0.1%
0.1393270045519	-	1	0.1%
0.1402170062065	-	1	0.1%
0.1409499943256	-	1	0.1%
0.1409980058670	-	1	0.1%
0.1413459926844	-	1	0.1%
0.1447619944811	-	1	0.1%
0.1468639969826	-	1	0.1%
0.1470520049334	-	1	0.1%
0.1500380039215	-	1	0.1%
0.1536370068789	-	1	0.1%
0.1542019993067	-	1	0.1%
0.1554490029812	-	1	0.1%
0.1570030003786	-	1	0.1%
0.1575540006161	-	1	0.1%
0.1581439971924	-	1	0.1%
0.1586949974298	-	1	0.1%
0.1588660031557	-	1	0.1%
0.1618600040674	-	1	0.1%
0.1619780063629	-	1	0.1%
0.1630740016699	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1631260067225	-	1	0.1%
0.1633020043373	-	1	0.1%
0.1644040048122	-	1	0.1%
0.1651560068130	-	1	0.1%
0.1672800034285	-	1	0.1%
0.1680999994278	-	1	0.1%
0.1686120033264	-	1	0.1%
0.1686599999666	-	1	0.1%
0.1715019941330	-	1	0.1%
0.1722459942102	-	1	0.1%
0.1725369989872	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4333362511126
- Minimum: 0.0405565984547
- Maximum: 3.6434600353241
- Standard Deviation: 0.3045362568170

Location: 5308-5322 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E33_ABS_GAMMAA4A4: E33_abs_gamma

Value	Label	Unweighted Frequency	%
0.0188180003315	-	1	0.1%
0.0345644988120	-	1	0.1%
0.0385093018413	-	1	0.1%
0.0430161990225	-	1	0.1%
0.0451705008745	-	1	0.1%
0.0490243993700	-	1	0.1%
0.0521490983665	-	1	0.1%
0.0527172014117	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0535287000239	-	1	0.1%
0.0538739003241	-	1	0.1%
0.0577666983008	-	1	0.1%
0.0607426986098	-	1	0.1%
0.0611004009843	-	1	0.1%
0.0622708983719	-	1	0.1%
0.0628196969628	-	1	0.1%
0.0629336982965	-	1	0.1%
0.0633784979582	-	1	0.1%
0.0635550990701	-	1	0.1%
0.0635700002313	-	1	0.1%
0.0667518973351	-	1	0.1%
0.0698207989335	-	1	0.1%
0.0700929015875	-	1	0.1%
0.0709516033530	-	1	0.1%
0.0716378018260	-	1	0.1%
0.0727239027619	-	1	0.1%
0.0730440020561	-	1	0.1%
0.0733733028173	-	1	0.1%
0.0762531012297	-	1	0.1%
0.0775151029229	-	1	0.1%
0.0783668011427	-	1	0.1%
0.0790522024035	-	1	0.1%
0.0792990997434	-	1	0.1%
0.0793756023049	-	1	0.1%
0.0797130018473	-	1	0.1%
0.0799425989389	-	1	0.1%
0.0807607024908	-	1	0.1%
0.0811937004328	-	1	0.1%
0.0817420035601	-	1	0.1%
0.0819718986750	-	1	0.1%
0.0819991976023	-	1	0.1%
0.0830721035600	-	1	0.1%
0.0835942998528	-	1	0.1%
0.0843788981438	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0849004015327	-	1	0.1%
0.0851043015718	-	1	0.1%
0.0852330997586	-	1	0.1%
0.0860605984926	-	1	0.1%
0.0875295996666	-	1	0.1%
0.0887710005045	-	1	0.1%
0.0892535001040	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3090462337908
- Minimum: 0.0188180003315
- Maximum: 4.4889597892761
- Standard Deviation: 0.3246515067450

Location: 5323-5337 (width: 15; decimal: 13)

Variable Type: numeric

E34_ABS_THETAA4A4: E34_abs_theta

Value	Label	Unweighted Frequency	%
0.425152987242	-	1	0.1%
0.661527991295	-	1	0.1%
0.784314990044	-	1	0.1%
0.817561984062	-	1	0.1%
0.928758025169	-	1	0.1%
0.940865993500	-	1	0.1%
0.983645975590	-	1	0.1%
1.032760024071	-	1	0.1%
1.037670016289	-	1	0.1%
1.045879960060	-	1	0.1%
1.108010053635	-	1	0.1%
1.140799999237	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.176800012589	-	1	0.1%
1.184579968452	-	1	0.1%
1.220370054245	-	1	0.1%
1.242689967155	-	1	0.1%
1.270190000534	-	1	0.1%
1.300740003586	-	1	0.1%
1.301579952240	-	1	0.1%
1.342569947243	-	1	0.1%
1.357069969177	-	1	0.1%
1.394670009613	-	1	0.1%
1.428050041199	-	1	0.1%
1.430209994316	-	1	0.1%
1.432360053062	-	1	0.1%
1.438289999962	-	1	0.1%
1.508739948273	-	1	0.1%
1.529909968376	-	1	0.1%
1.543120026588	-	1	0.1%
1.550040006638	-	1	0.1%
1.597280025482	-	1	0.1%
1.613090038300	-	1	0.1%
1.634289979935	-	1	0.1%
1.662989974022	-	1	0.1%
1.689739942551	-	1	0.1%
1.709879994392	-	1	0.1%
1.756880044937	-	1	0.1%
1.768159985542	-	1	0.1%
1.775030016899	-	1	0.1%
1.795819997787	-	1	0.1%
1.802629947662	-	1	0.1%
1.806509971619	-	1	0.1%
1.816990017891	-	1	0.1%
1.817749977112	-	1	0.1%
1.840420007706	-	1	0.1%
1.850939989090	-	1	0.1%
1.856789946556	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.878939986229	-	1	0.1%
1.902269959450	-	1	0.1%
1.902379989624	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.111737414087
- Minimum: 0.425152987242
- Maximum: 20.180400848389
- Standard Deviation: 2.133921349932

Location: 5338-5352 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E34_ABS_ALPHAA4A4: E34_abs_alpha

Value	Label	Unweighted Frequency	%
0.219555005431	-	1	0.1%
0.258868008852	-	1	0.1%
0.266097992659	-	1	0.1%
0.292228013277	-	1	0.1%
0.327724993229	-	1	0.1%
0.340218007565	-	1	0.1%
0.341491013765	-	1	0.1%
0.345259010792	-	1	0.1%
0.349967002869	-	1	0.1%
0.382014006376	-	1	0.1%
0.385495990515	-	1	0.1%
0.390385001898	-	1	0.1%
0.403411000967	-	1	0.1%
0.425074994564	-	1	0.1%
0.425651013851	-	1	0.1%
0.443484008312	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.451016008854	-	1	0.1%
0.460813999176	-	1	0.1%
0.462303012609	-	1	0.1%
0.464278012514	-	1	0.1%
0.465032994747	-	1	0.1%
0.485397011042	-	1	0.1%
0.492356002331	-	1	0.1%
0.496506005526	-	1	0.1%
0.499823004007	-	1	0.1%
0.501073002815	-	1	0.1%
0.513085007668	-	1	0.1%
0.517434000969	-	1	0.1%
0.519002020359	-	1	0.1%
0.531032979488	-	1	0.1%
0.539215028286	-	1	0.1%
0.545255005360	-	1	0.1%
0.551147997379	-	1	0.1%
0.551294982433	-	1	0.1%
0.558453977108	-	1	0.1%
0.559484004974	-	1	0.1%
0.590471982956	-	1	0.1%
0.602688014507	-	1	0.1%
0.611298978329	-	1	0.1%
0.612242996693	-	1	0.1%
0.614111006260	-	1	0.1%
0.622525990009	-	1	0.1%
0.628114998341	-	1	0.1%
0.629189014435	-	1	0.1%
0.636182010174	-	1	0.1%
0.645999014378	-	1	0.1%
0.646301984787	-	1	0.1%
0.648015975952	-	1	0.1%
0.648841023445	-	1	0.1%
0.656217992306	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.637919069282
- Minimum: 0.219555005431
- Maximum: 16.817800521851
- Standard Deviation: 1.129560047528

Location: 5353-5367 (width: 15; decimal: 12)

Variable Type: numeric

E34_ABS_BETAA4A4: E34_abs_beta

Value	Label	Unweighted Frequency	%
0.0361962988973	-	1	0.1%
0.0747857019305	-	1	0.1%
0.0769969969988	-	1	0.1%
0.0878323987126	-	1	0.1%
0.0907120034099	-	1	0.1%
0.0917861983180	-	1	0.1%
0.0953546017408	-	1	0.1%
0.0956469029188	-	1	0.1%
0.0978278964758	-	1	0.1%
0.0985035970807	-	1	0.1%
0.1071040034294	-	1	0.1%
0.1108189970255	-	1	0.1%
0.1115449965000	-	1	0.1%
0.1115790009499	-	1	0.1%
0.1155230030417	-	1	0.1%
0.1161379963160	-	1	0.1%
0.1172470003366	-	1	0.1%
0.1192559972405	-	1	0.1%
0.1225799992681	-	1	0.1%
0.1284669935703	-	1	0.1%
0.1318259984255	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1357160061598	-	1	0.1%
0.1357280015945	-	1	0.1%
0.1360349953175	-	1	0.1%
0.1362099945545	-	1	0.1%
0.1381939947605	-	1	0.1%
0.1402830034494	-	1	0.1%
0.1405020058155	-	1	0.1%
0.1408019959927	-	1	0.1%
0.1462939977646	-	1	0.1%
0.1479070037603	-	1	0.1%
0.1532039940357	-	1	0.1%
0.1534299999475	-	1	0.1%
0.1538439989090	-	1	0.1%
0.1538940072060	-	1	0.1%
0.1565839946270	-	1	0.1%
0.1586250066757	-	1	0.1%
0.1590500026941	-	1	0.1%
0.1591130048037	-	1	0.1%
0.1601269990206	-	1	0.1%
0.1644479930401	-	1	0.1%
0.1662929952145	-	1	0.1%
0.1672939956188	-	1	0.1%
0.1677999943495	-	1	0.1%
0.1678979992867	-	1	0.1%
0.1690739989281	-	1	0.1%
0.1707810014486	-	1	0.1%
0.1709749996662	-	1	0.1%
0.1711580008268	-	1	0.1%
0.1712460070848	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5075728256751
- Minimum: 0.0361962988973
- Maximum: 4.2737998962402
- Standard Deviation: 0.3895002921331

Location: 5368-5382 (width: 15; decimal: 13)

Variable Type: numeric

E34_ABS_GAMMAA4A4: E34_abs_gamma

Value	Label	Unweighted Frequency	%
0.0163461007178	-	1	0.1%
0.0278811007738	-	1	0.1%
0.0355063006282	-	1	0.1%
0.0364243015647	-	1	0.1%
0.0373969003558	-	1	0.1%
0.0433882996440	-	1	0.1%
0.0459338985384	-	1	0.1%
0.0474397987127	-	1	0.1%
0.0514107011259	-	1	0.1%
0.0524633005261	-	1	0.1%
0.0525268018246	-	1	0.1%
0.0525461994112	-	1	0.1%
0.0527850985527	-	1	0.1%
0.0542125999928	-	1	0.1%
0.0551335997880	-	1	0.1%
0.0554937012494	-	1	0.1%
0.0557339005172	-	1	0.1%
0.0579103007913	-	1	0.1%
0.0581290014088	-	1	0.1%
0.0608908012509	-	1	0.1%
0.0616259016097	-	1	0.1%
0.0619002990425	-	1	0.1%
0.0619604997337	-	1	0.1%
0.0638521015644	-	1	0.1%
0.0638808012009	-	1	0.1%
0.0642390027642	-	1	0.1%
0.0642542019486	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0653252005577	-	1	0.1%
0.0685515999794	-	1	0.1%
0.0686945021152	-	1	0.1%
0.0689440965652	-	1	0.1%
0.0689518973231	-	1	0.1%
0.0696867033839	-	1	0.1%
0.0697740018368	-	1	0.1%
0.0715102031827	-	1	0.1%
0.0744616016746	-	1	0.1%
0.0747769996524	-	1	0.1%
0.0750806033611	-	1	0.1%
0.0751354023814	-	1	0.1%
0.0752523988485	-	1	0.1%
0.0762166976929	-	1	0.1%
0.0762932002544	-	1	0.1%
0.0765808969736	-	1	0.1%
0.0768904983997	-	1	0.1%
0.0776304975152	-	1	0.1%
0.0788526013494	-	1	0.1%
0.0797811001539	-	1	0.1%
0.0798799991608	-	1	0.1%
0.0803384035826	-	1	0.1%
0.0804461017251	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3976067892988
- Minimum: 0.0163461007178
- Maximum: 4.9740200042725
- Standard Deviation: 0.4503646809248

Location: 5383-5397 (width: 15; decimal: 13)

Variable Type: numeric

E35_ABS_THETAA4A4: E35_abs_theta

Value	Label	Unweighted Frequency	%
0.480401992798	-	1	0.1%
0.566285014153	-	1	0.1%
0.661670982838	-	1	0.1%
0.731324017048	-	1	0.1%
0.770821988583	-	1	0.1%
0.791667997837	-	1	0.1%
0.791912019253	-	1	0.1%
0.827154994011	-	1	0.1%
0.880890011787	-	1	0.1%
0.916211009026	-	1	0.1%
0.934475004673	-	1	0.1%
0.943749010563	-	1	0.1%
0.946191012859	-	1	0.1%
0.951035022736	-	1	0.1%
0.977437019348	-	1	0.1%
1.066630005836	-	1	0.1%
1.076419949532	-	1	0.1%
1.085970044136	-	1	0.1%
1.098489999771	-	1	0.1%
1.103270053864	-	1	0.1%
1.105489969254	-	1	0.1%
1.135699987411	-	1	0.1%
1.157909989357	-	1	0.1%
1.160150051117	-	1	0.1%
1.174970030785	-	1	0.1%
1.185860037804	-	1	0.1%
1.194339990616	-	1	0.1%
1.194700002670	-	1	0.1%
1.222530007362	-	1	0.1%
1.286509990692	-	1	0.1%
1.309820055962	-	1	0.1%
1.316020011902	-	1	0.1%
1.340720057487	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.341910004616	-	1	0.1%
1.343449950218	-	1	0.1%
1.357120037079	-	1	0.1%
1.396569967270	-	1	0.1%
1.431570053101	-	1	0.1%
1.438079953194	-	1	0.1%
1.447669982910	-	1	0.1%
1.449920058250	-	1	0.1%
1.470309972763	-	1	0.1%
1.474339962006	-	1	0.1%
1.492310047150	-	1	0.1%
1.509320020676	-	1	0.1%
1.517689943314	-	1	0.1%
1.521350026131	-	1	0.1%
1.531800031662	-	1	0.1%
1.538679957390	-	1	0.1%
1.545140028000	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 3.657318255665
- Minimum: 0.480401992798
- Maximum: 13.690699577332
- Standard Deviation: 1.950815408492

Location: 5398-5412 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E35_ABS_ALPHAA4A4: E35_abs_alpha

Value	Label	Unweighted Frequency	%
0.119589000940	-	1	0.1%
0.183330997825	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.193206995726	-	1	0.1%
0.245066002011	-	1	0.1%
0.291247993708	-	1	0.1%
0.291332006454	-	1	0.1%
0.292805999517	-	1	0.1%
0.304102987051	-	1	0.1%
0.327102005482	-	1	0.1%
0.336751013994	-	1	0.1%
0.344861000776	-	1	0.1%
0.365099012852	-	1	0.1%
0.373116999865	-	1	0.1%
0.374312013388	-	1	0.1%
0.377155989408	-	1	0.1%
0.379693001509	-	1	0.1%
0.383013010025	-	1	0.1%
0.392421990633	-	1	0.1%
0.403607994318	-	1	0.1%
0.406390994787	-	1	0.1%
0.406625986099	-	1	0.1%
0.407306998968	-	1	0.1%
0.412443995476	-	1	0.1%
0.422100991011	-	1	0.1%
0.425473988056	-	1	0.1%
0.435308992863	-	1	0.1%
0.443134009838	-	1	0.1%
0.443495005369	-	1	0.1%
0.445024996996	-	1	0.1%
0.452735006809	-	1	0.1%
0.460200995207	-	1	0.1%
0.465543001890	-	1	0.1%
0.465640991926	-	1	0.1%
0.474220007658	-	1	0.1%
0.486555010080	-	1	0.1%
0.494717985392	-	1	0.1%
0.506635010242	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.511402010918	-	1	0.1%
0.519077003002	-	1	0.1%
0.525714993477	-	1	0.1%
0.527922987938	-	1	0.1%
0.531799018383	-	1	0.1%
0.535336017609	-	1	0.1%
0.536787986755	-	1	0.1%
0.536827981472	-	1	0.1%
0.539575994015	-	1	0.1%
0.555082023144	-	1	0.1%
0.555139005184	-	1	0.1%
0.563445985317	-	1	0.1%
0.573904991150	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.704279638665
- Minimum: 0.119589000940
- Maximum: 11.157699584961
- Standard Deviation: 1.163570900857

Location: 5413-5427 (*width:* 15; *decimal:* 12)

Variable Type: numeric

[E35_ABS_BETAA4A4: E35_abs_beta](#)

Value	Label	Unweighted Frequency	%
0.0421692989767	-	1	0.1%
0.0430193990469	-	1	0.1%
0.0537720993161	-	1	0.1%
0.0690167993307	-	1	0.1%
0.0744604989886	-	1	0.1%
0.0754256993532	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0767911970615	-	1	0.1%
0.0770246013999	-	1	0.1%
0.0814147964120	-	1	0.1%
0.0830160006881	-	1	0.1%
0.0838090032339	-	1	0.1%
0.0888316035271	-	1	0.1%
0.0904766991735	-	1	0.1%
0.0912714973092	-	1	0.1%
0.0935110971332	-	1	0.1%
0.0948225036263	-	1	0.1%
0.0991659015417	-	1	0.1%
0.0997058004141	-	1	0.1%
0.1007340028882	-	1	0.1%
0.1023830026388	-	1	0.1%
0.1049460023642	-	1	0.1%
0.1110130026937	-	1	0.1%
0.1110680028796	-	1	0.1%
0.1133619993925	-	1	0.1%
0.1189839988947	-	1	0.1%
0.1192779988050	-	1	0.1%
0.1201459988952	-	1	0.1%
0.1207550019026	-	1	0.1%
0.1208909973502	-	1	0.1%
0.1214350014925	-	1	0.1%
0.1221830025315	-	1	0.1%
0.1244750022888	-	1	0.1%
0.1266490072012	-	1	0.1%
0.1267340034246	-	1	0.1%
0.1278430074453	-	1	0.1%
0.1289390027523	-	1	0.1%
0.1291760057211	-	1	0.1%
0.1303839981556	-	1	0.1%
0.1335649937391	-	1	0.1%
0.1351329982281	-	1	0.1%
0.1356019973755	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1357530057430	-	1	0.1%
0.1387979984283	-	1	0.1%
0.1390119940042	-	1	0.1%
0.1396639943123	-	1	0.1%
0.1411039978266	-	1	0.1%
0.1413310021162	-	1	0.1%
0.1415040045977	-	1	0.1%
0.1418299973011	-	1	0.1%
0.1427280008793	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3904579557744
- Minimum: 0.0421692989767
- Maximum: 2.3881299495697
- Standard Deviation: 0.2595857614664

Location: 5428-5442 (width: 15; decimal: 13)

Variable Type: numeric

E35_ABS_GAMMAA4A4: E35_abs_gamma

Value	Label	Unweighted Frequency	%
0.0178015995771	-	1	0.1%
0.0256820991635	-	1	0.1%
0.0266050994396	-	1	0.1%
0.0273813009262	-	1	0.1%
0.0285298991948	-	1	0.1%
0.0302805993706	-	1	0.1%
0.0305026993155	-	1	0.1%
0.0307969003916	-	1	0.1%
0.0318026989698	-	1	0.1%
0.0334432981908	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0341132991016	-	1	0.1%
0.0365617983043	-	1	0.1%
0.0380626991391	-	1	0.1%
0.0387606993318	-	1	0.1%
0.0414061993361	-	1	0.1%
0.0414220988750	-	1	0.1%
0.0415604002774	-	1	0.1%
0.0419269986451	-	1	0.1%
0.0419325008988	-	1	0.1%
0.0428126007318	-	1	0.1%
0.0442794002593	-	1	0.1%
0.0447999984026	-	1	0.1%
0.0459256991744	-	1	0.1%
0.0490689985454	-	1	0.1%
0.0491247996688	-	1	0.1%
0.0502837002277	-	1	0.1%
0.0511009991169	-	1	0.1%
0.0521859005094	-	1	0.1%
0.0523855015635	-	1	0.1%
0.0550033003092	-	1	0.1%
0.0560299009085	-	1	0.1%
0.0562984012067	-	1	0.1%
0.0566224008799	-	1	0.1%
0.0567630007863	-	1	0.1%
0.0569858998060	-	1	0.1%
0.0572554990649	-	1	0.1%
0.0574191994965	-	1	0.1%
0.0580952018499	-	1	0.1%
0.0581814013422	-	1	0.1%
0.0586814992130	-	1	0.1%
0.0599151998758	-	1	0.1%
0.0617404989898	-	1	0.1%
0.0619091987610	-	1	0.1%
0.0623430982232	-	1	0.1%
0.0626413971186	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0628132969141	-	1	0.1%
0.0628601014614	-	1	0.1%
0.0631463974714	-	1	0.1%
0.0636487975717	-	1	0.1%
0.0639275982976	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2271288203352
- Minimum: 0.0178015995771
- Maximum: 2.9818599224091
- Standard Deviation: 0.2258428053739

Location: 5443-5457 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E36_ABS_THETAA4A4: E36_abs_theta

Value	Label	Unweighted Frequency	%
0.304186999798	-	1	0.1%
0.539870977402	-	1	0.1%
0.615767002106	-	1	0.1%
0.625111997128	-	1	0.1%
0.717657983303	-	1	0.1%
0.744948029518	-	1	0.1%
0.770067989826	-	1	0.1%
0.775727987289	-	1	0.1%
0.802567005157	-	1	0.1%
0.810467004776	-	1	0.1%
0.812089025974	-	1	0.1%
0.820904016495	-	1	0.1%
0.843935012817	-	1	0.1%
0.848430991173	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.853026986122	-	1	0.1%
0.862115979195	-	1	0.1%
0.866378009319	-	1	0.1%
0.878605008125	-	1	0.1%
0.980500996113	-	1	0.1%
0.985409021378	-	1	0.1%
1.026630043983	-	1	0.1%
1.065359950066	-	1	0.1%
1.080669999123	-	1	0.1%
1.088989973068	-	1	0.1%
1.095800042152	-	1	0.1%
1.102180004120	-	1	0.1%
1.129920005798	-	1	0.1%
1.137159943581	-	1	0.1%
1.139019966125	-	1	0.1%
1.140089988708	-	1	0.1%
1.152660012245	-	1	0.1%
1.158689975739	-	1	0.1%
1.177010059357	-	1	0.1%
1.178300023079	-	1	0.1%
1.203299999237	-	1	0.1%
1.203950047493	-	1	0.1%
1.205999970436	-	1	0.1%
1.222560048103	-	1	0.1%
1.261540055275	-	1	0.1%
1.274510025978	-	1	0.1%
1.297610044479	-	1	0.1%
1.345420002937	-	1	0.1%
1.353670001030	-	1	0.1%
1.356850028038	-	1	0.1%
1.400079965591	-	1	0.1%
1.407520055771	-	1	0.1%
1.418750047684	-	1	0.1%
1.419209957123	-	1	0.1%
1.420539975166	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.428169965744	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 3.622964752625
- Minimum: 0.304186999798
- Maximum: 24.315999984741
- Standard Deviation: 2.132955931748

Location: 5458-5472 (width: 15; decimal: 12)

Variable Type: numeric

E36_ABS_ALPHAA4A4: E36_abs_alpha

Value	Label	Unweighted Frequency	%
0.151932999492	-	1	0.1%
0.179969996214	-	1	0.1%
0.184287995100	-	1	0.1%
0.216508999467	-	1	0.1%
0.225869998336	-	1	0.1%
0.247063994408	-	1	0.1%
0.273990988731	-	1	0.1%
0.278517007828	-	1	0.1%
0.280919998884	-	1	0.1%
0.287404000759	-	1	0.1%
0.291404008865	-	1	0.1%
0.291494995356	-	1	0.1%
0.292306989431	-	1	0.1%
0.296894997358	-	1	0.1%
0.320169985294	-	1	0.1%
0.323312014341	-	1	0.1%
0.354396998882	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.358754009008	-	1	0.1%
0.361151993275	-	1	0.1%
0.365197986364	-	1	0.1%
0.367830991745	-	1	0.1%
0.402579993010	-	1	0.1%
0.402792990208	-	1	0.1%
0.409269005060	-	1	0.1%
0.412479013205	-	1	0.1%
0.420724987984	-	1	0.1%
0.425594002008	-	1	0.1%
0.428797990084	-	1	0.1%
0.429865002632	-	1	0.1%
0.430774003267	-	1	0.1%
0.431205004454	-	1	0.1%
0.438746005297	-	1	0.1%
0.450062990189	-	1	0.1%
0.461261987686	-	1	0.1%
0.475446999073	-	1	0.1%
0.476202011108	-	1	0.1%
0.481974989176	-	1	0.1%
0.488667011261	-	1	0.1%
0.489185005426	-	1	0.1%
0.490150004625	-	1	0.1%
0.502330005169	-	1	0.1%
0.506506025791	-	1	0.1%
0.513710021973	-	1	0.1%
0.515465974808	-	1	0.1%
0.518194019794	-	1	0.1%
0.528263986111	-	1	0.1%
0.528970003128	-	1	0.1%
0.533145010471	-	1	0.1%
0.541956007481	-	1	0.1%
0.543893992901	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.814376342846
- Minimum: 0.151932999492
- Maximum: 10.285099983215
- Standard Deviation: 1.375535636396

Location: 5473-5487 (width: 15; decimal: 12)

Variable Type: numeric

E36_ABS_BETAA4A4: E36_abs_beta

Value	Label	Unweighted Frequency	%
0.0253362003714	-	1	0.1%
0.0321330018342	-	1	0.1%
0.0424260012805	-	1	0.1%
0.0504468008876	-	1	0.1%
0.0670327991247	-	1	0.1%
0.0688628032804	-	1	0.1%
0.0700796991587	-	1	0.1%
0.0701854974031	-	1	0.1%
0.0705936998129	-	1	0.1%
0.0774044990540	-	1	0.1%
0.0786750987172	-	1	0.1%
0.0806434974074	-	1	0.1%
0.0808994993567	-	1	0.1%
0.0859386026859	-	1	0.1%
0.0889243036509	-	1	0.1%
0.0890687033534	-	1	0.1%
0.0896409973502	-	1	0.1%
0.0899424031377	-	1	0.1%
0.0910819992423	-	1	0.1%
0.0917539969087	-	1	0.1%
0.0928511992097	-	1	0.1%
0.0937063992023	-	1	0.1%
0.0978877991438	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0990120023489	-	1	0.1%
0.0992939025164	-	1	0.1%
0.1009749993682	-	1	0.1%
0.1016729995608	-	1	0.1%
0.1016950011253	-	1	0.1%
0.1037959977984	-	1	0.1%
0.1057130023837	-	1	0.1%
0.1058309972286	-	1	0.1%
0.1098140031099	-	1	0.1%
0.1102060005069	-	1	0.1%
0.1119090020657	-	1	0.1%
0.1121480017900	-	1	0.1%
0.1121720001101	-	1	0.1%
0.1124939993024	-	1	0.1%
0.1132299974561	-	1	0.1%
0.1135670021176	-	1	0.1%
0.1136230006814	-	1	0.1%
0.1142370030284	-	1	0.1%
0.1155709996819	-	1	0.1%
0.1175030022860	-	1	0.1%
0.1181299984455	-	1	0.1%
0.1190539970994	-	1	0.1%
0.1199079975486	-	1	0.1%
0.1199619993567	-	1	0.1%
0.1204290017486	-	1	0.1%
0.1210929974914	-	1	0.1%
0.1229159981012	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3293953471768
- Minimum: 0.0253362003714
- Maximum: 6.1294898986816
- Standard Deviation: 0.3292176129294

Location: 5488-5502 (width: 15; decimal: 13)

Variable Type: numeric

E36_ABS_GAMMAA4A4: E36_abs_gamma

Value	Label	Unweighted Frequency	%
0.0090409899130	-	1	0.1%
0.0168832000345	-	1	0.1%
0.0226543005556	-	1	0.1%
0.0228327997029	-	1	0.1%
0.0250099003315	-	1	0.1%
0.0253225993365	-	1	0.1%
0.0280547998846	-	1	0.1%
0.0299548003823	-	1	0.1%
0.0301750991493	-	1	0.1%
0.0319798998535	-	1	0.1%
0.0341625995934	-	1	0.1%
0.0341713987291	-	1	0.1%
0.0342321991920	-	1	0.1%
0.0348724983633	-	1	0.1%
0.0350128002465	-	1	0.1%
0.0351428017020	-	1	0.1%
0.0364944003522	-	1	0.1%
0.0367871001363	-	1	0.1%
0.0377326011658	-	1	0.1%
0.0379575006664	-	1	0.1%
0.0385886989534	-	1	0.1%
0.0389232002199	-	1	0.1%
0.0396976992488	-	1	0.1%
0.0402395017445	-	1	0.1%
0.0408000983298	-	1	0.1%
0.0411242991686	-	1	0.1%
0.0415265001357	-	1	0.1%
0.0424425005913	-	1	0.1%
0.0426606982946	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0430797003210	-	1	0.1%
0.0432365015149	-	1	0.1%
0.0433665998280	-	1	0.1%
0.0434584990144	-	1	0.1%
0.0438232012093	-	1	0.1%
0.0438927002251	-	1	0.1%
0.0440119989216	-	1	0.1%
0.0442411005497	-	1	0.1%
0.0455803982913	-	1	0.1%
0.0455940999091	-	1	0.1%
0.0458227992058	-	1	0.1%
0.0458950996399	-	1	0.1%
0.0458975993097	-	1	0.1%
0.0459141992033	-	1	0.1%
0.0460267998278	-	1	0.1%
0.0462538003922	-	1	0.1%
0.0468912012875	-	1	0.1%
0.0477170981467	-	1	0.1%
0.0481217987835	-	1	0.1%
0.0494402982295	-	1	0.1%
0.0506067015231	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.1456118895609
- Minimum: 0.0090409899130
- Maximum: 2.5198900699615
- Standard Deviation: 0.1554116556362

Location: 5503-5517 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E37_ABS_THETAA4A4: E37_abs_theta

Value	Label	Unweighted Frequency	%
0.294261991978	-	1	0.1%
0.437043011189	-	1	0.1%
0.603955984116	-	1	0.1%
0.759032011032	-	1	0.1%
0.772628009319	-	1	0.1%
0.787070989609	-	1	0.1%
0.791628003120	-	1	0.1%
0.849870026112	-	1	0.1%
0.907392978668	-	1	0.1%
0.953489005566	-	1	0.1%
0.962988018990	-	1	0.1%
0.973801016808	-	1	0.1%
0.978504002094	-	1	0.1%
0.995330989361	-	1	0.1%
1.002640008926	-	1	0.1%
1.004019975662	-	1	0.1%
1.022699952126	-	1	0.1%
1.023370027542	-	1	0.1%
1.024049997330	-	1	0.1%
1.024279952049	-	1	0.1%
1.055089950562	-	1	0.1%
1.080690026283	-	1	0.1%
1.092640042305	-	1	0.1%
1.114390015602	-	1	0.1%
1.172140002251	-	1	0.1%
1.175799965858	-	1	0.1%
1.182289958000	-	1	0.1%
1.195989966393	-	1	0.1%
1.199339985847	-	1	0.1%
1.214650034904	-	1	0.1%
1.229850053787	-	1	0.1%
1.232939958572	-	1	0.1%
1.263190031052	-	1	0.1%
1.277719974518	-	1	0.1%
1.282369971275	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.292529940605	-	1	0.1%
1.354959964752	-	1	0.1%
1.365039944649	-	1	0.1%
1.366469979286	-	1	0.1%
1.383530020714	-	1	0.1%
1.406859993935	-	1	0.1%
1.433730006218	-	1	0.1%
1.457119941711	-	1	0.1%
1.473989963531	-	1	0.1%
1.480919957161	-	1	0.1%
1.494259953499	-	1	0.1%
1.501459956169	-	1	0.1%
1.511330008507	-	1	0.1%
1.515679955482	-	1	0.1%
1.532940030098	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 3.950483013694
- Minimum: 0.294261991978
- Maximum: 31.357700347900
- Standard Deviation: 2.613364978490

Location: 5518-5532 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E37_ABS_ALPHAA4A4: E37_abs_alpha

Value	Label	Unweighted Frequency	%
0.1400180011988	-	1	0.1%
0.1754139959812	-	1	0.1%
0.1933649927378	-	1	0.1%
0.2038359940052	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.2111220061779	-	1	0.1%
0.2181109935045	-	1	0.1%
0.2228939980268	-	1	0.1%
0.2529639899731	-	1	0.1%
0.2589960098267	-	1	0.1%
0.2679420113564	-	1	0.1%
0.2683919966221	-	1	0.1%
0.2864600121975	-	1	0.1%
0.2925629913807	-	1	0.1%
0.3033989965916	-	1	0.1%
0.3110629916191	-	1	0.1%
0.3163560032845	-	1	0.1%
0.3333089947701	-	1	0.1%
0.3693819940090	-	1	0.1%
0.3700680136681	-	1	0.1%
0.3915329873562	-	1	0.1%
0.3990310132504	-	1	0.1%
0.4053939878941	-	1	0.1%
0.4186770021915	-	1	0.1%
0.4235360026360	-	1	0.1%
0.4239079952240	-	1	0.1%
0.4259569942951	-	1	0.1%
0.4350129961967	-	1	0.1%
0.4421409964561	-	1	0.1%
0.4460479915142	-	1	0.1%
0.4538240134716	-	1	0.1%
0.4593150019646	-	1	0.1%
0.4610120058060	-	1	0.1%
0.4619059860706	-	1	0.1%
0.4627430140972	-	1	0.1%
0.4723899960518	-	1	0.1%
0.4936510026455	-	1	0.1%
0.4977760016918	-	1	0.1%
0.4995290040970	-	1	0.1%
0.5019069910049	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.5048140287399	-	1	0.1%
0.5188919901848	-	1	0.1%
0.5195609927177	-	1	0.1%
0.5242289900780	-	1	0.1%
0.5255489945412	-	1	0.1%
0.5274400115013	-	1	0.1%
0.5295270085335	-	1	0.1%
0.5376920104027	-	1	0.1%
0.5469239950180	-	1	0.1%
0.5536969900131	-	1	0.1%
0.5539039969444	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.8048319147190
- Minimum: 0.1400180011988
- Maximum: 8.0909404754639
- Standard Deviation: 1.3170241396433

Location: 5533-5547 (width: 15; decimal: 13)

Variable Type: numeric

E37_ABS_BETAA4A4: E37_abs_beta

Value	Label	Unweighted Frequency	%
0.0205610003322	-	1	0.1%
0.0313801988959	-	1	0.1%
0.0362671017647	-	1	0.1%
0.0432529002428	-	1	0.1%
0.0523716993630	-	1	0.1%
0.0537035986781	-	1	0.1%
0.0555794984102	-	1	0.1%
0.0604699999094	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0634353011847	-	1	0.1%
0.0655801966786	-	1	0.1%
0.0674275979400	-	1	0.1%
0.0696190968156	-	1	0.1%
0.0706887021661	-	1	0.1%
0.0733152031898	-	1	0.1%
0.0735687017441	-	1	0.1%
0.0759480968118	-	1	0.1%
0.0768859982491	-	1	0.1%
0.0789009034634	-	1	0.1%
0.0789448022842	-	1	0.1%
0.0819652006030	-	1	0.1%
0.0833365991712	-	1	0.1%
0.0854910016060	-	1	0.1%
0.0889813974500	-	1	0.1%
0.0890057981014	-	1	0.1%
0.0900605991483	-	1	0.1%
0.0906634032726	-	1	0.1%
0.0920364037156	-	1	0.1%
0.0935953035951	-	1	0.1%
0.0946993008256	-	1	0.1%
0.0953541025519	-	1	0.1%
0.0957188010216	-	1	0.1%
0.0960502028465	-	1	0.1%
0.0967712029815	-	1	0.1%
0.0974223986268	-	1	0.1%
0.0987000018358	-	1	0.1%
0.0995258018374	-	1	0.1%
0.0997885987163	-	1	0.1%
0.1000789999962	-	1	0.1%
0.1002769991755	-	1	0.1%
0.1007480025291	-	1	0.1%
0.1011950001121	-	1	0.1%
0.1018190011382	-	1	0.1%
0.1019069999456	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1027199998498	-	1	0.1%
0.1039730012417	-	1	0.1%
0.1046399995685	-	1	0.1%
0.1046869978309	-	1	0.1%
0.1065350025892	-	1	0.1%
0.1079899966717	-	1	0.1%
0.1080150008202	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2550413504664
- Minimum: 0.0205610003322
- Maximum: 2.5401298999786
- Standard Deviation: 0.1910800289535

Location: 5548-5562 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E37_ABS_GAMMAA4A4: E37_abs_gamma

Value	Label	Unweighted Frequency	%
0.0074469600804	-	1	0.1%
0.0099687604234	-	1	0.1%
0.0145445996895	-	1	0.1%
0.0167351998389	-	1	0.1%
0.0190226994455	-	1	0.1%
0.0210196003318	-	1	0.1%
0.0220921002328	-	1	0.1%
0.0222977995872	-	1	0.1%
0.0237284004688	-	1	0.1%
0.0242797005922	-	1	0.1%
0.0266578998417	-	1	0.1%
0.0266872998327	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0267312992364	-	1	0.1%
0.0270402003080	-	1	0.1%
0.0274611990899	-	1	0.1%
0.0281504001468	-	1	0.1%
0.0284646004438	-	1	0.1%
0.0293189994991	-	1	0.1%
0.0296717006713	-	1	0.1%
0.0297244004905	-	1	0.1%
0.0303825996816	-	1	0.1%
0.0305220000446	-	1	0.1%
0.0321306996047	-	1	0.1%
0.0328196994960	-	1	0.1%
0.0331081002951	-	1	0.1%
0.0331528000534	-	1	0.1%
0.0334283001721	-	1	0.1%
0.0341729000211	-	1	0.1%
0.0345656983554	-	1	0.1%
0.0347930006683	-	1	0.1%
0.0351671017706	-	1	0.1%
0.0354794003069	-	1	0.1%
0.0357523001730	-	1	0.1%
0.0366280004382	-	1	0.1%
0.0366864018142	-	1	0.1%
0.0371222011745	-	1	0.1%
0.0374098010361	-	1	0.1%
0.0378782004118	-	1	0.1%
0.0381023995578	-	1	0.1%
0.0382874011993	-	1	0.1%
0.0384886004031	-	1	0.1%
0.0387535989285	-	1	0.1%
0.0390270985663	-	1	0.1%
0.0391491018236	-	1	0.1%
0.0394016988575	-	1	0.1%
0.0395096987486	-	1	0.1%
0.0397332012653	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0399078987539	-	1	0.1%
0.0401010997593	-	1	0.1%
0.0402273014188	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.0937242348089
- Minimum: 0.0074469600804
- Maximum: 1.2052299976349
- Standard Deviation: 0.0801260756353

Location: 5563-5577 (width: 15; decimal: 13)

Variable Type: numeric

[E39_ABS_THETAA4A4: E39_abs_theta](#)

Value	Label	Unweighted Frequency	%
0.606657028198	-	1	0.1%
1.069399952888	-	1	0.1%
1.133980035782	-	1	0.1%
1.151489973068	-	1	0.1%
1.223500013351	-	1	0.1%
1.241359949112	-	1	0.1%
1.263059973717	-	1	0.1%
1.264459967613	-	1	0.1%
1.264600038528	-	1	0.1%
1.296599984169	-	1	0.1%
1.332470059395	-	1	0.1%
1.357499957085	-	1	0.1%
1.420099973679	-	1	0.1%
1.435670018196	-	1	0.1%
1.444980025291	-	1	0.1%
1.447080016136	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.453950047493	-	1	0.1%
1.459830045700	-	1	0.1%
1.471310019493	-	1	0.1%
1.513129949570	-	1	0.1%
1.525159955025	-	1	0.1%
1.531800031662	-	1	0.1%
1.537529945374	-	1	0.1%
1.572739958763	-	1	0.1%
1.577800035477	-	1	0.1%
1.646639943123	-	1	0.1%
1.693920016289	-	1	0.1%
1.719040036201	-	1	0.1%
1.744639992714	-	1	0.1%
1.762089967728	-	1	0.1%
1.819450020790	-	1	0.1%
1.836089968681	-	1	0.1%
1.849570035934	-	1	0.1%
1.884109973907	-	1	0.1%
1.923650026321	-	1	0.1%
1.927479982376	-	1	0.1%
1.930819988251	-	1	0.1%
1.978839993477	-	1	0.1%
2.001630067825	-	1	0.1%
2.003750085831	-	1	0.1%
2.036489963531	-	1	0.1%
2.053770065308	-	1	0.1%
2.076620101929	-	1	0.1%
2.088550090790	-	1	0.1%
2.095540046692	-	1	0.1%
2.112469911575	-	1	0.1%
2.128550052643	-	1	0.1%
2.142199993134	-	1	0.1%
2.153569936752	-	1	0.1%
2.158560037613	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 5.663839698207
- Minimum: 0.606657028198
- Maximum: 28.415899276733
- Standard Deviation: 3.199947330206

Location: 5578-5592 (width: 15; decimal: 12)

Variable Type: numeric

E39_ABS_ALPHAA4A4: E39_abs_alpha

Value	Label	Unweighted Frequency	%
0.294901013374	-	1	0.1%
0.304136008024	-	1	0.1%
0.353417992592	-	1	0.1%
0.365198999643	-	1	0.1%
0.396333992481	-	1	0.1%
0.410203993320	-	1	0.1%
0.418850988150	-	1	0.1%
0.442119002342	-	1	0.1%
0.444759994745	-	1	0.1%
0.467247009277	-	1	0.1%
0.469094991684	-	1	0.1%
0.471460998058	-	1	0.1%
0.480051994324	-	1	0.1%
0.496591001749	-	1	0.1%
0.499330997467	-	1	0.1%
0.501257002354	-	1	0.1%
0.527127981186	-	1	0.1%
0.529799997807	-	1	0.1%
0.536149978638	-	1	0.1%
0.540790021420	-	1	0.1%
0.544625997543	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.546328008175	-	1	0.1%
0.559669971466	-	1	0.1%
0.565258026123	-	1	0.1%
0.577728986740	-	1	0.1%
0.581830978394	-	1	0.1%
0.587284982204	-	1	0.1%
0.590403020382	-	1	0.1%
0.606024026871	-	1	0.1%
0.610338985920	-	1	0.1%
0.624036014080	-	1	0.1%
0.629387974739	-	1	0.1%
0.634962022305	-	1	0.1%
0.654112994671	-	1	0.1%
0.655678987503	-	1	0.1%
0.657029986382	-	1	0.1%
0.663110971451	-	1	0.1%
0.667894005775	-	1	0.1%
0.685159981251	-	1	0.1%
0.688889980316	-	1	0.1%
0.697470009327	-	1	0.1%
0.704488992691	-	1	0.1%
0.707718014717	-	1	0.1%
0.716409981251	-	1	0.1%
0.719772994518	-	1	0.1%
0.720829010010	-	1	0.1%
0.725058972836	-	1	0.1%
0.725973010063	-	1	0.1%
0.726831972599	-	1	0.1%
0.728976011276	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.967457883452
- Minimum: 0.294901013374
- Maximum: 23.995000839233
- Standard Deviation: 1.413105666168

Location: 5593-5607 (width: 15; decimal: 12)

Variable Type: numeric

E39_ABS_BETAA4A4: E39_abs_beta

Value	Label	Unweighted Frequency	%
0.0488347001374	-	1	0.1%
0.0898519009352	-	1	0.1%
0.0927881002426	-	1	0.1%
0.1044579967856	-	1	0.1%
0.1058589965105	-	1	0.1%
0.1137230023742	-	1	0.1%
0.1176349967718	-	1	0.1%
0.1185249984264	-	1	0.1%
0.1254879981279	-	1	0.1%
0.1268559992313	-	1	0.1%
0.1273439973593	-	1	0.1%
0.1308950036764	-	1	0.1%
0.1394439935684	-	1	0.1%
0.1450040042400	-	1	0.1%
0.1467390060425	-	1	0.1%
0.1476020067930	-	1	0.1%
0.1550700068474	-	1	0.1%
0.1565690040588	-	1	0.1%
0.1592770069838	-	1	0.1%
0.1601109951735	-	1	0.1%
0.1623429954052	-	1	0.1%
0.1629370003939	-	1	0.1%
0.1686030030251	-	1	0.1%
0.1706680059433	-	1	0.1%
0.1730570048094	-	1	0.1%
0.1732340008020	-	1	0.1%
0.1743710041046	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1784289926291	-	1	0.1%
0.1805080026388	-	1	0.1%
0.1812559962273	-	1	0.1%
0.1837999969721	-	1	0.1%
0.1838150024414	-	1	0.1%
0.1856839954853	-	1	0.1%
0.1863619983196	-	1	0.1%
0.1883420050144	-	1	0.1%
0.1911650002003	-	1	0.1%
0.1915049999952	-	1	0.1%
0.1951639950275	-	1	0.1%
0.1956979930401	-	1	0.1%
0.1968549937010	-	1	0.1%
0.1976509988308	-	1	0.1%
0.1980800032616	-	1	0.1%
0.1990440040827	-	1	0.1%
0.1993480026722	-	1	0.1%
0.2023800015450	-	1	0.1%
0.2025479972363	-	1	0.1%
0.2028149962425	-	1	0.1%
0.2044990062714	-	1	0.1%
0.2062419950962	-	1	0.1%
0.2081570029259	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.8773216292919
- Minimum: 0.0488347001374
- Maximum: 8.9098300933838
- Standard Deviation: 0.9018869880408

Location: 5608-5622 (width: 15; decimal: 13)

Variable Type: numeric

E39_ABS_GAMMAA4A4: E39_abs_gamma

Value	Label	Unweighted Frequency	%
0.0210893992335	-	1	0.1%
0.0224814005196	-	1	0.1%
0.0372275002301	-	1	0.1%
0.0374526008964	-	1	0.1%
0.0469437018037	-	1	0.1%
0.0469927005470	-	1	0.1%
0.0485989004374	-	1	0.1%
0.0530514009297	-	1	0.1%
0.0558185018599	-	1	0.1%
0.0562513992190	-	1	0.1%
0.0570413991809	-	1	0.1%
0.0580096989870	-	1	0.1%
0.0590545013547	-	1	0.1%
0.0597719997168	-	1	0.1%
0.0632451996207	-	1	0.1%
0.0637442991138	-	1	0.1%
0.0641030967236	-	1	0.1%
0.0671776980162	-	1	0.1%
0.0684297010303	-	1	0.1%
0.0694956034422	-	1	0.1%
0.0706477984786	-	1	0.1%
0.0723690018058	-	1	0.1%
0.0723837986588	-	1	0.1%
0.0739761963487	-	1	0.1%
0.0771102011204	-	1	0.1%
0.0793685987592	-	1	0.1%
0.0802901014686	-	1	0.1%
0.0815391987562	-	1	0.1%
0.0835509970784	-	1	0.1%
0.0847683995962	-	1	0.1%
0.0857037007809	-	1	0.1%
0.0872095003724	-	1	0.1%
0.0881119966507	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0901186987758	-	1	0.1%
0.0954281017184	-	1	0.1%
0.0967402011156	-	1	0.1%
0.0971601009369	-	1	0.1%
0.0986381992698	-	1	0.1%
0.1002390012145	-	1	0.1%
0.1033039987087	-	1	0.1%
0.1054100021720	-	1	0.1%
0.1076309978962	-	1	0.1%
0.1087369993329	-	1	0.1%
0.1094029992819	-	1	0.1%
0.1096249967813	-	1	0.1%
0.1098150014877	-	1	0.1%
0.1106930002570	-	1	0.1%
0.1118680015206	-	1	0.1%
0.1129539981484	-	1	0.1%
0.1131620034575	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.8618127477006
- Minimum: 0.0210893992335
- Maximum: 6.5960698127747
- Standard Deviation: 1.0454102905117

Location: 5623-5637 (width: 15; decimal: 13)

Variable Type: numeric

E40_ABS_THETAA4A4: E40_abs_theta

Value	Label	Unweighted Frequency	%
0.588033974171	-	1	0.1%
0.750703990459	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.808434009552	-	1	0.1%
0.825205981731	-	1	0.1%
0.918699979782	-	1	0.1%
0.924692988396	-	1	0.1%
0.939283013344	-	1	0.1%
0.963872015476	-	1	0.1%
0.976640999317	-	1	0.1%
0.983923017979	-	1	0.1%
0.988714993000	-	1	0.1%
1.023429989815	-	1	0.1%
1.033100008965	-	1	0.1%
1.041249990463	-	1	0.1%
1.070749998093	-	1	0.1%
1.158419966698	-	1	0.1%
1.171419978142	-	1	0.1%
1.185610055923	-	1	0.1%
1.229179978371	-	1	0.1%
1.234040021896	-	1	0.1%
1.270910024643	-	1	0.1%
1.275599956512	-	1	0.1%
1.278249979019	-	1	0.1%
1.293609976768	-	1	0.1%
1.296830058098	-	1	0.1%
1.365949988365	-	1	0.1%
1.368870019913	-	1	0.1%
1.369369983673	-	1	0.1%
1.370540022850	-	1	0.1%
1.389230012894	-	1	0.1%
1.399860024452	-	1	0.1%
1.415850043297	-	1	0.1%
1.429039955139	-	1	0.1%
1.452739953995	-	1	0.1%
1.462350010872	-	1	0.1%
1.480389952660	-	1	0.1%
1.510220050812	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.562010049820	-	1	0.1%
1.591109991074	-	1	0.1%
1.615630030632	-	1	0.1%
1.644459962845	-	1	0.1%
1.664000034332	-	1	0.1%
1.692379951477	-	1	0.1%
1.698629975319	-	1	0.1%
1.704839944839	-	1	0.1%
1.717919945717	-	1	0.1%
1.718140006065	-	1	0.1%
1.732310056686	-	1	0.1%
1.741539955139	-	1	0.1%
1.742200016975	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.214903851135
- Minimum: 0.588033974171
- Maximum: 24.585399627686
- Standard Deviation: 2.374109013786

Location: 5638-5652 (*width:* 15; *decimal:* 12)

Variable Type: numeric

[E40_ABS_ALPHAA4A4: E40_abs_alpha](#)

Value	Label	Unweighted Frequency	%
0.196612000465	-	1	0.1%
0.210969999433	-	1	0.1%
0.317763000727	-	1	0.1%
0.320930987597	-	1	0.1%
0.324306994677	-	1	0.1%
0.359394997358	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.363483995199	-	1	0.1%
0.365527004004	-	1	0.1%
0.370925009251	-	1	0.1%
0.380235999823	-	1	0.1%
0.392511993647	-	1	0.1%
0.397769004107	-	1	0.1%
0.411720991135	-	1	0.1%
0.413964003325	-	1	0.1%
0.422017991543	-	1	0.1%
0.423577994108	-	1	0.1%
0.428038001060	-	1	0.1%
0.428974002600	-	1	0.1%
0.455089002848	-	1	0.1%
0.457830995321	-	1	0.1%
0.459416002035	-	1	0.1%
0.459618002176	-	1	0.1%
0.470407009125	-	1	0.1%
0.471060007811	-	1	0.1%
0.476520985365	-	1	0.1%
0.480838000774	-	1	0.1%
0.485303014517	-	1	0.1%
0.490197002888	-	1	0.1%
0.494024991989	-	1	0.1%
0.494350999594	-	1	0.1%
0.519864022732	-	1	0.1%
0.522327005863	-	1	0.1%
0.522382020950	-	1	0.1%
0.540947973728	-	1	0.1%
0.552585005760	-	1	0.1%
0.557334005833	-	1	0.1%
0.568336009979	-	1	0.1%
0.573134005070	-	1	0.1%
0.592253983021	-	1	0.1%
0.610871970654	-	1	0.1%
0.614866971970	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.618369996548	-	1	0.1%
0.618790984154	-	1	0.1%
0.618821024895	-	1	0.1%
0.622407972813	-	1	0.1%
0.622651994228	-	1	0.1%
0.626278996468	-	1	0.1%
0.630919992924	-	1	0.1%
0.637465000153	-	1	0.1%
0.639092981815	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.790840249151
- Minimum: 0.196612000465
- Maximum: 21.161800384521
- Standard Deviation: 1.368759894156

Location: 5653-5667 (width: 15; decimal: 12)

Variable Type: numeric

E40_ABS_BETAA4A4: E40_abs_beta

Value	Label	Unweighted Frequency	%
0.0581891015172	-	1	0.1%
0.0587203986943	-	1	0.1%
0.0736316964030	-	1	0.1%
0.0781100988388	-	1	0.1%
0.0791587010026	-	1	0.1%
0.0829150974751	-	1	0.1%
0.0859958976507	-	1	0.1%
0.0886605978012	-	1	0.1%
0.0904200971127	-	1	0.1%
0.0912374034524	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0971572995186	-	1	0.1%
0.0995564982295	-	1	0.1%
0.1012400016189	-	1	0.1%
0.1036119982600	-	1	0.1%
0.1041869968176	-	1	0.1%
0.1045230031013	-	1	0.1%
0.1118689998984	-	1	0.1%
0.1124219968915	-	1	0.1%
0.1131270006299	-	1	0.1%
0.1167699992657	-	1	0.1%
0.1235859990120	-	1	0.1%
0.1245649978518	-	1	0.1%
0.1257160007954	-	1	0.1%
0.1273780018091	-	1	0.1%
0.1285839974880	-	1	0.1%
0.1290439963341	-	1	0.1%
0.1293309926987	-	1	0.1%
0.1348939985037	-	1	0.1%
0.1352259963751	-	1	0.1%
0.1371529996395	-	1	0.1%
0.1389459967613	-	1	0.1%
0.1403539925814	-	1	0.1%
0.1407950073481	-	1	0.1%
0.1435119956732	-	1	0.1%
0.1435679942369	-	1	0.1%
0.1436589956284	-	1	0.1%
0.1446840018034	-	1	0.1%
0.1452759951353	-	1	0.1%
0.1459739953279	-	1	0.1%
0.1469009965658	-	1	0.1%
0.1481360048056	-	1	0.1%
0.1494929939508	-	1	0.1%
0.1515830010176	-	1	0.1%
0.1524109989405	-	1	0.1%
0.1553609967232	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1571120023727	-	1	0.1%
0.1594129949808	-	1	0.1%
0.1599680036306	-	1	0.1%
0.1640869975090	-	1	0.1%
0.1646029949188	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.6084718798740
- Minimum: 0.0581891015172
- Maximum: 3.9660100936890
- Standard Deviation: 0.5683370754710

Location: 5668-5682 (width: 15; decimal: 13)

Variable Type: numeric

E40_ABS_GAMMAA4A4: E40_abs_gamma

Value	Label	Unweighted Frequency	%
0.0245797000825	-	1	0.1%
0.0255169998854	-	1	0.1%
0.0295192003250	-	1	0.1%
0.0321606993675	-	1	0.1%
0.0336222983897	-	1	0.1%
0.0345092006028	-	1	0.1%
0.0345478989184	-	1	0.1%
0.0350110009313	-	1	0.1%
0.0392311997712	-	1	0.1%
0.0407076999545	-	1	0.1%
0.0417707003653	-	1	0.1%
0.0448658987880	-	1	0.1%
0.0459279008210	-	1	0.1%
0.0480340011418	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0487147010863	-	1	0.1%
0.0504548996687	-	1	0.1%
0.0509086996317	-	1	0.1%
0.0510267987847	-	1	0.1%
0.0524553991854	-	1	0.1%
0.0525981001556	-	1	0.1%
0.0526167005301	-	1	0.1%
0.0528161004186	-	1	0.1%
0.0546908006072	-	1	0.1%
0.0547932982445	-	1	0.1%
0.0551019012928	-	1	0.1%
0.0569006986916	-	1	0.1%
0.0588553994894	-	1	0.1%
0.0590170994401	-	1	0.1%
0.0595678985119	-	1	0.1%
0.0597921013832	-	1	0.1%
0.0618773996830	-	1	0.1%
0.0624526999891	-	1	0.1%
0.0637971013784	-	1	0.1%
0.0642751976848	-	1	0.1%
0.0667067021132	-	1	0.1%
0.0669611990452	-	1	0.1%
0.0672584027052	-	1	0.1%
0.0673812031746	-	1	0.1%
0.0674882009625	-	1	0.1%
0.0676809027791	-	1	0.1%
0.0694551020861	-	1	0.1%
0.0694771036506	-	1	0.1%
0.0697102025151	-	1	0.1%
0.0699433013797	-	1	0.1%
0.0705268010497	-	1	0.1%
0.0708955973387	-	1	0.1%
0.0714438036084	-	1	0.1%
0.0714441016316	-	1	0.1%
0.0720549002290	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0725236013532	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5063904435878
- Minimum: 0.0245797000825
- Maximum: 4.7862901687622
- Standard Deviation: 0.6691375829224

Location: 5683-5697 (width: 15; decimal: 13)

Variable Type: numeric

E41_ABS_THETAA4A4: E41_abs_theta

Value	Label	Unweighted Frequency	%
0.646124005318	-	1	0.1%
0.688184976578	-	1	0.1%
0.699486017227	-	1	0.1%
0.704150974751	-	1	0.1%
0.711498022079	-	1	0.1%
0.732607007027	-	1	0.1%
0.751672029495	-	1	0.1%
0.798946022987	-	1	0.1%
0.802344024181	-	1	0.1%
0.815114974976	-	1	0.1%
0.815487980843	-	1	0.1%
0.822161972523	-	1	0.1%
0.827527999878	-	1	0.1%
0.832497000694	-	1	0.1%
0.929090976715	-	1	0.1%
0.931870996952	-	1	0.1%
0.935175001621	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.945434987545	-	1	0.1%
0.966046988964	-	1	0.1%
1.039309978485	-	1	0.1%
1.046800017357	-	1	0.1%
1.051220059395	-	1	0.1%
1.055130004883	-	1	0.1%
1.090809941292	-	1	0.1%
1.106050014496	-	1	0.1%
1.120429992676	-	1	0.1%
1.133790016174	-	1	0.1%
1.152179956436	-	1	0.1%
1.177629947662	-	1	0.1%
1.198660016060	-	1	0.1%
1.199399948120	-	1	0.1%
1.222720026970	-	1	0.1%
1.271469950676	-	1	0.1%
1.277300000191	-	1	0.1%
1.310250043869	-	1	0.1%
1.327469944954	-	1	0.1%
1.339120030403	-	1	0.1%
1.341359972954	-	1	0.1%
1.342139959335	-	1	0.1%
1.342939972878	-	1	0.1%
1.381469964981	-	1	0.1%
1.390140056610	-	1	0.1%
1.390879988670	-	1	0.1%
1.392210006714	-	1	0.1%
1.447379946709	-	1	0.1%
1.454120039940	-	1	0.1%
1.504719972610	-	1	0.1%
1.526450037956	-	1	0.1%
1.530230045319	-	1	0.1%
1.548850059509	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 3.887543619509
- Minimum: 0.646124005318
- Maximum: 13.348500251770
- Standard Deviation: 2.147948143889

Location: 5698-5712 (width: 15; decimal: 12)

Variable Type: numeric

E41_ABS_ALPHAA4A4: E41_abs_alpha

Value	Label	Unweighted Frequency	%
0.191216006875	-	1	0.1%
0.200777992606	-	1	0.1%
0.204942002892	-	1	0.1%
0.232736006379	-	1	0.1%
0.245072007179	-	1	0.1%
0.253241986036	-	1	0.1%
0.283883005381	-	1	0.1%
0.284052014351	-	1	0.1%
0.300729006529	-	1	0.1%
0.301021993160	-	1	0.1%
0.310063004494	-	1	0.1%
0.315445989370	-	1	0.1%
0.317203998566	-	1	0.1%
0.318201988935	-	1	0.1%
0.347324997187	-	1	0.1%
0.368952006102	-	1	0.1%
0.369300007820	-	1	0.1%
0.376453012228	-	1	0.1%
0.380109012127	-	1	0.1%
0.386395990849	-	1	0.1%
0.392069995403	-	1	0.1%
0.408423006535	-	1	0.1%
0.430947005749	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.434441000223	-	1	0.1%
0.435229986906	-	1	0.1%
0.440921992064	-	1	0.1%
0.445071995258	-	1	0.1%
0.449537009001	-	1	0.1%
0.453660994768	-	1	0.1%
0.456021994352	-	1	0.1%
0.466320991516	-	1	0.1%
0.478082001209	-	1	0.1%
0.493349999189	-	1	0.1%
0.495608001947	-	1	0.1%
0.501918971539	-	1	0.1%
0.512390971184	-	1	0.1%
0.514518022537	-	1	0.1%
0.536159992218	-	1	0.1%
0.540139019489	-	1	0.1%
0.544017016888	-	1	0.1%
0.544337987900	-	1	0.1%
0.551330983639	-	1	0.1%
0.551401019096	-	1	0.1%
0.554383993149	-	1	0.1%
0.566253006458	-	1	0.1%
0.566456019878	-	1	0.1%
0.567752003670	-	1	0.1%
0.571303009987	-	1	0.1%
0.579493999481	-	1	0.1%
0.588012993336	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.850778526612
- Minimum: 0.191216006875
- Maximum: 13.841899871826
- Standard Deviation: 1.376058377213

Location: 5713-5727 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E41_ABS_BETAA4A4: E41_abs_beta

Value	Label	Unweighted Frequency	%
0.0578472986817	-	1	0.1%
0.0623605996370	-	1	0.1%
0.0670595988631	-	1	0.1%
0.0701303035021	-	1	0.1%
0.0705029964447	-	1	0.1%
0.0744694024324	-	1	0.1%
0.0765582025051	-	1	0.1%
0.0785602033138	-	1	0.1%
0.0816275998950	-	1	0.1%
0.0817966014147	-	1	0.1%
0.0859023034573	-	1	0.1%
0.0865643024445	-	1	0.1%
0.0883444994688	-	1	0.1%
0.0894844010472	-	1	0.1%
0.0905387029052	-	1	0.1%
0.0917297005653	-	1	0.1%
0.0945786014199	-	1	0.1%
0.0958841964602	-	1	0.1%
0.0984037965536	-	1	0.1%
0.0998037010431	-	1	0.1%
0.1026140004396	-	1	0.1%
0.1033369973302	-	1	0.1%
0.1038319990039	-	1	0.1%
0.1048379987478	-	1	0.1%
0.1064539998770	-	1	0.1%
0.1066519990563	-	1	0.1%
0.1137820035219	-	1	0.1%
0.1162979975343	-	1	0.1%
0.1180749982595	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1203679963946	-	1	0.1%
0.1208700016141	-	1	0.1%
0.1242469996214	-	1	0.1%
0.1242910027504	-	1	0.1%
0.1245590001345	-	1	0.1%
0.1251730024815	-	1	0.1%
0.1255829930305	-	1	0.1%
0.1257060021162	-	1	0.1%
0.1263429969549	-	1	0.1%
0.1269499957561	-	1	0.1%
0.1280239969492	-	1	0.1%
0.1292320042849	-	1	0.1%
0.1298130005598	-	1	0.1%
0.1327449977398	-	1	0.1%
0.1341190040112	-	1	0.1%
0.1341540068388	-	1	0.1%
0.1362390071154	-	1	0.1%
0.1364970058203	-	1	0.1%
0.1373019963503	-	1	0.1%
0.1394979953766	-	1	0.1%
0.1401650011539	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3951961589695
- Minimum: 0.0578472986817
- Maximum: 2.0973598957062
- Standard Deviation: 0.2464836021727

Location: 5728-5742 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E41_ABS_GAMMAA4A4: E41_abs_gamma

Value	Label	Unweighted Frequency	%
0.0254480000585	-	1	0.1%
0.0272257998586	-	1	0.1%
0.0277738999575	-	1	0.1%
0.0278347991407	-	1	0.1%
0.0297839008272	-	1	0.1%
0.0311281997710	-	1	0.1%
0.0320458002388	-	1	0.1%
0.0323631986976	-	1	0.1%
0.0334643013775	-	1	0.1%
0.0347131006420	-	1	0.1%
0.0359520018101	-	1	0.1%
0.0364901013672	-	1	0.1%
0.0374465994537	-	1	0.1%
0.0393926016986	-	1	0.1%
0.0394456014037	-	1	0.1%
0.0400045998394	-	1	0.1%
0.0410619005561	-	1	0.1%
0.0428791008890	-	1	0.1%
0.0431374013424	-	1	0.1%
0.0434645004570	-	1	0.1%
0.0445629991591	-	1	0.1%
0.0451527014375	-	1	0.1%
0.0456201992929	-	1	0.1%
0.0460294000804	-	1	0.1%
0.0463516004384	-	1	0.1%
0.0475541986525	-	1	0.1%
0.0477100983262	-	1	0.1%
0.0491079017520	-	1	0.1%
0.0498576983809	-	1	0.1%
0.0500878989697	-	1	0.1%
0.0508053004742	-	1	0.1%
0.0520002990961	-	1	0.1%
0.0526815988123	-	1	0.1%
0.0531845986843	-	1	0.1%
0.0535067990422	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0539824999869	-	1	0.1%
0.0545312985778	-	1	0.1%
0.0559419989586	-	1	0.1%
0.0559849999845	-	1	0.1%
0.0561214014888	-	1	0.1%
0.0566875003278	-	1	0.1%
0.0577429011464	-	1	0.1%
0.0583201013505	-	1	0.1%
0.0587657988071	-	1	0.1%
0.0592684000731	-	1	0.1%
0.0598498992622	-	1	0.1%
0.0604720003903	-	1	0.1%
0.0607529990375	-	1	0.1%
0.0617366991937	-	1	0.1%
0.0619736984372	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2177946391161
- Minimum: 0.0254480000585
- Maximum: 3.3709599971771
- Standard Deviation: 0.2248074614986

Location: 5743-5757 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E42_ABS_THETAA4A4: E42_abs_theta

Value	Label	Unweighted Frequency	%
0.275754988194	-	1	0.1%
0.516056001186	-	1	0.1%
0.604653000832	-	1	0.1%
0.690414011478	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.775306999683	-	1	0.1%
0.830555021763	-	1	0.1%
0.834502995014	-	1	0.1%
0.846122980118	-	1	0.1%
0.892228007317	-	1	0.1%
0.915781974792	-	1	0.1%
0.930546998978	-	1	0.1%
0.937411010265	-	1	0.1%
0.971248984337	-	1	0.1%
0.984413981438	-	1	0.1%
1.005550026894	-	1	0.1%
1.009400010109	-	1	0.1%
1.046640038490	-	1	0.1%
1.053760051727	-	1	0.1%
1.089879989624	-	1	0.1%
1.109060049057	-	1	0.1%
1.111430048943	-	1	0.1%
1.135560035706	-	1	0.1%
1.143479943275	-	1	0.1%
1.147019982338	-	1	0.1%
1.213140010834	-	1	0.1%
1.224740028381	-	1	0.1%
1.228229999542	-	1	0.1%
1.237810015678	-	1	0.1%
1.253020048141	-	1	0.1%
1.254340052605	-	1	0.1%
1.313730001450	-	1	0.1%
1.317330002785	-	1	0.1%
1.322659969330	-	1	0.1%
1.339869976044	-	1	0.1%
1.343260049820	-	1	0.1%
1.343940019608	-	1	0.1%
1.356529951096	-	1	0.1%
1.367040038109	-	1	0.1%
1.380200028419	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.405820012093	-	1	0.1%
1.409520030022	-	1	0.1%
1.432440042496	-	1	0.1%
1.437579989433	-	1	0.1%
1.451120018959	-	1	0.1%
1.507969975471	-	1	0.1%
1.508219957352	-	1	0.1%
1.514539957047	-	1	0.1%
1.521849989891	-	1	0.1%
1.534739971161	-	1	0.1%
1.552189946175	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 3.975296718141
- Minimum: 0.275754988194
- Maximum: 19.745300292969
- Standard Deviation: 2.288182124204

Location: 5758-5772 (width: 15; decimal: 12)

Variable Type: numeric

E42_ABS_ALPHAA4A4: E42_abs_alpha

Value	Label	Unweighted Frequency	%
0.134654998779	-	1	0.1%
0.155029997230	-	1	0.1%
0.177784994245	-	1	0.1%
0.206660002470	-	1	0.1%
0.217877998948	-	1	0.1%
0.244366005063	-	1	0.1%
0.254357993603	-	1	0.1%
0.263713985682	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.265929013491	-	1	0.1%
0.271973013878	-	1	0.1%
0.319099992514	-	1	0.1%
0.323183000088	-	1	0.1%
0.325289011002	-	1	0.1%
0.342916011810	-	1	0.1%
0.348890990019	-	1	0.1%
0.351897001266	-	1	0.1%
0.357080996037	-	1	0.1%
0.362982004881	-	1	0.1%
0.376165002584	-	1	0.1%
0.412606000900	-	1	0.1%
0.415908992290	-	1	0.1%
0.434513986111	-	1	0.1%
0.436482995749	-	1	0.1%
0.436890006065	-	1	0.1%
0.439137995243	-	1	0.1%
0.444961994886	-	1	0.1%
0.445870012045	-	1	0.1%
0.449546992779	-	1	0.1%
0.454980999231	-	1	0.1%
0.471668004990	-	1	0.1%
0.480964004993	-	1	0.1%
0.490161001682	-	1	0.1%
0.497328013182	-	1	0.1%
0.499401986599	-	1	0.1%
0.502516984940	-	1	0.1%
0.504217982292	-	1	0.1%
0.510957002640	-	1	0.1%
0.513903021812	-	1	0.1%
0.517783999443	-	1	0.1%
0.521637022495	-	1	0.1%
0.524653017521	-	1	0.1%
0.534440994263	-	1	0.1%
0.534681975842	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.544681012630	-	1	0.1%
0.552639007568	-	1	0.1%
0.564988970757	-	1	0.1%
0.586444020271	-	1	0.1%
0.590884983540	-	1	0.1%
0.602285027504	-	1	0.1%
0.609731018543	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.912040444120
- Minimum: 0.134654998779
- Maximum: 14.197500228882
- Standard Deviation: 1.464153918608

Location: 5773-5787 (width: 15; decimal: 12)

Variable Type: numeric

E42_ABS_BETAA4A4: E42_abs_beta

Value	Label	Unweighted Frequency	%
0.0203483998775	-	1	0.1%
0.0497994981706	-	1	0.1%
0.0500399991870	-	1	0.1%
0.0579584985971	-	1	0.1%
0.0587578006089	-	1	0.1%
0.0697425007820	-	1	0.1%
0.0742930024862	-	1	0.1%
0.0750702992082	-	1	0.1%
0.0788239017129	-	1	0.1%
0.0831969007850	-	1	0.1%
0.0871730968356	-	1	0.1%
0.0880137011409	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0887980014086	-	1	0.1%
0.0907369032502	-	1	0.1%
0.0920400992036	-	1	0.1%
0.0921055972576	-	1	0.1%
0.0941198989749	-	1	0.1%
0.0942180007696	-	1	0.1%
0.0969199985266	-	1	0.1%
0.0993817970157	-	1	0.1%
0.0994786992669	-	1	0.1%
0.0996588021517	-	1	0.1%
0.1016540005803	-	1	0.1%
0.1032399982214	-	1	0.1%
0.1033520027995	-	1	0.1%
0.1034889966249	-	1	0.1%
0.1040259972215	-	1	0.1%
0.1045340001583	-	1	0.1%
0.1067010015249	-	1	0.1%
0.1070820018649	-	1	0.1%
0.1137889996171	-	1	0.1%
0.1174150034785	-	1	0.1%
0.1187750026584	-	1	0.1%
0.1196430027485	-	1	0.1%
0.1209909990430	-	1	0.1%
0.1223089993000	-	1	0.1%
0.1226039975882	-	1	0.1%
0.1232789978385	-	1	0.1%
0.1236599981785	-	1	0.1%
0.1241549998522	-	1	0.1%
0.1253080070019	-	1	0.1%
0.1268139928579	-	1	0.1%
0.1269399970770	-	1	0.1%
0.1287380009890	-	1	0.1%
0.1287589967251	-	1	0.1%
0.1296029984951	-	1	0.1%
0.1306689977646	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1323509961367	-	1	0.1%
0.1329749971628	-	1	0.1%
0.1337659955025	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3348634343583
- Minimum: 0.0203483998775
- Maximum: 1.7430000305176
- Standard Deviation: 0.1802186663458

Location: 5788-5802 (width: 15; decimal: 13)

Variable Type: numeric

E42_ABS_GAMMAA4A4: E42_abs_gamma

Value	Label	Unweighted Frequency	%
0.0072408900596	-	1	0.1%
0.0193713996559	-	1	0.1%
0.0223337002099	-	1	0.1%
0.0230483002961	-	1	0.1%
0.0231033004820	-	1	0.1%
0.0273588001728	-	1	0.1%
0.0289798993617	-	1	0.1%
0.0293207000941	-	1	0.1%
0.0314695015550	-	1	0.1%
0.0319769009948	-	1	0.1%
0.0320381000638	-	1	0.1%
0.0343341007829	-	1	0.1%
0.0352979004383	-	1	0.1%
0.0359629988670	-	1	0.1%
0.0359924994409	-	1	0.1%
0.0391904003918	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0393172986805	-	1	0.1%
0.0396917983890	-	1	0.1%
0.0399217009544	-	1	0.1%
0.0407114997506	-	1	0.1%
0.0423487983644	-	1	0.1%
0.0427262000740	-	1	0.1%
0.0434370003641	-	1	0.1%
0.0443135015666	-	1	0.1%
0.0454420000315	-	1	0.1%
0.0467336997390	-	1	0.1%
0.0468862988055	-	1	0.1%
0.0470736995339	-	1	0.1%
0.0482145994902	-	1	0.1%
0.0494997017086	-	1	0.1%
0.0502618998289	-	1	0.1%
0.0505241006613	-	1	0.1%
0.0507134012878	-	1	0.1%
0.0507159009576	-	1	0.1%
0.0509907007217	-	1	0.1%
0.0513426996768	-	1	0.1%
0.0515125989914	-	1	0.1%
0.0518652983010	-	1	0.1%
0.0523993000388	-	1	0.1%
0.0526635982096	-	1	0.1%
0.0532017014921	-	1	0.1%
0.0538972988725	-	1	0.1%
0.0543038994074	-	1	0.1%
0.0543236993253	-	1	0.1%
0.0545235984027	-	1	0.1%
0.0548435002565	-	1	0.1%
0.0550881996751	-	1	0.1%
0.0551440007985	-	1	0.1%
0.0553666986525	-	1	0.1%
0.0558146014810	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.1442947041758
- Minimum: 0.0072408900596
- Maximum: 0.8496360182762
- Standard Deviation: 0.0995805952768

Location: 5803-5817 (width: 15; decimal: 13)

Variable Type: numeric

E45_ABS_THETAA4A4: E45_abs_theta

Value	Label	Unweighted Frequency	%
0.653931975365	-	1	0.1%
0.803079009056	-	1	0.1%
0.817156970501	-	1	0.1%
0.881136000156	-	1	0.1%
0.961390018463	-	1	0.1%
1.071130037308	-	1	0.1%
1.076500058174	-	1	0.1%
1.160969972610	-	1	0.1%
1.167060017586	-	1	0.1%
1.176659941673	-	1	0.1%
1.178310036659	-	1	0.1%
1.183680057526	-	1	0.1%
1.235380053520	-	1	0.1%
1.245679974556	-	1	0.1%
1.249210000038	-	1	0.1%
1.255489945412	-	1	0.1%
1.308099985123	-	1	0.1%
1.310240030289	-	1	0.1%
1.474359989166	-	1	0.1%
1.504160046577	-	1	0.1%
1.509559988976	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.511000037193	-	1	0.1%
1.528749942780	-	1	0.1%
1.573789954185	-	1	0.1%
1.628540039063	-	1	0.1%
1.642339944839	-	1	0.1%
1.649500012398	-	1	0.1%
1.653290033340	-	1	0.1%
1.683040022850	-	1	0.1%
1.684800028801	-	1	0.1%
1.717210054398	-	1	0.1%
1.729150056839	-	1	0.1%
1.762480020523	-	1	0.1%
1.777060031891	-	1	0.1%
1.798850059509	-	1	0.1%
1.800869941711	-	1	0.1%
1.876129984856	-	1	0.1%
1.953510046005	-	1	0.1%
1.976230025291	-	1	0.1%
2.016659975052	-	1	0.1%
2.016989946365	-	1	0.1%
2.033629894257	-	1	0.1%
2.044670104980	-	1	0.1%
2.062669992447	-	1	0.1%
2.112780094147	-	1	0.1%
2.122109889984	-	1	0.1%
2.136460065842	-	1	0.1%
2.181200027466	-	1	0.1%
2.182379961014	-	1	0.1%
2.189970016479	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 5.646522995673
- Minimum: 0.653931975365
- Maximum: 29.633199691772
- Standard Deviation: 3.189105239287

Location: 5818-5832 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E45_ABS_ALPHAA4A4: E45_abs_alpha

Value	Label	Unweighted Frequency	%
0.232811003923	-	1	0.1%
0.250634998083	-	1	0.1%
0.299508988857	-	1	0.1%
0.305476009846	-	1	0.1%
0.325035989285	-	1	0.1%
0.346296995878	-	1	0.1%
0.349530994892	-	1	0.1%
0.362116992474	-	1	0.1%
0.397419989109	-	1	0.1%
0.434783995152	-	1	0.1%
0.444734007120	-	1	0.1%
0.447172999382	-	1	0.1%
0.455682992935	-	1	0.1%
0.458005994558	-	1	0.1%
0.462289005518	-	1	0.1%
0.462294995785	-	1	0.1%
0.462520986795	-	1	0.1%
0.471401005983	-	1	0.1%
0.482041001320	-	1	0.1%
0.505991995335	-	1	0.1%
0.509805023670	-	1	0.1%
0.530241012573	-	1	0.1%
0.532205998898	-	1	0.1%
0.538399994373	-	1	0.1%
0.538582026958	-	1	0.1%
0.544247984886	-	1	0.1%
0.553126990795	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.565299987793	-	1	0.1%
0.571314990520	-	1	0.1%
0.589038014412	-	1	0.1%
0.592630982399	-	1	0.1%
0.592970013618	-	1	0.1%
0.593196988106	-	1	0.1%
0.613130986691	-	1	0.1%
0.618223011494	-	1	0.1%
0.621688008308	-	1	0.1%
0.634503006935	-	1	0.1%
0.640586018562	-	1	0.1%
0.658362984657	-	1	0.1%
0.659910023212	-	1	0.1%
0.662236988544	-	1	0.1%
0.667208015919	-	1	0.1%
0.672984004021	-	1	0.1%
0.674624025822	-	1	0.1%
0.678416013718	-	1	0.1%
0.685196995735	-	1	0.1%
0.688198983669	-	1	0.1%
0.707668006420	-	1	0.1%
0.709334015846	-	1	0.1%
0.709468007088	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.128670994527
- Minimum: 0.232811003923
- Maximum: 22.449499130249
- Standard Deviation: 1.519124686210

Location: 5833-5847 (width: 15; decimal: 12)

Variable Type: numeric

E45_ABS_BETAA4A4: E45_abs_beta

Value	Label	Unweighted Frequency	%
0.0557272993028	-	1	0.1%
0.0687066018581	-	1	0.1%
0.0721860975027	-	1	0.1%
0.0856714993715	-	1	0.1%
0.0870404019952	-	1	0.1%
0.0889218002558	-	1	0.1%
0.0961470976472	-	1	0.1%
0.1053690016270	-	1	0.1%
0.1073409989476	-	1	0.1%
0.1178539991379	-	1	0.1%
0.1201729997993	-	1	0.1%
0.1211249977350	-	1	0.1%
0.1224699988961	-	1	0.1%
0.1236549988389	-	1	0.1%
0.1250009983778	-	1	0.1%
0.1266389936209	-	1	0.1%
0.1288709938526	-	1	0.1%
0.1315360069275	-	1	0.1%
0.1381309926510	-	1	0.1%
0.1403959989548	-	1	0.1%
0.1433800011873	-	1	0.1%
0.1442819982767	-	1	0.1%
0.1465940028429	-	1	0.1%
0.1472609937191	-	1	0.1%
0.1491809934378	-	1	0.1%
0.1543499976397	-	1	0.1%
0.1601880043745	-	1	0.1%
0.1715990006924	-	1	0.1%
0.1720329970121	-	1	0.1%
0.1726389974356	-	1	0.1%
0.1731210052967	-	1	0.1%
0.1760119944811	-	1	0.1%
0.1771299988031	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1792970001698	-	1	0.1%
0.1797399967909	-	1	0.1%
0.1806499958038	-	1	0.1%
0.1852300018072	-	1	0.1%
0.1859380006790	-	1	0.1%
0.1862519979477	-	1	0.1%
0.1883340030909	-	1	0.1%
0.1894669979811	-	1	0.1%
0.1895859986544	-	1	0.1%
0.1908880025148	-	1	0.1%
0.1910679936409	-	1	0.1%
0.1911029964685	-	1	0.1%
0.1915760040283	-	1	0.1%
0.1963919997215	-	1	0.1%
0.1979639977217	-	1	0.1%
0.2001859992743	-	1	0.1%
0.2023990005255	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.9848240460947
- Minimum: 0.0557272993028
- Maximum: 6.4840998649597
- Standard Deviation: 0.9873741991398

Location: 5848-5862 (width: 15; decimal: 13)

Variable Type: numeric

E45_ABS_GAMMAA4A4: E45_abs_gamma

Value	Label	Unweighted Frequency	%
0.0217020995915	-	1	0.1%
0.0225217007101	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0295170992613	-	1	0.1%
0.0347827002406	-	1	0.1%
0.0372615009546	-	1	0.1%
0.0396308004856	-	1	0.1%
0.0433402992785	-	1	0.1%
0.0436313003302	-	1	0.1%
0.0457873009145	-	1	0.1%
0.0458813011646	-	1	0.1%
0.0488332994282	-	1	0.1%
0.0492234006524	-	1	0.1%
0.0512090995908	-	1	0.1%
0.0543798990548	-	1	0.1%
0.0577611997724	-	1	0.1%
0.0612890012562	-	1	0.1%
0.0619319006801	-	1	0.1%
0.0639633014798	-	1	0.1%
0.0655701979995	-	1	0.1%
0.0665614977479	-	1	0.1%
0.0680117979646	-	1	0.1%
0.0695274025202	-	1	0.1%
0.0747509002686	-	1	0.1%
0.0756329968572	-	1	0.1%
0.0757775008678	-	1	0.1%
0.0762220993638	-	1	0.1%
0.0767256021500	-	1	0.1%
0.0785408020020	-	1	0.1%
0.0788403972983	-	1	0.1%
0.0791900008917	-	1	0.1%
0.0799764990807	-	1	0.1%
0.0813962966204	-	1	0.1%
0.0834155008197	-	1	0.1%
0.0834586992860	-	1	0.1%
0.0837396979332	-	1	0.1%
0.0849488973618	-	1	0.1%
0.0887356996536	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0894460007548	-	1	0.1%
0.0900091007352	-	1	0.1%
0.0906334966421	-	1	0.1%
0.0914124026895	-	1	0.1%
0.0918719023466	-	1	0.1%
0.0933533981442	-	1	0.1%
0.0937571004033	-	1	0.1%
0.0939550995827	-	1	0.1%
0.0960360988975	-	1	0.1%
0.0960823968053	-	1	0.1%
0.0965974032879	-	1	0.1%
0.0973256006837	-	1	0.1%
0.0975058972836	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.9115256094215
- Minimum: 0.0217020995915
- Maximum: 8.1834497451782
- Standard Deviation: 1.1543614806077

Location: 5863-5877 (width: 15; decimal: 13)

Variable Type: numeric

E46_ABS_THETAA4A4: E46_abs_theta

Value	Label	Unweighted Frequency	%
0.646387994289	-	1	0.1%
0.668564021587	-	1	0.1%
0.724219977856	-	1	0.1%
0.769872009754	-	1	0.1%
0.848897993565	-	1	0.1%
0.893562018871	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.896157979965	-	1	0.1%
0.909934997559	-	1	0.1%
0.919548988342	-	1	0.1%
0.922101974487	-	1	0.1%
0.935019016266	-	1	0.1%
0.942884981632	-	1	0.1%
0.949644982815	-	1	0.1%
0.971780002117	-	1	0.1%
0.976266026497	-	1	0.1%
0.979444026947	-	1	0.1%
1.009770035744	-	1	0.1%
1.023110032082	-	1	0.1%
1.027729988098	-	1	0.1%
1.061640024185	-	1	0.1%
1.113420009613	-	1	0.1%
1.156479954720	-	1	0.1%
1.165719985962	-	1	0.1%
1.183159947395	-	1	0.1%
1.209149956703	-	1	0.1%
1.221609950066	-	1	0.1%
1.255130052567	-	1	0.1%
1.256469964981	-	1	0.1%
1.268249988556	-	1	0.1%
1.315930008888	-	1	0.1%
1.345770001411	-	1	0.1%
1.377769947052	-	1	0.1%
1.378059983253	-	1	0.1%
1.387310028076	-	1	0.1%
1.402619957924	-	1	0.1%
1.447389960289	-	1	0.1%
1.453150033951	-	1	0.1%
1.472239971161	-	1	0.1%
1.472300052643	-	1	0.1%
1.500669956207	-	1	0.1%
1.506459951401	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.582679986954	-	1	0.1%
1.592170000076	-	1	0.1%
1.604940056801	-	1	0.1%
1.641350030899	-	1	0.1%
1.670580029488	-	1	0.1%
1.688580036163	-	1	0.1%
1.694700002670	-	1	0.1%
1.700960040092	-	1	0.1%
1.704550027847	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.431036561543
- Minimum: 0.646387994289
- Maximum: 23.305999755859
- Standard Deviation: 2.490259329806

Location: 5878-5892 (width: 15; decimal: 12)

Variable Type: numeric

E46_ABS_ALPHA4A4: E46_abs_alpha

Value	Label	Unweighted Frequency	%
0.175092995167	-	1	0.1%
0.214359000325	-	1	0.1%
0.250441998243	-	1	0.1%
0.265751987696	-	1	0.1%
0.271641999483	-	1	0.1%
0.291974008083	-	1	0.1%
0.293211013079	-	1	0.1%
0.297246009111	-	1	0.1%
0.317575007677	-	1	0.1%
0.325556993484	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.328177005053	-	1	0.1%
0.367675989866	-	1	0.1%
0.369008988142	-	1	0.1%
0.378582000732	-	1	0.1%
0.393817991018	-	1	0.1%
0.400480985641	-	1	0.1%
0.400633990765	-	1	0.1%
0.416842013597	-	1	0.1%
0.429210990667	-	1	0.1%
0.437797993422	-	1	0.1%
0.442698985338	-	1	0.1%
0.443201988935	-	1	0.1%
0.466037005186	-	1	0.1%
0.468688011169	-	1	0.1%
0.473477005959	-	1	0.1%
0.481169998646	-	1	0.1%
0.484993010759	-	1	0.1%
0.487742006779	-	1	0.1%
0.493584007025	-	1	0.1%
0.498387992382	-	1	0.1%
0.503193020821	-	1	0.1%
0.505379021168	-	1	0.1%
0.514410972595	-	1	0.1%
0.515055000782	-	1	0.1%
0.535597026348	-	1	0.1%
0.539197027683	-	1	0.1%
0.549238979816	-	1	0.1%
0.554410994053	-	1	0.1%
0.563597977161	-	1	0.1%
0.565975010395	-	1	0.1%
0.568885028362	-	1	0.1%
0.575294971466	-	1	0.1%
0.576550006866	-	1	0.1%
0.577345013618	-	1	0.1%
0.593770980835	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.595896005630	-	1	0.1%
0.603833973408	-	1	0.1%
0.607150018215	-	1	0.1%
0.618641018867	-	1	0.1%
0.618759989738	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.895692115252
- Minimum: 0.175092995167
- Maximum: 20.775600433350
- Standard Deviation: 1.400955956179

Location: 5893-5907 (width: 15; decimal: 12)

Variable Type: numeric

E46_ABS_BETAA4A4: E46_abs_beta

Value	Label	Unweighted Frequency	%
0.0599507987499	-	1	0.1%
0.0599935986102	-	1	0.1%
0.0670405030251	-	1	0.1%
0.0707463994622	-	1	0.1%
0.0797256976366	-	1	0.1%
0.0836030021310	-	1	0.1%
0.0863747969270	-	1	0.1%
0.0870504975319	-	1	0.1%
0.0878563001752	-	1	0.1%
0.0893042013049	-	1	0.1%
0.0937457978725	-	1	0.1%
0.0943102985620	-	1	0.1%
0.0946250036359	-	1	0.1%
0.0987934991717	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0989141985774	-	1	0.1%
0.1031640022993	-	1	0.1%
0.1033879965544	-	1	0.1%
0.1071190014482	-	1	0.1%
0.1077869981527	-	1	0.1%
0.1086369976401	-	1	0.1%
0.1103160008788	-	1	0.1%
0.1107909977436	-	1	0.1%
0.1110690012574	-	1	0.1%
0.1149889975786	-	1	0.1%
0.1166239976883	-	1	0.1%
0.1171009987593	-	1	0.1%
0.1174139976501	-	1	0.1%
0.1201250031590	-	1	0.1%
0.1227770000696	-	1	0.1%
0.1240369975567	-	1	0.1%
0.1248190030456	-	1	0.1%
0.1260759979486	-	1	0.1%
0.1301649957895	-	1	0.1%
0.1352349966764	-	1	0.1%
0.1363710016012	-	1	0.1%
0.1368619948626	-	1	0.1%
0.1376069933176	-	1	0.1%
0.1377869993448	-	1	0.1%
0.1382540017366	-	1	0.1%
0.1436370015144	-	1	0.1%
0.1447580009699	-	1	0.1%
0.1457819938660	-	1	0.1%
0.1465730071068	-	1	0.1%
0.1470459997654	-	1	0.1%
0.1473370045424	-	1	0.1%
0.1506019979715	-	1	0.1%
0.1507039964199	-	1	0.1%
0.1543619930744	-	1	0.1%
0.1544349938631	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1546729952097	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5162008998990
- Minimum: 0.0599507987499
- Maximum: 3.5587201118469
- Standard Deviation: 0.3971421720660

Location: 5908-5922 (width: 15; decimal: 13)

Variable Type: numeric

E46_ABS_GAMMAA4A4: E46_abs_gamma

Value	Label	Unweighted Frequency	%
0.0232202000916	-	1	0.1%
0.0256783999503	-	1	0.1%
0.0265692006797	-	1	0.1%
0.0288673005998	-	1	0.1%
0.0302390009165	-	1	0.1%
0.0307966005057	-	1	0.1%
0.0354616008699	-	1	0.1%
0.0366753004491	-	1	0.1%
0.0374643988907	-	1	0.1%
0.0382081009448	-	1	0.1%
0.0383929982781	-	1	0.1%
0.0393442995846	-	1	0.1%
0.0404975004494	-	1	0.1%
0.0425115004182	-	1	0.1%
0.0439242981374	-	1	0.1%
0.0456955991685	-	1	0.1%
0.0460966005921	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0463058985770	-	1	0.1%
0.0474072992802	-	1	0.1%
0.0482714995742	-	1	0.1%
0.0490848012269	-	1	0.1%
0.0501472987235	-	1	0.1%
0.0504552014172	-	1	0.1%
0.0511971004307	-	1	0.1%
0.0513167008758	-	1	0.1%
0.0521198995411	-	1	0.1%
0.0523998998106	-	1	0.1%
0.0529840998352	-	1	0.1%
0.0531972013414	-	1	0.1%
0.0533502995968	-	1	0.1%
0.0543714016676	-	1	0.1%
0.0545787997544	-	1	0.1%
0.0561186000705	-	1	0.1%
0.0561273992062	-	1	0.1%
0.0569913983345	-	1	0.1%
0.0576390996575	-	1	0.1%
0.0581032000482	-	1	0.1%
0.0587751008570	-	1	0.1%
0.0590907000005	-	1	0.1%
0.0604001991451	-	1	0.1%
0.0608384981751	-	1	0.1%
0.0608548000455	-	1	0.1%
0.0616251006722	-	1	0.1%
0.0622028000653	-	1	0.1%
0.0623074993491	-	1	0.1%
0.0629815980792	-	1	0.1%
0.0632347986102	-	1	0.1%
0.0632560029626	-	1	0.1%
0.0633741989732	-	1	0.1%
0.0643223971128	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3376201723901
- Minimum: 0.0232202000916
- Maximum: 4.0418601036072
- Standard Deviation: 0.3970987739352

Location: 5923-5937 (width: 15; decimal: 13)

Variable Type: numeric

E47_ABS_THETAA4A4: E47_abs_theta

Value	Label	Unweighted Frequency	%
0.425065994263	-	1	0.1%
0.481590002775	-	1	0.1%
0.543648004532	-	1	0.1%
0.665808022022	-	1	0.1%
0.681460976601	-	1	0.1%
0.738213002682	-	1	0.1%
0.789539992809	-	1	0.1%
0.816027998924	-	1	0.1%
0.855868995190	-	1	0.1%
0.883710026741	-	1	0.1%
0.917137026787	-	1	0.1%
0.925420999527	-	1	0.1%
0.934448003769	-	1	0.1%
0.936067998409	-	1	0.1%
0.966843008995	-	1	0.1%
0.999010980129	-	1	0.1%
1.000509977341	-	1	0.1%
1.004809975624	-	1	0.1%
1.016890048981	-	1	0.1%
1.062250018120	-	1	0.1%
1.075539946556	-	1	0.1%
1.105170011520	-	1	0.1%
1.117249965668	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.150110006332	-	1	0.1%
1.172340035439	-	1	0.1%
1.203320026398	-	1	0.1%
1.212900042534	-	1	0.1%
1.233809947968	-	1	0.1%
1.262099981308	-	1	0.1%
1.277989983559	-	1	0.1%
1.302199959755	-	1	0.1%
1.303110003471	-	1	0.1%
1.340019941330	-	1	0.1%
1.354689955711	-	1	0.1%
1.357939958572	-	1	0.1%
1.373860001564	-	1	0.1%
1.408920049667	-	1	0.1%
1.440700054169	-	1	0.1%
1.454749941826	-	1	0.1%
1.463879942894	-	1	0.1%
1.545729994774	-	1	0.1%
1.549550056458	-	1	0.1%
1.558990001678	-	1	0.1%
1.567880034447	-	1	0.1%
1.573480010033	-	1	0.1%
1.609689950943	-	1	0.1%
1.614979982376	-	1	0.1%
1.645149946213	-	1	0.1%
1.657189965248	-	1	0.1%
1.679640054703	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.191911446190
- Minimum: 0.425065994263
- Maximum: 15.633000373840
- Standard Deviation: 2.300281523860

Location: 5938-5952 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E47_ABS_ALPHAA4A4: E47_abs_alpha

Value	Label	Unweighted Frequency	%
0.144488006830	-	1	0.1%
0.183433994651	-	1	0.1%
0.186112999916	-	1	0.1%
0.212294995785	-	1	0.1%
0.212742000818	-	1	0.1%
0.219566002488	-	1	0.1%
0.229353994131	-	1	0.1%
0.252416014671	-	1	0.1%
0.273743003607	-	1	0.1%
0.301306992769	-	1	0.1%
0.306111007929	-	1	0.1%
0.314222991467	-	1	0.1%
0.331660985947	-	1	0.1%
0.337011009455	-	1	0.1%
0.349431991577	-	1	0.1%
0.357048988342	-	1	0.1%
0.364863008261	-	1	0.1%
0.400790989399	-	1	0.1%
0.403876006603	-	1	0.1%
0.405770003796	-	1	0.1%
0.407799988985	-	1	0.1%
0.426515012980	-	1	0.1%
0.430822998285	-	1	0.1%
0.454663991928	-	1	0.1%
0.456896990538	-	1	0.1%
0.457632988691	-	1	0.1%
0.460698992014	-	1	0.1%
0.464332997799	-	1	0.1%
0.466547012329	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.469740003347	-	1	0.1%
0.472438007593	-	1	0.1%
0.481391012669	-	1	0.1%
0.488447010517	-	1	0.1%
0.489446014166	-	1	0.1%
0.506211996078	-	1	0.1%
0.515250980854	-	1	0.1%
0.526353001595	-	1	0.1%
0.540975987911	-	1	0.1%
0.545571029186	-	1	0.1%
0.547775983810	-	1	0.1%
0.550747990608	-	1	0.1%
0.554594993591	-	1	0.1%
0.557675004005	-	1	0.1%
0.564471006393	-	1	0.1%
0.587580978870	-	1	0.1%
0.608983993530	-	1	0.1%
0.610027015209	-	1	0.1%
0.615355014801	-	1	0.1%
0.617757022381	-	1	0.1%
0.624414980412	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.910572872488
- Minimum: 0.144488006830
- Maximum: 12.919599533081
- Standard Deviation: 1.379768994587

Location: 5953-5967 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E47_ABS_BETAA4A4: E47_abs_beta

Value	Label	Unweighted Frequency	%
0.0363015010953	-	1	0.1%
0.0447571016848	-	1	0.1%
0.0465919002891	-	1	0.1%
0.0506838001311	-	1	0.1%
0.0614336989820	-	1	0.1%
0.0737363994122	-	1	0.1%
0.0756777971983	-	1	0.1%
0.0770682990551	-	1	0.1%
0.0793209001422	-	1	0.1%
0.0824860036373	-	1	0.1%
0.0826824009418	-	1	0.1%
0.0869641005993	-	1	0.1%
0.0910222977400	-	1	0.1%
0.0921313986182	-	1	0.1%
0.0987470000982	-	1	0.1%
0.0991078019142	-	1	0.1%
0.0992605984211	-	1	0.1%
0.1003530025482	-	1	0.1%
0.1018970012665	-	1	0.1%
0.1020239964128	-	1	0.1%
0.1038620024920	-	1	0.1%
0.1043040007353	-	1	0.1%
0.1089340001345	-	1	0.1%
0.1095160022378	-	1	0.1%
0.1109040006995	-	1	0.1%
0.1126220002770	-	1	0.1%
0.1139800027013	-	1	0.1%
0.1149279996753	-	1	0.1%
0.1154860034585	-	1	0.1%
0.1165169999003	-	1	0.1%
0.1192310005426	-	1	0.1%
0.1195449978113	-	1	0.1%
0.1201239973307	-	1	0.1%
0.1225999966264	-	1	0.1%
0.1235319972038	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1273750066757	-	1	0.1%
0.1281960010529	-	1	0.1%
0.1309199929237	-	1	0.1%
0.1330720037222	-	1	0.1%
0.1368400007486	-	1	0.1%
0.1391749978065	-	1	0.1%
0.1396799981594	-	1	0.1%
0.1400949954987	-	1	0.1%
0.1401129961014	-	1	0.1%
0.1423459947109	-	1	0.1%
0.1433269977570	-	1	0.1%
0.1437100023031	-	1	0.1%
0.1446380019188	-	1	0.1%
0.1473300009966	-	1	0.1%
0.1481049954891	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4123862955442
- Minimum: 0.0363015010953
- Maximum: 2.4052600860596
- Standard Deviation: 0.2560895740524

Location: 5968-5982 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E47_ABS_GAMMAA4A4: E47_abs_gamma

Value	Label	Unweighted Frequency	%
0.0141112999991	-	1	0.1%
0.0194552000612	-	1	0.1%
0.0208857003599	-	1	0.1%
0.0235012006015	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0248905997723	-	1	0.1%
0.0278901997954	-	1	0.1%
0.0279254000634	-	1	0.1%
0.0283985007554	-	1	0.1%
0.0290626008064	-	1	0.1%
0.0300408992916	-	1	0.1%
0.0310322009027	-	1	0.1%
0.0322663001716	-	1	0.1%
0.0329907983541	-	1	0.1%
0.0332936011255	-	1	0.1%
0.0364776998758	-	1	0.1%
0.0384543016553	-	1	0.1%
0.0396338999271	-	1	0.1%
0.0405288003385	-	1	0.1%
0.0433425009251	-	1	0.1%
0.0441752001643	-	1	0.1%
0.0447047017515	-	1	0.1%
0.0451482012868	-	1	0.1%
0.0469696000218	-	1	0.1%
0.0502117983997	-	1	0.1%
0.0509031005204	-	1	0.1%
0.0517208017409	-	1	0.1%
0.0520283989608	-	1	0.1%
0.0520678013563	-	1	0.1%
0.0523230992258	-	1	0.1%
0.0529894009233	-	1	0.1%
0.0533019006252	-	1	0.1%
0.0536541007459	-	1	0.1%
0.0541261993349	-	1	0.1%
0.0543831996620	-	1	0.1%
0.0550148002803	-	1	0.1%
0.0555247999728	-	1	0.1%
0.0563144981861	-	1	0.1%
0.0564328990877	-	1	0.1%
0.0570305995643	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0570767000318	-	1	0.1%
0.0576980002224	-	1	0.1%
0.0580319985747	-	1	0.1%
0.0583418011665	-	1	0.1%
0.0584027990699	-	1	0.1%
0.0584627017379	-	1	0.1%
0.0586281009018	-	1	0.1%
0.0591390989721	-	1	0.1%
0.0594255998731	-	1	0.1%
0.0600248016417	-	1	0.1%
0.0606704987586	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2071800092999
- Minimum: 0.0141112999991
- Maximum: 1.2192499637604
- Standard Deviation: 0.1720551897367

Location: 5983-5997 (width: 15; decimal: 13)

Variable Type: numeric

E50_ABS_THETAA4A4: E50_abs_theta

Value	Label	Unweighted Frequency	%
0.548115015030	-	1	0.1%
0.718747973442	-	1	0.1%
0.756811022758	-	1	0.1%
0.880421996117	-	1	0.1%
0.891601026058	-	1	0.1%
0.914152026176	-	1	0.1%
0.988460004330	-	1	0.1%
1.006739974022	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.041409969330	-	1	0.1%
1.079920053482	-	1	0.1%
1.144150018692	-	1	0.1%
1.151929974556	-	1	0.1%
1.239580035210	-	1	0.1%
1.267410039902	-	1	0.1%
1.314849972725	-	1	0.1%
1.321210026741	-	1	0.1%
1.347030043602	-	1	0.1%
1.356520056725	-	1	0.1%
1.399659991264	-	1	0.1%
1.572829961777	-	1	0.1%
1.589920043945	-	1	0.1%
1.610620021820	-	1	0.1%
1.613109946251	-	1	0.1%
1.617310047150	-	1	0.1%
1.627789974213	-	1	0.1%
1.632300019264	-	1	0.1%
1.647490024567	-	1	0.1%
1.649629950523	-	1	0.1%
1.707170009613	-	1	0.1%
1.759199976921	-	1	0.1%
1.766499996185	-	1	0.1%
1.777379989624	-	1	0.1%
1.812029957771	-	1	0.1%
1.822980046272	-	1	0.1%
1.931139945984	-	1	0.1%
1.977030038834	-	1	0.1%
2.014610052109	-	1	0.1%
2.022969961166	-	1	0.1%
2.045350074768	-	1	0.1%
2.109070062637	-	1	0.1%
2.128590106964	-	1	0.1%
2.153480052948	-	1	0.1%
2.174999952316	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.199640035629	-	1	0.1%
2.216340065002	-	1	0.1%
2.220720052719	-	1	0.1%
2.282929897308	-	1	0.1%
2.294980049133	-	1	0.1%
2.308229923248	-	1	0.1%
2.313189983368	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 5.735518719574
- Minimum: 0.548115015030
- Maximum: 20.882499694824
- Standard Deviation: 3.039164703427

Location: 5998-6012 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E50_ABS_ALPHAA4A4: E50_abs_alpha

Value	Label	Unweighted Frequency	%
0.199022993445	-	1	0.1%
0.208087995648	-	1	0.1%
0.224886000156	-	1	0.1%
0.236686006188	-	1	0.1%
0.259182006121	-	1	0.1%
0.318477988243	-	1	0.1%
0.349076002836	-	1	0.1%
0.366162985563	-	1	0.1%
0.368113011122	-	1	0.1%
0.379826992750	-	1	0.1%
0.422930002213	-	1	0.1%
0.428530991077	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.437956005335	-	1	0.1%
0.440331995487	-	1	0.1%
0.453117012978	-	1	0.1%
0.464233994484	-	1	0.1%
0.480082988739	-	1	0.1%
0.482416987419	-	1	0.1%
0.492781013250	-	1	0.1%
0.503605008125	-	1	0.1%
0.504222989082	-	1	0.1%
0.528077006340	-	1	0.1%
0.535502970219	-	1	0.1%
0.551913022995	-	1	0.1%
0.558457016945	-	1	0.1%
0.579082012177	-	1	0.1%
0.620491981506	-	1	0.1%
0.626493990421	-	1	0.1%
0.628143012524	-	1	0.1%
0.631256997585	-	1	0.1%
0.641012012959	-	1	0.1%
0.659018993378	-	1	0.1%
0.660610973835	-	1	0.1%
0.661881983280	-	1	0.1%
0.672173976898	-	1	0.1%
0.678004980087	-	1	0.1%
0.683095991611	-	1	0.1%
0.683920979500	-	1	0.1%
0.705254018307	-	1	0.1%
0.716287016869	-	1	0.1%
0.718550026417	-	1	0.1%
0.721872985363	-	1	0.1%
0.725678026676	-	1	0.1%
0.730349004269	-	1	0.1%
0.735017001629	-	1	0.1%
0.735656023026	-	1	0.1%
0.741243004799	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.741303026676	-	1	0.1%
0.764033973217	-	1	0.1%
0.764726996422	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.220989939944
- Minimum: 0.199022993445
- Maximum: 17.443099975586
- Standard Deviation: 1.404184495251

Location: 6013-6027 (width: 15; decimal: 12)

Variable Type: numeric

E50_ABS_BETAA4A4: E50_abs_beta

Value	Label	Unweighted Frequency	%
0.0509539991617	-	1	0.1%
0.0526050999761	-	1	0.1%
0.0714372992516	-	1	0.1%
0.0730371028185	-	1	0.1%
0.0765694975853	-	1	0.1%
0.0854977965355	-	1	0.1%
0.0867362022400	-	1	0.1%
0.0874715968966	-	1	0.1%
0.0938145965338	-	1	0.1%
0.1052270010114	-	1	0.1%
0.1101090013981	-	1	0.1%
0.1192810013890	-	1	0.1%
0.1193609982729	-	1	0.1%
0.1201519966125	-	1	0.1%
0.1202929988503	-	1	0.1%
0.1226439997554	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1228839978576	-	1	0.1%
0.1257819980383	-	1	0.1%
0.1268739998341	-	1	0.1%
0.1287029981613	-	1	0.1%
0.1340290009975	-	1	0.1%
0.1342539936304	-	1	0.1%
0.1358930021524	-	1	0.1%
0.1385519951582	-	1	0.1%
0.1386629939079	-	1	0.1%
0.1466760039330	-	1	0.1%
0.1473499983549	-	1	0.1%
0.1515170037746	-	1	0.1%
0.1582510024309	-	1	0.1%
0.1591390073299	-	1	0.1%
0.1618230044842	-	1	0.1%
0.1624969989061	-	1	0.1%
0.1637630015612	-	1	0.1%
0.1668210029602	-	1	0.1%
0.1685539931059	-	1	0.1%
0.1728899925947	-	1	0.1%
0.1741130053997	-	1	0.1%
0.1742690056562	-	1	0.1%
0.1780460029840	-	1	0.1%
0.1781159937382	-	1	0.1%
0.1903329938650	-	1	0.1%
0.1904910057783	-	1	0.1%
0.1947219967842	-	1	0.1%
0.1947910040617	-	1	0.1%
0.1981260031462	-	1	0.1%
0.1987520009279	-	1	0.1%
0.2008969932795	-	1	0.1%
0.2034969925880	-	1	0.1%
0.2050389945507	-	1	0.1%
0.2050630003214	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.7778291766512
- Minimum: 0.0509539991617
- Maximum: 7.2732100486755
- Standard Deviation: 0.7420259736469

Location: 6028-6042 (width: 15; decimal: 13)

Variable Type: numeric

E50_ABS_GAMMAA4A4: E50_abs_gamma

Value	Label	Unweighted Frequency	%
0.0191513001919	-	1	0.1%
0.0279900003225	-	1	0.1%
0.0280671995133	-	1	0.1%
0.0284138992429	-	1	0.1%
0.0309344995767	-	1	0.1%
0.0334816984832	-	1	0.1%
0.0372316986322	-	1	0.1%
0.0374982990324	-	1	0.1%
0.0387481004000	-	1	0.1%
0.0392538011074	-	1	0.1%
0.0430370010436	-	1	0.1%
0.0479343011975	-	1	0.1%
0.0504060015082	-	1	0.1%
0.0515189990401	-	1	0.1%
0.0519801005721	-	1	0.1%
0.0520117990673	-	1	0.1%
0.0528336986899	-	1	0.1%
0.0530029013753	-	1	0.1%
0.0532548986375	-	1	0.1%
0.0566464997828	-	1	0.1%
0.0582518987358	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0603476986289	-	1	0.1%
0.0650174990296	-	1	0.1%
0.0651227980852	-	1	0.1%
0.0659885033965	-	1	0.1%
0.0664137005806	-	1	0.1%
0.0678059011698	-	1	0.1%
0.0693347975612	-	1	0.1%
0.0723872035742	-	1	0.1%
0.0725442990661	-	1	0.1%
0.0726099014282	-	1	0.1%
0.0730443969369	-	1	0.1%
0.0758010968566	-	1	0.1%
0.0761156976223	-	1	0.1%
0.0764572024345	-	1	0.1%
0.0766291022301	-	1	0.1%
0.0772598013282	-	1	0.1%
0.0773018002510	-	1	0.1%
0.0774563997984	-	1	0.1%
0.0788191035390	-	1	0.1%
0.0791513994336	-	1	0.1%
0.0791803002357	-	1	0.1%
0.0792355984449	-	1	0.1%
0.0819716975093	-	1	0.1%
0.0830949023366	-	1	0.1%
0.0831604003906	-	1	0.1%
0.0837918967009	-	1	0.1%
0.0849262997508	-	1	0.1%
0.0852020010352	-	1	0.1%
0.0875530987978	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5452201898316
- Minimum: 0.0191513001919
- Maximum: 4.8179597854614
- Standard Deviation: 0.6506995827849

Location: 6043-6057 (width: 15; decimal: 13)

Variable Type: numeric

E51_ABS_THETAA4A4: E51_abs_theta

Value	Label	Unweighted Frequency	%
0.483880013227	-	1	0.1%
0.524635970592	-	1	0.1%
0.560638010502	-	1	0.1%
0.708244979382	-	1	0.1%
0.771409988403	-	1	0.1%
0.858635008335	-	1	0.1%
0.859200000763	-	1	0.1%
0.860686004162	-	1	0.1%
0.878286004066	-	1	0.1%
0.953289985657	-	1	0.1%
1.014369964600	-	1	0.1%
1.024330019951	-	1	0.1%
1.026810050011	-	1	0.1%
1.034000039101	-	1	0.1%
1.071069955826	-	1	0.1%
1.105489969254	-	1	0.1%
1.135120034218	-	1	0.1%
1.141020059586	-	1	0.1%
1.162389993668	-	1	0.1%
1.182809948921	-	1	0.1%
1.185379981995	-	1	0.1%
1.202430009842	-	1	0.1%
1.240720033646	-	1	0.1%
1.257210016251	-	1	0.1%
1.257670044899	-	1	0.1%
1.365929961205	-	1	0.1%
1.392160058022	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.426169991493	-	1	0.1%
1.451619982719	-	1	0.1%
1.458250045776	-	1	0.1%
1.498309969902	-	1	0.1%
1.503829956055	-	1	0.1%
1.517429947853	-	1	0.1%
1.525480031967	-	1	0.1%
1.533849954605	-	1	0.1%
1.536779999733	-	1	0.1%
1.543900012970	-	1	0.1%
1.608000040054	-	1	0.1%
1.616770029068	-	1	0.1%
1.644269943237	-	1	0.1%
1.659960031509	-	1	0.1%
1.669430017471	-	1	0.1%
1.686100006104	-	1	0.1%
1.775750041008	-	1	0.1%
1.799399971962	-	1	0.1%
1.838940024376	-	1	0.1%
1.842990040779	-	1	0.1%
1.854110002518	-	1	0.1%
1.855270028114	-	1	0.1%
1.858100056648	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.783349370486
- Minimum: 0.483880013227
- Maximum: 19.198499679565
- Standard Deviation: 2.690366786990

Location: 6058-6072 (width: 15; decimal: 12)

Variable Type: numeric

E51_ABS_ALPHAA4A4: E51_abs_alpha

Value	Label	Unweighted Frequency	%
0.163259997964	-	1	0.1%
0.190457999706	-	1	0.1%
0.193162992597	-	1	0.1%
0.198906004429	-	1	0.1%
0.210752993822	-	1	0.1%
0.242247000337	-	1	0.1%
0.260648012161	-	1	0.1%
0.287723004818	-	1	0.1%
0.338932007551	-	1	0.1%
0.350908011198	-	1	0.1%
0.354104995728	-	1	0.1%
0.368530005217	-	1	0.1%
0.377126008272	-	1	0.1%
0.379408001900	-	1	0.1%
0.389210999012	-	1	0.1%
0.403627008200	-	1	0.1%
0.412854999304	-	1	0.1%
0.428202986717	-	1	0.1%
0.429798007011	-	1	0.1%
0.430790007114	-	1	0.1%
0.437519013882	-	1	0.1%
0.447434991598	-	1	0.1%
0.455749988556	-	1	0.1%
0.459509998560	-	1	0.1%
0.494392991066	-	1	0.1%
0.496870994568	-	1	0.1%
0.498064994812	-	1	0.1%
0.525359988213	-	1	0.1%
0.526383996010	-	1	0.1%
0.531195998192	-	1	0.1%
0.536611020565	-	1	0.1%
0.537633001804	-	1	0.1%
0.544180989265	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.552151978016	-	1	0.1%
0.561065971851	-	1	0.1%
0.573993027210	-	1	0.1%
0.575514018536	-	1	0.1%
0.581358015537	-	1	0.1%
0.582032024860	-	1	0.1%
0.584070026875	-	1	0.1%
0.592814028263	-	1	0.1%
0.605566024780	-	1	0.1%
0.608762025833	-	1	0.1%
0.614991009235	-	1	0.1%
0.621812999249	-	1	0.1%
0.625581979752	-	1	0.1%
0.658378005028	-	1	0.1%
0.673991978168	-	1	0.1%
0.676252007484	-	1	0.1%
0.684208989143	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.052210833750
- Minimum: 0.163259997964
- Maximum: 13.920000076294
- Standard Deviation: 1.396316790061

Location: 6073-6087 (width: 15; decimal: 12)

Variable Type: numeric

E51_ABS_BETAA4A4: E51_abs_beta

Value	Label	Unweighted Frequency	%
0.0395999997854	-	1	0.1%
0.0426011011004	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0487748011947	-	1	0.1%
0.0490757003427	-	1	0.1%
0.0549473986030	-	1	0.1%
0.0637872964144	-	1	0.1%
0.0691194012761	-	1	0.1%
0.0772742033005	-	1	0.1%
0.0779787972569	-	1	0.1%
0.0818616002798	-	1	0.1%
0.0849348008633	-	1	0.1%
0.0855500996113	-	1	0.1%
0.0875687971711	-	1	0.1%
0.0893021002412	-	1	0.1%
0.0981023982167	-	1	0.1%
0.1006380021572	-	1	0.1%
0.1036489978433	-	1	0.1%
0.1050430014729	-	1	0.1%
0.1073030009866	-	1	0.1%
0.1077610030770	-	1	0.1%
0.1155849993229	-	1	0.1%
0.1164219975471	-	1	0.1%
0.1177949979901	-	1	0.1%
0.1179310008883	-	1	0.1%
0.1227829977870	-	1	0.1%
0.1241519972682	-	1	0.1%
0.1249770000577	-	1	0.1%
0.1288229972124	-	1	0.1%
0.1314319968224	-	1	0.1%
0.1315480023623	-	1	0.1%
0.1324930042028	-	1	0.1%
0.1373459994793	-	1	0.1%
0.1386339962482	-	1	0.1%
0.1399579942226	-	1	0.1%
0.1447200030088	-	1	0.1%
0.1448999941349	-	1	0.1%
0.1468919962645	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1472879946232	-	1	0.1%
0.1487910002470	-	1	0.1%
0.1488700062037	-	1	0.1%
0.1489019989967	-	1	0.1%
0.1501909941435	-	1	0.1%
0.1523430049419	-	1	0.1%
0.1526030004025	-	1	0.1%
0.1539880037308	-	1	0.1%
0.1567720025778	-	1	0.1%
0.1575309932232	-	1	0.1%
0.1585270017385	-	1	0.1%
0.1589020043612	-	1	0.1%
0.1628990024328	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5258651625815
- Minimum: 0.0395999997854
- Maximum: 4.2313699722290
- Standard Deviation: 0.4395505645455

Location: 6088-6102 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E51_ABS_GAMMAA4A4: E51_abs_gamma

Value	Label	Unweighted Frequency	%
0.0152064999565	-	1	0.1%
0.0185515005141	-	1	0.1%
0.0215755999088	-	1	0.1%
0.0220212005079	-	1	0.1%
0.0273617003113	-	1	0.1%
0.0296289995313	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0298701003194	-	1	0.1%
0.0303977001458	-	1	0.1%
0.0309293996543	-	1	0.1%
0.0329242981970	-	1	0.1%
0.0343653000891	-	1	0.1%
0.0345363989472	-	1	0.1%
0.0351628996432	-	1	0.1%
0.0380281992257	-	1	0.1%
0.0384191982448	-	1	0.1%
0.0396970994771	-	1	0.1%
0.0463218986988	-	1	0.1%
0.0484643988311	-	1	0.1%
0.0493929013610	-	1	0.1%
0.0493942014873	-	1	0.1%
0.0496652014554	-	1	0.1%
0.0504316017032	-	1	0.1%
0.0510309003294	-	1	0.1%
0.0532708987594	-	1	0.1%
0.0535658001900	-	1	0.1%
0.0538289994001	-	1	0.1%
0.0549607984722	-	1	0.1%
0.0556054003537	-	1	0.1%
0.0565639995039	-	1	0.1%
0.0575933009386	-	1	0.1%
0.0580647997558	-	1	0.1%
0.0595672987401	-	1	0.1%
0.0597014985979	-	1	0.1%
0.0603993013501	-	1	0.1%
0.0610181987286	-	1	0.1%
0.0614426992834	-	1	0.1%
0.0621340982616	-	1	0.1%
0.0621370002627	-	1	0.1%
0.0623192004859	-	1	0.1%
0.0627181008458	-	1	0.1%
0.0629815012217	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0635114014149	-	1	0.1%
0.0639685988426	-	1	0.1%
0.0641532987356	-	1	0.1%
0.0659084990621	-	1	0.1%
0.0668193995953	-	1	0.1%
0.0676567032933	-	1	0.1%
0.0677056014538	-	1	0.1%
0.0678737983108	-	1	0.1%
0.0679974034429	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2973327212679
- Minimum: 0.0152064999565
- Maximum: 3.5202500820160
- Standard Deviation: 0.3702598308838

Location: 6103-6117 (width: 15; decimal: 13)

Variable Type: numeric

E52_ABS_THETAA4A4: E52_abs_theta

Value	Label	Unweighted Frequency	%
0.246052995324	-	1	0.1%
0.547151029110	-	1	0.1%
0.589268028736	-	1	0.1%
0.790665984154	-	1	0.1%
0.854623019695	-	1	0.1%
0.880228996277	-	1	0.1%
0.967364013195	-	1	0.1%
0.978729009628	-	1	0.1%
0.980287015438	-	1	0.1%
0.996254026890	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.003469944000	-	1	0.1%
1.044219970703	-	1	0.1%
1.044610023499	-	1	0.1%
1.071630001068	-	1	0.1%
1.177639961243	-	1	0.1%
1.186540007591	-	1	0.1%
1.189689993858	-	1	0.1%
1.223469972610	-	1	0.1%
1.327679991722	-	1	0.1%
1.339349985123	-	1	0.1%
1.357130050659	-	1	0.1%
1.372879981995	-	1	0.1%
1.373389959335	-	1	0.1%
1.380859971046	-	1	0.1%
1.398560047150	-	1	0.1%
1.434810042381	-	1	0.1%
1.443729996681	-	1	0.1%
1.457470059395	-	1	0.1%
1.458279967308	-	1	0.1%
1.465209960938	-	1	0.1%
1.473809957504	-	1	0.1%
1.476330041885	-	1	0.1%
1.493890047073	-	1	0.1%
1.497499942780	-	1	0.1%
1.523980021477	-	1	0.1%
1.565279960632	-	1	0.1%
1.572550058365	-	1	0.1%
1.597939968109	-	1	0.1%
1.600200057030	-	1	0.1%
1.620959997177	-	1	0.1%
1.624609947205	-	1	0.1%
1.625460028648	-	1	0.1%
1.641770005226	-	1	0.1%
1.659629940987	-	1	0.1%
1.672180056572	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.680909991264	-	1	0.1%
1.688529968262	-	1	0.1%
1.737640023232	-	1	0.1%
1.739660024643	-	1	0.1%
1.747879981995	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.562612137950
- Minimum: 0.246052995324
- Maximum: 20.412599563599
- Standard Deviation: 2.608137234654

Location: 6118-6132 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E52_ABS_ALPHAA4A4: E52_abs_alpha

Value	Label	Unweighted Frequency	%
0.120186999440	-	1	0.1%
0.195637002587	-	1	0.1%
0.202283993363	-	1	0.1%
0.202678993344	-	1	0.1%
0.243555992842	-	1	0.1%
0.253735005856	-	1	0.1%
0.261545985937	-	1	0.1%
0.278445988894	-	1	0.1%
0.288352996111	-	1	0.1%
0.303285002708	-	1	0.1%
0.334935992956	-	1	0.1%
0.353477001190	-	1	0.1%
0.370853990316	-	1	0.1%
0.395393013954	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.396811991930	-	1	0.1%
0.445885986090	-	1	0.1%
0.450233012438	-	1	0.1%
0.453245997429	-	1	0.1%
0.455624997616	-	1	0.1%
0.457933992147	-	1	0.1%
0.476624011993	-	1	0.1%
0.479683011770	-	1	0.1%
0.496316999197	-	1	0.1%
0.501757979393	-	1	0.1%
0.510120987892	-	1	0.1%
0.512914001942	-	1	0.1%
0.515963017941	-	1	0.1%
0.530281007290	-	1	0.1%
0.531364977360	-	1	0.1%
0.561764001846	-	1	0.1%
0.567523002625	-	1	0.1%
0.574235975742	-	1	0.1%
0.583302974701	-	1	0.1%
0.583498001099	-	1	0.1%
0.586542010307	-	1	0.1%
0.591156005859	-	1	0.1%
0.593466997147	-	1	0.1%
0.595781981945	-	1	0.1%
0.603035986423	-	1	0.1%
0.612450003624	-	1	0.1%
0.634203970432	-	1	0.1%
0.635578989983	-	1	0.1%
0.636633992195	-	1	0.1%
0.641179025173	-	1	0.1%
0.651477992535	-	1	0.1%
0.655203998089	-	1	0.1%
0.655411005020	-	1	0.1%
0.678803026676	-	1	0.1%
0.683228015900	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.694963991642	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.028455194674
- Minimum: 0.120186999440
- Maximum: 13.013899803162
- Standard Deviation: 1.508647209662

Location: 6133-6147 (width: 15; decimal: 12)

Variable Type: numeric

E52_ABS_BETAA4A4: E52_abs_beta

Value	Label	Unweighted Frequency	%
0.0194042995572	-	1	0.1%
0.0445647016168	-	1	0.1%
0.0483172014356	-	1	0.1%
0.0499106012285	-	1	0.1%
0.0612077005208	-	1	0.1%
0.0712504982948	-	1	0.1%
0.0747904032469	-	1	0.1%
0.0776806026697	-	1	0.1%
0.0777103006840	-	1	0.1%
0.0787042006850	-	1	0.1%
0.0801697000861	-	1	0.1%
0.0836476981640	-	1	0.1%
0.0875042974949	-	1	0.1%
0.0882098972797	-	1	0.1%
0.0891451984644	-	1	0.1%
0.0933537036180	-	1	0.1%
0.0966020002961	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1035199984908	-	1	0.1%
0.1040280014277	-	1	0.1%
0.1040289998055	-	1	0.1%
0.1052540019155	-	1	0.1%
0.1056950017810	-	1	0.1%
0.1064120009542	-	1	0.1%
0.1075360029936	-	1	0.1%
0.1114600002766	-	1	0.1%
0.1120460033417	-	1	0.1%
0.1121099963784	-	1	0.1%
0.1137989982963	-	1	0.1%
0.1144609972835	-	1	0.1%
0.1153400018811	-	1	0.1%
0.1200240030885	-	1	0.1%
0.1254400014877	-	1	0.1%
0.1258060038090	-	1	0.1%
0.1280779987574	-	1	0.1%
0.1313659995794	-	1	0.1%
0.1359239965677	-	1	0.1%
0.1364369988441	-	1	0.1%
0.1365550011396	-	1	0.1%
0.1395509988070	-	1	0.1%
0.1395590007305	-	1	0.1%
0.1406179964542	-	1	0.1%
0.1429769992828	-	1	0.1%
0.1435620039701	-	1	0.1%
0.1442340016365	-	1	0.1%
0.1443070024252	-	1	0.1%
0.1461309939623	-	1	0.1%
0.1467510014772	-	1	0.1%
0.1499900072813	-	1	0.1%
0.1500930041075	-	1	0.1%
0.1547690033913	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4112840898612
- Minimum: 0.0194042995572
- Maximum: 4.0280098915100
- Standard Deviation: 0.3179799965376

Location: 6148-6162 (width: 15; decimal: 13)

Variable Type: numeric

E52_ABS_GAMMAA4A4: E52_abs_gamma

Value	Label	Unweighted Frequency	%
0.0077642900869	-	1	0.1%
0.0174755994231	-	1	0.1%
0.0202016998082	-	1	0.1%
0.0219000000507	-	1	0.1%
0.0232305005193	-	1	0.1%
0.0272147990763	-	1	0.1%
0.0273067001253	-	1	0.1%
0.0303268004209	-	1	0.1%
0.0323140993714	-	1	0.1%
0.0344348996878	-	1	0.1%
0.0348980985582	-	1	0.1%
0.0353229008615	-	1	0.1%
0.0354438014328	-	1	0.1%
0.0373121984303	-	1	0.1%
0.0375922992826	-	1	0.1%
0.0386844985187	-	1	0.1%
0.0406365990639	-	1	0.1%
0.0432636998594	-	1	0.1%
0.0442130006850	-	1	0.1%
0.0442284010351	-	1	0.1%
0.0453335009515	-	1	0.1%
0.0458021983504	-	1	0.1%
0.0459749996662	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0474140010774	-	1	0.1%
0.0475017018616	-	1	0.1%
0.0475118011236	-	1	0.1%
0.0488124005497	-	1	0.1%
0.0493011996150	-	1	0.1%
0.0493141002953	-	1	0.1%
0.0494371987879	-	1	0.1%
0.0504167005420	-	1	0.1%
0.0518032014370	-	1	0.1%
0.0523310005665	-	1	0.1%
0.0525524988770	-	1	0.1%
0.0526145994663	-	1	0.1%
0.0529793016613	-	1	0.1%
0.0533032007515	-	1	0.1%
0.0536850988865	-	1	0.1%
0.0548693016171	-	1	0.1%
0.0549132004380	-	1	0.1%
0.0562877990305	-	1	0.1%
0.0566693991423	-	1	0.1%
0.0569574013352	-	1	0.1%
0.0569738000631	-	1	0.1%
0.0580619014800	-	1	0.1%
0.0582238994539	-	1	0.1%
0.0584978014231	-	1	0.1%
0.0585254989564	-	1	0.1%
0.0586745999753	-	1	0.1%
0.0593759007752	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.1840991660413
- Minimum: 0.0077642900869
- Maximum: 3.4406399726868
- Standard Deviation: 0.1938643566846

Location: 6163-6177 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E53_ABS_THETAA4A4: E53_abs_theta

Value	Label	Unweighted Frequency	%
0.256007999182	-	1	0.1%
0.643993020058	-	1	0.1%
0.842244029045	-	1	0.1%
0.885397970676	-	1	0.1%
0.891106009483	-	1	0.1%
0.930966019630	-	1	0.1%
0.949720978737	-	1	0.1%
0.970394015312	-	1	0.1%
0.976598978043	-	1	0.1%
0.998879015446	-	1	0.1%
1.034929990768	-	1	0.1%
1.105370044708	-	1	0.1%
1.124179959297	-	1	0.1%
1.142580032349	-	1	0.1%
1.248639941216	-	1	0.1%
1.267920017242	-	1	0.1%
1.292569994926	-	1	0.1%
1.299100041389	-	1	0.1%
1.306550025940	-	1	0.1%
1.353610038757	-	1	0.1%
1.357450008392	-	1	0.1%
1.395830035210	-	1	0.1%
1.412330031395	-	1	0.1%
1.425670027733	-	1	0.1%
1.436329960823	-	1	0.1%
1.459370017052	-	1	0.1%
1.484959959984	-	1	0.1%
1.500609993935	-	1	0.1%
1.531260013580	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.544919967651	-	1	0.1%
1.564229965210	-	1	0.1%
1.608489990234	-	1	0.1%
1.621600031853	-	1	0.1%
1.633700013161	-	1	0.1%
1.638419985771	-	1	0.1%
1.641559958458	-	1	0.1%
1.672469973564	-	1	0.1%
1.676020026207	-	1	0.1%
1.691200017929	-	1	0.1%
1.706779956818	-	1	0.1%
1.711730003357	-	1	0.1%
1.716009974480	-	1	0.1%
1.717970013618	-	1	0.1%
1.725890040398	-	1	0.1%
1.736089944839	-	1	0.1%
1.747560024261	-	1	0.1%
1.764719963074	-	1	0.1%
1.766129970551	-	1	0.1%
1.779960036278	-	1	0.1%
1.810700058937	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.525531581266
- Minimum: 0.256007999182
- Maximum: 25.068500518799
- Standard Deviation: 2.789123133715

Location: 6178-6192 (width: 15; decimal: 12)

Variable Type: numeric

E53_ABS_ALPHAA4A4: E53_abs_alpha

Value	Label	Unweighted Frequency	%
0.124877996743	-	1	0.1%
0.196742996573	-	1	0.1%
0.215931996703	-	1	0.1%
0.249973997474	-	1	0.1%
0.253268986940	-	1	0.1%
0.285688012838	-	1	0.1%
0.324230998755	-	1	0.1%
0.326404005289	-	1	0.1%
0.329210013151	-	1	0.1%
0.330577999353	-	1	0.1%
0.332753986120	-	1	0.1%
0.361508011818	-	1	0.1%
0.381078004837	-	1	0.1%
0.427991002798	-	1	0.1%
0.434596002102	-	1	0.1%
0.435983002186	-	1	0.1%
0.440898001194	-	1	0.1%
0.443206012249	-	1	0.1%
0.454111993313	-	1	0.1%
0.473295003176	-	1	0.1%
0.476341992617	-	1	0.1%
0.503659009933	-	1	0.1%
0.506123006344	-	1	0.1%
0.521700024605	-	1	0.1%
0.535103976727	-	1	0.1%
0.535562992096	-	1	0.1%
0.540793001652	-	1	0.1%
0.547281980515	-	1	0.1%
0.548785984516	-	1	0.1%
0.553447008133	-	1	0.1%
0.567256987095	-	1	0.1%
0.575178980827	-	1	0.1%
0.576017975807	-	1	0.1%
0.576043009758	-	1	0.1%
0.579860985279	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.582542002201	-	1	0.1%
0.584758996964	-	1	0.1%
0.607828021049	-	1	0.1%
0.615231990814	-	1	0.1%
0.636565029621	-	1	0.1%
0.638625025749	-	1	0.1%
0.640424013138	-	1	0.1%
0.641399025917	-	1	0.1%
0.643378019333	-	1	0.1%
0.648478984833	-	1	0.1%
0.652521014214	-	1	0.1%
0.660197973251	-	1	0.1%
0.662591993809	-	1	0.1%
0.667279005051	-	1	0.1%
0.668156027794	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.027513555640
- Minimum: 0.124877996743
- Maximum: 12.955699920654
- Standard Deviation: 1.552274012912

Location: 6193-6207 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E53_ABS_BETAA4A4: E53_abs_beta

Value	Label	Unweighted Frequency	%
0.0184416994452	-	1	0.1%
0.0289354007691	-	1	0.1%
0.0407399013638	-	1	0.1%
0.0587030984461	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0728278979659	-	1	0.1%
0.0733101963997	-	1	0.1%
0.0751143991947	-	1	0.1%
0.0757682994008	-	1	0.1%
0.0779640004039	-	1	0.1%
0.0794953033328	-	1	0.1%
0.0796222984791	-	1	0.1%
0.0826478973031	-	1	0.1%
0.0834017023444	-	1	0.1%
0.0837766006589	-	1	0.1%
0.0849637985229	-	1	0.1%
0.0880000963807	-	1	0.1%
0.0904802009463	-	1	0.1%
0.0909572988749	-	1	0.1%
0.0941592007875	-	1	0.1%
0.0976015031338	-	1	0.1%
0.0976246967912	-	1	0.1%
0.1003459990025	-	1	0.1%
0.1013849973679	-	1	0.1%
0.1052559986711	-	1	0.1%
0.1074590012431	-	1	0.1%
0.1126499995589	-	1	0.1%
0.1128249987960	-	1	0.1%
0.1152120009065	-	2	0.2%
0.1159650012851	-	1	0.1%
0.1160029992461	-	1	0.1%
0.1185140013695	-	1	0.1%
0.1189329996705	-	1	0.1%
0.1202439963818	-	1	0.1%
0.1202979981899	-	1	0.1%
0.1203130036592	-	1	0.1%
0.1214080005884	-	1	0.1%
0.1228059977293	-	1	0.1%
0.1237960010767	-	1	0.1%
0.1244909986854	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1272889971733	-	1	0.1%
0.1280239969492	-	1	0.1%
0.1281770020723	-	1	0.1%
0.1296779960394	-	1	0.1%
0.1308480054140	-	1	0.1%
0.1311410069466	-	1	0.1%
0.1317359954119	-	1	0.1%
0.1318140029907	-	1	0.1%
0.1326130032539	-	1	0.1%
0.1350580006838	-	1	0.1%
0.1359869986773	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3165654588300
- Minimum: 0.0184416994452
- Maximum: 6.4542698860168
- Standard Deviation: 0.2959381882555

Location: 6208-6222 (width: 15; decimal: 13)

Variable Type: numeric

E53_ABS_GAMMAA4A4: E53_abs_gamma

Value	Label	Unweighted Frequency	%
0.0067159300670	-	1	0.1%
0.0078635197133	-	1	0.1%
0.0150672998279	-	1	0.1%
0.0208829995245	-	1	0.1%
0.0240722000599	-	1	0.1%
0.0259658992290	-	1	0.1%
0.0266261007637	-	1	0.1%
0.0311306994408	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0332981012762	-	1	0.1%
0.0333633981645	-	1	0.1%
0.0335410013795	-	1	0.1%
0.0335610993207	-	1	0.1%
0.0338908992708	-	1	0.1%
0.0342068001628	-	1	0.1%
0.0352433994412	-	1	0.1%
0.0361654981971	-	1	0.1%
0.0364697985351	-	1	0.1%
0.0365707017481	-	1	0.1%
0.0375676006079	-	1	0.1%
0.0378631018102	-	1	0.1%
0.0392502993345	-	1	0.1%
0.0395880006254	-	1	0.1%
0.0401422008872	-	1	0.1%
0.0401551015675	-	1	0.1%
0.0404736995697	-	1	0.1%
0.0412372015417	-	1	0.1%
0.0417718999088	-	1	0.1%
0.0419890992343	-	1	0.1%
0.0435341000557	-	1	0.1%
0.0444284006953	-	1	0.1%
0.0445858985186	-	1	0.1%
0.0446765981615	-	1	0.1%
0.0448127985001	-	1	0.1%
0.0451114997268	-	1	0.1%
0.0454770997167	-	1	0.1%
0.0457126982510	-	1	0.1%
0.0460160002112	-	1	0.1%
0.0465970002115	-	1	0.1%
0.0469943992794	-	1	0.1%
0.0471829995513	-	1	0.1%
0.0474835000932	-	1	0.1%
0.0476071983576	-	1	0.1%
0.0479179993272	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0481043010950	-	1	0.1%
0.0487259998918	-	1	0.1%
0.0489282011986	-	1	0.1%
0.0489481985569	-	1	0.1%
0.0495419986546	-	1	0.1%
0.0498770996928	-	1	0.1%
0.0499178990722	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.1168357363741
- Minimum: 0.0067159300670
- Maximum: 3.0056700706482
- Standard Deviation: 0.1363621571155

Location: 6223-6237 (width: 15; decimal: 13)

Variable Type: numeric

E54_ABS_THETAA4A4: E54_abs_theta

Value	Label	Unweighted Frequency	%
0.245341002941	-	1	0.1%
0.549108982086	-	1	0.1%
0.656571984291	-	1	0.1%
0.662725985050	-	1	0.1%
0.867044985294	-	1	0.1%
0.999978005886	-	1	0.1%
1.117709994316	-	1	0.1%
1.130280017853	-	1	0.1%
1.170109987259	-	1	0.1%
1.172539949417	-	1	0.1%
1.226999998093	-	1	0.1%
1.281700015068	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.342679977417	-	1	0.1%
1.362069964409	-	1	0.1%
1.366639971733	-	1	0.1%
1.380169987679	-	1	0.1%
1.385069966316	-	1	0.1%
1.391780018806	-	1	0.1%
1.418550014496	-	1	0.1%
1.487669944763	-	1	0.1%
1.492050051689	-	1	0.1%
1.513579964638	-	1	0.1%
1.556509971619	-	1	0.1%
1.593019962311	-	1	0.1%
1.598870038986	-	1	0.1%
1.618350028992	-	1	0.1%
1.634310007095	-	1	0.1%
1.649140000343	-	1	0.1%
1.650079965591	-	1	0.1%
1.726279973984	-	1	0.1%
1.732589960098	-	1	0.1%
1.747480034828	-	1	0.1%
1.766929984093	-	1	0.1%
1.769119977951	-	1	0.1%
1.771350026131	-	1	0.1%
1.784999966621	-	1	0.1%
1.828750014305	-	1	0.1%
1.855929970741	-	1	0.1%
1.862339973450	-	1	0.1%
1.863479971886	-	1	0.1%
1.863860011101	-	1	0.1%
1.875059962273	-	1	0.1%
1.889529943466	-	1	0.1%
1.904639959335	-	1	0.1%
1.914260029793	-	1	0.1%
1.916139960289	-	1	0.1%
1.920500040054	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.922659993172	-	1	0.1%
1.941750049591	-	1	0.1%
1.957730054855	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 5.168880059808
- Minimum: 0.245341002941
- Maximum: 34.289299011230
- Standard Deviation: 3.607637524071

Location: 6238-6252 (width: 15; decimal: 12)

Variable Type: numeric

E54_ABS_ALPHAA4A4: E54_abs_alpha

Value	Label	Unweighted Frequency	%
0.124753996730	-	1	0.1%
0.170353993773	-	1	0.1%
0.226704999804	-	1	0.1%
0.248822003603	-	1	0.1%
0.250043004751	-	1	0.1%
0.311628997326	-	1	0.1%
0.318684995174	-	1	0.1%
0.332143008709	-	1	0.1%
0.350053995848	-	1	0.1%
0.352521002293	-	1	0.1%
0.378652006388	-	1	0.1%
0.382665008307	-	1	0.1%
0.384611010551	-	1	0.1%
0.411837011576	-	1	0.1%
0.411920994520	-	1	0.1%
0.423252999783	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.428629994392	-	1	0.1%
0.430233001709	-	1	0.1%
0.430720001459	-	1	0.1%
0.446878999472	-	1	0.1%
0.448419004679	-	1	0.1%
0.450946003199	-	1	0.1%
0.460601001978	-	1	0.1%
0.489131987095	-	1	0.1%
0.508117020130	-	1	0.1%
0.511047005653	-	1	0.1%
0.520977973938	-	1	0.1%
0.522029995918	-	1	0.1%
0.524236023426	-	1	0.1%
0.526127994061	-	1	0.1%
0.529619991779	-	1	0.1%
0.533755004406	-	1	0.1%
0.542917013168	-	1	0.1%
0.543959021568	-	1	0.1%
0.544103026390	-	1	0.1%
0.552541971207	-	1	0.1%
0.554976999760	-	1	0.1%
0.561114013195	-	1	0.1%
0.562807977200	-	1	0.1%
0.565370023251	-	1	0.1%
0.570659995079	-	1	0.1%
0.572224974632	-	1	0.1%
0.574697971344	-	1	0.1%
0.577499985695	-	1	0.1%
0.579366028309	-	1	0.1%
0.588428974152	-	1	0.1%
0.590937018394	-	1	0.1%
0.604444980621	-	1	0.1%
0.607675015926	-	1	0.1%
0.613291978836	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.205075819910
- Minimum: 0.124753996730
- Maximum: 13.511099815369
- Standard Deviation: 1.733350739841

Location: 6253-6267 (width: 15; decimal: 12)

Variable Type: numeric

E54_ABS_BETAA4A4: E54_abs_beta

Value	Label	Unweighted Frequency	%
0.0174307990819	-	1	0.1%
0.0287957992405	-	1	0.1%
0.0434570983052	-	1	0.1%
0.0457419008017	-	1	0.1%
0.0547261014581	-	1	0.1%
0.0662041977048	-	1	0.1%
0.0680622979999	-	1	0.1%
0.0719861015677	-	1	0.1%
0.0749123990536	-	1	0.1%
0.0771597996354	-	1	0.1%
0.0771778970957	-	1	0.1%
0.0773904994130	-	1	0.1%
0.0792409032583	-	1	0.1%
0.0823986008763	-	1	0.1%
0.0829109996557	-	1	0.1%
0.0843532010913	-	1	0.1%
0.0855659022927	-	1	0.1%
0.0860380977392	-	1	0.1%
0.0871248990297	-	1	0.1%
0.0874736979604	-	1	0.1%
0.0900269001722	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0900726020336	-	1	0.1%
0.0915116965771	-	1	0.1%
0.0915570035577	-	1	0.1%
0.0930261984468	-	1	0.1%
0.0937803983688	-	1	0.1%
0.0960069000721	-	1	0.1%
0.0970425978303	-	1	0.1%
0.0978408977389	-	1	0.1%
0.0985848009586	-	1	0.1%
0.1004780009389	-	1	0.1%
0.1016020029783	-	1	0.1%
0.1018960028887	-	1	0.1%
0.1022740006447	-	1	0.1%
0.1030730009079	-	1	0.1%
0.1035939976573	-	1	0.1%
0.1040709987283	-	1	0.1%
0.1046210005879	-	1	0.1%
0.1047760024667	-	1	0.1%
0.1057770028710	-	1	0.1%
0.1064599975944	-	1	0.1%
0.1069239974022	-	1	0.1%
0.1072899997234	-	1	0.1%
0.1074599996209	-	1	0.1%
0.1086679995060	-	1	0.1%
0.1090330034494	-	1	0.1%
0.1092220023274	-	1	0.1%
0.1095840036869	-	1	0.1%
0.1107480004430	-	1	0.1%
0.1112679988146	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2637936600337
- Minimum: 0.0174307990819
- Maximum: 2.4461100101471
- Standard Deviation: 0.1808581216335

Location: 6268-6282 (width: 15; decimal: 13)

Variable Type: numeric

E54_ABS_GAMMAA4A4: E54_abs_gamma

Value	Label	Unweighted Frequency	%
0.0064060501754	-	1	0.1%
0.0122491996735	-	1	0.1%
0.0143624003977	-	1	0.1%
0.0151759004220	-	1	0.1%
0.0214377008379	-	1	0.1%
0.0228353999555	-	1	0.1%
0.0249912999570	-	1	0.1%
0.0255309008062	-	1	0.1%
0.0265506003052	-	1	0.1%
0.0265957992524	-	1	0.1%
0.0268532000482	-	1	0.1%
0.0270802006125	-	1	0.1%
0.0277855005115	-	1	0.1%
0.0278344992548	-	1	0.1%
0.0282792001963	-	1	0.1%
0.0287539996207	-	1	0.1%
0.0292453002185	-	1	0.1%
0.0297301001847	-	1	0.1%
0.0301277004182	-	1	0.1%
0.0305981002748	-	1	0.1%
0.0314578004181	-	1	0.1%
0.0319956988096	-	1	0.1%
0.0323881991208	-	1	0.1%
0.0329651981592	-	1	0.1%
0.0336849987507	-	1	0.1%
0.0341865010560	-	1	0.1%
0.0352219007909	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0355678014457	-	1	0.1%
0.0358453989029	-	1	0.1%
0.0360132008791	-	1	0.1%
0.0360166989267	-	1	0.1%
0.0364526994526	-	1	0.1%
0.0367176011205	-	1	0.1%
0.0367714017630	-	1	0.1%
0.0377672016621	-	1	0.1%
0.0377831012011	-	1	0.1%
0.0380503013730	-	1	0.1%
0.0381426997483	-	1	0.1%
0.0384692996740	-	1	0.1%
0.0386927984655	-	1	0.1%
0.0387323983014	-	1	0.1%
0.0388278998435	-	1	0.1%
0.0390289984643	-	1	0.1%
0.0393190011382	-	1	0.1%
0.0394160002470	-	1	0.1%
0.0397755987942	-	1	0.1%
0.0402708984911	-	1	0.1%
0.0407103002071	-	1	0.1%
0.0409827008843	-	1	0.1%
0.0411243997514	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.0854070079426
- Minimum: 0.0064060501754
- Maximum: 1.2121900320053
- Standard Deviation: 0.0688786136058

Location: 6283-6297 (width: 15; decimal: 13)

Variable Type: numeric

E55_ABS_THETAA4A4: E55_abs_theta

Value	Label	Unweighted Frequency	%
0.444929003716	-	1	0.1%
0.616228997707	-	1	0.1%
0.773710012436	-	1	0.1%
0.865646004677	-	1	0.1%
0.899998009205	-	1	0.1%
0.920466005802	-	1	0.1%
1.011500000954	-	1	0.1%
1.070269942284	-	1	0.1%
1.206969976425	-	1	0.1%
1.259819984436	-	1	0.1%
1.260130047798	-	1	0.1%
1.283270001411	-	1	0.1%
1.384789943695	-	1	0.1%
1.467519998550	-	1	0.1%
1.483719944954	-	1	0.1%
1.552109956741	-	1	0.1%
1.588999986649	-	1	0.1%
1.608649969101	-	1	0.1%
1.610360026360	-	1	0.1%
1.659289956093	-	1	0.1%
1.801920056343	-	1	0.1%
1.827479958534	-	1	0.1%
1.854220032692	-	1	0.1%
1.885640025139	-	1	0.1%
1.910459995270	-	1	0.1%
1.947340011597	-	1	0.1%
1.969409942627	-	1	0.1%
2.022320032120	-	1	0.1%
2.033260107040	-	1	0.1%
2.039299964905	-	1	0.1%
2.043060064316	-	1	0.1%
2.050549983978	-	1	0.1%
2.059770107269	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.073270082474	-	1	0.1%
2.073600053787	-	1	0.1%
2.108360052109	-	1	0.1%
2.133110046387	-	1	0.1%
2.133249998093	-	1	0.1%
2.159709930420	-	1	0.1%
2.168200016022	-	1	0.1%
2.212490081787	-	1	0.1%
2.221430063248	-	1	0.1%
2.258480072021	-	1	0.1%
2.267489910126	-	1	0.1%
2.280289888382	-	1	0.1%
2.337239980698	-	1	0.1%
2.346729993820	-	1	0.1%
2.361190080643	-	1	0.1%
2.361730098724	-	1	0.1%
2.379709959030	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 6.880788995293
- Minimum: 0.444929003716
- Maximum: 36.284999847412
- Standard Deviation: 4.829637597748

Location: 6298-6312 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E55_ABS_ALPHAA4A4: E55_abs_alpha

Value	Label	Unweighted Frequency	%
0.132355004549	-	1	0.1%
0.201689004898	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.210390001535	-	1	0.1%
0.229139000177	-	1	0.1%
0.264326989651	-	1	0.1%
0.321208000183	-	1	0.1%
0.362838000059	-	1	0.1%
0.393498003483	-	1	0.1%
0.415098994970	-	1	0.1%
0.415535986423	-	1	0.1%
0.417371004820	-	1	0.1%
0.434094995260	-	1	0.1%
0.444849997759	-	1	0.1%
0.457228988409	-	1	0.1%
0.465092986822	-	1	0.1%
0.476211011410	-	1	0.1%
0.478843003511	-	1	0.1%
0.488548994064	-	1	0.1%
0.501078009605	-	1	0.1%
0.503159999847	-	1	0.1%
0.531872987747	-	1	0.1%
0.536966025829	-	1	0.1%
0.546509027481	-	1	0.1%
0.554166018963	-	1	0.1%
0.564038991928	-	1	0.1%
0.565154016018	-	1	0.1%
0.581875026226	-	1	0.1%
0.592311024666	-	1	0.1%
0.601347029209	-	1	0.1%
0.609755992889	-	1	0.1%
0.631443977356	-	1	0.1%
0.638215005398	-	1	0.1%
0.638384997845	-	1	0.1%
0.639442980289	-	1	0.1%
0.650447010994	-	1	0.1%
0.651683986187	-	1	0.1%
0.652473986149	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.676424026489	-	1	0.1%
0.689107000828	-	1	0.1%
0.709092974663	-	1	0.1%
0.710577011108	-	1	0.1%
0.723764002323	-	1	0.1%
0.736630022526	-	1	0.1%
0.740006029606	-	1	0.1%
0.747460007668	-	1	0.1%
0.750324010849	-	1	0.1%
0.751676976681	-	1	0.1%
0.758001983166	-	1	0.1%
0.762643992901	-	1	0.1%
0.763992011547	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.701239748128
- Minimum: 0.132355004549
- Maximum: 16.752099990845
- Standard Deviation: 1.989283083839

Location: 6313-6327 (*width:* 15; *decimal:* 12)

Variable Type: numeric

[E55_ABS_BETAA4A4: E55_abs_beta](#)

Value	Label	Unweighted Frequency	%
0.0227215997875	-	1	0.1%
0.0280086006969	-	1	0.1%
0.0358017012477	-	1	0.1%
0.0469290018082	-	1	0.1%
0.0529692992568	-	1	0.1%
0.0566932000220	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0641584992409	-	1	0.1%
0.0747279003263	-	1	0.1%
0.0771068036556	-	1	0.1%
0.0772378966212	-	1	0.1%
0.0840205028653	-	1	0.1%
0.0849410966039	-	1	0.1%
0.0855206027627	-	1	0.1%
0.0877749994397	-	1	0.1%
0.0880824029446	-	1	0.1%
0.0890121012926	-	1	0.1%
0.0899045020342	-	1	0.1%
0.0903087034822	-	1	0.1%
0.0905361995101	-	1	0.1%
0.0948626995087	-	1	0.1%
0.0972910001874	-	1	0.1%
0.0974104031920	-	1	0.1%
0.0989900007844	-	1	0.1%
0.1007170006633	-	1	0.1%
0.1025070026517	-	1	0.1%
0.1027119979262	-	1	0.1%
0.1033520027995	-	1	0.1%
0.1053169965744	-	1	0.1%
0.1061260029674	-	1	0.1%
0.1068259999156	-	1	0.1%
0.1071719974279	-	1	0.1%
0.1074490025640	-	1	0.1%
0.1076439991593	-	1	0.1%
0.1117819994688	-	1	0.1%
0.1120129972696	-	1	0.1%
0.1121079996228	-	1	0.1%
0.1123559996486	-	1	0.1%
0.1130359992385	-	1	0.1%
0.1136770024896	-	1	0.1%
0.1138050034642	-	1	0.1%
0.1155799999833	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1169549971819	-	1	0.1%
0.1176379993558	-	1	0.1%
0.1177029982209	-	1	0.1%
0.1190380007029	-	1	0.1%
0.1191250011325	-	1	0.1%
0.1199999973178	-	1	0.1%
0.1206149980426	-	1	0.1%
0.1206289976835	-	1	0.1%
0.1207479983568	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2917221140999
- Minimum: 0.0227215997875
- Maximum: 2.4742500782013
- Standard Deviation: 0.1984839942077

Location: 6328-6342 (width: 15; decimal: 13)

Variable Type: numeric

E55_ABS_GAMMAA4A4: E55_abs_gamma

Value	Label	Unweighted Frequency	%
0.0090235499665	-	1	0.1%
0.0091078402475	-	1	0.1%
0.0104181999341	-	1	0.1%
0.0125190000981	-	1	0.1%
0.0152474995703	-	1	0.1%
0.0157788991928	-	1	0.1%
0.0191872008145	-	1	0.1%
0.0210059992969	-	1	0.1%
0.0253708008677	-	1	0.1%
0.0255139991641	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0255529992282	-	1	0.1%
0.0261519998312	-	1	0.1%
0.0265768002719	-	1	0.1%
0.0278374999762	-	1	0.1%
0.0294094998389	-	1	0.1%
0.0294163003564	-	1	0.1%
0.0301450006664	-	1	0.1%
0.0303632002324	-	1	0.1%
0.0308749992400	-	1	0.1%
0.0313226990402	-	1	0.1%
0.0315354987979	-	1	0.1%
0.0318389013410	-	1	0.1%
0.0318517014384	-	1	0.1%
0.0321522988379	-	1	0.1%
0.0322005003691	-	1	0.1%
0.0326519012451	-	1	0.1%
0.0329582989216	-	1	0.1%
0.0343444012105	-	1	0.1%
0.0346621014178	-	1	0.1%
0.0346980988979	-	1	0.1%
0.0355527997017	-	1	0.1%
0.0362402014434	-	1	0.1%
0.0364198014140	-	1	0.1%
0.0364367999136	-	1	0.1%
0.0364948995411	-	1	0.1%
0.0367208011448	-	1	0.1%
0.0367451012135	-	1	0.1%
0.0368792004883	-	1	0.1%
0.0370783992112	-	1	0.1%
0.0371863991022	-	1	0.1%
0.0378874987364	-	1	0.1%
0.0382363013923	-	1	0.1%
0.0385687984526	-	1	0.1%
0.0387598015368	-	1	0.1%
0.0388255007565	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0391962006688	-	1	0.1%
0.0394891016185	-	1	0.1%
0.0395430997014	-	1	0.1%
0.0398632995784	-	1	0.1%
0.0400552004576	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.0843306515501
- Minimum: 0.0090235499665
- Maximum: 0.5142620205879
- Standard Deviation: 0.0490388634192

Location: 6343-6357 (width: 15; decimal: 13)

Variable Type: numeric

E57_ABS_THETAA4A4: E57_abs_theta

Value	Label	Unweighted Frequency	%
0.823246002197	-	1	0.1%
1.085279941559	-	1	0.1%
1.158210039139	-	1	0.1%
1.175709962845	-	1	0.1%
1.197520017624	-	1	0.1%
1.250730037689	-	1	0.1%
1.259400010109	-	1	0.1%
1.300119996071	-	1	0.1%
1.358710050583	-	1	0.1%
1.366760015488	-	1	0.1%
1.413689970970	-	1	0.1%
1.485039949417	-	1	0.1%
1.530760049820	-	1	0.1%
1.546419978142	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.577839970589	-	1	0.1%
1.582949995995	-	1	0.1%
1.682070016861	-	1	0.1%
1.742259979248	-	1	0.1%
1.774189949036	-	1	0.1%
1.775769948959	-	1	0.1%
1.819560050964	-	1	0.1%
1.833150029182	-	1	0.1%
1.837779998779	-	1	0.1%
1.941370010376	-	1	0.1%
1.948079943657	-	1	0.1%
2.064889907837	-	1	0.1%
2.107700109482	-	1	0.1%
2.119420051575	-	1	0.1%
2.122499942780	-	1	0.1%
2.122620105743	-	1	0.1%
2.140799999237	-	1	0.1%
2.148289918900	-	1	0.1%
2.150330066681	-	1	0.1%
2.185019969940	-	1	0.1%
2.201280117035	-	1	0.1%
2.212480068207	-	1	0.1%
2.301270008087	-	1	0.1%
2.309070110321	-	1	0.1%
2.313889980316	-	1	0.1%
2.366440057755	-	1	0.1%
2.370059967041	-	1	0.1%
2.378350019455	-	1	0.1%
2.400130033493	-	1	0.1%
2.468219995499	-	1	0.1%
2.471270084381	-	1	0.1%
2.478859901428	-	1	0.1%
2.495520114899	-	1	0.1%
2.511840105057	-	1	0.1%
2.513469934464	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.554990053177	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 6.295246746887
- Minimum: 0.823246002197
- Maximum: 20.719299316406
- Standard Deviation: 3.046609798388

Location: 6358-6372 (width: 15; decimal: 12)

Variable Type: numeric

E57_ABS_ALPHAA4A4: E57_abs_alpha

Value	Label	Unweighted Frequency	%
0.253367006779	-	1	0.1%
0.278447002172	-	1	0.1%
0.302118986845	-	1	0.1%
0.307558000088	-	1	0.1%
0.315066009760	-	1	0.1%
0.402031004429	-	1	0.1%
0.403151005507	-	1	0.1%
0.410650998354	-	1	0.1%
0.422655999660	-	1	0.1%
0.501899003983	-	1	0.1%
0.513360023499	-	1	0.1%
0.514991998672	-	1	0.1%
0.527790009975	-	1	0.1%
0.532513022423	-	1	0.1%
0.541549980640	-	1	0.1%
0.616331994534	-	1	0.1%
0.617063999176	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.622268021107	-	1	0.1%
0.627556025982	-	1	0.1%
0.637446999550	-	1	0.1%
0.637908995152	-	1	0.1%
0.655471980572	-	1	0.1%
0.661431014538	-	1	0.1%
0.664623975754	-	1	0.1%
0.671580970287	-	1	0.1%
0.679103970528	-	1	0.1%
0.702148973942	-	1	0.1%
0.702512025833	-	1	0.1%
0.704311013222	-	1	0.1%
0.711524009705	-	1	0.1%
0.714134991169	-	1	0.1%
0.720440983772	-	1	0.1%
0.728415012360	-	1	0.1%
0.741337001324	-	1	0.1%
0.747699022293	-	1	0.1%
0.757207989693	-	1	0.1%
0.771057009697	-	1	0.1%
0.774744987488	-	1	0.1%
0.781472980976	-	1	0.1%
0.789848983288	-	1	0.1%
0.794840991497	-	1	0.1%
0.795359015465	-	1	0.1%
0.799268007278	-	1	0.1%
0.810953021049	-	1	0.1%
0.823310017586	-	1	0.1%
0.823566973209	-	1	0.1%
0.837373018265	-	1	0.1%
0.844070017338	-	1	0.1%
0.853796005249	-	1	0.1%
0.854471981525	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.223672396674
- Minimum: 0.253367006779
- Maximum: 14.827799797058
- Standard Deviation: 1.280345714125

Location: 6373-6387 (width: 15; decimal: 12)

Variable Type: numeric

E57_ABS_BETAA4A4: E57_abs_beta

Value	Label	Unweighted Frequency	%
0.0806208029389	-	1	0.1%
0.0806765034795	-	1	0.1%
0.0811740979552	-	1	0.1%
0.0847639963031	-	1	0.1%
0.0852695032954	-	1	0.1%
0.0931933969259	-	1	0.1%
0.0943474024534	-	1	0.1%
0.1049209982157	-	1	0.1%
0.1139369979501	-	1	0.1%
0.1241710036993	-	1	0.1%
0.1395370066166	-	1	0.1%
0.1438619941473	-	1	0.1%
0.1446810066700	-	1	0.1%
0.1487649977207	-	1	0.1%
0.1502979993820	-	1	0.1%
0.1547140032053	-	1	0.1%
0.1550219953060	-	1	0.1%
0.1559379994869	-	1	0.1%
0.1608390063047	-	1	0.1%
0.1648939996958	-	1	0.1%
0.1691190004349	-	1	0.1%
0.1790280044079	-	1	0.1%
0.1818690001965	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1899189949036	-	1	0.1%
0.1950290054083	-	1	0.1%
0.1987919956446	-	1	0.1%
0.1999610066414	-	1	0.1%
0.2047850042582	-	1	0.1%
0.2050960063934	-	1	0.1%
0.2062699943781	-	1	0.1%
0.2113540023565	-	1	0.1%
0.2122049927711	-	1	0.1%
0.2136159986258	-	1	0.1%
0.2151570022106	-	1	0.1%
0.2161000072956	-	1	0.1%
0.2172410041094	-	1	0.1%
0.2177390009165	-	1	0.1%
0.2217179983854	-	1	0.1%
0.2235970050097	-	1	0.1%
0.2237990051508	-	1	0.1%
0.2242809981108	-	1	0.1%
0.2259529978037	-	1	0.1%
0.2278860062361	-	1	0.1%
0.2297579944134	-	1	0.1%
0.2301370054483	-	1	0.1%
0.2315090000629	-	1	0.1%
0.2349479943514	-	1	0.1%
0.2352329939604	-	1	0.1%
0.2409500032663	-	1	0.1%
0.2428569942713	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.7818967758594
- Minimum: 0.0806208029389
- Maximum: 4.7250399589539
- Standard Deviation: 0.6066708028594

Location: 6388-6402 (width: 15; decimal: 13)

Variable Type: numeric

E57_ABS_GAMMAA4A4: E57_abs_gamma

Value	Label	Unweighted Frequency	%
0.0277235005051	-	1	0.1%
0.0343462005258	-	1	0.1%
0.0348682999611	-	1	0.1%
0.0370903983712	-	1	0.1%
0.0373748987913	-	1	0.1%
0.0385295003653	-	1	0.1%
0.0415982007980	-	1	0.1%
0.0432262010872	-	1	0.1%
0.0483837015927	-	1	0.1%
0.0533966012299	-	1	0.1%
0.0571620985866	-	1	0.1%
0.0585756003857	-	1	0.1%
0.0587176010013	-	1	0.1%
0.0605042017996	-	1	0.1%
0.0617657005787	-	1	0.1%
0.0645378008485	-	1	0.1%
0.0686165019870	-	1	0.1%
0.0706268996000	-	1	0.1%
0.0713775977492	-	1	0.1%
0.0716489031911	-	1	0.1%
0.0741735026240	-	1	0.1%
0.0754743963480	-	1	0.1%
0.0774699971080	-	1	0.1%
0.0782440975308	-	1	0.1%
0.0798887982965	-	1	0.1%
0.0799425989389	-	1	0.1%
0.0846403017640	-	1	0.1%
0.0880113020539	-	1	0.1%
0.0880668982863	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0891226977110	-	1	0.1%
0.0900058001280	-	1	0.1%
0.0908910036087	-	1	0.1%
0.0911953970790	-	1	0.1%
0.0916197001934	-	1	0.1%
0.0929021015763	-	1	0.1%
0.0932283997536	-	1	0.1%
0.0936406031251	-	1	0.1%
0.0946621000767	-	1	0.1%
0.0969363003969	-	1	0.1%
0.1026910021901	-	1	0.1%
0.1051750034094	-	1	0.1%
0.1056639999151	-	1	0.1%
0.1065519973636	-	1	0.1%
0.1098869964480	-	1	0.1%
0.1144540011883	-	1	0.1%
0.1147229969501	-	1	0.1%
0.1164129972458	-	1	0.1%
0.1172190010548	-	1	0.1%
0.1187890022993	-	1	0.1%
0.1193770021200	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5491302483989
- Minimum: 0.0277235005051
- Maximum: 4.7352199554443
- Standard Deviation: 0.5806247301927

Location: 6403-6417 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E58_ABS_THETAA4A4: E58_abs_theta

Value	Label	Unweighted Frequency	%
0.606172025204	-	1	0.1%
0.818472027779	-	1	0.1%
0.910194993019	-	1	0.1%
0.985414981842	-	1	0.1%
0.994996011257	-	1	0.1%
1.063930034637	-	1	0.1%
1.074149966240	-	1	0.1%
1.161069989204	-	1	0.1%
1.238180041313	-	1	0.1%
1.275480031967	-	1	0.1%
1.329609990120	-	1	0.1%
1.354580044746	-	1	0.1%
1.418930053711	-	1	0.1%
1.438320040703	-	1	0.1%
1.489490032196	-	1	0.1%
1.536579966545	-	1	0.1%
1.556159973145	-	1	0.1%
1.607679963112	-	1	0.1%
1.648270010948	-	1	0.1%
1.661440014839	-	1	0.1%
1.707710027695	-	1	0.1%
1.731240034103	-	1	0.1%
1.761389970779	-	1	0.1%
1.857910037041	-	1	0.1%
1.863729953766	-	1	0.1%
1.893159985542	-	1	0.1%
1.899610042572	-	1	0.1%
1.906069993973	-	1	0.1%
1.923920035362	-	1	0.1%
1.940109968185	-	1	0.1%
1.947790026665	-	1	0.1%
2.017549991608	-	1	0.1%
2.039619922638	-	1	0.1%
2.046190023422	-	1	0.1%
2.057229995728	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.058919906616	-	1	0.1%
2.075079917908	-	1	0.1%
2.100509881973	-	1	0.1%
2.113270044327	-	1	0.1%
2.119440078735	-	1	0.1%
2.182140111923	-	1	0.1%
2.196799993515	-	1	0.1%
2.241379976273	-	1	0.1%
2.272819995880	-	1	0.1%
2.384730100632	-	1	0.1%
2.405430078506	-	1	0.1%
2.410049915314	-	1	0.1%
2.411770105362	-	1	0.1%
2.414129972458	-	1	0.1%
2.424930095673	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 6.418349748979
- Minimum: 0.606172025204
- Maximum: 26.445499420166
- Standard Deviation: 3.553862178933

Location: 6418-6432 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E58_ABS_ALPHAA4A4: E58_abs_alpha

Value	Label	Unweighted Frequency	%
0.180539995432	-	1	0.1%
0.250191986561	-	1	0.1%
0.273333996534	-	1	0.1%
0.277608007193	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.313980013132	-	1	0.1%
0.320060998201	-	1	0.1%
0.373605996370	-	1	0.1%
0.378149002790	-	1	0.1%
0.379144996405	-	1	0.1%
0.388821989298	-	1	0.1%
0.414458990097	-	1	0.1%
0.433739989996	-	1	0.1%
0.435970008373	-	1	0.1%
0.453386008739	-	1	0.1%
0.465517997742	-	1	0.1%
0.469554007053	-	1	0.1%
0.476098001003	-	1	0.1%
0.476269006729	-	1	0.1%
0.476612985134	-	1	0.1%
0.511250972748	-	1	0.1%
0.517189025879	-	1	0.1%
0.520415008068	-	1	0.1%
0.521093010902	-	1	0.1%
0.534578025341	-	1	0.1%
0.561657011509	-	1	0.1%
0.578312993050	-	1	0.1%
0.586754024029	-	1	0.1%
0.640555977821	-	1	0.1%
0.659852027893	-	1	0.1%
0.686092019081	-	1	0.1%
0.695897996426	-	1	0.1%
0.696816027164	-	1	0.1%
0.711103022099	-	1	0.1%
0.725759029388	-	1	0.1%
0.750355005264	-	1	0.1%
0.756223976612	-	1	0.1%
0.756883978844	-	1	0.1%
0.779461979866	-	1	0.1%
0.783949971199	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.796954989433	-	1	0.1%
0.806240975857	-	1	0.1%
0.822311997414	-	1	0.1%
0.824016988277	-	1	0.1%
0.835999011993	-	1	0.1%
0.844796001911	-	1	0.1%
0.853609025478	-	1	0.1%
0.859785020351	-	1	0.1%
0.860907018185	-	1	0.1%
0.868521988392	-	1	0.1%
0.872400999069	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.561880186615
- Minimum: 0.180539995432
- Maximum: 14.328200340271
- Standard Deviation: 1.634858130324

Location: 6433-6447 (width: 15; decimal: 12)

Variable Type: numeric

E58_ABS_BETAA4A4: E58_abs_beta

Value	Label	Unweighted Frequency	%
0.044300701469	-	1	0.1%
0.044950000942	-	1	0.1%
0.047538399696	-	1	0.1%
0.080628298223	-	1	0.1%
0.082016900182	-	1	0.1%
0.082878500223	-	1	0.1%
0.084203399718	-	1	0.1%
0.086419500411	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.087536998093	-	1	0.1%
0.090352401137	-	1	0.1%
0.093299500644	-	1	0.1%
0.093666002154	-	1	0.1%
0.096972301602	-	1	0.1%
0.103761002421	-	1	0.1%
0.105853997171	-	1	0.1%
0.125250995159	-	1	0.1%
0.134690001607	-	1	0.1%
0.135774999857	-	1	0.1%
0.136032998562	-	1	0.1%
0.138523995876	-	1	0.1%
0.150066003203	-	1	0.1%
0.152178004384	-	1	0.1%
0.153641000390	-	1	0.1%
0.155989006162	-	1	0.1%
0.156537994742	-	1	0.1%
0.157741993666	-	1	0.1%
0.157747000456	-	1	0.1%
0.164316996932	-	1	0.1%
0.164471000433	-	1	0.1%
0.171044006944	-	1	0.1%
0.173696994781	-	1	0.1%
0.174630999565	-	1	0.1%
0.175165995955	-	1	0.1%
0.176060006022	-	1	0.1%
0.180845007300	-	1	0.1%
0.184687003493	-	1	0.1%
0.189544007182	-	1	0.1%
0.191149994731	-	1	0.1%
0.199779003859	-	1	0.1%
0.199936002493	-	1	0.1%
0.204701006413	-	1	0.1%
0.208397001028	-	1	0.1%
0.208719000220	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.209059000015	-	1	0.1%
0.209229007363	-	1	0.1%
0.215147003531	-	1	0.1%
0.215193003416	-	1	0.1%
0.217212006450	-	1	0.1%
0.220220997930	-	1	0.1%
0.220238998532	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.826140448111
- Minimum: 0.044300701469
- Maximum: 10.971400260925
- Standard Deviation: 0.859777401433

Location: 6448-6462 (width: 15; decimal: 12)

Variable Type: numeric

E58_ABS_GAMMAA4A4: E58_abs_gamma

Value	Label	Unweighted Frequency	%
0.0170705001801	-	1	0.1%
0.0175160001963	-	1	0.1%
0.0237758997828	-	1	0.1%
0.0259038005024	-	1	0.1%
0.0363842993975	-	1	0.1%
0.0369288995862	-	1	0.1%
0.0406894981861	-	1	0.1%
0.0410954989493	-	1	0.1%
0.0421730987728	-	1	0.1%
0.0428825989366	-	1	0.1%
0.0437642000616	-	1	0.1%
0.0452065989375	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0457237996161	-	1	0.1%
0.0461249984801	-	1	0.1%
0.0465651005507	-	1	0.1%
0.0528558008373	-	1	0.1%
0.0556772015989	-	1	0.1%
0.0563003011048	-	1	0.1%
0.0608412995934	-	1	0.1%
0.0613056011498	-	1	0.1%
0.0618402995169	-	1	0.1%
0.0622180998325	-	1	0.1%
0.0633077993989	-	1	0.1%
0.0643789023161	-	1	0.1%
0.0657529979944	-	1	0.1%
0.0680316984653	-	1	0.1%
0.0688640028238	-	1	0.1%
0.0699440017343	-	1	0.1%
0.0738975033164	-	1	0.1%
0.0740261971951	-	1	0.1%
0.0741883963346	-	1	0.1%
0.0759702026844	-	1	0.1%
0.0760170966387	-	1	0.1%
0.0766495019197	-	1	0.1%
0.0767021030188	-	1	0.1%
0.0773900002241	-	1	0.1%
0.0803249999881	-	1	0.1%
0.0805127024651	-	1	0.1%
0.0807406976819	-	1	0.1%
0.0810248032212	-	1	0.1%
0.0816551968455	-	1	0.1%
0.0822321027517	-	1	0.1%
0.0827561020851	-	1	0.1%
0.0828806012869	-	1	0.1%
0.0832000002265	-	1	0.1%
0.0837237983942	-	1	0.1%
0.0839243009686	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0840355008841	-	1	0.1%
0.0844300016761	-	1	0.1%
0.0852916017175	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5230122815944
- Minimum: 0.0170705001801
- Maximum: 5.7844500541687
- Standard Deviation: 0.6714165695637

Location: 6463-6477 (width: 15; decimal: 13)

Variable Type: numeric

E59_ABS_THETAA4A4: E59_abs_theta

Value	Label	Unweighted Frequency	%
0.464195013046	-	1	0.1%
0.829339027405	-	1	0.1%
0.938524007797	-	1	0.1%
1.075760006905	-	1	0.1%
1.089820027351	-	1	0.1%
1.099329948425	-	1	0.1%
1.106269955635	-	1	0.1%
1.175510048866	-	1	0.1%
1.194919943810	-	1	0.1%
1.210150003433	-	1	0.1%
1.244289994240	-	1	0.1%
1.304819941521	-	1	0.1%
1.347309947014	-	1	0.1%
1.351369976997	-	1	0.1%
1.371320009232	-	1	0.1%
1.371659994125	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.426800012589	-	1	0.1%
1.437000036240	-	1	0.1%
1.467710018158	-	1	0.1%
1.472650051117	-	1	0.1%
1.624459981918	-	1	0.1%
1.688279986382	-	1	0.1%
1.764660000801	-	1	0.1%
1.820670008659	-	1	0.1%
1.838359951973	-	1	0.1%
1.888749957085	-	1	0.1%
1.935549974442	-	1	0.1%
1.941689968109	-	1	0.1%
1.942459940910	-	1	0.1%
1.949059963226	-	1	0.1%
1.969089984894	-	1	0.1%
1.978590011597	-	1	0.1%
1.980149984360	-	1	0.1%
1.982200026512	-	1	0.1%
1.986950039864	-	1	0.1%
2.002239942551	-	1	0.1%
2.021019935608	-	1	0.1%
2.061889886856	-	1	0.1%
2.070199966431	-	1	0.1%
2.086050033569	-	1	0.1%
2.140579938889	-	1	0.1%
2.169430017471	-	1	0.1%
2.192140102386	-	1	0.1%
2.197360038757	-	1	0.1%
2.218820095062	-	1	0.1%
2.243030071259	-	1	0.1%
2.256150007248	-	1	0.1%
2.265360116959	-	1	0.1%
2.311619997025	-	1	0.1%
2.318979978561	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 6.065294639429
- Minimum: 0.464195013046
- Maximum: 24.620399475098
- Standard Deviation: 3.477012174865

Location: 6478-6492 (width: 15; decimal: 12)

Variable Type: numeric

E59_ABS_ALPHAA4A4: E59_abs_alpha

Value	Label	Unweighted Frequency	%
0.199539005756	-	1	0.1%
0.260284990072	-	1	0.1%
0.263193994761	-	1	0.1%
0.285133004189	-	1	0.1%
0.288098990917	-	1	0.1%
0.289703011513	-	1	0.1%
0.327008992434	-	1	0.1%
0.353424012661	-	1	0.1%
0.389454007149	-	1	0.1%
0.390204995871	-	1	0.1%
0.408138006926	-	1	0.1%
0.446685999632	-	1	0.1%
0.452423989773	-	1	0.1%
0.459915012121	-	1	0.1%
0.468066006899	-	1	0.1%
0.469451010227	-	1	0.1%
0.484046012163	-	1	0.1%
0.505593001842	-	1	0.1%
0.510522007942	-	1	0.1%
0.528412997723	-	1	0.1%
0.549951970577	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.553283989429	-	1	0.1%
0.566969990730	-	1	0.1%
0.569692015648	-	1	0.1%
0.583006024361	-	1	0.1%
0.588424026966	-	1	0.1%
0.594539999962	-	1	0.1%
0.601069986820	-	1	0.1%
0.613726973534	-	1	0.1%
0.616580009460	-	1	0.1%
0.627303004265	-	1	0.1%
0.636390984058	-	1	0.1%
0.639108002186	-	1	0.1%
0.676326990128	-	1	0.1%
0.688013017178	-	1	0.1%
0.688346028328	-	1	0.1%
0.716041982174	-	1	0.1%
0.717427015305	-	1	0.1%
0.721131980419	-	1	0.1%
0.725530028343	-	1	0.1%
0.737249970436	-	1	0.1%
0.737882971764	-	1	0.1%
0.740682005882	-	1	0.1%
0.746402978897	-	1	0.1%
0.754085004330	-	1	0.1%
0.760111987591	-	1	0.1%
0.760646998882	-	1	0.1%
0.767023026943	-	1	0.1%
0.770204007626	-	1	0.1%
0.771245002747	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.495794410538
- Minimum: 0.199539005756
- Maximum: 13.420100212097
- Standard Deviation: 1.687583698819

Location: 6493-6507 (width: 15; decimal: 12)

Variable Type: numeric

E59_ABS_BETAA4A4: E59_abs_beta

Value	Label	Unweighted Frequency	%
0.0400415994227	-	1	0.1%
0.0411115996540	-	1	0.1%
0.0444037988782	-	1	0.1%
0.0756139978766	-	1	0.1%
0.0757414028049	-	1	0.1%
0.0758443027735	-	1	0.1%
0.0785225033760	-	1	0.1%
0.0847292989492	-	1	0.1%
0.0856937989593	-	1	0.1%
0.0859332010150	-	1	0.1%
0.0873825997114	-	1	0.1%
0.0884485989809	-	1	0.1%
0.0920064970851	-	1	0.1%
0.0949738025665	-	1	0.1%
0.1009970009327	-	1	0.1%
0.1038110032678	-	1	0.1%
0.1065070033073	-	1	0.1%
0.1090290024877	-	1	0.1%
0.1190019994974	-	1	0.1%
0.1218170002103	-	1	0.1%
0.1270540058613	-	1	0.1%
0.1284330040216	-	1	0.1%
0.1286039948463	-	1	0.1%
0.1356569975615	-	1	0.1%
0.1370580047369	-	1	0.1%
0.1406359970570	-	1	0.1%
0.1410290002823	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1432960033417	-	1	0.1%
0.1451449990273	-	1	0.1%
0.1470790058374	-	1	0.1%
0.1484979987144	-	1	0.1%
0.1524820029736	-	1	0.1%
0.1629489958286	-	1	0.1%
0.1642840057611	-	1	0.1%
0.1672669947147	-	1	0.1%
0.1676460057497	-	1	0.1%
0.1685020029545	-	1	0.1%
0.1702239960432	-	1	0.1%
0.1707430034876	-	1	0.1%
0.1709299981594	-	1	0.1%
0.1736579984426	-	1	0.1%
0.1738429963589	-	1	0.1%
0.1747950017452	-	1	0.1%
0.1751810014248	-	1	0.1%
0.1765460073948	-	1	0.1%
0.1765850037336	-	1	0.1%
0.1769399940968	-	1	0.1%
0.1830359995365	-	1	0.1%
0.1837020069361	-	1	0.1%
0.1849630028009	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.6075907369770
- Minimum: 0.0400415994227
- Maximum: 6.2641201019287
- Standard Deviation: 0.5698230566788

Location: 6508-6522 (width: 15; decimal: 13)

Variable Type: numeric

E59_ABS_GAMMAA4A4: E59_abs_gamma

Value	Label	Unweighted Frequency	%
0.0134781999514	-	1	0.1%
0.0157603006810	-	1	0.1%
0.0225936993957	-	1	0.1%
0.0275209005922	-	1	0.1%
0.0278962999582	-	1	0.1%
0.0284381005913	-	1	0.1%
0.0335096009076	-	1	0.1%
0.0390830002725	-	1	0.1%
0.0391829982400	-	1	0.1%
0.0405540987849	-	1	0.1%
0.0420860014856	-	1	0.1%
0.0427279993892	-	1	0.1%
0.0446145981550	-	1	0.1%
0.0461308993399	-	1	0.1%
0.0484451018274	-	1	0.1%
0.0488094985485	-	1	0.1%
0.0491893999279	-	1	0.1%
0.0494496002793	-	1	0.1%
0.0501917004585	-	1	0.1%
0.0505030006170	-	1	0.1%
0.0511518009007	-	1	0.1%
0.0522654987872	-	1	0.1%
0.0554156005383	-	1	0.1%
0.0556407012045	-	1	0.1%
0.0559309981763	-	1	0.1%
0.0566095001996	-	1	0.1%
0.0578625984490	-	1	0.1%
0.0580217987299	-	1	0.1%
0.0587133988738	-	1	0.1%
0.0613058991730	-	1	0.1%
0.0622838996351	-	1	0.1%
0.0623400993645	-	1	0.1%
0.0626837015152	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0630996003747	-	1	0.1%
0.0637255012989	-	1	0.1%
0.0637798979878	-	1	0.1%
0.0639427974820	-	1	0.1%
0.0643294975162	-	1	0.1%
0.0646826028824	-	1	0.1%
0.0648469030857	-	1	0.1%
0.0653747022152	-	1	0.1%
0.0657183974981	-	1	0.1%
0.0659328028560	-	1	0.1%
0.0663330033422	-	1	0.1%
0.0663501024246	-	1	0.1%
0.0669023022056	-	1	0.1%
0.0700139030814	-	1	0.1%
0.0717884004116	-	1	0.1%
0.0720776021481	-	1	0.1%
0.0723299011588	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3182445561395
- Minimum: 0.0134781999514
- Maximum: 4.2734298706055
- Standard Deviation: 0.4203094355653

Location: 6523-6537 (width: 15; decimal: 13)

Variable Type: numeric

E60_ABS_THETAA4A4: E60_abs_theta

Value	Label	Unweighted Frequency	%
0.438915997744	-	1	0.1%
0.827234983444	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.843455970287	-	1	0.1%
0.940374970436	-	1	0.1%
1.214390039444	-	1	0.1%
1.217309951782	-	1	0.1%
1.222859978676	-	1	0.1%
1.252390027046	-	1	0.1%
1.297119975090	-	1	0.1%
1.305140018463	-	1	0.1%
1.379109978676	-	1	0.1%
1.456990003586	-	1	0.1%
1.483109951019	-	1	0.1%
1.498239994049	-	1	0.1%
1.525689959526	-	1	0.1%
1.540089964867	-	1	0.1%
1.550310015678	-	1	0.1%
1.561149954796	-	1	0.1%
1.689739942551	-	1	0.1%
1.723880052567	-	1	0.1%
1.751070022583	-	1	0.1%
1.927659988403	-	1	0.1%
1.950710058212	-	1	0.1%
1.951290011406	-	1	0.1%
1.966480016708	-	1	0.1%
1.968659996986	-	1	0.1%
1.985509991646	-	1	0.1%
1.991179943085	-	1	0.1%
1.991889953613	-	1	0.1%
1.999160051346	-	1	0.1%
2.001729965210	-	1	0.1%
2.037760019302	-	1	0.1%
2.041820049286	-	1	0.1%
2.055550098419	-	1	0.1%
2.109430074692	-	1	0.1%
2.111870050430	-	1	0.1%
2.121269941330	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.124639987946	-	1	0.1%
2.165990114212	-	1	0.1%
2.186209917068	-	1	0.1%
2.219500064850	-	1	0.1%
2.243700027466	-	1	0.1%
2.274590015411	-	1	0.1%
2.295490026474	-	1	0.1%
2.296519994736	-	1	0.1%
2.304219961166	-	1	0.1%
2.307090044022	-	1	0.1%
2.336590051651	-	1	0.1%
2.364289999008	-	1	0.1%
2.376440048218	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 5.534867555318
- Minimum: 0.438915997744
- Maximum: 25.662200927734
- Standard Deviation: 3.248626530207

Location: 6538-6552 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E60_ABS_ALPHAA4A4: E60_abs_alpha

Value	Label	Unweighted Frequency	%
0.230880007148	-	1	0.1%
0.255851000547	-	1	0.1%
0.287263989449	-	1	0.1%
0.322744011879	-	1	0.1%
0.330965012312	-	1	0.1%
0.343028008938	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.359737992287	-	1	0.1%
0.376358002424	-	1	0.1%
0.400077998638	-	1	0.1%
0.457488000393	-	1	0.1%
0.460878014565	-	1	0.1%
0.466876000166	-	1	0.1%
0.472887992859	-	1	0.1%
0.492498010397	-	1	0.1%
0.496650993824	-	1	0.1%
0.505822002888	-	1	0.1%
0.512104988098	-	1	0.1%
0.512782990932	-	1	0.1%
0.520483970642	-	1	0.1%
0.532724022865	-	1	0.1%
0.542138993740	-	1	0.1%
0.542653977871	-	1	0.1%
0.572369992733	-	1	0.1%
0.574388027191	-	1	0.1%
0.602632999420	-	1	0.1%
0.612339019775	-	1	0.1%
0.632030010223	-	1	0.1%
0.633817017078	-	1	0.1%
0.645247995853	-	1	0.1%
0.650400996208	-	1	0.1%
0.655085027218	-	1	0.1%
0.659238994122	-	1	0.1%
0.659416019917	-	1	0.1%
0.679018974304	-	1	0.1%
0.680234014988	-	1	0.1%
0.682166993618	-	1	0.1%
0.687408983707	-	1	0.1%
0.696002006531	-	1	0.1%
0.698809981346	-	1	0.1%
0.700608015060	-	1	0.1%
0.703329026699	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.727452993393	-	1	0.1%
0.729229986668	-	1	0.1%
0.731414973736	-	1	0.1%
0.737134993076	-	1	0.1%
0.737515985966	-	1	0.1%
0.742286026478	-	1	0.1%
0.746411979198	-	1	0.1%
0.748565018177	-	1	0.1%
0.754054009914	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.308148445383
- Minimum: 0.230880007148
- Maximum: 12.706399917603
- Standard Deviation: 1.690051496397

Location: 6553-6567 (width: 15; decimal: 12)

Variable Type: numeric

E60_ABS_BETAA4A4: E60_abs_beta

Value	Label	Unweighted Frequency	%
0.0357127003372	-	1	0.1%
0.0484436005354	-	1	0.1%
0.0530880987644	-	1	0.1%
0.0703189969063	-	1	0.1%
0.0760290026665	-	1	0.1%
0.0765445008874	-	1	0.1%
0.0771251022816	-	1	0.1%
0.0861215963960	-	1	0.1%
0.0906455963850	-	1	0.1%
0.0907676964998	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0928819030523	-	1	0.1%
0.0943837985396	-	1	0.1%
0.0945696979761	-	1	0.1%
0.0946677029133	-	1	0.1%
0.0948728024960	-	1	0.1%
0.0964334011078	-	1	0.1%
0.0988089963794	-	1	0.1%
0.0996904000640	-	1	0.1%
0.1012319996953	-	1	0.1%
0.1081570014358	-	1	0.1%
0.1104400008917	-	1	0.1%
0.1191589981318	-	1	0.1%
0.1254740059376	-	1	0.1%
0.1258620023727	-	1	0.1%
0.1308099925518	-	1	0.1%
0.1323309987783	-	1	0.1%
0.1345600038767	-	1	0.1%
0.1364379972219	-	1	0.1%
0.1366399973631	-	1	0.1%
0.1367840021849	-	1	0.1%
0.1368689984083	-	1	0.1%
0.1374920010567	-	1	0.1%
0.1383990049362	-	1	0.1%
0.1402339935303	-	1	0.1%
0.1406060010195	-	1	0.1%
0.1431459933519	-	1	0.1%
0.1456879973412	-	1	0.1%
0.1469410061836	-	1	0.1%
0.1486330032349	-	1	0.1%
0.1490779966116	-	1	0.1%
0.1492809951305	-	1	0.1%
0.1494079977274	-	1	0.1%
0.1526869982481	-	1	0.1%
0.1531649976969	-	1	0.1%
0.1568990051746	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1570609956980	-	1	0.1%
0.1570640057325	-	1	0.1%
0.1573570072651	-	1	0.1%
0.1602949947119	-	1	0.1%
0.1615770012140	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4064703729788
- Minimum: 0.0357127003372
- Maximum: 5.3987002372742
- Standard Deviation: 0.3072542319365

Location: 6568-6582 (width: 15; decimal: 13)

Variable Type: numeric

E60_ABS_GAMMAA4A4: E60_abs_gamma

Value	Label	Unweighted Frequency	%
0.0123893003911	-	1	0.1%
0.0191188994795	-	1	0.1%
0.0242619998753	-	1	0.1%
0.0248348992318	-	1	0.1%
0.0249490998685	-	1	0.1%
0.0267303995788	-	1	0.1%
0.0276433993131	-	1	0.1%
0.0337365008891	-	1	0.1%
0.0345441997051	-	1	0.1%
0.0350258015096	-	1	0.1%
0.0364909991622	-	1	0.1%
0.0369294993579	-	1	0.1%
0.0387491993606	-	1	0.1%
0.0396169014275	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0400018990040	-	1	0.1%
0.0417084991932	-	1	0.1%
0.0425343997777	-	1	0.1%
0.0447118990123	-	1	0.1%
0.0447915010154	-	1	0.1%
0.0449486002326	-	1	0.1%
0.0452974997461	-	1	0.1%
0.0455234013498	-	1	0.1%
0.0463306009769	-	1	0.1%
0.0465913005173	-	1	0.1%
0.0469832010567	-	1	0.1%
0.0471980012953	-	1	0.1%
0.0480207987130	-	1	0.1%
0.0484566986561	-	1	0.1%
0.0487581007183	-	1	0.1%
0.0495401993394	-	1	0.1%
0.0501640997827	-	1	0.1%
0.0502121001482	-	1	0.1%
0.0504923015833	-	1	0.1%
0.0515254996717	-	1	0.1%
0.0517455004156	-	1	0.1%
0.0523524992168	-	1	0.1%
0.0524217002094	-	1	0.1%
0.0526258982718	-	1	0.1%
0.0526774004102	-	1	0.1%
0.0551925003529	-	1	0.1%
0.0553664006293	-	1	0.1%
0.0565757006407	-	1	0.1%
0.0567642003298	-	1	0.1%
0.0571052990854	-	1	0.1%
0.0577622987330	-	1	0.1%
0.0578287988901	-	1	0.1%
0.0583253987134	-	1	0.1%
0.0587771013379	-	1	0.1%
0.0591954998672	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0592059008777	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.1569836570971
- Minimum: 0.0123893003911
- Maximum: 2.4489400386810
- Standard Deviation: 0.1607542145026

Location: 6583-6597 (width: 15; decimal: 13)

Variable Type: numeric

E61_ABS_THETAA4A4: E61_abs_theta

Value	Label	Unweighted Frequency	%
0.372536003590	-	1	0.1%
0.527836978436	-	1	0.1%
0.890626013279	-	1	0.1%
0.905959010124	-	1	0.1%
0.947089016438	-	1	0.1%
1.096429944038	-	1	0.1%
1.177049994469	-	1	0.1%
1.461470007896	-	1	0.1%
1.680480003357	-	1	0.1%
1.715059995651	-	1	0.1%
1.726279973984	-	1	0.1%
1.758659958839	-	1	0.1%
1.769870042801	-	1	0.1%
1.796630024910	-	1	0.1%
1.828969955444	-	1	0.1%
1.856379985809	-	1	0.1%
1.862650036812	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.865859985352	-	1	0.1%
1.886309981346	-	1	0.1%
1.909919977188	-	1	0.1%
1.962980031967	-	1	0.1%
1.973500013351	-	1	0.1%
2.010780096054	-	1	0.1%
2.019850015640	-	1	0.1%
2.032279968262	-	1	0.1%
2.041069984436	-	1	0.1%
2.042180061340	-	1	0.1%
2.050169944763	-	1	0.1%
2.062930107117	-	1	0.1%
2.067549943924	-	1	0.1%
2.090879917145	-	1	0.1%
2.110650062561	-	1	0.1%
2.121510028839	-	1	0.1%
2.139839887619	-	1	0.1%
2.142839908600	-	1	0.1%
2.146460056305	-	1	0.1%
2.155400037766	-	1	0.1%
2.163049936295	-	1	0.1%
2.166029930115	-	1	0.1%
2.176579952240	-	1	0.1%
2.212430000305	-	1	0.1%
2.220429897308	-	1	0.1%
2.239409923553	-	1	0.1%
2.255069971085	-	1	0.1%
2.258059978485	-	1	0.1%
2.263560056686	-	1	0.1%
2.308429956436	-	1	0.1%
2.353780031204	-	1	0.1%
2.357609987259	-	1	0.1%
2.393429994583	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 5.946150001173
- Minimum: 0.372536003590
- Maximum: 29.178100585938
- Standard Deviation: 3.953420410090

Location: 6598-6612 (width: 15; decimal: 12)

Variable Type: numeric

E61_ABS_ALPHAA4A4: E61_abs_alpha

Value	Label	Unweighted Frequency	%
0.204759001732	-	1	0.1%
0.212914004922	-	1	0.1%
0.231745004654	-	1	0.1%
0.303335994482	-	1	0.1%
0.345651000738	-	1	0.1%
0.364041000605	-	1	0.1%
0.397188007832	-	1	0.1%
0.403591990471	-	1	0.1%
0.405458003283	-	1	0.1%
0.428865998983	-	1	0.1%
0.434561997652	-	1	0.1%
0.442591995001	-	1	0.1%
0.467936009169	-	1	0.1%
0.494951009750	-	1	0.1%
0.497078001499	-	1	0.1%
0.506008028984	-	1	0.1%
0.515293002129	-	1	0.1%
0.516440987587	-	1	0.1%
0.524393975735	-	1	0.1%
0.527499973774	-	1	0.1%
0.527678012848	-	1	0.1%
0.535858988762	-	1	0.1%
0.536989986897	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.540911018848	-	1	0.1%
0.556914985180	-	1	0.1%
0.586229026318	-	1	0.1%
0.586436986923	-	1	0.1%
0.592504024506	-	1	0.1%
0.609713017941	-	1	0.1%
0.609941005707	-	1	0.1%
0.625245988369	-	1	0.1%
0.633862018585	-	1	0.1%
0.638329029083	-	1	0.1%
0.641730010509	-	1	0.1%
0.642651975155	-	1	0.1%
0.648141026497	-	1	0.1%
0.660803973675	-	1	0.1%
0.663026988506	-	1	0.1%
0.666939020157	-	1	0.1%
0.685418009758	-	1	0.1%
0.694773018360	-	1	0.1%
0.703248023987	-	1	0.1%
0.705703973770	-	1	0.1%
0.716051995754	-	1	0.1%
0.723834991455	-	1	0.1%
0.735669016838	-	1	0.1%
0.737443983555	-	1	0.1%
0.738458991051	-	1	0.1%
0.744908988476	-	1	0.1%
0.748161017895	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.393002130137
- Minimum: 0.204759001732
- Maximum: 16.883100509644
- Standard Deviation: 1.867249545057

Location: 6613-6627 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E61_ABS_BETAA4A4: E61_abs_beta

Value	Label	Unweighted Frequency	%
0.0388044007123	-	1	0.1%
0.0410378016531	-	1	0.1%
0.0442105010152	-	1	0.1%
0.0462580993772	-	1	0.1%
0.0735244005919	-	1	0.1%
0.0736311003566	-	1	0.1%
0.0789557993412	-	1	0.1%
0.0840988010168	-	1	0.1%
0.0907460972667	-	1	0.1%
0.0920415967703	-	1	0.1%
0.0937779024243	-	1	0.1%
0.0938737988472	-	1	0.1%
0.0944594964385	-	1	0.1%
0.0947865992785	-	1	0.1%
0.0991249009967	-	1	0.1%
0.1001920029521	-	1	0.1%
0.1011859998107	-	1	0.1%
0.1041759997606	-	1	0.1%
0.1052730008960	-	1	0.1%
0.1069139987230	-	1	0.1%
0.1075100004673	-	1	0.1%
0.1095189973712	-	1	0.1%
0.1097370013595	-	1	0.1%
0.1123609989882	-	1	0.1%
0.1134060025215	-	1	0.1%
0.1149640008807	-	1	0.1%
0.1192620024085	-	1	0.1%
0.1200079992414	-	1	0.1%
0.1209210008383	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1229130029678	-	1	0.1%
0.1241080015898	-	1	0.1%
0.1253409981728	-	1	0.1%
0.1254249960184	-	1	0.1%
0.1277589946985	-	1	0.1%
0.1310610026121	-	1	0.1%
0.1321800053120	-	1	0.1%
0.1361420005560	-	1	0.1%
0.1366779953241	-	1	0.1%
0.1370130032301	-	1	0.1%
0.1373720020056	-	1	0.1%
0.1386999934912	-	1	0.1%
0.1402390003204	-	1	0.1%
0.1405380070210	-	1	0.1%
0.1405619978905	-	1	0.1%
0.1408810019493	-	1	0.1%
0.1429049968719	-	1	0.1%
0.1440699994564	-	1	0.1%
0.1445260047913	-	1	0.1%
0.1448989957571	-	1	0.1%
0.1457329988480	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3105420781870
- Minimum: 0.0388044007123
- Maximum: 1.7106100320816
- Standard Deviation: 0.1769391127957

Location: 6628-6642 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E61_ABS_GAMMAA4A4: E61_abs_gamma

Value	Label	Unweighted Frequency	%
0.0105488998815	-	1	0.1%
0.0154473995790	-	1	0.1%
0.0154991997406	-	1	0.1%
0.0243283007294	-	1	0.1%
0.0247367992997	-	1	0.1%
0.0252368003130	-	1	0.1%
0.0259262006730	-	1	0.1%
0.0260243993253	-	1	0.1%
0.0266686007380	-	1	0.1%
0.0277318004519	-	1	0.1%
0.0317935012281	-	1	0.1%
0.0319911986589	-	1	0.1%
0.0320409983397	-	1	0.1%
0.0321925990283	-	1	0.1%
0.0348385982215	-	1	0.1%
0.0351916998625	-	1	0.1%
0.0354536995292	-	1	0.1%
0.0374308004975	-	1	0.1%
0.0378671996295	-	1	0.1%
0.0382567010820	-	1	0.1%
0.0386906005442	-	1	0.1%
0.0388503000140	-	1	0.1%
0.0392544008791	-	1	0.1%
0.0393349006772	-	1	0.1%
0.0403243005276	-	1	0.1%
0.0409078001976	-	1	0.1%
0.0414230003953	-	1	0.1%
0.0415851995349	-	1	0.1%
0.0416162982583	-	1	0.1%
0.0420382991433	-	1	0.1%
0.0423849001527	-	1	0.1%
0.0427151992917	-	1	0.1%
0.0427496992052	-	1	0.1%
0.0428782999516	-	1	0.1%
0.0437909998000	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0439858995378	-	1	0.1%
0.0454964004457	-	1	0.1%
0.0457261987031	-	1	0.1%
0.0457761995494	-	1	0.1%
0.0458002984524	-	1	0.1%
0.0459957011044	-	1	0.1%
0.0461245998740	-	1	0.1%
0.0462875999510	-	1	0.1%
0.0463075004518	-	1	0.1%
0.0465374998748	-	1	0.1%
0.0465380996466	-	1	0.1%
0.0470280982554	-	1	0.1%
0.0474299006164	-	1	0.1%
0.0474870987236	-	1	0.1%
0.0476543009281	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.0987626571373
- Minimum: 0.0105488998815
- Maximum: 0.7579770088196
- Standard Deviation: 0.0607877543741

Location: 6643-6657 (width: 15; decimal: 13)

Variable Type: numeric

E62_ABS_THETAA4A4: E62_abs_theta

Value	Label	Unweighted Frequency	%
0.306657999754	-	1	0.1%
0.929664015770	-	1	0.1%
1.096220016479	-	1	0.1%
1.191550016403	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.395910024643	-	1	0.1%
1.703529953957	-	1	0.1%
1.715139985085	-	1	0.1%
1.794289946556	-	1	0.1%
1.838439941406	-	1	0.1%
1.878129959106	-	1	0.1%
1.881669998169	-	1	0.1%
1.901419997215	-	1	0.1%
2.060199975967	-	1	0.1%
2.060879945755	-	1	0.1%
2.097559928894	-	1	0.1%
2.199069976807	-	1	0.1%
2.227149963379	-	1	0.1%
2.232089996338	-	1	0.1%
2.371099948883	-	1	0.1%
2.438980102539	-	1	0.1%
2.472850084305	-	1	0.1%
2.482189893723	-	1	0.1%
2.534800052643	-	1	0.1%
2.577480077744	-	1	0.1%
2.613339900970	-	1	0.1%
2.660279989243	-	1	0.1%
2.662050008774	-	1	0.1%
2.684400081635	-	1	0.1%
2.690900087357	-	1	0.1%
2.704260110855	-	1	0.1%
2.718260049820	-	1	0.1%
2.724459886551	-	1	0.1%
2.753459930420	-	1	0.1%
2.766900062561	-	1	0.1%
2.767560005188	-	1	0.1%
2.782959938049	-	1	0.1%
2.800169944763	-	1	0.1%
2.811749935150	-	1	0.1%
2.839289903641	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.839610099792	-	1	0.1%
2.839869976044	-	1	0.1%
2.916870117188	-	1	0.1%
3.056200027466	-	1	0.1%
3.061680078506	-	1	0.1%
3.080369949341	-	1	0.1%
3.080919981003	-	1	0.1%
3.095809936523	-	1	0.1%
3.145329952240	-	1	0.1%
3.149349927902	-	1	0.1%
3.168940067291	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 8.073109482602
- Minimum: 0.306657999754
- Maximum: 48.471900939941
- Standard Deviation: 5.761833397349

Location: 6658-6672 (width: 15; decimal: 12)

Variable Type: numeric

E62_ABS_ALPHAA4A4: E62_abs_alpha

Value	Label	Unweighted Frequency	%
0.136407002807	-	1	0.1%
0.267360985279	-	1	0.1%
0.369026005268	-	1	0.1%
0.400844007730	-	1	0.1%
0.410923004150	-	1	0.1%
0.429623007774	-	1	0.1%
0.439254999161	-	1	0.1%
0.473883002996	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.486633002758	-	1	0.1%
0.519904017448	-	1	0.1%
0.526930987835	-	1	0.1%
0.545526981354	-	1	0.1%
0.565100014210	-	1	0.1%
0.570694983006	-	1	0.1%
0.584499001503	-	1	0.1%
0.597890973091	-	1	0.1%
0.599961996078	-	1	0.1%
0.602163970470	-	1	0.1%
0.624230980873	-	1	0.1%
0.636211991310	-	1	0.1%
0.636726021767	-	1	0.1%
0.650727987289	-	1	0.1%
0.664812028408	-	1	0.1%
0.678550004959	-	1	0.1%
0.683506011963	-	1	0.1%
0.740320026875	-	1	0.1%
0.744037985802	-	1	0.1%
0.761264026165	-	1	0.1%
0.778478980064	-	1	0.1%
0.787842988968	-	1	0.1%
0.795063018799	-	1	0.1%
0.806289970875	-	1	0.1%
0.813304007053	-	1	0.1%
0.822519004345	-	1	0.1%
0.830141007900	-	1	0.1%
0.835889995098	-	1	0.1%
0.847052991390	-	1	0.1%
0.849992990494	-	1	0.1%
0.863479018211	-	1	0.1%
0.867087006569	-	1	0.1%
0.869224011898	-	1	0.1%
0.885487020016	-	1	0.1%
0.891915023327	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.896292984486	-	1	0.1%
0.906049013138	-	1	0.1%
0.908784985542	-	1	0.1%
0.908954977989	-	1	0.1%
0.909623026848	-	1	0.1%
0.911019027233	-	1	0.1%
0.911430001259	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.877521672923
- Minimum: 0.136407002807
- Maximum: 25.095500946045
- Standard Deviation: 2.212669523545

Location: 6673-6687 (width: 15; decimal: 12)

Variable Type: numeric

E62_ABS_BETAA4A4: E62_abs_beta

Value	Label	Unweighted Frequency	%
0.0214763004333	-	1	0.1%
0.0536764003336	-	1	0.1%
0.0679273977876	-	1	0.1%
0.0744408965111	-	1	0.1%
0.0767820999026	-	1	0.1%
0.0944780036807	-	1	0.1%
0.0992667973042	-	1	0.1%
0.1055079996586	-	1	0.1%
0.1058169975877	-	1	0.1%
0.1075399965048	-	1	0.1%
0.1083040013909	-	1	0.1%
0.1087839975953	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1138560026884	-	1	0.1%
0.1173639968038	-	1	0.1%
0.1211759969592	-	1	0.1%
0.1260289996862	-	1	0.1%
0.1276150047779	-	1	0.1%
0.1286119967699	-	1	0.1%
0.1304039955139	-	1	0.1%
0.1308649927378	-	1	0.1%
0.1323689967394	-	1	0.1%
0.1333509981632	-	1	0.1%
0.1345340013504	-	1	0.1%
0.1371549963951	-	1	0.1%
0.1385129988194	-	1	0.1%
0.1399379968643	-	1	0.1%
0.1407089978456	-	1	0.1%
0.1415230035782	-	1	0.1%
0.1432130038738	-	1	0.1%
0.1492139995098	-	1	0.1%
0.1502030044794	-	1	0.1%
0.1532099992037	-	1	0.1%
0.1544329971075	-	1	0.1%
0.1546490043402	-	1	0.1%
0.1550049930811	-	1	0.1%
0.1555899977684	-	1	0.1%
0.1575320065022	-	1	0.1%
0.1578360050917	-	1	0.1%
0.1585929989815	-	1	0.1%
0.1593919992447	-	1	0.1%
0.1596309989691	-	1	0.1%
0.1601590067148	-	1	0.1%
0.1637600064278	-	1	0.1%
0.1669919937849	-	1	0.1%
0.1682530045509	-	1	0.1%
0.1684069931507	-	1	0.1%
0.1687670052052	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1691910028458	-	1	0.1%
0.1721329987049	-	1	0.1%
0.1730200052261	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3872424924700
- Minimum: 0.0214763004333
- Maximum: 3.2014501094818
- Standard Deviation: 0.2722011533736

Location: 6688-6702 (width: 15; decimal: 13)

Variable Type: numeric

E62_ABS_GAMMAA4A4: E62_abs_gamma

Value	Label	Unweighted Frequency	%
0.0075893998146	-	1	0.1%
0.0213003996760	-	1	0.1%
0.0228493995965	-	1	0.1%
0.0246748998761	-	1	0.1%
0.0297871008515	-	1	0.1%
0.0311232991517	-	1	0.1%
0.0313619002700	-	1	0.1%
0.0318213999271	-	1	0.1%
0.0341250002384	-	1	0.1%
0.0341600999236	-	1	0.1%
0.0341753996909	-	1	0.1%
0.0354475006461	-	1	0.1%
0.0354584008455	-	1	0.1%
0.0360230989754	-	1	0.1%
0.0393567010760	-	1	0.1%
0.0409142002463	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0417071990669	-	1	0.1%
0.0419006012380	-	1	0.1%
0.0419309996068	-	1	0.1%
0.0431405007839	-	1	0.1%
0.0433516986668	-	1	0.1%
0.0433594994247	-	1	0.1%
0.0436083003879	-	1	0.1%
0.0440873987973	-	1	0.1%
0.0440877005458	-	1	0.1%
0.0441609993577	-	1	0.1%
0.0442414991558	-	1	0.1%
0.0444536991417	-	1	0.1%
0.0449716001749	-	1	0.1%
0.0456147007644	-	1	0.1%
0.0457241013646	-	1	0.1%
0.0460961982608	-	1	0.1%
0.0462495014071	-	1	0.1%
0.0463303998113	-	1	0.1%
0.0464304015040	-	1	0.1%
0.0465003997087	-	1	0.1%
0.0481118001044	-	1	0.1%
0.0494621992111	-	1	0.1%
0.0498649999499	-	1	0.1%
0.0504381991923	-	1	0.1%
0.0508532002568	-	1	0.1%
0.0510443001986	-	1	0.1%
0.0517373010516	-	1	0.1%
0.0522028990090	-	1	0.1%
0.0522161014378	-	1	0.1%
0.0528016015887	-	1	0.1%
0.0531082004309	-	1	0.1%
0.0539970993996	-	1	0.1%
0.0542222000659	-	1	0.1%
0.0543925017118	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.1141318943692
- Minimum: 0.0075893998146
- Maximum: 1.2435699701309
- Standard Deviation: 0.0920953040595

Location: 6703-6717 (width: 15; decimal: 13)

Variable Type: numeric

E64_ABS_THETAA4A4: E64_abs_theta

Value	Label	Unweighted Frequency	%
0.733865022659	-	1	0.1%
1.087309956551	-	1	0.1%
1.335819959641	-	1	0.1%
1.464900016785	-	1	0.1%
1.729419946671	-	1	0.1%
1.762989997864	-	1	0.1%
1.769490003586	-	1	0.1%
1.850399971008	-	1	0.1%
1.867969989777	-	1	0.1%
1.883100032806	-	1	0.1%
1.891610026360	-	1	0.1%
1.916669964790	-	1	0.1%
1.937809944153	-	1	0.1%
1.955330014229	-	1	0.1%
2.057450056076	-	1	0.1%
2.083640098572	-	1	0.1%
2.130039930344	-	1	0.1%
2.138580083847	-	1	0.1%
2.144680023193	-	1	0.1%
2.197469949722	-	1	0.1%
2.230410099030	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.260380029678	-	1	0.1%
2.288180112839	-	1	0.1%
2.294209957123	-	1	0.1%
2.329619884491	-	1	0.1%
2.336410045624	-	1	0.1%
2.341550111771	-	1	0.1%
2.370879888535	-	1	0.1%
2.399049997330	-	1	0.1%
2.406110048294	-	1	0.1%
2.421260118484	-	1	0.1%
2.427409887314	-	1	0.1%
2.448220014572	-	1	0.1%
2.515589952469	-	1	0.1%
2.550790071487	-	1	0.1%
2.577049970627	-	1	0.1%
2.610450029373	-	1	0.1%
2.646209955215	-	1	0.1%
2.650870084763	-	1	0.1%
2.704799890518	-	1	0.1%
2.714060068130	-	1	0.1%
2.720679998398	-	1	0.1%
2.722579956055	-	1	0.1%
2.750790119171	-	1	0.1%
2.763600111008	-	1	0.1%
2.786880016327	-	1	0.1%
2.796489953995	-	1	0.1%
2.809149980545	-	1	0.1%
2.821490049362	-	1	0.1%
2.829109907150	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 6.914796608520
- Minimum: 0.733865022659
- Maximum: 22.390100479126
- Standard Deviation: 3.404251899492

Location: 6718-6732 (width: 15; decimal: 12)

Variable Type: numeric

E64_ABS_ALPHAA4A4: E64_abs_alpha

Value	Label	Unweighted Frequency	%
0.283612012863	-	1	0.1%
0.297145992517	-	1	0.1%
0.379601001740	-	1	0.1%
0.383100986481	-	1	0.1%
0.466019988060	-	1	0.1%
0.473331987858	-	1	0.1%
0.478361994028	-	1	0.1%
0.501178979874	-	1	0.1%
0.528903007507	-	1	0.1%
0.534231007099	-	1	0.1%
0.541676998138	-	1	0.1%
0.559320986271	-	1	0.1%
0.572353005409	-	1	0.1%
0.576802015305	-	1	0.1%
0.593110024929	-	1	0.1%
0.594308972359	-	1	0.1%
0.597639977932	-	1	0.1%
0.629795014858	-	1	0.1%
0.673480987549	-	1	0.1%
0.675130009651	-	1	0.1%
0.687462985516	-	1	0.1%
0.694926023483	-	1	0.1%
0.702848970890	-	1	0.1%
0.707212984562	-	1	0.1%
0.727900028229	-	1	0.1%
0.733128011227	-	1	0.1%
0.738644003868	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.761965990067	-	1	0.1%
0.765648007393	-	1	0.1%
0.779012978077	-	1	0.1%
0.782445013523	-	1	0.1%
0.818198025227	-	1	0.1%
0.819016993046	-	1	0.1%
0.829038023949	-	1	0.1%
0.829070985317	-	1	0.1%
0.834428012371	-	1	0.1%
0.843765974045	-	1	0.1%
0.847837984562	-	1	0.1%
0.856360971928	-	1	0.1%
0.859880983829	-	1	0.1%
0.862206995487	-	1	0.1%
0.863561987877	-	1	0.1%
0.876816987991	-	1	0.1%
0.877649009228	-	1	0.1%
0.880945980549	-	1	0.1%
0.891066014767	-	1	0.1%
0.891655981541	-	1	0.1%
0.893036007881	-	1	0.1%
0.894959986210	-	1	0.1%
0.898321986198	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.519988381918
- Minimum: 0.283612012863
- Maximum: 13.069499969482
- Standard Deviation: 1.527710313582

Location: 6733-6747 (width: 15; decimal: 12)

Variable Type: numeric

E64_ABS_BETAA4A4: E64_abs_beta

Value	Label	Unweighted Frequency	%
0.0564853996038	-	1	0.1%
0.0828050002456	-	1	0.1%
0.0906635969877	-	1	0.1%
0.0953869000077	-	1	0.1%
0.0958779007196	-	1	0.1%
0.0959668010473	-	1	0.1%
0.1095860004425	-	1	0.1%
0.1114370003343	-	1	0.1%
0.1267939954996	-	1	0.1%
0.1311099976301	-	1	0.1%
0.1336340010166	-	1	0.1%
0.1339579969645	-	1	0.1%
0.1369139999151	-	1	0.1%
0.1386409997940	-	1	0.1%
0.1492819935083	-	1	0.1%
0.1589639931917	-	1	0.1%
0.1591790020466	-	1	0.1%
0.1644839942455	-	1	0.1%
0.1645430028439	-	1	0.1%
0.1660670042038	-	1	0.1%
0.1728779971600	-	1	0.1%
0.1743450015783	-	1	0.1%
0.1776680052280	-	1	0.1%
0.1795710027218	-	1	0.1%
0.1849659979343	-	1	0.1%
0.1868049949408	-	1	0.1%
0.1909690052271	-	1	0.1%
0.1927389949560	-	1	0.1%
0.1957200020552	-	1	0.1%
0.2054679989815	-	1	0.1%
0.2055449932814	-	1	0.1%
0.2096890062094	-	1	0.1%
0.2106879949570	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.2179380059242	-	1	0.1%
0.2197639942169	-	1	0.1%
0.2248049974442	-	1	0.1%
0.2266609966755	-	1	0.1%
0.2285249978304	-	1	0.1%
0.2292889952660	-	1	0.1%
0.2296629995108	-	1	0.1%
0.2302780002356	-	1	0.1%
0.2417059987783	-	1	0.1%
0.2494519948959	-	1	0.1%
0.2495560050011	-	1	0.1%
0.2497289925814	-	1	0.1%
0.2500939965248	-	1	0.1%
0.2503510117531	-	1	0.1%
0.2551470100880	-	1	0.1%
0.2582490146160	-	1	0.1%
0.2588169872761	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.8357022725876
- Minimum: 0.0564853996038
- Maximum: 5.3563499450684
- Standard Deviation: 0.7451942757537

Location: 6748-6762 (width: 15; decimal: 13)

Variable Type: numeric

E64_ABS_GAMMAA4A4: E64_abs_gamma

Value	Label	Unweighted Frequency	%
0.0199056994170	-	1	0.1%
0.0259111002088	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0315707996488	-	1	0.1%
0.0386767983437	-	1	0.1%
0.0437711998820	-	1	0.1%
0.0453246012330	-	1	0.1%
0.0476380996406	-	1	0.1%
0.0492677018046	-	1	0.1%
0.0511945001781	-	1	0.1%
0.0526355989277	-	1	0.1%
0.0536022000015	-	1	0.1%
0.0574746988714	-	1	0.1%
0.0625137984753	-	1	0.1%
0.0625618994236	-	1	0.1%
0.0644532963634	-	1	0.1%
0.0645878985524	-	1	0.1%
0.0651246979833	-	1	0.1%
0.0651369988918	-	1	0.1%
0.0658544003963	-	1	0.1%
0.0659800991416	-	1	0.1%
0.0697975978255	-	1	0.1%
0.0699547976255	-	1	0.1%
0.0700993984938	-	1	0.1%
0.0704208016396	-	1	0.1%
0.0765091031790	-	1	0.1%
0.0794162973762	-	1	0.1%
0.0838233977556	-	1	0.1%
0.0843269973993	-	1	0.1%
0.0855097025633	-	1	0.1%
0.0857222005725	-	1	0.1%
0.0874762013555	-	1	0.1%
0.0894469991326	-	1	0.1%
0.0897156968713	-	1	0.1%
0.0897931009531	-	1	0.1%
0.0914840996265	-	1	0.1%
0.0915959998965	-	1	0.1%
0.0923369973898	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0924753025174	-	1	0.1%
0.0929348021746	-	1	0.1%
0.0931709036231	-	1	0.1%
0.0934700965881	-	1	0.1%
0.0969092026353	-	1	0.1%
0.0974602028728	-	1	0.1%
0.0978749990463	-	1	0.1%
0.0979465991259	-	1	0.1%
0.0985559001565	-	1	0.1%
0.0998954027891	-	1	0.1%
0.1003499999642	-	1	0.1%
0.1007390022278	-	1	0.1%
0.1007490009069	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5471861042319
- Minimum: 0.0199056994170
- Maximum: 6.4379701614380
- Standard Deviation: 0.6602425581967

Location: 6763-6777 (width: 15; decimal: 13)

Variable Type: numeric

E65_ABS_THETAA4A4: E65_abs_theta

Value	Label	Unweighted Frequency	%
0.465815991163	-	1	0.1%
1.207000017166	-	1	0.1%
1.223019957542	-	1	0.1%
1.224709987640	-	1	0.1%
1.389389991760	-	1	0.1%
1.400789976120	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.433410048485	-	1	0.1%
1.485249996185	-	1	0.1%
1.623790025711	-	1	0.1%
1.637920022011	-	1	0.1%
1.661659955978	-	1	0.1%
1.714480042458	-	1	0.1%
1.837069988251	-	1	0.1%
1.853139996529	-	1	0.1%
1.857839941978	-	1	0.1%
1.898380041122	-	1	0.1%
2.019000053406	-	1	0.1%
2.071810007095	-	1	0.1%
2.102329969406	-	1	0.1%
2.124310016632	-	1	0.1%
2.184489965439	-	1	0.1%
2.231270074844	-	1	0.1%
2.255340099335	-	1	0.1%
2.258229970932	-	1	0.1%
2.324970006943	-	1	0.1%
2.360939979553	-	1	0.1%
2.366139888763	-	1	0.1%
2.397370100021	-	1	0.1%
2.428450107574	-	1	0.1%
2.441479921341	-	1	0.1%
2.446490049362	-	1	0.1%
2.474859952927	-	1	0.1%
2.481600046158	-	1	0.1%
2.606070041656	-	1	0.1%
2.610120058060	-	1	0.1%
2.623490095139	-	1	0.1%
2.656939983368	-	1	0.1%
2.668020009995	-	1	0.1%
2.714780092239	-	1	0.1%
2.732000112534	-	1	0.1%
2.734400033951	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.758949995041	-	1	0.1%
2.766760110855	-	1	0.1%
2.807450056076	-	1	0.1%
2.835190057755	-	1	0.1%
2.843499898911	-	1	0.1%
2.885329961777	-	1	0.1%
2.887729883194	-	1	0.1%
2.889600038528	-	1	0.1%
2.901149988174	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 7.784777467050
- Minimum: 0.465815991163
- Maximum: 35.000999450684
- Standard Deviation: 4.370068414291

Location: 6778-6792 (width: 15; decimal: 12)

Variable Type: numeric

E65_ABS_ALPHA4A4: E65_abs_alpha

Value	Label	Unweighted Frequency	%
0.221762999892	-	1	0.1%
0.258089989424	-	1	0.1%
0.286159992218	-	1	0.1%
0.310398012400	-	1	0.1%
0.362253010273	-	1	0.1%
0.372922986746	-	1	0.1%
0.415740013123	-	1	0.1%
0.440151005983	-	1	0.1%
0.469610005617	-	1	0.1%
0.521373987198	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.545491993427	-	1	0.1%
0.554143011570	-	1	0.1%
0.574671983719	-	1	0.1%
0.605512976646	-	1	0.1%
0.640300989151	-	1	0.1%
0.655534982681	-	1	0.1%
0.660444974899	-	1	0.1%
0.661307990551	-	1	0.1%
0.665964007378	-	1	0.1%
0.675657987595	-	1	0.1%
0.705601990223	-	1	0.1%
0.723078012466	-	1	0.1%
0.742277979851	-	1	0.1%
0.758602976799	-	1	0.1%
0.761803984642	-	1	0.1%
0.762175977230	-	1	0.1%
0.781839013100	-	1	0.1%
0.788659989834	-	1	0.1%
0.793016016483	-	1	0.1%
0.794543027878	-	1	0.1%
0.806378006935	-	1	0.1%
0.830793976784	-	1	0.1%
0.854180991650	-	1	0.1%
0.856707990170	-	1	0.1%
0.857007026672	-	1	0.1%
0.857648015022	-	1	0.1%
0.868430972099	-	1	0.1%
0.877986013889	-	1	0.1%
0.896583020687	-	1	0.1%
0.898796975613	-	1	0.1%
0.903196990490	-	1	0.1%
0.912891983986	-	1	0.1%
0.928223013878	-	1	0.1%
0.942192971706	-	1	0.1%
0.946861028671	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.960694015026	-	1	0.1%
0.965408027172	-	1	0.1%
0.967577993870	-	1	0.1%
0.972303986549	-	1	0.1%
0.987778007984	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 3.149996594494
- Minimum: 0.221762999892
- Maximum: 15.031900405884
- Standard Deviation: 2.041284510949

Location: 6793-6807 (width: 15; decimal: 12)

Variable Type: numeric

E65_ABS_BETAA4A4: E65_abs_beta

Value	Label	Unweighted Frequency	%
0.0387720018625	-	1	0.1%
0.0504103004932	-	1	0.1%
0.0612863004208	-	1	0.1%
0.0817101970315	-	1	0.1%
0.0841270014644	-	1	0.1%
0.0869527012110	-	1	0.1%
0.0964839980006	-	1	0.1%
0.1009029969573	-	1	0.1%
0.1079699993134	-	1	0.1%
0.1166609972715	-	1	0.1%
0.1171249970794	-	1	0.1%
0.1222570016980	-	1	0.1%
0.1257490068674	-	1	0.1%
0.1321659982204	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1487929970026	-	1	0.1%
0.1508059948683	-	1	0.1%
0.1524689942598	-	1	0.1%
0.1580239981413	-	1	0.1%
0.1602790057659	-	1	0.1%
0.1625899970531	-	1	0.1%
0.1667910069227	-	1	0.1%
0.1688279956579	-	1	0.1%
0.1761510074139	-	1	0.1%
0.1786500066519	-	1	0.1%
0.1804089993238	-	1	0.1%
0.1856690049171	-	1	0.1%
0.1861979961395	-	1	0.1%
0.1891269981861	-	1	0.1%
0.1891379952431	-	1	0.1%
0.1903109997511	-	1	0.1%
0.2095469981432	-	1	0.1%
0.2108619958162	-	1	0.1%
0.2136970013380	-	1	0.1%
0.2150789946318	-	1	0.1%
0.2155569940805	-	1	0.1%
0.2159339934587	-	1	0.1%
0.2167609930038	-	1	0.1%
0.2212110012770	-	1	0.1%
0.2222020030022	-	1	0.1%
0.2225169986486	-	1	0.1%
0.2239380031824	-	1	0.1%
0.2254109978676	-	1	0.1%
0.2255730032921	-	1	0.1%
0.2257989943027	-	1	0.1%
0.2286210060120	-	1	0.1%
0.2326470017433	-	1	0.1%
0.2421019971371	-	1	0.1%
0.2422620058060	-	1	0.1%
0.2486039996147	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.2492209970951	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.8951333852329
- Minimum: 0.0387720018625
- Maximum: 7.6231298446655
- Standard Deviation: 0.8429084846200

Location: 6808-6822 (width: 15; decimal: 13)

Variable Type: numeric

E65_ABS_GAMMAA4A4: E65_abs_gamma

Value	Label	Unweighted Frequency	%
0.0130845000967	-	1	0.1%
0.0218671001494	-	1	0.1%
0.0253985002637	-	1	0.1%
0.0262548997998	-	1	0.1%
0.0318081006408	-	1	0.1%
0.0430120006204	-	1	0.1%
0.0436711981893	-	1	0.1%
0.0469469018281	-	1	0.1%
0.0479022003710	-	1	0.1%
0.0492193996906	-	1	0.1%
0.0508854985237	-	1	0.1%
0.0508928000927	-	1	0.1%
0.0513924993575	-	1	0.1%
0.0523819997907	-	1	0.1%
0.0545555986464	-	1	0.1%
0.0559412986040	-	1	0.1%
0.0569874010980	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0604753009975	-	1	0.1%
0.0624607987702	-	1	0.1%
0.0625673010945	-	1	0.1%
0.0652244016528	-	1	0.1%
0.0657609999180	-	1	0.1%
0.0676523968577	-	1	0.1%
0.0684563964605	-	1	0.1%
0.0703160017729	-	1	0.1%
0.0708021000028	-	1	0.1%
0.0710942000151	-	1	0.1%
0.0722068026662	-	1	0.1%
0.0751120001078	-	1	0.1%
0.0755945965648	-	1	0.1%
0.0760174989700	-	1	0.1%
0.0774855017662	-	1	0.1%
0.0776401981711	-	1	0.1%
0.0786994993687	-	1	0.1%
0.0792412981391	-	1	0.1%
0.0800803974271	-	1	0.1%
0.0815303996205	-	1	0.1%
0.0831303000450	-	1	0.1%
0.0850445032120	-	1	0.1%
0.0852416008711	-	1	0.1%
0.0879724994302	-	1	0.1%
0.0887869000435	-	1	0.1%
0.0928943976760	-	1	0.1%
0.0930961966515	-	1	0.1%
0.0933528989553	-	1	0.1%
0.0939833000302	-	1	0.1%
0.0940278023481	-	1	0.1%
0.0940361991525	-	1	0.1%
0.0947496965528	-	1	0.1%
0.0952904000878	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5479829751356
- Minimum: 0.0130845000967
- Maximum: 5.5624198913574
- Standard Deviation: 0.7310429133115

Location: 6823-6837 (width: 15; decimal: 13)

Variable Type: numeric

E66_ABS_THETAA4A4: E66_abs_theta

Value	Label	Unweighted Frequency	%
0.562123000622	-	1	0.1%
0.884326994419	-	1	0.1%
1.230900049210	-	1	0.1%
1.435670018196	-	1	0.1%
1.458529949188	-	1	0.1%
1.471909999847	-	1	0.1%
1.491189956665	-	1	0.1%
1.492329955101	-	1	0.1%
1.538120031357	-	1	0.1%
1.618139982224	-	1	0.1%
1.719069957733	-	1	0.1%
1.760339975357	-	1	0.1%
1.763929963112	-	1	0.1%
1.783869981766	-	1	0.1%
1.810649991035	-	1	0.1%
1.913579940796	-	1	0.1%
1.944759964943	-	1	0.1%
1.954749941826	-	1	0.1%
1.990229964256	-	1	0.1%
2.051909923553	-	1	0.1%
2.058840036392	-	1	0.1%
2.094170093536	-	1	0.1%
2.201999902725	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.206170082092	-	1	0.1%
2.224720001221	-	1	0.1%
2.249190092087	-	1	0.1%
2.311000108719	-	1	0.1%
2.346780061722	-	1	0.1%
2.369970083237	-	1	0.1%
2.375240087509	-	1	0.1%
2.382270097733	-	1	0.1%
2.414649963379	-	1	0.1%
2.445970058441	-	1	0.1%
2.535459995270	-	1	0.1%
2.574719905853	-	1	0.1%
2.595720052719	-	1	0.1%
2.639930009842	-	1	0.1%
2.649689912796	-	1	0.1%
2.679820060730	-	1	0.1%
2.739320039749	-	1	0.1%
2.753210067749	-	1	0.1%
2.766299962997	-	1	0.1%
2.778569936752	-	1	0.1%
2.799760103226	-	1	0.1%
2.805030107498	-	1	0.1%
2.809720039368	-	1	0.1%
2.820470094681	-	1	0.1%
2.839030027390	-	1	0.1%
2.840749979019	-	1	0.1%
2.844680070877	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 7.264000639273
- Minimum: 0.562123000622
- Maximum: 28.000900268555
- Standard Deviation: 3.946746419567

Location: 6838-6852 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E66_ABS_ALPHA4A4: E66_abs_alpha

Value	Label	Unweighted Frequency	%
0.256709992886	-	1	0.1%
0.289792001247	-	1	0.1%
0.323372006416	-	1	0.1%
0.364214003086	-	1	0.1%
0.385491013527	-	1	0.1%
0.399435997009	-	1	0.1%
0.431955009699	-	1	0.1%
0.460750013590	-	1	0.1%
0.463768988848	-	1	0.1%
0.485202997923	-	1	0.1%
0.507734000683	-	1	0.1%
0.511825978756	-	1	0.1%
0.512409985065	-	1	0.1%
0.525412976742	-	1	0.1%
0.565189003944	-	1	0.1%
0.572857022285	-	1	0.1%
0.617008984089	-	1	0.1%
0.626724004745	-	1	0.1%
0.642365992069	-	1	0.1%
0.655166983604	-	1	0.1%
0.659245014191	-	1	0.1%
0.679760992527	-	1	0.1%
0.693717002869	-	1	0.1%
0.711723983288	-	1	0.1%
0.717270016670	-	1	0.1%
0.728483021259	-	1	0.1%
0.747098028660	-	1	0.1%
0.752075016499	-	1	0.1%
0.768877983093	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.769595026970	-	1	0.1%
0.776903986931	-	1	0.1%
0.779771983624	-	1	0.1%
0.785597980022	-	1	0.1%
0.792541027069	-	1	0.1%
0.805175006390	-	1	0.1%
0.816991984844	-	1	0.1%
0.825125992298	-	1	0.1%
0.831996023655	-	1	0.1%
0.832412004471	-	1	0.1%
0.836113989353	-	1	0.1%
0.838127970695	-	1	0.1%
0.850138008595	-	1	0.1%
0.851381003857	-	1	0.1%
0.852101981640	-	1	0.1%
0.865755021572	-	1	0.1%
0.870415985584	-	1	0.1%
0.875378012657	-	1	0.1%
0.883517026901	-	1	0.1%
0.908886015415	-	1	0.1%
0.909394025803	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.896143758168
- Minimum: 0.256709992886
- Maximum: 15.525300025940
- Standard Deviation: 2.029227407867

Location: 6853-6867 (width: 15; decimal: 12)

Variable Type: numeric

E66_ABS_BETAA4A4: E66_abs_beta

Value	Label	Unweighted Frequency	%
0.0485382005572	-	1	0.1%
0.0622983984649	-	1	0.1%
0.0641087964177	-	1	0.1%
0.0724847987294	-	1	0.1%
0.0809822976589	-	1	0.1%
0.0813075974584	-	1	0.1%
0.0902741998434	-	1	0.1%
0.0920381024480	-	1	0.1%
0.0993001013994	-	1	0.1%
0.0998506024480	-	1	0.1%
0.1168679967523	-	1	0.1%
0.1176450029016	-	1	0.1%
0.1207699999213	-	1	0.1%
0.1212209984660	-	1	0.1%
0.1271219998598	-	1	0.1%
0.1289799958467	-	1	0.1%
0.1312949955463	-	1	0.1%
0.1363459974527	-	1	0.1%
0.1412850022316	-	1	0.1%
0.1431230008602	-	1	0.1%
0.1458700001240	-	1	0.1%
0.1519419997931	-	1	0.1%
0.1534609943628	-	1	0.1%
0.1548500061035	-	1	0.1%
0.1551190018654	-	1	0.1%
0.1552290022373	-	1	0.1%
0.1579390019178	-	1	0.1%
0.1608429998159	-	1	0.1%
0.1618880033493	-	1	0.1%
0.1630509942770	-	1	0.1%
0.1647820025682	-	1	0.1%
0.1676550060511	-	1	0.1%
0.1807579994202	-	1	0.1%
0.1813050061464	-	1	0.1%
0.1834110021591	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1837449967861	-	1	0.1%
0.1895850002766	-	1	0.1%
0.1904869973660	-	1	0.1%
0.1907449960709	-	1	0.1%
0.1922789961100	-	1	0.1%
0.1925009936094	-	1	0.1%
0.1926150023937	-	1	0.1%
0.1953350007534	-	1	0.1%
0.1967339962721	-	1	0.1%
0.1983370035887	-	1	0.1%
0.1989170014858	-	1	0.1%
0.1999309957027	-	1	0.1%
0.2021780014038	-	1	0.1%
0.2046400010586	-	1	0.1%
0.2049849927425	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5583711789846
- Minimum: 0.0485382005572
- Maximum: 4.3826398849487
- Standard Deviation: 0.4017168025507

Location: 6868-6882 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E66_ABS_GAMMAA4A4: E66_abs_gamma

Value	Label	Unweighted Frequency	%
0.0152117004618	-	1	0.1%
0.0249231997877	-	1	0.1%
0.0265171993524	-	1	0.1%
0.0277263000607	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0287190005183	-	1	0.1%
0.0324411988258	-	1	0.1%
0.0366446003318	-	1	0.1%
0.0380640998483	-	1	0.1%
0.0387061014771	-	1	0.1%
0.0388486981392	-	1	0.1%
0.0392311997712	-	1	0.1%
0.0440992005169	-	1	0.1%
0.0443300008774	-	1	0.1%
0.0484012998641	-	1	0.1%
0.0491533987224	-	1	0.1%
0.0497028008103	-	1	0.1%
0.0497867986560	-	1	0.1%
0.0500204004347	-	1	0.1%
0.0503796003759	-	1	0.1%
0.0509978011250	-	1	0.1%
0.0525493994355	-	1	0.1%
0.0526505000889	-	1	0.1%
0.0530424006283	-	1	0.1%
0.0530702993274	-	1	0.1%
0.0542989000678	-	1	0.1%
0.0561828985810	-	1	0.1%
0.0580818988383	-	1	0.1%
0.0600593984127	-	1	0.1%
0.0608459003270	-	1	0.1%
0.0609089992940	-	1	0.1%
0.0610660016537	-	1	0.1%
0.0613567009568	-	1	0.1%
0.0613790005445	-	1	0.1%
0.0615190006793	-	1	0.1%
0.0634185969830	-	1	0.1%
0.0644057989120	-	1	0.1%
0.0653615966439	-	1	0.1%
0.0659414008260	-	1	0.1%
0.0673096999526	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0681380033493	-	1	0.1%
0.0681431964040	-	1	0.1%
0.0681705027819	-	1	0.1%
0.0697819963098	-	1	0.1%
0.0707672983408	-	1	0.1%
0.0714012011886	-	1	0.1%
0.0714425966144	-	1	0.1%
0.0720511972904	-	1	0.1%
0.0721492990851	-	1	0.1%
0.0724304020405	-	1	0.1%
0.0726061016321	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2311206869363
- Minimum: 0.0152117004618
- Maximum: 3.6433598995209
- Standard Deviation: 0.2775867324244

Location: 6883-6897 (width: 15; decimal: 13)

Variable Type: numeric

[E67_ABS_THETAA4A4: E67_abs_theta](#)

Value	Label	Unweighted Frequency	%
0.339192986488	-	1	0.1%
0.672828972340	-	1	0.1%
0.959394991398	-	1	0.1%
1.149320006371	-	1	0.1%
1.431920051575	-	1	0.1%
1.592849969864	-	1	0.1%
1.680459976196	-	1	0.1%
1.704900026321	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.711949944496	-	1	0.1%
1.865630030632	-	1	0.1%
1.873690009117	-	1	0.1%
1.972749948502	-	1	0.1%
2.039160013199	-	1	0.1%
2.047630071640	-	1	0.1%
2.060580015182	-	1	0.1%
2.122940063477	-	1	0.1%
2.141220092773	-	1	0.1%
2.145109891891	-	1	0.1%
2.147969961166	-	1	0.1%
2.306380033493	-	1	0.1%
2.319910049438	-	1	0.1%
2.344520092010	-	1	0.1%
2.369560003281	-	1	0.1%
2.407330036163	-	1	0.1%
2.451829910278	-	1	0.1%
2.463799953461	-	1	0.1%
2.514159917831	-	1	0.1%
2.546099901199	-	1	0.1%
2.558000087738	-	1	0.1%
2.572489976883	-	1	0.1%
2.583849906921	-	1	0.1%
2.608550071716	-	1	0.1%
2.610290050507	-	1	0.1%
2.663340091705	-	1	0.1%
2.666359901428	-	1	0.1%
2.668129920959	-	1	0.1%
2.694089889526	-	1	0.1%
2.740789890289	-	1	0.1%
2.766410112381	-	1	0.1%
2.793709993362	-	1	0.1%
2.818330049515	-	1	0.1%
2.818840026855	-	1	0.1%
2.867690086365	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.874560117722	-	1	0.1%
2.911479949951	-	1	0.1%
2.919280052185	-	1	0.1%
2.930340051651	-	1	0.1%
2.951740026474	-	1	0.1%
2.969739913940	-	1	0.1%
2.998409986496	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 7.038061904833
- Minimum: 0.339192986488
- Maximum: 35.069198608398
- Standard Deviation: 4.202230561632

Location: 6898-6912 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E67_ABS_ALPHAA4A4: E67_abs_alpha

Value	Label	Unweighted Frequency	%
0.189833000302	-	1	0.1%
0.257183998823	-	1	0.1%
0.302076011896	-	1	0.1%
0.310167014599	-	1	0.1%
0.346697002649	-	1	0.1%
0.389685988426	-	1	0.1%
0.429051995277	-	1	0.1%
0.458573013544	-	1	0.1%
0.461971014738	-	1	0.1%
0.472185999155	-	1	0.1%
0.481561005116	-	1	0.1%
0.523819983006	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.542793989182	-	1	0.1%
0.551081001759	-	1	0.1%
0.571051001549	-	1	0.1%
0.599990010262	-	1	0.1%
0.618044018745	-	1	0.1%
0.625753998756	-	1	0.1%
0.636560976505	-	1	0.1%
0.637561023235	-	1	0.1%
0.659753024578	-	1	0.1%
0.669580996037	-	1	0.1%
0.672689974308	-	1	0.1%
0.695369005203	-	1	0.1%
0.704360008240	-	1	0.1%
0.716895997524	-	1	0.1%
0.758831977844	-	1	0.1%
0.763698995113	-	1	0.1%
0.765497028828	-	1	0.1%
0.767926990986	-	1	0.1%
0.768217980862	-	1	0.1%
0.777552008629	-	1	0.1%
0.780128002167	-	1	0.1%
0.790053009987	-	1	0.1%
0.790736019611	-	1	0.1%
0.791956007481	-	1	0.1%
0.792707026005	-	1	0.1%
0.811941981316	-	1	0.1%
0.816390991211	-	1	0.1%
0.816770017147	-	1	0.1%
0.828225970268	-	1	0.1%
0.833234012127	-	1	0.1%
0.838751018047	-	1	0.1%
0.842868983746	-	1	0.1%
0.850796997547	-	1	0.1%
0.861585021019	-	1	0.1%
0.876555025578	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.876877009869	-	1	0.1%
0.883049011230	-	1	0.1%
0.885087013245	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.688296581316
- Minimum: 0.189833000302
- Maximum: 17.677600860596
- Standard Deviation: 1.957086373376

Location: 6913-6927 (width: 15; decimal: 12)

Variable Type: numeric

E67_ABS_BETAA4A4: E67_abs_beta

Value	Label	Unweighted Frequency	%
0.0282097999007	-	1	0.1%
0.0521064996719	-	1	0.1%
0.0529224984348	-	1	0.1%
0.0679602995515	-	1	0.1%
0.0689558982849	-	1	0.1%
0.0793477967381	-	1	0.1%
0.0879364982247	-	1	0.1%
0.1009050011635	-	1	0.1%
0.1010110005736	-	1	0.1%
0.1020469963551	-	1	0.1%
0.1024160012603	-	1	0.1%
0.1060450002551	-	1	0.1%
0.1164989992976	-	1	0.1%
0.1274539977312	-	1	0.1%
0.1328909993172	-	1	0.1%
0.1364129930735	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1417469978333	-	1	0.1%
0.1430750042200	-	1	0.1%
0.1461389958858	-	1	0.1%
0.1483920067549	-	1	0.1%
0.1488150060177	-	1	0.1%
0.1507170051336	-	1	0.1%
0.1514389961958	-	1	0.1%
0.1544429957867	-	1	0.1%
0.1565199941397	-	1	0.1%
0.1570120006800	-	1	0.1%
0.1591400057077	-	1	0.1%
0.1593769937754	-	1	0.1%
0.1604200005531	-	1	0.1%
0.1608060002327	-	1	0.1%
0.1617099940777	-	1	0.1%
0.1617780029774	-	1	0.1%
0.1622969955206	-	1	0.1%
0.1629509925842	-	1	0.1%
0.1638070046902	-	1	0.1%
0.1647579967976	-	1	0.1%
0.1662939935923	-	1	0.1%
0.1701769977808	-	1	0.1%
0.1703989952803	-	1	0.1%
0.1704860031605	-	1	0.1%
0.1712999939919	-	1	0.1%
0.1714919954538	-	1	0.1%
0.1716990023851	-	1	0.1%
0.1761389970779	-	1	0.1%
0.1762250065804	-	1	0.1%
0.1765850037336	-	1	0.1%
0.1806019991636	-	1	0.1%
0.1813919991255	-	1	0.1%
0.1827410012484	-	1	0.1%
0.1830430030823	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4064518459828
- Minimum: 0.0282097999007
- Maximum: 2.8878400325775
- Standard Deviation: 0.2432115705513

Location: 6928-6942 (width: 15; decimal: 13)

Variable Type: numeric

E67_ABS_GAMMAA4A4: E67_abs_gamma

Value	Label	Unweighted Frequency	%
0.0093532102183	-	1	0.1%
0.0114620001987	-	1	0.1%
0.0183683000505	-	1	0.1%
0.0223146993667	-	1	0.1%
0.0278735999018	-	1	0.1%
0.0304154008627	-	1	0.1%
0.0313130989671	-	1	0.1%
0.0339904017746	-	1	0.1%
0.0348633006215	-	1	0.1%
0.0367227010429	-	1	0.1%
0.0387962982059	-	1	0.1%
0.0389765016735	-	1	0.1%
0.0402921997011	-	1	0.1%
0.0424414016306	-	1	0.1%
0.0424851998687	-	1	0.1%
0.0432052984834	-	1	0.1%
0.0432846993208	-	1	0.1%
0.0434415005147	-	1	0.1%
0.0435892008245	-	1	0.1%
0.0443666018546	-	1	0.1%
0.0444401986897	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0445225983858	-	1	0.1%
0.0450447984040	-	1	0.1%
0.0454440005124	-	1	0.1%
0.0455237999558	-	1	0.1%
0.0455861017108	-	1	0.1%
0.0471354015172	-	1	0.1%
0.0484469011426	-	1	0.1%
0.0487948991358	-	1	0.1%
0.0503887012601	-	1	0.1%
0.0505266003311	-	1	0.1%
0.0505798012018	-	1	0.1%
0.0512126982212	-	1	0.1%
0.0515865013003	-	1	0.1%
0.0536363013089	-	1	0.1%
0.0538198985159	-	1	0.1%
0.0538537986577	-	1	0.1%
0.0540671981871	-	1	0.1%
0.0542732998729	-	1	0.1%
0.0544737987220	-	1	0.1%
0.0545014999807	-	1	0.1%
0.0545538999140	-	1	0.1%
0.0546300001442	-	1	0.1%
0.0549728013575	-	1	0.1%
0.0559874996543	-	1	0.1%
0.0562000013888	-	1	0.1%
0.0562352016568	-	1	0.1%
0.0565563999116	-	1	0.1%
0.0577329993248	-	1	0.1%
0.0586996003985	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.1329714412954
- Minimum: 0.0093532102183
- Maximum: 1.5045499801636
- Standard Deviation: 0.1069315823711

Location: 6943-6957 (width: 15; decimal: 13)

Variable Type: numeric

E69_ABS_THETAA4A4: E69_abs_theta

Value	Label	Unweighted Frequency	%
0.565827012062	-	1	0.1%
1.301589965820	-	1	0.1%
1.419280052185	-	1	0.1%
1.459579944611	-	1	0.1%
1.535850048065	-	1	0.1%
1.746140003204	-	1	0.1%
1.848209977150	-	1	0.1%
1.854249954224	-	1	0.1%
1.872769951820	-	1	0.1%
2.175580024719	-	1	0.1%
2.234889984131	-	1	0.1%
2.261749982834	-	1	0.1%
2.265480041504	-	1	0.1%
2.310189962387	-	1	0.1%
2.337270021439	-	1	0.1%
2.354120016098	-	1	0.1%
2.460730075836	-	1	0.1%
2.463469982147	-	1	0.1%
2.466370105743	-	1	0.1%
2.605299949646	-	1	0.1%
2.633480072021	-	1	0.1%
2.644690036774	-	1	0.1%
2.665380001068	-	1	0.1%
2.688950061798	-	1	0.1%
2.715579986572	-	1	0.1%
2.737979888916	-	1	0.1%
2.741509914398	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.784509897232	-	1	0.1%
2.824229955673	-	1	0.1%
2.864109992981	-	1	0.1%
2.938070058823	-	1	0.1%
3.015069961548	-	1	0.1%
3.044559955597	-	1	0.1%
3.047359943390	-	1	0.1%
3.058470010757	-	1	0.1%
3.065969944000	-	1	0.1%
3.122400045395	-	1	0.1%
3.134819984436	-	1	0.1%
3.148619890213	-	1	0.1%
3.153879880905	-	1	0.1%
3.158400058746	-	1	0.1%
3.167459964752	-	1	0.1%
3.167799949646	-	1	0.1%
3.172440052032	-	1	0.1%
3.184119939804	-	1	0.1%
3.184439897537	-	1	0.1%
3.230449914932	-	1	0.1%
3.241499900818	-	1	0.1%
3.245090007782	-	1	0.1%
3.245860099792	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 7.596745262390
- Minimum: 0.565827012062
- Maximum: 26.231000900269
- Standard Deviation: 3.489782475900

Location: 6958-6972 (width: 15; decimal: 12)

Variable Type: numeric

E69_ABS_ALPHAA4A4: E69_abs_alpha

Value	Label	Unweighted Frequency	%
0.275384008884	-	1	0.1%
0.320807993412	-	1	0.1%
0.335714995861	-	1	0.1%
0.461349010468	-	1	0.1%
0.511862993240	-	1	0.1%
0.517144978046	-	1	0.1%
0.583082973957	-	1	0.1%
0.604709982872	-	1	0.1%
0.606131017208	-	1	0.1%
0.636457979679	-	1	0.1%
0.641601979733	-	1	0.1%
0.666580975056	-	1	0.1%
0.675511002541	-	1	0.1%
0.677003979683	-	1	0.1%
0.708405017853	-	1	0.1%
0.710853993893	-	1	0.1%
0.717814981937	-	1	0.1%
0.736220002174	-	1	0.1%
0.745204985142	-	1	0.1%
0.755900979042	-	1	0.1%
0.762485027313	-	1	0.1%
0.767839014530	-	1	0.1%
0.769079983234	-	1	0.1%
0.805078983307	-	1	0.1%
0.806603014469	-	1	0.1%
0.830254018307	-	1	0.1%
0.836045980453	-	1	0.1%
0.836926996708	-	1	0.1%
0.840762019157	-	1	0.1%
0.852644026279	-	1	0.1%
0.860826015472	-	1	0.1%
0.865215003490	-	1	0.1%
0.866454005241	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.867331027985	-	1	0.1%
0.889317989349	-	1	0.1%
0.896948993206	-	1	0.1%
0.918933987617	-	1	0.1%
0.922177016735	-	1	0.1%
0.930794000626	-	1	0.1%
0.954578995705	-	1	0.1%
0.954994976521	-	1	0.1%
0.961072027683	-	1	0.1%
0.967531979084	-	1	0.1%
0.983936011791	-	1	0.1%
0.985512018204	-	1	0.1%
0.991870999336	-	1	0.1%
0.992277979851	-	1	0.1%
0.993385016918	-	1	0.1%
1.002150058746	-	1	0.1%
1.005069971085	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.847191763367
- Minimum: 0.275384008884
- Maximum: 13.952899932861
- Standard Deviation: 1.726516552633

Location: 6973-6987 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E69_ABS_BETAA4A4: E69_abs_beta

Value	Label	Unweighted Frequency	%
0.0432696007192	-	1	0.1%
0.0623654983938	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0979195013642	-	1	0.1%
0.1020789965987	-	1	0.1%
0.1271869987249	-	1	0.1%
0.1345349997282	-	1	0.1%
0.1403100043535	-	1	0.1%
0.1426170021296	-	1	0.1%
0.1426649987698	-	1	0.1%
0.1467159986496	-	1	0.1%
0.1559839993715	-	1	0.1%
0.1573529988527	-	1	0.1%
0.1600620001554	-	1	0.1%
0.1612749993801	-	1	0.1%
0.1674180030823	-	1	0.1%
0.1716279983521	-	1	0.1%
0.1794349998236	-	1	0.1%
0.1820349991322	-	1	0.1%
0.1831409931183	-	1	0.1%
0.1861589998007	-	1	0.1%
0.1881719976664	-	1	0.1%
0.1908939927816	-	1	0.1%
0.1980510056019	-	1	0.1%
0.1998180001974	-	1	0.1%
0.2001120001078	-	1	0.1%
0.2059500068426	-	1	0.1%
0.2097990065813	-	1	0.1%
0.2141399979591	-	1	0.1%
0.2223830074072	-	1	0.1%
0.2235009968281	-	1	0.1%
0.2288179993629	-	1	0.1%
0.2312249988317	-	1	0.1%
0.2317799925804	-	1	0.1%
0.2337770015001	-	1	0.1%
0.2348300069571	-	1	0.1%
0.2354680001736	-	1	0.1%
0.2356420010328	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.2376170009375	-	1	0.1%
0.2396579980850	-	1	0.1%
0.2399290055037	-	1	0.1%
0.2402790039778	-	1	0.1%
0.2472279965878	-	1	0.1%
0.2506340146065	-	1	0.1%
0.2506940066814	-	1	0.1%
0.2521269917488	-	1	0.1%
0.2636080086231	-	1	0.1%
0.2637659907341	-	1	0.1%
0.2639580070972	-	1	0.1%
0.2655420005322	-	1	0.1%
0.2669120132923	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.8823134672277
- Minimum: 0.0432696007192
- Maximum: 5.9706001281738
- Standard Deviation: 0.6635214435606

Location: 6988-7002 (width: 15; decimal: 13)

Variable Type: numeric

E69_ABS_GAMMAA4A4: E69_abs_gamma

Value	Label	Unweighted Frequency	%
0.0151699995622	-	1	0.1%
0.0200468990952	-	1	0.1%
0.0438349992037	-	1	0.1%
0.0452985018492	-	1	0.1%
0.0495498999953	-	1	0.1%
0.0523001998663	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0533496998250	-	1	0.1%
0.0542839989066	-	1	0.1%
0.0547001995146	-	1	0.1%
0.0565325990319	-	1	0.1%
0.0569939017296	-	1	0.1%
0.0587938986719	-	1	0.1%
0.0590185001493	-	1	0.1%
0.0594778992236	-	1	0.1%
0.0594802983105	-	1	0.1%
0.0618630014360	-	1	0.1%
0.0666830018163	-	1	0.1%
0.0668630972505	-	1	0.1%
0.0676816031337	-	1	0.1%
0.0697060972452	-	1	0.1%
0.0716473981738	-	1	0.1%
0.0776998996735	-	1	0.1%
0.0812816023827	-	1	0.1%
0.0820225998759	-	1	0.1%
0.0834866017103	-	1	0.1%
0.0838446989655	-	1	0.1%
0.0844985991716	-	1	0.1%
0.0893971025944	-	1	0.1%
0.0904167965055	-	1	0.1%
0.0906644016504	-	1	0.1%
0.0907308012247	-	1	0.1%
0.0909736976027	-	1	0.1%
0.0911490023136	-	1	0.1%
0.0945810973644	-	1	0.1%
0.0950367003679	-	1	0.1%
0.0986006036401	-	1	0.1%
0.0993762016296	-	1	0.1%
0.0997302979231	-	1	0.1%
0.0998279005289	-	1	0.1%
0.1005249992013	-	1	0.1%
0.1005439981818	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1023000031710	-	1	0.1%
0.1028679981828	-	1	0.1%
0.1049050018191	-	1	0.1%
0.1072150021791	-	1	0.1%
0.1089750006795	-	1	0.1%
0.1115659996867	-	1	0.1%
0.1116999983788	-	1	0.1%
0.1132320016623	-	1	0.1%
0.1132780015469	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.6312808211642
- Minimum: 0.0151699995622
- Maximum: 5.5267701148987
- Standard Deviation: 0.6817712707475

Location: 7003-7017 (width: 15; decimal: 13)

Variable Type: numeric

E70_ABS_THETAA4A4: E70_abs_theta

Value	Label	Unweighted Frequency	%
0.450861990452	-	1	0.1%
0.979007005692	-	1	0.1%
1.003479957581	-	1	0.1%
1.525380015373	-	1	0.1%
1.618999958038	-	1	0.1%
1.789119958878	-	1	0.1%
1.866340041161	-	1	0.1%
1.951179981232	-	1	0.1%
1.959319949150	-	1	0.1%
2.074199914932	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.109950065613	-	1	0.1%
2.135220050812	-	1	0.1%
2.174779891968	-	1	0.1%
2.183190107346	-	1	0.1%
2.202879905701	-	1	0.1%
2.230279922485	-	1	0.1%
2.239160060883	-	1	0.1%
2.306250095367	-	1	0.1%
2.382570028305	-	1	0.1%
2.413389921188	-	1	0.1%
2.414269924164	-	1	0.1%
2.460510015488	-	1	0.1%
2.498039960861	-	1	0.1%
2.526309967041	-	1	0.1%
2.559789896011	-	1	0.1%
2.624059915543	-	1	0.1%
2.686480045319	-	1	0.1%
2.710000038147	-	1	0.1%
2.735039949417	-	1	0.1%
2.737849950790	-	1	0.1%
2.742579936981	-	1	0.1%
2.785569906235	-	1	0.1%
2.833889961243	-	1	0.1%
2.841929912567	-	1	0.1%
2.895309925079	-	1	0.1%
2.902090072632	-	1	0.1%
2.938110113144	-	1	0.1%
2.957159996033	-	1	0.1%
2.998509883881	-	1	0.1%
3.026050090790	-	1	0.1%
3.034600019455	-	1	0.1%
3.191169977188	-	1	0.1%
3.196199893951	-	1	0.1%
3.228539943695	-	1	0.1%
3.238100051880	-	1	0.1%

Value	Label	Unweighted Frequency	%
3.251980066299	-	1	0.1%
3.311359882355	-	1	0.1%
3.320290088654	-	1	0.1%
3.341670036316	-	1	0.1%
3.357769966125	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 8.635696908176
- Minimum: 0.450861990452
- Maximum: 31.462799072266
- Standard Deviation: 4.507664948063

Location: 7018-7032 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E70_ABS_ALPHA4A4: E70_abs_alpha

Value	Label	Unweighted Frequency	%
0.241935998201	-	1	0.1%
0.247768998146	-	1	0.1%
0.315908998251	-	1	0.1%
0.322147995234	-	1	0.1%
0.359275996685	-	1	0.1%
0.396456986666	-	1	0.1%
0.448859006166	-	1	0.1%
0.453590005636	-	1	0.1%
0.536257028580	-	1	0.1%
0.536626994610	-	1	0.1%
0.581098020077	-	1	0.1%
0.584986984730	-	1	0.1%
0.612323999405	-	1	0.1%
0.624053001404	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.711826980114	-	1	0.1%
0.716166019440	-	1	0.1%
0.734194993973	-	1	0.1%
0.739480972290	-	1	0.1%
0.741620004177	-	1	0.1%
0.744768023491	-	1	0.1%
0.750002980232	-	1	0.1%
0.780866026878	-	1	0.1%
0.796972990036	-	1	0.1%
0.802127003670	-	1	0.1%
0.812888026237	-	1	0.1%
0.820222020149	-	1	0.1%
0.886273026466	-	1	0.1%
0.903353989124	-	1	0.1%
0.908510029316	-	1	0.1%
0.913717985153	-	1	0.1%
0.923666000366	-	1	0.1%
0.926016986370	-	1	0.1%
0.946685016155	-	1	0.1%
0.965714991093	-	1	0.1%
0.974274992943	-	1	0.1%
0.981083989143	-	1	0.1%
0.987037003040	-	1	0.1%
0.994108021259	-	1	0.1%
1.002380013466	-	1	0.1%
1.019379973412	-	1	0.1%
1.029839992523	-	1	0.1%
1.032999992371	-	1	0.1%
1.057540059090	-	1	0.1%
1.057960033417	-	1	0.1%
1.061370015144	-	1	0.1%
1.065590023994	-	1	0.1%
1.091400027275	-	1	0.1%
1.091560006142	-	1	0.1%
1.099210023880	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.106660008430	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 3.454781545943
- Minimum: 0.241935998201
- Maximum: 19.041000366211
- Standard Deviation: 2.303335350089

Location: 7033-7047 (width: 15; decimal: 12)

Variable Type: numeric

E70_ABS_BETAA4A4: E70_abs_beta

Value	Label	Unweighted Frequency	%
0.0376560017467	-	1	0.1%
0.0453098006546	-	1	0.1%
0.0542072989047	-	1	0.1%
0.0727460011840	-	1	0.1%
0.0862647965550	-	1	0.1%
0.0912766978145	-	1	0.1%
0.0958833023906	-	1	0.1%
0.1030199974775	-	1	0.1%
0.1093360036612	-	1	0.1%
0.1220090016723	-	1	0.1%
0.1254909932613	-	1	0.1%
0.1457110047340	-	1	0.1%
0.1457419991493	-	1	0.1%
0.1477700024843	-	1	0.1%
0.1512989997864	-	1	0.1%
0.1546200066805	-	1	0.1%
0.1616539955139	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1665699928999	-	1	0.1%
0.1666419953108	-	1	0.1%
0.1778330057859	-	1	0.1%
0.1789959967136	-	1	0.1%
0.1823489964008	-	1	0.1%
0.1859900057316	-	1	0.1%
0.1890420019627	-	1	0.1%
0.1926639974117	-	1	0.1%
0.1989039927721	-	1	0.1%
0.2044010013342	-	1	0.1%
0.2049809992313	-	1	0.1%
0.2065840065479	-	1	0.1%
0.2096160054207	-	1	0.1%
0.2096550017595	-	1	0.1%
0.2113700062037	-	1	0.1%
0.2114910036325	-	1	0.1%
0.2124789953232	-	1	0.1%
0.2135729938745	-	1	0.1%
0.2151509970427	-	1	0.1%
0.2159599959850	-	1	0.1%
0.2240519970655	-	1	0.1%
0.2242179960012	-	1	0.1%
0.2255550026894	-	1	0.1%
0.2321649938822	-	1	0.1%
0.2361499965191	-	1	0.1%
0.2413810044527	-	1	0.1%
0.2490939944983	-	1	0.1%
0.2561759948730	-	1	0.1%
0.2572520077229	-	1	0.1%
0.2592110037804	-	1	0.1%
0.2648540139198	-	1	0.1%
0.2651380002499	-	1	0.1%
0.2666020095348	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.7599280548654
- Minimum: 0.0376560017467
- Maximum: 5.1081900596619
- Standard Deviation: 0.5488240300637

Location: 7048-7062 (width: 15; decimal: 13)

Variable Type: numeric

E70_ABS_GAMMAA4A4: E70_abs_gamma

Value	Label	Unweighted Frequency	%
0.0127699999139	-	1	0.1%
0.0162930004299	-	1	0.1%
0.0228624008596	-	1	0.1%
0.0245277006179	-	1	0.1%
0.0325823985040	-	1	0.1%
0.0357527993619	-	1	0.1%
0.0375859998167	-	1	0.1%
0.0401877015829	-	1	0.1%
0.0411273986101	-	1	0.1%
0.0436844006181	-	1	0.1%
0.0441524013877	-	1	0.1%
0.0442867986858	-	1	0.1%
0.0447277985513	-	1	0.1%
0.0459781996906	-	1	0.1%
0.0481288991868	-	1	0.1%
0.0503231994808	-	1	0.1%
0.0523579008877	-	1	0.1%
0.0558385998011	-	1	0.1%
0.0570508986712	-	1	0.1%
0.0583267994225	-	1	0.1%
0.0598701015115	-	1	0.1%
0.0624640993774	-	1	0.1%
0.0630386993289	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0636627003551	-	1	0.1%
0.0642108991742	-	1	0.1%
0.0693404972553	-	1	0.1%
0.0709491968155	-	1	0.1%
0.0709536969662	-	1	0.1%
0.0723655000329	-	1	0.1%
0.0735415965319	-	1	0.1%
0.0741736963391	-	1	0.1%
0.0753621980548	-	1	0.1%
0.0763999000192	-	1	0.1%
0.0776394009590	-	1	0.1%
0.0776557996869	-	1	0.1%
0.0787921026349	-	1	0.1%
0.0799449980259	-	1	0.1%
0.0812451019883	-	1	0.1%
0.0812480971217	-	1	0.1%
0.0849493965507	-	1	0.1%
0.0851301029325	-	1	0.1%
0.0868244022131	-	1	0.1%
0.0879743993282	-	1	0.1%
0.0882883965969	-	1	0.1%
0.0894581004977	-	1	0.1%
0.0906611979008	-	1	0.1%
0.0919103994966	-	1	0.1%
0.0922171995044	-	1	0.1%
0.0924948006868	-	1	0.1%
0.0930685997009	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4070147487462
- Minimum: 0.0127699999139
- Maximum: 5.6070499420166
- Standard Deviation: 0.5394338954112

Location: 7063-7077 (width: 15; decimal: 13)

Variable Type: numeric

E71_ABS_THETAA4A4: E71_abs_theta

Value	Label	Unweighted Frequency	%
0.333750009537	-	1	0.1%
0.990939974785	-	1	0.1%
1.165210008621	-	1	0.1%
1.196030020714	-	1	0.1%
1.210070014000	-	1	0.1%
1.396149992943	-	1	0.1%
1.403429985046	-	1	0.1%
1.600630044937	-	1	0.1%
1.889459967613	-	1	0.1%
1.913720011711	-	1	0.1%
1.971459984779	-	1	0.1%
2.037290096283	-	1	0.1%
2.069230079651	-	1	0.1%
2.114039897919	-	1	0.1%
2.132819890976	-	1	0.1%
2.138020038605	-	1	0.1%
2.381439924240	-	1	0.1%
2.508229970932	-	1	0.1%
2.512660026550	-	1	0.1%
2.558039903641	-	1	0.1%
2.563349962234	-	1	0.1%
2.578399896622	-	1	0.1%
2.613559961319	-	1	0.1%
2.624660015106	-	1	0.1%
2.674599885941	-	1	0.1%
2.688460111618	-	1	0.1%
2.795909881592	-	1	0.1%
2.806299924850	-	1	0.1%
2.885770082474	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.944190025330	-	1	0.1%
2.958440065384	-	1	0.1%
3.014260053635	-	1	0.1%
3.033329963684	-	1	0.1%
3.044670104980	-	1	0.1%
3.109600067139	-	1	0.1%
3.110980033875	-	1	0.1%
3.169879913330	-	1	0.1%
3.187390089035	-	1	0.1%
3.191960096359	-	1	0.1%
3.212260007858	-	1	0.1%
3.216919898987	-	1	0.1%
3.225300073624	-	1	0.1%
3.289799928665	-	1	0.1%
3.310899972916	-	1	0.1%
3.332940101624	-	1	0.1%
3.355439901352	-	1	0.1%
3.400360107422	-	1	0.1%
3.437849998474	-	1	0.1%
3.459130048752	-	1	0.1%
3.504899978638	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 7.899442145145
- Minimum: 0.333750009537
- Maximum: 30.028699874878
- Standard Deviation: 4.030251943947

Location: 7078-7092 (width: 15; decimal: 12)

Variable Type: numeric

E71_ABS_ALPHAA4A4: E71_abs_alpha

Value	Label	Unweighted Frequency	%
0.179197996855	-	1	0.1%
0.278899997473	-	1	0.1%
0.292966991663	-	1	0.1%
0.296245008707	-	1	0.1%
0.322055995464	-	1	0.1%
0.348632991314	-	1	0.1%
0.413363009691	-	1	0.1%
0.417035996914	-	1	0.1%
0.436089009047	-	1	0.1%
0.441134005785	-	1	0.1%
0.501335978508	-	1	0.1%
0.548458993435	-	1	0.1%
0.559404015541	-	1	0.1%
0.623345971107	-	1	0.1%
0.639240026474	-	1	0.1%
0.649919986725	-	1	0.1%
0.666800975800	-	1	0.1%
0.696326971054	-	1	0.1%
0.705941975117	-	1	0.1%
0.735970973969	-	1	0.1%
0.791472017765	-	1	0.1%
0.793209016323	-	1	0.1%
0.802109003067	-	1	0.1%
0.830349981785	-	1	0.1%
0.831211984158	-	1	0.1%
0.836251974106	-	1	0.1%
0.836978971958	-	1	0.1%
0.838482975960	-	1	0.1%
0.840308010578	-	1	0.1%
0.846872985363	-	1	0.1%
0.854623973370	-	1	0.1%
0.867214977741	-	1	0.1%
0.869682013988	-	1	0.1%
0.918627023697	-	1	0.1%
0.921208024025	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.930073976517	-	1	0.1%
0.960133016109	-	1	0.1%
0.977124989033	-	1	0.1%
0.980270981789	-	1	0.1%
0.984660983086	-	1	0.1%
0.988907992840	-	1	0.1%
0.989700973034	-	1	0.1%
1.006549954414	-	1	0.1%
1.013319969177	-	1	0.1%
1.019930005074	-	1	0.1%
1.020509958267	-	1	0.1%
1.028139948845	-	1	0.1%
1.032889962196	-	1	0.1%
1.038769960403	-	1	0.1%
1.046769976616	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.994786105612
- Minimum: 0.179197996855
- Maximum: 16.727199554443
- Standard Deviation: 1.989864909443

Location: 7093-7107 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E71_ABS_BETAA4A4: E71_abs_beta

Value	Label	Unweighted Frequency	%
0.0274465996772	-	1	0.1%
0.0570474006236	-	1	0.1%
0.0574596002698	-	1	0.1%
0.0692892000079	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0724747031927	-	1	0.1%
0.0853466019034	-	1	0.1%
0.0897269025445	-	1	0.1%
0.1053460016847	-	1	0.1%
0.1140130013227	-	1	0.1%
0.1176230013371	-	1	0.1%
0.1260520070791	-	1	0.1%
0.1308870017529	-	1	0.1%
0.1317189931870	-	1	0.1%
0.1324959993362	-	1	0.1%
0.1378419995308	-	1	0.1%
0.1485559940338	-	1	0.1%
0.1508830040693	-	1	0.1%
0.1561080068350	-	1	0.1%
0.1564649939537	-	1	0.1%
0.1586540043354	-	1	0.1%
0.1595399975777	-	1	0.1%
0.1623110026121	-	1	0.1%
0.1647720038891	-	1	0.1%
0.1702619940042	-	1	0.1%
0.1720789968967	-	1	0.1%
0.1738259941339	-	1	0.1%
0.1774830073118	-	1	0.1%
0.1807119995356	-	1	0.1%
0.1815059930086	-	1	0.1%
0.1831620037556	-	1	0.1%
0.1888729929924	-	1	0.1%
0.1968050003052	-	1	0.1%
0.1980630010366	-	1	0.1%
0.1983219981194	-	1	0.1%
0.1992380023003	-	1	0.1%
0.2019719928503	-	1	0.1%
0.2022809982300	-	1	0.1%
0.2028889954090	-	1	0.1%
0.2034769952297	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.2046049982309	-	1	0.1%
0.2072989940643	-	1	0.1%
0.2109739929438	-	1	0.1%
0.2110749930143	-	1	0.1%
0.2137639969587	-	1	0.1%
0.2140499949455	-	1	0.1%
0.2153739929199	-	1	0.1%
0.2181430011988	-	1	0.1%
0.2184430062771	-	1	0.1%
0.2187449932098	-	1	0.1%
0.2193029969931	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4897876806736
- Minimum: 0.0274465996772
- Maximum: 2.8766300678253
- Standard Deviation: 0.2726014364415

Location: 7108-7122 (width: 15; decimal: 13)

Variable Type: numeric

E71_ABS_GAMMAA4A4: E71_abs_gamma

Value	Label	Unweighted Frequency	%
0.0091217700392	-	1	0.1%
0.0101555995643	-	1	0.1%
0.0211385004222	-	1	0.1%
0.0215031001717	-	1	0.1%
0.0304131992161	-	1	0.1%
0.0317689999938	-	1	0.1%
0.0351602993906	-	1	0.1%
0.0368282012641	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0376929007471	-	1	0.1%
0.0391495004296	-	1	0.1%
0.0404414013028	-	1	0.1%
0.0429771989584	-	1	0.1%
0.0431015007198	-	1	0.1%
0.0435630008578	-	1	0.1%
0.0452891997993	-	1	0.1%
0.0469020009041	-	1	0.1%
0.0475750006735	-	1	0.1%
0.0481272004545	-	1	0.1%
0.0483780987561	-	1	0.1%
0.0488720983267	-	1	0.1%
0.0493985004723	-	1	0.1%
0.0497286990285	-	1	0.1%
0.0503478981555	-	1	0.1%
0.0517659001052	-	1	0.1%
0.0529293008149	-	1	0.1%
0.0533404983580	-	1	0.1%
0.0548506006598	-	1	0.1%
0.0555377006531	-	1	0.1%
0.0555543005466	-	1	0.1%
0.0591029003263	-	1	0.1%
0.0592431984842	-	1	0.1%
0.0593998990953	-	1	0.1%
0.0594506002963	-	1	0.1%
0.0605023987591	-	1	0.1%
0.0622100010514	-	1	0.1%
0.0631166994572	-	1	0.1%
0.0632705986500	-	1	0.1%
0.0642156973481	-	1	0.1%
0.0649643987417	-	1	0.1%
0.0650968030095	-	1	0.1%
0.0655739009380	-	1	0.1%
0.0658581033349	-	1	0.1%
0.0664971992373	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0670821964741	-	1	0.1%
0.0672186985612	-	1	0.1%
0.0673099011183	-	1	0.1%
0.0682853981853	-	1	0.1%
0.0683500990272	-	1	0.1%
0.0690061971545	-	1	0.1%
0.0692733004689	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.1690442060688
- Minimum: 0.0091217700392
- Maximum: 1.3559800386429
- Standard Deviation: 0.1292598982563

Location: 7123-7137 (width: 15; decimal: 13)

Variable Type: numeric

E72_ABS_THETAA4A4: E72_abs_theta

Value	Label	Unweighted Frequency	%
0.307621002197	-	1	0.1%
0.860022008419	-	1	0.1%
1.101529955864	-	1	0.1%
1.214329957962	-	1	0.1%
1.292829990387	-	1	0.1%
1.350329995155	-	1	0.1%
1.435930013657	-	1	0.1%
1.475970029831	-	1	0.1%
1.760969996452	-	1	0.1%
1.784530043602	-	1	0.1%
1.884510040283	-	1	0.1%
1.964930057526	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.020989894867	-	1	0.1%
2.034759998322	-	1	0.1%
2.158129930496	-	1	0.1%
2.168560028076	-	1	0.1%
2.353840112686	-	1	0.1%
2.526789903641	-	1	0.1%
2.529340028763	-	1	0.1%
2.578690052032	-	1	0.1%
2.591860055923	-	1	0.1%
2.600490093231	-	1	0.1%
2.631900072098	-	1	0.1%
2.686429977417	-	1	0.1%
2.727149963379	-	1	0.1%
2.732379913330	-	1	0.1%
2.741620063782	-	1	0.1%
2.782629966736	-	1	0.1%
2.819489955902	-	1	0.1%
2.845809936523	-	1	0.1%
2.890140056610	-	1	0.1%
2.960530042648	-	1	0.1%
2.980550050735	-	1	0.1%
2.989160060883	-	1	0.1%
3.040030002594	-	1	0.1%
3.044879913330	-	1	0.1%
3.050460100174	-	1	0.1%
3.060980081558	-	1	0.1%
3.079550027847	-	1	0.1%
3.090229988098	-	1	0.1%
3.090430021286	-	1	0.1%
3.159320116043	-	1	0.1%
3.182660102844	-	1	0.1%
3.199480056763	-	1	0.1%
3.232290029526	-	1	0.1%
3.236540079117	-	1	0.1%
3.255249977112	-	1	0.1%

Value	Label	Unweighted Frequency	%
3.259030103683	-	1	0.1%
3.272550106049	-	1	0.1%
3.274250030518	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 7.843204934438
- Minimum: 0.307621002197
- Maximum: 45.264301300049
- Standard Deviation: 4.677884291705

Location: 7138-7152 (width: 15; decimal: 12)

Variable Type: numeric

E72_ABS_ALPHAA4A4: E72_abs_alpha

Value	Label	Unweighted Frequency	%
0.162239000201	-	1	0.1%
0.240702003241	-	1	0.1%
0.290093988180	-	1	0.1%
0.343634992838	-	1	0.1%
0.363754004240	-	1	0.1%
0.391918003559	-	1	0.1%
0.472362011671	-	1	0.1%
0.474794000387	-	1	0.1%
0.482861012220	-	1	0.1%
0.496057003736	-	1	0.1%
0.520039975643	-	1	0.1%
0.540099978447	-	1	0.1%
0.543832004070	-	1	0.1%
0.566363990307	-	1	0.1%
0.663882017136	-	1	0.1%
0.663933992386	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.672847986221	-	1	0.1%
0.679288983345	-	1	0.1%
0.688911974430	-	1	0.1%
0.713891029358	-	1	0.1%
0.725597023964	-	1	0.1%
0.742079019547	-	1	0.1%
0.764379978180	-	1	0.1%
0.774352014065	-	1	0.1%
0.788119971752	-	1	0.1%
0.790042996407	-	1	0.1%
0.794185996056	-	1	0.1%
0.797720015049	-	1	0.1%
0.807438015938	-	1	0.1%
0.810625970364	-	1	0.1%
0.824732005596	-	1	0.1%
0.846179008484	-	1	0.1%
0.847414970398	-	1	0.1%
0.856544971466	-	1	0.1%
0.862012982368	-	1	0.1%
0.874795019627	-	1	0.1%
0.883844017982	-	1	0.1%
0.885167002678	-	1	0.1%
0.892627000809	-	1	0.1%
0.907459020615	-	1	0.1%
0.923377990723	-	1	0.1%
0.931680023670	-	1	0.1%
0.932940006256	-	1	0.1%
0.936893999577	-	1	0.1%
0.938284993172	-	1	0.1%
0.942005991936	-	1	0.1%
0.946295976639	-	1	0.1%
0.948361992836	-	1	0.1%
0.956996023655	-	1	0.1%
0.961000025272	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.840745409553
- Minimum: 0.162239000201
- Maximum: 19.869100570679
- Standard Deviation: 1.960918317477

Location: 7153-7167 (width: 15; decimal: 12)

Variable Type: numeric

E72_ABS_BETAA4A4: E72_abs_beta

Value	Label	Unweighted Frequency	%
0.0254785008729	-	1	0.1%
0.0515670999885	-	1	0.1%
0.0709222033620	-	1	0.1%
0.0716874971986	-	1	0.1%
0.0840061008930	-	1	0.1%
0.0855887010694	-	1	0.1%
0.0893341004848	-	1	0.1%
0.1051699966192	-	1	0.1%
0.1129759997129	-	1	0.1%
0.1157979965210	-	1	0.1%
0.1180600002408	-	1	0.1%
0.1241670027375	-	1	0.1%
0.1274320036173	-	1	0.1%
0.1290030032396	-	1	0.1%
0.1313579976559	-	1	0.1%
0.1399170011282	-	1	0.1%
0.1431660056114	-	1	0.1%
0.1468760073185	-	1	0.1%
0.1482699960470	-	1	0.1%
0.1485799998045	-	1	0.1%
0.1501429975033	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1509300023317	-	1	0.1%
0.1521990001202	-	1	0.1%
0.1533720046282	-	1	0.1%
0.1536030024290	-	1	0.1%
0.1556989997625	-	1	0.1%
0.1621080040932	-	1	0.1%
0.1635510027409	-	1	0.1%
0.1663659960032	-	2	0.2%
0.1708170026541	-	1	0.1%
0.1726810038090	-	1	0.1%
0.1735559999943	-	1	0.1%
0.1751289963722	-	1	0.1%
0.1790859997272	-	1	0.1%
0.1800940036774	-	1	0.1%
0.1809509992599	-	1	0.1%
0.1832000017166	-	1	0.1%
0.1838610023260	-	1	0.1%
0.1840319931507	-	1	0.1%
0.1841720044613	-	1	0.1%
0.1850689947605	-	1	0.1%
0.1854999959469	-	1	0.1%
0.1863110065460	-	1	0.1%
0.1873530000448	-	1	0.1%
0.1876419931650	-	1	0.1%
0.1894769966602	-	1	0.1%
0.1899050027132	-	1	0.1%
0.1907490044832	-	1	0.1%
0.1919399946928	-	1	0.1%
0.1924629956484	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4159394672931
- Minimum: 0.0254785008729
- Maximum: 2.2079100608826
- Standard Deviation: 0.2249910514325

Location: 7168-7182 (width: 15; decimal: 13)

Variable Type: numeric

E72_ABS_GAMMAA4A4: E72_abs_gamma

Value	Label	Unweighted Frequency	%
0.0084662400186	-	1	0.1%
0.0210577994585	-	1	0.1%
0.0238182004541	-	1	0.1%
0.0246775001287	-	1	0.1%
0.0252078995109	-	1	0.1%
0.0312121007591	-	1	0.1%
0.0323473997414	-	1	0.1%
0.0344466008246	-	1	0.1%
0.0361925996840	-	1	0.1%
0.0369090996683	-	1	0.1%
0.0384000986814	-	1	0.1%
0.0398976989090	-	1	0.1%
0.0403671003878	-	1	0.1%
0.0403705984354	-	1	0.1%
0.0405452996492	-	1	0.1%
0.0407554991543	-	1	0.1%
0.0443301983178	-	1	0.1%
0.0443744994700	-	1	0.1%
0.0448708012700	-	1	0.1%
0.0452869012952	-	1	0.1%
0.0460806004703	-	1	0.1%
0.0463477000594	-	1	0.1%
0.0466983988881	-	1	0.1%
0.0475187003613	-	1	0.1%
0.0486708991230	-	1	0.1%
0.0487697012722	-	1	0.1%
0.0490652993321	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0504137985408	-	1	0.1%
0.0512659996748	-	1	0.1%
0.0518252998590	-	1	0.1%
0.0529582016170	-	1	0.1%
0.0538062006235	-	1	0.1%
0.0542519018054	-	1	0.1%
0.0555564984679	-	1	0.1%
0.0562961995602	-	1	0.1%
0.0564717985690	-	1	0.1%
0.0565720982850	-	1	0.1%
0.0567480996251	-	1	0.1%
0.0582511983812	-	1	0.1%
0.0583416000009	-	1	0.1%
0.0589332990348	-	1	0.1%
0.0599652007222	-	1	0.1%
0.0604005008936	-	1	0.1%
0.0604061000049	-	1	0.1%
0.0611004009843	-	1	0.1%
0.0613297000527	-	1	0.1%
0.0614917986095	-	1	0.1%
0.0618510991335	-	1	0.1%
0.0621200986207	-	1	0.1%
0.0629329979420	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.1289151643890
- Minimum: 0.0084662400186
- Maximum: 1.2746900320053
- Standard Deviation: 0.0847376333791

Location: 7183-7197 (width: 15; decimal: 13)

Variable Type: numeric

E74_ABS_THETAA4A4: E74_abs_theta

Value	Label	Unweighted Frequency	%
0.402518987656	-	1	0.1%
0.933218002319	-	1	0.1%
1.203909993172	-	1	0.1%
1.223199963570	-	1	0.1%
1.417639970779	-	1	0.1%
1.480000019073	-	1	0.1%
1.523309946060	-	1	0.1%
1.763260006905	-	1	0.1%
1.801120042801	-	1	0.1%
1.879130005836	-	1	0.1%
1.987329959869	-	1	0.1%
2.118969917297	-	1	0.1%
2.184010028839	-	1	0.1%
2.209589958191	-	1	0.1%
2.250600099564	-	1	0.1%
2.273109912872	-	1	0.1%
2.298729896545	-	1	0.1%
2.398420095444	-	1	0.1%
2.424639940262	-	1	0.1%
2.518260002136	-	1	0.1%
2.537780046463	-	1	0.1%
2.574120044708	-	1	0.1%
2.721659898758	-	1	0.1%
2.765029907227	-	1	0.1%
2.823499917984	-	1	0.1%
2.864720106125	-	1	0.1%
2.873929977417	-	1	0.1%
2.889050006866	-	1	0.1%
2.890660047531	-	1	0.1%
2.894079923630	-	1	0.1%
2.906379938126	-	1	0.1%
2.949229955673	-	1	0.1%
2.983769893646	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.996619939804	-	1	0.1%
3.031830072403	-	1	0.1%
3.062949895859	-	1	0.1%
3.125410079956	-	1	0.1%
3.153290033340	-	1	0.1%
3.163310050964	-	1	0.1%
3.238689899445	-	1	0.1%
3.300699949265	-	1	0.1%
3.315370082855	-	1	0.1%
3.335580110550	-	1	0.1%
3.391940116882	-	1	0.1%
3.441809892654	-	1	0.1%
3.450299978256	-	1	0.1%
3.450479984283	-	1	0.1%
3.461479902267	-	1	0.1%
3.508549928665	-	1	0.1%
3.538909912109	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 8.159443726850
- Minimum: 0.402518987656
- Maximum: 28.851900100708
- Standard Deviation: 3.792101710308

Location: 7198-7212 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E74_ABS_ALPHAA4A4: E74_abs_alpha

Value	Label	Unweighted Frequency	%
0.190229997039	-	1	0.1%
0.231519997120	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.270906001329	-	1	0.1%
0.294099003077	-	1	0.1%
0.303761988878	-	1	0.1%
0.346031993628	-	1	0.1%
0.346733987331	-	1	0.1%
0.351765006781	-	1	0.1%
0.420870006084	-	1	0.1%
0.428564995527	-	1	0.1%
0.455206990242	-	1	0.1%
0.469900995493	-	1	0.1%
0.523620009422	-	1	0.1%
0.571793973446	-	1	0.1%
0.606549024582	-	1	0.1%
0.627313017845	-	1	0.1%
0.627614021301	-	1	0.1%
0.654736995697	-	1	0.1%
0.686646997929	-	1	0.1%
0.728307008743	-	1	0.1%
0.761071980000	-	1	0.1%
0.811659991741	-	1	0.1%
0.820945978165	-	1	0.1%
0.824588000774	-	1	0.1%
0.832708001137	-	1	0.1%
0.845637023449	-	1	0.1%
0.866620004177	-	1	0.1%
0.867238998413	-	1	0.1%
0.898934006691	-	1	0.1%
0.903463006020	-	1	0.1%
0.907405972481	-	1	0.1%
0.919417023659	-	1	0.1%
0.924493014812	-	1	0.1%
0.977357983589	-	1	0.1%
0.982689976692	-	1	0.1%
0.988413989544	-	1	0.1%
0.989808976650	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.990198016167	-	1	0.1%
0.997229993343	-	1	0.1%
1.007789969444	-	1	0.1%
1.017009973526	-	1	0.1%
1.027719974518	-	1	0.1%
1.049209952354	-	1	0.1%
1.059080004692	-	1	0.1%
1.063070058823	-	1	0.1%
1.081640005112	-	1	0.1%
1.084630012512	-	1	0.1%
1.088569998741	-	1	0.1%
1.103199958801	-	1	0.1%
1.122789978981	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 3.026166315995
- Minimum: 0.190229997039
- Maximum: 13.414199829102
- Standard Deviation: 1.800136013199

Location: 7213-7227 (*width:* 15; *decimal:* 12)

Variable Type: numeric

[E74_ABS_BETAA4A4: E74_abs_beta](#)

Value	Label	Unweighted Frequency	%
0.0289121996611	-	1	0.1%
0.0543873012066	-	1	0.1%
0.0582998991013	-	1	0.1%
0.0647536963224	-	1	0.1%
0.0677544027567	-	1	0.1%
0.0703065991402	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0941141992807	-	1	0.1%
0.0960770994425	-	1	0.1%
0.1102339997888	-	1	0.1%
0.1103259995580	-	1	0.1%
0.1240419968963	-	1	0.1%
0.1249729990959	-	1	0.1%
0.1436890065670	-	1	0.1%
0.1456139981747	-	1	0.1%
0.1513279974461	-	1	0.1%
0.1523499935865	-	1	0.1%
0.1538439989090	-	1	0.1%
0.1627500057220	-	1	0.1%
0.1685770004988	-	1	0.1%
0.1703860014677	-	1	0.1%
0.1756909936666	-	1	0.1%
0.1908639967442	-	1	0.1%
0.1942410022020	-	1	0.1%
0.1957069933414	-	1	0.1%
0.1966930031776	-	1	0.1%
0.1999720036983	-	1	0.1%
0.2006810009480	-	1	0.1%
0.2066310048103	-	1	0.1%
0.2140749990940	-	1	0.1%
0.2209070026875	-	1	0.1%
0.2217029929161	-	1	0.1%
0.2245119959116	-	1	0.1%
0.2251449972391	-	1	0.1%
0.2260890007019	-	1	0.1%
0.2286439985037	-	1	0.1%
0.2287340015173	-	1	0.1%
0.2297759950161	-	1	0.1%
0.2305310070515	-	1	0.1%
0.2317959964275	-	1	0.1%
0.2411849945784	-	1	0.1%
0.2413299977779	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.2426799982786	-	1	0.1%
0.2470290064812	-	1	0.1%
0.2484160065651	-	1	0.1%
0.2586280107498	-	1	0.1%
0.2590050101280	-	1	0.1%
0.2617909908295	-	1	0.1%
0.2618420124054	-	1	0.1%
0.2675139904022	-	1	0.1%
0.2676140069962	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.7706065307178
- Minimum: 0.0289121996611
- Maximum: 3.7342000007629
- Standard Deviation: 0.4929350616475

Location: 7228-7242 (width: 15; decimal: 13)

Variable Type: numeric

E74_ABS_GAMMAA4A4: E74_abs_gamma

Value	Label	Unweighted Frequency	%
0.0104047004133	-	1	0.1%
0.0112279998139	-	1	0.1%
0.0212452001870	-	1	0.1%
0.0282256994396	-	1	0.1%
0.0368270985782	-	1	0.1%
0.0386341996491	-	1	0.1%
0.0393758006394	-	1	0.1%
0.0397196002305	-	1	0.1%
0.0455739013851	-	1	0.1%
0.0466695986688	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0467007011175	-	1	0.1%
0.0485379993916	-	1	0.1%
0.0485382005572	-	1	0.1%
0.0492988005280	-	1	0.1%
0.0508739016950	-	1	0.1%
0.0511839985847	-	1	0.1%
0.0566148012877	-	1	0.1%
0.0613810010254	-	1	0.1%
0.0633494034410	-	1	0.1%
0.0641788020730	-	1	0.1%
0.0644368976355	-	1	0.1%
0.0680138990283	-	1	0.1%
0.0695481002331	-	1	0.1%
0.0733608976007	-	1	0.1%
0.0735061019659	-	1	0.1%
0.0736138969660	-	1	0.1%
0.0736240968108	-	1	0.1%
0.0746015980840	-	1	0.1%
0.0751631036401	-	1	0.1%
0.0762147009373	-	1	0.1%
0.0765758976340	-	1	0.1%
0.0768835991621	-	1	0.1%
0.0774298980832	-	1	0.1%
0.0786060988903	-	1	0.1%
0.0802323967218	-	1	0.1%
0.0809627026320	-	1	0.1%
0.0819166004658	-	1	0.1%
0.0832227990031	-	1	0.1%
0.0852824002504	-	1	0.1%
0.0855116993189	-	1	0.1%
0.0870757997036	-	1	0.1%
0.0903963968158	-	1	0.1%
0.0909335017204	-	1	0.1%
0.0916059017181	-	1	0.1%
0.0932143032551	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0934669002891	-	1	0.1%
0.0939425975084	-	1	0.1%
0.0960343033075	-	1	0.1%
0.0967463031411	-	1	0.1%
0.0992958024144	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4817166683501
- Minimum: 0.0104047004133
- Maximum: 3.7081100940704
- Standard Deviation: 0.5191029796967

Location: 7243-7257 (width: 15; decimal: 13)

Variable Type: numeric

E75_ABS_THETAA4A4: E75_abs_theta

Value	Label	Unweighted Frequency	%
0.341075003147	-	1	0.1%
0.752690017223	-	1	0.1%
1.100350022316	-	1	0.1%
1.278450012207	-	1	0.1%
1.343960046768	-	1	0.1%
1.366889953613	-	1	0.1%
1.394090056419	-	1	0.1%
1.700639963150	-	1	0.1%
1.756219983101	-	1	0.1%
1.912459969521	-	1	0.1%
1.941069960594	-	1	0.1%
2.243900060654	-	1	0.1%
2.290790081024	-	1	0.1%
2.316999912262	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.359570026398	-	1	0.1%
2.404000043869	-	1	0.1%
2.491139888763	-	1	0.1%
2.559930086136	-	1	0.1%
2.569829940796	-	1	0.1%
2.584429979324	-	1	0.1%
2.613480091095	-	1	0.1%
2.671869993210	-	1	0.1%
2.789380073547	-	1	0.1%
2.794630050659	-	1	0.1%
2.802649974823	-	1	0.1%
2.826469898224	-	1	0.1%
2.865139961243	-	1	0.1%
2.886219978333	-	1	0.1%
2.904930114746	-	1	0.1%
2.949579954147	-	1	0.1%
3.001709938049	-	1	0.1%
3.032720088959	-	1	0.1%
3.067509889603	-	1	0.1%
3.088999986649	-	1	0.1%
3.105499982834	-	1	0.1%
3.112010002136	-	1	0.1%
3.127579927444	-	1	0.1%
3.136770009995	-	1	0.1%
3.188910007477	-	1	0.1%
3.237149953842	-	1	0.1%
3.272690057755	-	1	0.1%
3.286070108414	-	1	0.1%
3.295120000839	-	1	0.1%
3.304219961166	-	1	0.1%
3.325210094452	-	1	0.1%
3.328579902649	-	1	0.1%
3.462029933929	-	1	0.1%
3.472039937973	-	1	0.1%
3.505450010300	-	1	0.1%

Value	Label	Unweighted Frequency	%
3.542370080948	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 8.523143402379
- Minimum: 0.341075003147
- Maximum: 30.501499176025
- Standard Deviation: 4.098275943526

Location: 7258-7272 (width: 15; decimal: 12)

Variable Type: numeric

[E75_ABS_ALPHAA4A4: E75_abs_alpha](#)

Value	Label	Unweighted Frequency	%
0.179597005248	-	1	0.1%
0.209286004305	-	1	0.1%
0.275536000729	-	1	0.1%
0.286368012428	-	1	0.1%
0.311228007078	-	1	0.1%
0.314559996128	-	1	0.1%
0.381128996611	-	1	0.1%
0.410089999437	-	1	0.1%
0.487230002880	-	1	0.1%
0.487809985876	-	1	0.1%
0.497106999159	-	1	0.1%
0.511833012104	-	1	0.1%
0.566736996174	-	1	0.1%
0.616925001144	-	1	0.1%
0.643718004227	-	1	0.1%
0.666899979115	-	1	0.1%
0.685311019421	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.731069028378	-	1	0.1%
0.741455018520	-	1	0.1%
0.742708027363	-	1	0.1%
0.777168989182	-	1	0.1%
0.778035998344	-	1	0.1%
0.789860010147	-	1	0.1%
0.806541025639	-	1	0.1%
0.813160002232	-	1	0.1%
0.841862022877	-	1	0.1%
0.842472970486	-	1	0.1%
0.876067996025	-	1	0.1%
0.885789990425	-	1	0.1%
0.888639986515	-	1	0.1%
0.911431014538	-	1	0.1%
0.949675023556	-	1	0.1%
0.958558976650	-	1	0.1%
0.991501986980	-	1	0.1%
0.991786003113	-	1	0.1%
0.998983025551	-	1	0.1%
1.008849978447	-	1	0.1%
1.009809970856	-	1	0.1%
1.019099950790	-	1	0.1%
1.020769953728	-	1	0.1%
1.029860019684	-	1	0.1%
1.035879969597	-	1	0.1%
1.041880011559	-	1	0.1%
1.044170022011	-	1	0.1%
1.046370029449	-	1	0.1%
1.061020016670	-	1	0.1%
1.070649981499	-	1	0.1%
1.071869969368	-	1	0.1%
1.082020044327	-	1	0.1%
1.084810018539	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 3.192643899644
- Minimum: 0.179597005248
- Maximum: 14.665699958801
- Standard Deviation: 1.874134419737

Location: 7273-7287 (width: 15; decimal: 12)

Variable Type: numeric

E75_ABS_BETAA4A4: E75_abs_beta

Value	Label	Unweighted Frequency	%
0.0279562007636	-	1	0.1%
0.0482055991888	-	1	0.1%
0.0578892007470	-	1	0.1%
0.0639846995473	-	1	0.1%
0.0686566010118	-	1	0.1%
0.0719315037131	-	1	0.1%
0.1184680014849	-	1	0.1%
0.1218900009990	-	1	0.1%
0.1284459978342	-	1	0.1%
0.1309359967709	-	1	0.1%
0.1313080042601	-	1	0.1%
0.1330289989710	-	1	0.1%
0.1410090029240	-	1	0.1%
0.1411979943514	-	1	0.1%
0.1422429978848	-	1	0.1%
0.1434720009565	-	1	0.1%
0.1456719934940	-	1	0.1%
0.1470459997654	-	1	0.1%
0.1599150002003	-	1	0.1%
0.1649219989777	-	1	0.1%
0.1651190072298	-	1	0.1%
0.1704300045967	-	1	0.1%
0.1729989945889	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1753350049257	-	1	0.1%
0.1767079979181	-	1	0.1%
0.1786430031061	-	1	0.1%
0.1829839944839	-	1	0.1%
0.1920499950647	-	1	0.1%
0.1922660022974	-	1	0.1%
0.1927929967642	-	1	0.1%
0.1954099982977	-	1	0.1%
0.1958570033312	-	1	0.1%
0.1981229931116	-	1	0.1%
0.1991010010242	-	1	0.1%
0.2022420018911	-	1	0.1%
0.2033219933510	-	1	0.1%
0.2089329957962	-	1	0.1%
0.2137919962406	-	1	0.1%
0.2152899950743	-	1	0.1%
0.2156140059233	-	1	0.1%
0.2172569930553	-	1	0.1%
0.2184759974480	-	1	0.1%
0.2188329994678	-	1	0.1%
0.2188969999552	-	1	0.1%
0.2232650071383	-	1	0.1%
0.2250390052795	-	1	0.1%
0.2263049930334	-	1	0.1%
0.2289739996195	-	1	0.1%
0.2299599945545	-	1	0.1%
0.2316170036793	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5955602863065
- Minimum: 0.0279562007636
- Maximum: 3.2554099559784
- Standard Deviation: 0.3180393455181

Location: 7288-7302 (width: 15; decimal: 13)

Variable Type: numeric

E75_ABS_GAMMAA4A4: E75_abs_gamma

Value	Label	Unweighted Frequency	%
0.0094115501270	-	1	0.1%
0.0104248998687	-	1	0.1%
0.0188650991768	-	1	0.1%
0.0228902995586	-	1	0.1%
0.0231922995299	-	1	0.1%
0.0313755981624	-	1	0.1%
0.0316346995533	-	1	0.1%
0.0345541983843	-	1	0.1%
0.0408333986998	-	1	0.1%
0.0416503995657	-	1	0.1%
0.0461941994727	-	1	0.1%
0.0462763011456	-	1	0.1%
0.0473694987595	-	1	0.1%
0.0485792011023	-	1	0.1%
0.0500877983868	-	1	0.1%
0.0516011007130	-	1	0.1%
0.0530440993607	-	1	0.1%
0.0593648999929	-	1	0.1%
0.0613150000572	-	1	0.1%
0.0614239014685	-	1	0.1%
0.0618379004300	-	1	0.1%
0.0633585005999	-	1	0.1%
0.0642784982920	-	1	0.1%
0.0669616013765	-	1	0.1%
0.0673542022705	-	1	0.1%
0.0678858980536	-	1	0.1%
0.0680138021708	-	1	0.1%
0.0688738003373	-	1	0.1%
0.0691851004958	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0693683028221	-	1	0.1%
0.0707155019045	-	1	0.1%
0.0713540017605	-	1	0.1%
0.0715688988566	-	1	0.1%
0.0716767013073	-	1	0.1%
0.0729134008288	-	1	0.1%
0.0730922967196	-	1	0.1%
0.0747046992183	-	1	0.1%
0.0751174986362	-	1	0.1%
0.0761317014694	-	1	0.1%
0.0763353034854	-	1	0.1%
0.0765229985118	-	1	0.1%
0.0774364024401	-	1	0.1%
0.0779210031033	-	1	0.1%
0.0780790969729	-	1	0.1%
0.0781949013472	-	1	0.1%
0.0783808976412	-	1	0.1%
0.0785249024630	-	1	0.1%
0.0816814005375	-	1	0.1%
0.0822141990066	-	1	0.1%
0.0828318968415	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2543046030449
- Minimum: 0.0094115501270
- Maximum: 3.4151198863983
- Standard Deviation: 0.2471448970405

Location: 7303-7317 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E76_ABS_THETAA4A4: E76_abs_theta

Value	Label	Unweighted Frequency	%
0.306582003832	-	1	0.1%
0.700336992741	-	1	0.1%
0.823780000210	-	1	0.1%
1.053460001945	-	1	0.1%
1.065230011940	-	1	0.1%
1.359339952469	-	1	0.1%
1.382920026779	-	1	0.1%
1.455119967461	-	1	0.1%
1.481699943542	-	1	0.1%
1.529559969902	-	1	0.1%
1.677649974823	-	1	0.1%
1.732069969177	-	1	0.1%
1.833719968796	-	1	0.1%
1.978629946709	-	1	0.1%
1.985880017281	-	1	0.1%
1.990470051765	-	1	0.1%
2.141200065613	-	1	0.1%
2.188199996948	-	1	0.1%
2.247060060501	-	1	0.1%
2.336699962616	-	1	0.1%
2.394160032272	-	1	0.1%
2.402990102768	-	1	0.1%
2.459100008011	-	1	0.1%
2.479110002518	-	1	0.1%
2.506710052490	-	1	0.1%
2.581880092621	-	1	0.1%
2.583329916000	-	1	0.1%
2.585829973221	-	1	0.1%
2.651649951935	-	1	0.1%
2.659849882126	-	1	0.1%
2.661540031433	-	1	0.1%
2.708980083466	-	1	0.1%
2.718919992447	-	1	0.1%
2.849159955978	-	1	0.1%
2.854559898376	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.864609956741	-	1	0.1%
2.866660118103	-	1	0.1%
2.942909955978	-	1	0.1%
2.966429948807	-	1	0.1%
3.006779909134	-	1	0.1%
3.045439958572	-	1	0.1%
3.079590082169	-	1	0.1%
3.083539962769	-	1	0.1%
3.087699890137	-	1	0.1%
3.119669914246	-	1	0.1%
3.138230085373	-	1	0.1%
3.181679964066	-	1	0.1%
3.228620052338	-	1	0.1%
3.257580041885	-	1	0.1%
3.284379959106	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 8.048330277343
- Minimum: 0.306582003832
- Maximum: 33.524799346924
- Standard Deviation: 4.307073804420

Location: 7318-7332 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E76_ABS_ALPHAA4A4: E76_abs_alpha

Value	Label	Unweighted Frequency	%
0.157846003771	-	1	0.1%
0.221680998802	-	1	0.1%
0.237608000636	-	1	0.1%
0.291330009699	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.304289996624	-	1	0.1%
0.345281988382	-	1	0.1%
0.352881997824	-	1	0.1%
0.401506990194	-	1	0.1%
0.419344007969	-	1	0.1%
0.426245987415	-	1	0.1%
0.428395003080	-	1	0.1%
0.472328990698	-	1	0.1%
0.483729988337	-	1	0.1%
0.497027993202	-	1	0.1%
0.540284991264	-	1	0.1%
0.552178025246	-	1	0.1%
0.564715981483	-	1	0.1%
0.578516006470	-	1	0.1%
0.623109996319	-	1	0.1%
0.642768979073	-	1	0.1%
0.692264974117	-	1	0.1%
0.730289995670	-	1	0.1%
0.731209993362	-	1	0.1%
0.731317996979	-	1	0.1%
0.778972029686	-	1	0.1%
0.784528970718	-	1	0.1%
0.794191002846	-	1	0.1%
0.795311987400	-	1	0.1%
0.826526999474	-	1	0.1%
0.834837973118	-	1	0.1%
0.835520982742	-	1	0.1%
0.864556014538	-	1	0.1%
0.868246972561	-	1	0.1%
0.886550009251	-	1	0.1%
0.892190992832	-	1	0.1%
0.894760012627	-	1	0.1%
0.903129994869	-	1	0.1%
0.911319971085	-	1	0.1%
0.918385028839	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.918433010578	-	1	0.1%
0.924965977669	-	1	0.1%
0.935364007950	-	1	0.1%
0.943733990192	-	1	0.1%
0.957756996155	-	1	0.1%
0.984242022038	-	1	0.1%
0.992787003517	-	1	0.1%
1.012420058250	-	1	0.1%
1.025060057640	-	1	0.1%
1.029659986496	-	1	0.1%
1.035519957542	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.981973570451
- Minimum: 0.157846003771
- Maximum: 15.781399726868
- Standard Deviation: 1.934119565010

Location: 7333-7347 (width: 15; decimal: 12)

Variable Type: numeric

E76_ABS_BETAA4A4: E76_abs_beta

Value	Label	Unweighted Frequency	%
0.0242018997669	-	1	0.1%
0.0466719008982	-	1	0.1%
0.0573810003698	-	1	0.1%
0.0623622015119	-	1	0.1%
0.0635986998677	-	1	0.1%
0.0763119980693	-	1	0.1%
0.0793356001377	-	1	0.1%
0.0845995023847	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1044460013509	-	1	0.1%
0.1044809967279	-	1	0.1%
0.1107629984617	-	1	0.1%
0.1112530007958	-	1	0.1%
0.1143350005150	-	1	0.1%
0.1213449984789	-	1	0.1%
0.1216700002551	-	1	0.1%
0.1257719993591	-	1	0.1%
0.1301019936800	-	1	0.1%
0.1348800063133	-	1	0.1%
0.1416810005903	-	1	0.1%
0.1467420011759	-	1	0.1%
0.1517069935799	-	1	0.1%
0.1527500003576	-	1	0.1%
0.1547390073538	-	1	0.1%
0.1569249927998	-	1	0.1%
0.1579079926014	-	1	0.1%
0.1581840068102	-	1	0.1%
0.1702110022306	-	1	0.1%
0.1727519929409	-	1	0.1%
0.1749379932880	-	1	0.1%
0.1787469983101	-	1	0.1%
0.1799200028181	-	1	0.1%
0.1809349954128	-	1	0.1%
0.1855649948120	-	1	0.1%
0.1871349960566	-	1	0.1%
0.1895560026169	-	1	0.1%
0.1898709982634	-	1	0.1%
0.1907899975777	-	1	0.1%
0.1917580068111	-	1	0.1%
0.1939409971237	-	1	0.1%
0.1964900046587	-	1	0.1%
0.1965900063515	-	1	0.1%
0.1975349932909	-	1	0.1%
0.1979469954967	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1991389989853	-	1	0.1%
0.1992309987545	-	1	0.1%
0.2018930017948	-	1	0.1%
0.2058739960194	-	1	0.1%
0.2065010070801	-	1	0.1%
0.2080480009317	-	1	0.1%
0.2084919959307	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4758941202595
- Minimum: 0.0242018997669
- Maximum: 1.8809299468994
- Standard Deviation: 0.2423172984962

Location: 7348-7362 (width: 15; decimal: 13)

Variable Type: numeric

E76_ABS_GAMMAA4A4: E76_abs_gamma

Value	Label	Unweighted Frequency	%
0.0083682499826	-	1	0.1%
0.0206790994853	-	1	0.1%
0.0220542997122	-	1	0.1%
0.0229282006621	-	1	0.1%
0.0243528001010	-	1	0.1%
0.0245935991406	-	1	0.1%
0.0263410005718	-	1	0.1%
0.0322746001184	-	1	0.1%
0.0359263010323	-	1	0.1%
0.0365752987564	-	1	0.1%
0.0371977016330	-	1	0.1%
0.0373755991459	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0385448001325	-	1	0.1%
0.0397102981806	-	1	0.1%
0.0401165001094	-	1	0.1%
0.0423067994416	-	1	0.1%
0.0445552989841	-	1	0.1%
0.0448998995125	-	1	0.1%
0.0461277998984	-	1	0.1%
0.0466616004705	-	1	0.1%
0.0467812009156	-	1	0.1%
0.0469993986189	-	1	0.1%
0.0485421009362	-	1	0.1%
0.0501544997096	-	1	0.1%
0.0503645986319	-	1	0.1%
0.0510126017034	-	1	0.1%
0.0533207990229	-	1	0.1%
0.0536365993321	-	1	0.1%
0.0539522990584	-	1	0.1%
0.0575444996357	-	1	0.1%
0.0580754987895	-	1	0.1%
0.0604326985776	-	1	0.1%
0.0621225982904	-	1	0.1%
0.0637883991003	-	1	0.1%
0.0643139034510	-	1	0.1%
0.0644764974713	-	1	0.1%
0.0659122988582	-	1	0.1%
0.0663653016090	-	1	0.1%
0.0664649009705	-	1	0.1%
0.0670223981142	-	1	0.1%
0.0674593970180	-	1	0.1%
0.0678725987673	-	1	0.1%
0.0684138014913	-	1	0.1%
0.0684702992439	-	1	0.1%
0.0687806010246	-	1	0.1%
0.0688918009400	-	1	0.1%
0.0697204992175	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0699879974127	-	1	0.1%
0.0700765028596	-	1	0.1%
0.0703170970082	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.1602830122176
- Minimum: 0.0083682499826
- Maximum: 0.9783809781075
- Standard Deviation: 0.1052529005557

Location: 7363-7377 (width: 15; decimal: 13)

Variable Type: numeric

E77_ABS_THETAA4A4: E77_abs_theta

Value	Label	Unweighted Frequency	%
0.292908996344	-	1	0.1%
0.669604003429	-	1	0.1%
0.855544984341	-	1	0.1%
1.099120020866	-	1	0.1%
1.136309981346	-	1	0.1%
1.241889953613	-	1	0.1%
1.362759947777	-	1	0.1%
1.386000037193	-	1	0.1%
1.393689990044	-	1	0.1%
1.427209973335	-	1	0.1%
1.568400025368	-	1	0.1%
1.743139982224	-	1	0.1%
1.780269980431	-	1	0.1%
1.801149964333	-	1	0.1%
1.844400048256	-	1	0.1%
1.847699999809	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.894880056381	-	1	0.1%
1.941709995270	-	1	0.1%
2.010489940643	-	1	0.1%
2.104099988937	-	1	0.1%
2.114520072937	-	1	0.1%
2.114670038223	-	1	0.1%
2.150680065155	-	1	0.1%
2.299079895020	-	1	0.1%
2.325360059738	-	1	0.1%
2.341320037842	-	1	0.1%
2.376830101013	-	1	0.1%
2.398550033569	-	1	0.1%
2.404560089111	-	1	0.1%
2.418220043182	-	1	0.1%
2.427690029144	-	1	0.1%
2.430799961090	-	1	0.1%
2.478219985962	-	1	0.1%
2.495850086212	-	1	0.1%
2.507060050964	-	1	0.1%
2.521320104599	-	1	0.1%
2.535470008850	-	1	0.1%
2.541150093079	-	1	0.1%
2.568099975586	-	1	0.1%
2.583359956741	-	1	0.1%
2.599550008774	-	1	0.1%
2.614739894867	-	1	0.1%
2.645190000534	-	1	0.1%
2.650650024414	-	1	0.1%
2.666450023651	-	1	0.1%
2.680500030518	-	1	0.1%
2.683020114899	-	1	0.1%
2.711289882660	-	1	0.1%
2.712739944458	-	1	0.1%
2.751029968262	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 7.178476056217
- Minimum: 0.292908996344
- Maximum: 50.858398437500
- Standard Deviation: 4.548994079666

Location: 7378-7392 (width: 15; decimal: 12)

Variable Type: numeric

E77_ABS_ALPHAA4A4: E77_abs_alpha

Value	Label	Unweighted Frequency	%
0.143246993423	-	1	0.1%
0.203132003546	-	1	0.1%
0.210007995367	-	1	0.1%
0.295322000980	-	1	0.1%
0.319029986858	-	1	0.1%
0.325486987829	-	1	0.1%
0.367094993591	-	1	0.1%
0.431701987982	-	1	0.1%
0.440270990133	-	1	0.1%
0.466623008251	-	1	0.1%
0.470687985420	-	1	0.1%
0.482982009649	-	1	0.1%
0.483974993229	-	1	0.1%
0.525510013103	-	1	0.1%
0.526943027973	-	1	0.1%
0.531283974648	-	1	0.1%
0.541634976864	-	1	0.1%
0.561634004116	-	1	0.1%
0.581339001656	-	1	0.1%
0.593228995800	-	1	0.1%
0.594900012016	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.624882996082	-	1	0.1%
0.625267982483	-	1	0.1%
0.626381993294	-	1	0.1%
0.627776980400	-	1	0.1%
0.630779027939	-	1	0.1%
0.641332983971	-	1	0.1%
0.643279016018	-	1	0.1%
0.646377027035	-	1	0.1%
0.655551016331	-	1	0.1%
0.673829972744	-	1	0.1%
0.686878025532	-	1	0.1%
0.696278989315	-	1	0.1%
0.722904980183	-	1	0.1%
0.732940018177	-	1	0.1%
0.762221992016	-	1	0.1%
0.762309014797	-	1	0.1%
0.776210010052	-	1	0.1%
0.780427992344	-	1	0.1%
0.786761999130	-	1	0.1%
0.797446012497	-	1	0.1%
0.814687013626	-	1	0.1%
0.822270989418	-	1	0.1%
0.827841997147	-	1	0.1%
0.854821026325	-	1	0.1%
0.870356023312	-	1	0.1%
0.879676997662	-	1	0.1%
0.885596990585	-	1	0.1%
0.891683995724	-	1	0.1%
0.907912015915	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.685096627857
- Minimum: 0.143246993423
- Maximum: 18.125200271606
- Standard Deviation: 1.941456987191

Location: 7393-7407 (width: 15; decimal: 12)

Variable Type: numeric

E77_ABS_BETAA4A4: E77_abs_beta

Value	Label	Unweighted Frequency	%
0.0221196003258	-	1	0.1%
0.0428926981986	-	1	0.1%
0.0536523014307	-	1	0.1%
0.0624178983271	-	1	0.1%
0.0692870989442	-	1	0.1%
0.0819875001907	-	1	0.1%
0.0866457968950	-	1	0.1%
0.1005470007658	-	1	0.1%
0.1019660010934	-	1	0.1%
0.1058999970555	-	1	0.1%
0.1074659973383	-	1	0.1%
0.1112120002508	-	1	0.1%
0.1118509992957	-	1	0.1%
0.1131829991937	-	1	0.1%
0.1183400005102	-	1	0.1%
0.1190560013056	-	1	0.1%
0.1197919994593	-	1	0.1%
0.1207709982991	-	1	0.1%
0.1211579963565	-	1	0.1%
0.1249630004168	-	1	0.1%
0.1252319961786	-	1	0.1%
0.1295109987259	-	1	0.1%
0.1301749944687	-	1	0.1%
0.1308480054140	-	1	0.1%
0.1314460039139	-	1	0.1%
0.1319849938154	-	1	0.1%
0.1330900043249	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1361349970102	-	1	0.1%
0.1376090049744	-	1	0.1%
0.1392579972744	-	1	0.1%
0.1433209925890	-	1	0.1%
0.1434829980135	-	1	0.1%
0.1445599943399	-	1	0.1%
0.1510300040245	-	1	0.1%
0.1529749929905	-	1	0.1%
0.1535660028458	-	1	0.1%
0.1558050066233	-	1	0.1%
0.1574119925499	-	1	0.1%
0.1581030040979	-	1	0.1%
0.1583099961281	-	1	0.1%
0.1589940041304	-	1	0.1%
0.1604309976101	-	1	0.1%
0.1608989983797	-	1	0.1%
0.1610859930515	-	1	0.1%
0.1627900004387	-	1	0.1%
0.1679349988699	-	1	0.1%
0.1690769940615	-	1	0.1%
0.1691669970751	-	1	0.1%
0.1739690005779	-	1	0.1%
0.1743090003729	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3978281186565
- Minimum: 0.0221196003258
- Maximum: 3.1658101081848
- Standard Deviation: 0.2486156265011

Location: 7408-7422 (width: 15; decimal: 13)

Variable Type: numeric

E77_ABS_GAMMAA4A4: E77_abs_gamma

Value	Label	Unweighted Frequency	%
0.0080854296684	-	1	0.1%
0.0190430004150	-	1	0.1%
0.0191488005221	-	1	0.1%
0.0239512007684	-	1	0.1%
0.0261409003288	-	1	0.1%
0.0273496992886	-	1	0.1%
0.0301120001823	-	1	0.1%
0.0335526987910	-	1	0.1%
0.0351779982448	-	1	0.1%
0.0355930998921	-	1	0.1%
0.0358248986304	-	1	0.1%
0.0359028987586	-	1	0.1%
0.0369838997722	-	1	0.1%
0.0372406989336	-	1	0.1%
0.0378432981670	-	1	0.1%
0.0384396016598	-	1	0.1%
0.0405835993588	-	1	0.1%
0.0412555001676	-	1	0.1%
0.0413279011846	-	1	0.1%
0.0416313000023	-	1	0.1%
0.0429851002991	-	1	0.1%
0.0436412990093	-	1	0.1%
0.0441234000027	-	1	0.1%
0.0446561016142	-	1	0.1%
0.0452613011003	-	1	0.1%
0.0458590984344	-	1	0.1%
0.0463140010834	-	1	0.1%
0.0465303994715	-	1	0.1%
0.0473800003529	-	1	0.1%
0.0497253984213	-	1	0.1%
0.0501037016511	-	1	0.1%
0.0509757995605	-	1	0.1%
0.0510299988091	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0517496988177	-	1	0.1%
0.0521146990359	-	1	0.1%
0.0530986003578	-	1	0.1%
0.0546548999846	-	1	0.1%
0.0551135987043	-	1	0.1%
0.0551665015519	-	1	0.1%
0.0557085983455	-	1	0.1%
0.0559433996677	-	1	0.1%
0.0564365983009	-	1	0.1%
0.0564463995397	-	1	0.1%
0.0567009001970	-	1	0.1%
0.0569378994405	-	1	0.1%
0.0572872012854	-	1	0.1%
0.0578074008226	-	1	0.1%
0.0581950992346	-	1	0.1%
0.0586107000709	-	1	0.1%
0.0590105988085	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.1254436480971
- Minimum: 0.0080854296684
- Maximum: 1.5652899742126
- Standard Deviation: 0.0964035933344

Location: 7423-7437 (width: 15; decimal: 13)

Variable Type: numeric

E78_ABS_THETAA4A4: E78_abs_theta

Value	Label	Unweighted Frequency	%
0.430815994740	-	1	0.1%
0.435196012259	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.673465013504	-	1	0.1%
0.834335029125	-	1	0.1%
0.911171019077	-	1	0.1%
0.980879008770	-	1	0.1%
1.197100043297	-	1	0.1%
1.211840033531	-	1	0.1%
1.216420054436	-	1	0.1%
1.221130013466	-	2	0.2%
1.245260000229	-	1	0.1%
1.274180054665	-	1	0.1%
1.367050051689	-	1	0.1%
1.386960029602	-	1	0.1%
1.408910036087	-	1	0.1%
1.430430054665	-	1	0.1%
1.447810053825	-	1	0.1%
1.453770041466	-	1	0.1%
1.581930041313	-	1	0.1%
1.635339975357	-	1	0.1%
1.647459983826	-	1	0.1%
1.650079965591	-	1	0.1%
1.673140048981	-	1	0.1%
1.689479947090	-	1	0.1%
1.691720008850	-	1	0.1%
1.756260037422	-	1	0.1%
1.823179960251	-	1	0.1%
1.841500043869	-	1	0.1%
1.914839982986	-	1	0.1%
1.979850053787	-	1	0.1%
1.984429955482	-	1	0.1%
2.040829896927	-	1	0.1%
2.061579942703	-	1	0.1%
2.091730117798	-	1	0.1%
2.093899965286	-	1	0.1%
2.107209920883	-	1	0.1%
2.122359991074	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.153690099716	-	1	0.1%
2.155960083008	-	1	0.1%
2.156450033188	-	1	0.1%
2.180010080338	-	1	0.1%
2.182019948959	-	1	0.1%
2.199179887772	-	1	0.1%
2.222990036011	-	1	0.1%
2.235039949417	-	1	0.1%
2.241580009460	-	1	0.1%
2.249180078506	-	1	0.1%
2.259180068970	-	1	0.1%
2.273299932480	-	1	0.1%
2.278559923172	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 5.926172776995
- Minimum: 0.430815994740
- Maximum: 55.483001708984
- Standard Deviation: 4.359145970708

Location: 7438-7452 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E78_ABS_ALPHAA4A4: E78_abs_alpha

Value	Label	Unweighted Frequency	%
0.125795006752	-	1	0.1%
0.171789005399	-	1	0.1%
0.249846994877	-	1	0.1%
0.280185014009	-	1	0.1%
0.284851998091	-	1	0.1%
0.293505012989	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.317472994328	-	1	0.1%
0.319395005703	-	1	0.1%
0.330940008163	-	1	0.1%
0.341549992561	-	1	0.1%
0.367486000061	-	1	0.1%
0.367532998323	-	1	0.1%
0.375746995211	-	1	0.1%
0.383266001940	-	1	0.1%
0.397105991840	-	1	0.1%
0.404940009117	-	1	0.1%
0.425514996052	-	1	0.1%
0.429336994886	-	1	0.1%
0.446817994118	-	1	0.1%
0.451673001051	-	1	0.1%
0.466821014881	-	1	0.1%
0.489843994379	-	1	0.1%
0.506496012211	-	1	0.1%
0.507443010807	-	1	0.1%
0.509478986263	-	1	0.1%
0.531790018082	-	1	0.1%
0.534337997437	-	1	0.1%
0.538313984871	-	1	0.1%
0.549058020115	-	1	0.1%
0.555746018887	-	1	0.1%
0.576376020908	-	1	0.1%
0.591096997261	-	1	0.1%
0.591493010521	-	1	0.1%
0.598680973053	-	1	0.1%
0.602402985096	-	1	0.1%
0.611949026585	-	1	0.1%
0.614345014095	-	1	0.1%
0.616270005703	-	1	0.1%
0.616550028324	-	1	0.1%
0.620029985905	-	1	0.1%
0.623389005661	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.629939973354	-	1	0.1%
0.640287995338	-	1	0.1%
0.653482973576	-	1	0.1%
0.662019014359	-	1	0.1%
0.673910021782	-	1	0.1%
0.688111007214	-	1	0.1%
0.696753978729	-	1	0.1%
0.696880996227	-	1	0.1%
0.698440015316	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.361472852390
- Minimum: 0.125795006752
- Maximum: 25.774900436401
- Standard Deviation: 1.976921643745

Location: 7453-7467 (width: 15; decimal: 12)

Variable Type: numeric

E78_ABS_BETAA4A4: E78_abs_beta

Value	Label	Unweighted Frequency	%
0.0351911000907	-	1	0.1%
0.0360633991659	-	1	0.1%
0.0542408004403	-	1	0.1%
0.0584870986640	-	1	0.1%
0.0605539008975	-	1	0.1%
0.0625905022025	-	1	0.1%
0.0655660033226	-	1	0.1%
0.0730179995298	-	1	0.1%
0.0825038030744	-	1	0.1%
0.0871647968888	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0884620025754	-	1	0.1%
0.0900349989533	-	1	0.1%
0.0937232002616	-	1	0.1%
0.0952503979206	-	1	0.1%
0.0964324995875	-	1	0.1%
0.0973481982946	-	1	0.1%
0.0982265993953	-	1	0.1%
0.1008339971304	-	1	0.1%
0.1049150004983	-	1	0.1%
0.1055440008640	-	1	0.1%
0.1058510020375	-	1	0.1%
0.1063299998641	-	1	0.1%
0.1066080033779	-	1	0.1%
0.1070960015059	-	1	0.1%
0.1091879978776	-	1	0.1%
0.1102100014687	-	1	0.1%
0.1102569997311	-	1	0.1%
0.1156999990344	-	1	0.1%
0.1172669976950	-	1	0.1%
0.1178850010037	-	1	0.1%
0.1187670007348	-	1	0.1%
0.1188339963555	-	1	0.1%
0.1202030032873	-	1	0.1%
0.1214120015502	-	1	0.1%
0.1215389966965	-	1	0.1%
0.1220709979534	-	1	0.1%
0.1226160004735	-	1	0.1%
0.1226669996977	-	1	0.1%
0.1228289976716	-	1	0.1%
0.1248660013080	-	1	0.1%
0.1249720007181	-	1	0.1%
0.1261830031872	-	1	0.1%
0.1268119961023	-	1	0.1%
0.1287229955196	-	1	0.1%
0.1292279958725	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1300580054522	-	1	0.1%
0.1319999992847	-	1	0.1%
0.1331380009651	-	1	0.1%
0.1337179988623	-	1	0.1%
0.1346649974585	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3009970729346
- Minimum: 0.0351911000907
- Maximum: 2.5156300067902
- Standard Deviation: 0.1883935980464

Location: 7468-7482 (width: 15; decimal: 13)

Variable Type: numeric

E78_ABS_GAMMAA4A4: E78_abs_gamma

Value	Label	Unweighted Frequency	%
0.0117685999721	-	1	0.1%
0.0127817997709	-	1	0.1%
0.0153104001656	-	1	0.1%
0.0192118007690	-	1	0.1%
0.0214590001851	-	1	0.1%
0.0241708997637	-	1	0.1%
0.0243893004954	-	1	0.1%
0.0247600004077	-	1	0.1%
0.0275283996016	-	1	0.1%
0.0298909004778	-	1	0.1%
0.0305697992444	-	1	0.1%
0.0318114012480	-	1	0.1%
0.0319322012365	-	1	0.1%
0.0321750007570	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0323828011751	-	1	0.1%
0.0326917991042	-	1	0.1%
0.0333172008395	-	1	0.1%
0.0335312001407	-	1	0.1%
0.0342785008252	-	1	0.1%
0.0354875996709	-	1	0.1%
0.0359022989869	-	1	0.1%
0.0362651981413	-	1	0.1%
0.0364939011633	-	1	0.1%
0.0365380011499	-	1	0.1%
0.0368007011712	-	1	0.1%
0.0370769985020	-	1	0.1%
0.0370771996677	-	1	0.1%
0.0370896011591	-	1	0.1%
0.0377933010459	-	1	0.1%
0.0379069000483	-	1	0.1%
0.0382821001112	-	1	0.1%
0.0383015982807	-	1	0.1%
0.0384117998183	-	1	0.1%
0.0386557988822	-	1	0.1%
0.0396774001420	-	1	0.1%
0.0400892011821	-	1	0.1%
0.0406741015613	-	1	0.1%
0.0412526987493	-	1	0.1%
0.0412562005222	-	1	0.1%
0.0419488996267	-	1	0.1%
0.0432676002383	-	1	0.1%
0.0433087013662	-	1	0.1%
0.0435677990317	-	1	0.1%
0.0436608009040	-	1	0.1%
0.0443493016064	-	1	0.1%
0.0448803007603	-	1	0.1%
0.0449450016022	-	1	0.1%
0.0454161018133	-	1	0.1%
0.0454286001623	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0461716018617	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.0922549559184
- Minimum: 0.0117685999721
- Maximum: 1.1204999685287
- Standard Deviation: 0.0571800417948

Location: 7483-7497 (width: 15; decimal: 13)

Variable Type: numeric

E79_ABS_THETAA4A4: E79_abs_theta

Value	Label	Unweighted Frequency	%
0.321781009436	-	1	0.1%
0.345804005861	-	1	0.1%
0.610159993172	-	1	0.1%
0.675795972347	-	1	0.1%
0.917146027088	-	1	0.1%
0.970018982887	-	1	0.1%
1.019369959831	-	1	0.1%
1.090229988098	-	1	0.1%
1.136659979820	-	1	0.1%
1.167809963226	-	1	0.1%
1.200760006905	-	1	0.1%
1.201120018959	-	1	0.1%
1.201140046120	-	1	0.1%
1.214900016785	-	1	0.1%
1.229570031166	-	1	0.1%
1.246230006218	-	1	0.1%
1.254629969597	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.263419985771	-	1	0.1%
1.274029970169	-	1	0.1%
1.275720000267	-	1	0.1%
1.279270052910	-	1	0.1%
1.294309973717	-	1	0.1%
1.349259972572	-	1	0.1%
1.393090009689	-	1	0.1%
1.396499991417	-	1	0.1%
1.448920011520	-	1	0.1%
1.460090041161	-	1	0.1%
1.460980057716	-	1	0.1%
1.509320020676	-	1	0.1%
1.515630006790	-	1	0.1%
1.522529959679	-	1	0.1%
1.534150004387	-	1	0.1%
1.602110028267	-	1	0.1%
1.608530044556	-	1	0.1%
1.609689950943	-	1	0.1%
1.649469971657	-	1	0.1%
1.715829968452	-	1	0.1%
1.761399984360	-	1	0.1%
1.776290059090	-	1	0.1%
1.787449955940	-	1	0.1%
1.795560002327	-	1	0.1%
1.799229979515	-	1	0.1%
1.805930018425	-	1	0.1%
1.810189962387	-	1	0.1%
1.819569945335	-	1	0.1%
1.820340037346	-	1	0.1%
1.829399943352	-	1	0.1%
1.844689965248	-	1	0.1%
1.846570014954	-	1	0.1%
1.871459960938	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 5.057387950620
- Minimum: 0.321781009436
- Maximum: 26.066200256348
- Standard Deviation: 3.426203385692

Location: 7498-7512 (width: 15; decimal: 12)

Variable Type: numeric

E79_ABS_ALPHAA4A4: E79_abs_alpha

Value	Label	Unweighted Frequency	%
0.128616005182	-	1	0.1%
0.144039005041	-	1	0.1%
0.150828003883	-	1	0.1%
0.186902001500	-	1	0.1%
0.228755995631	-	1	0.1%
0.272614002228	-	1	0.1%
0.305608004332	-	1	0.1%
0.306679993868	-	1	0.1%
0.312537014484	-	1	0.1%
0.313259989023	-	1	0.1%
0.323976993561	-	1	0.1%
0.337969988585	-	1	0.1%
0.348183989525	-	1	0.1%
0.355470001698	-	1	0.1%
0.365310996771	-	1	0.1%
0.389070004225	-	1	0.1%
0.405232012272	-	1	0.1%
0.405544012785	-	1	0.1%
0.411237001419	-	1	0.1%
0.413441985846	-	1	0.1%
0.423099011183	-	1	0.1%
0.428754001856	-	1	0.1%
0.432772994041	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.442122995853	-	1	0.1%
0.445470005274	-	1	0.1%
0.451469987631	-	1	0.1%
0.460310995579	-	1	0.1%
0.469025999308	-	1	0.1%
0.470223009586	-	1	0.1%
0.471653014421	-	1	0.1%
0.485354006290	-	1	0.1%
0.485633999109	-	1	0.1%
0.487224012613	-	1	0.1%
0.487587004900	-	1	0.1%
0.510102987289	-	1	0.1%
0.514288008213	-	1	0.1%
0.516986012459	-	1	0.1%
0.526893973351	-	1	0.1%
0.532495975494	-	1	0.1%
0.545810997486	-	1	0.1%
0.552818000317	-	1	0.1%
0.557464003563	-	1	0.1%
0.559949994087	-	1	0.1%
0.576614975929	-	1	0.1%
0.577122986317	-	1	0.1%
0.580493986607	-	1	0.1%
0.581637978554	-	1	0.1%
0.589630007744	-	1	0.1%
0.590605020523	-	1	0.1%
0.615432977676	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.144186940402
- Minimum: 0.128616005182
- Maximum: 22.916799545288
- Standard Deviation: 1.770750987680

Location: 7513-7527 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E79_ABS_BETAA4A4: E79_abs_beta

Value	Label	Unweighted Frequency	%
0.0240994002670	-	1	0.1%
0.0298475995660	-	1	0.1%
0.0343033000827	-	1	0.1%
0.0491767004132	-	1	0.1%
0.0557936988771	-	1	0.1%
0.0570256002247	-	1	0.1%
0.0584343001246	-	1	0.1%
0.0604148991406	-	1	0.1%
0.0636646002531	-	1	0.1%
0.0643922016025	-	1	0.1%
0.0664748996496	-	1	0.1%
0.0666112005711	-	1	0.1%
0.0738418027759	-	1	0.1%
0.0763415992260	-	1	0.1%
0.0776437968016	-	1	0.1%
0.0790942013264	-	1	0.1%
0.0801471024752	-	1	0.1%
0.0864010974765	-	1	0.1%
0.0868085026741	-	1	0.1%
0.0873967036605	-	1	0.1%
0.0874487981200	-	1	0.1%
0.0876632034779	-	1	0.1%
0.0917392969131	-	1	0.1%
0.0928141027689	-	1	0.1%
0.0950040966272	-	1	0.1%
0.0973747000098	-	1	0.1%
0.0985983982682	-	1	0.1%
0.0987325012684	-	1	0.1%
0.0989924967289	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0990725979209	-	1	0.1%
0.0991593003273	-	1	0.1%
0.0991799980402	-	1	0.1%
0.0994357988238	-	1	0.1%
0.0999035984278	-	1	0.1%
0.1001010015607	-	1	0.1%
0.1003630012274	-	1	0.1%
0.1011769995093	-	1	0.1%
0.1015290021896	-	1	0.1%
0.1018479987979	-	1	0.1%
0.1039220020175	-	1	0.1%
0.1043739989400	-	1	0.1%
0.1057899966836	-	1	0.1%
0.1068350002170	-	1	0.1%
0.1074469983578	-	1	0.1%
0.1079059988260	-	1	0.1%
0.1082220003009	-	1	0.1%
0.1094719991088	-	1	0.1%
0.1096580028534	-	1	0.1%
0.1102299988270	-	1	0.1%
0.1110019981861	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2522396408050
- Minimum: 0.0240994002670
- Maximum: 1.0713299512863
- Standard Deviation: 0.1415872426859

Location: 7528-7542 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E79_ABS_GAMMAA4A4: E79_abs_gamma

Value	Label	Unweighted Frequency	%
0.0083277998492	-	1	0.1%
0.0095756100491	-	1	0.1%
0.0119682000950	-	1	0.1%
0.0159223005176	-	1	0.1%
0.0162892006338	-	1	0.1%
0.0195882003754	-	1	0.1%
0.0207269005477	-	1	0.1%
0.0256283003837	-	1	0.1%
0.0257693994790	-	1	0.1%
0.0273864008486	-	1	0.1%
0.0274739991874	-	1	0.1%
0.0279523991048	-	1	0.1%
0.0279635004699	-	1	0.1%
0.0285886004567	-	1	0.1%
0.0286290999502	-	1	0.1%
0.0287906005979	-	1	0.1%
0.0291853006929	-	1	0.1%
0.0292236991227	-	1	0.1%
0.0293751005083	-	1	0.1%
0.0298174992204	-	1	0.1%
0.0304496008903	-	1	0.1%
0.0310690999031	-	1	0.1%
0.0314648002386	-	1	0.1%
0.0314797982574	-	1	0.1%
0.0315449014306	-	1	0.1%
0.0317206010222	-	1	0.1%
0.0319552011788	-	1	0.1%
0.0320658981800	-	1	0.1%
0.0322406999767	-	1	0.1%
0.0330925993621	-	1	0.1%
0.0334776006639	-	1	0.1%
0.0335453003645	-	1	0.1%
0.0336537994444	-	1	0.1%
0.0343534015119	-	1	0.1%
0.0346429012716	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0347083993256	-	1	0.1%
0.0352578014135	-	1	0.1%
0.0354989990592	-	1	0.1%
0.0356791988015	-	1	0.1%
0.0359822995961	-	1	0.1%
0.0360174998641	-	1	0.1%
0.0362199991941	-	1	0.1%
0.0364192984998	-	1	0.1%
0.0369267985225	-	1	0.1%
0.0369607992470	-	1	0.1%
0.0370334014297	-	1	0.1%
0.0371573008597	-	1	0.1%
0.0372014008462	-	1	0.1%
0.0383630990982	-	1	0.1%
0.0392500013113	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.0803889274531
- Minimum: 0.0083277998492
- Maximum: 0.3640690147877
- Standard Deviation: 0.0394778825791

Location: 7543-7557 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E80_ABS_THETAA4A4: E80_abs_theta

Value	Label	Unweighted Frequency	%
0.342022985220	-	1	0.1%
0.459322988987	-	1	0.1%
0.633942008018	-	1	0.1%
0.670982003212	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.682146012783	-	1	0.1%
0.682303011417	-	1	0.1%
0.758628010750	-	1	0.1%
0.852394998074	-	1	0.1%
1.024440050125	-	1	0.1%
1.033599972725	-	1	0.1%
1.042359948158	-	1	0.1%
1.055500030518	-	1	0.1%
1.068330049515	-	1	0.1%
1.085610032082	-	1	0.1%
1.090280056000	-	1	0.1%
1.096869945526	-	1	0.1%
1.107959985733	-	1	0.1%
1.110360026360	-	1	0.1%
1.110520005226	-	1	0.1%
1.121469974518	-	1	0.1%
1.129680037498	-	1	0.1%
1.130710005760	-	1	0.1%
1.137570023537	-	1	0.1%
1.225540041924	-	1	0.1%
1.236310005188	-	1	0.1%
1.246350049973	-	1	0.1%
1.265750050545	-	1	0.1%
1.275020003319	-	1	0.1%
1.276679992676	-	1	0.1%
1.278110027313	-	1	0.1%
1.290400028229	-	1	0.1%
1.293699979782	-	1	0.1%
1.306249976158	-	1	0.1%
1.306830048561	-	1	0.1%
1.319800019264	-	1	0.1%
1.321720004082	-	1	0.1%
1.327090024948	-	1	0.1%
1.342049956322	-	1	0.1%
1.367740035057	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.376970052719	-	1	0.1%
1.383530020714	-	1	0.1%
1.396420001984	-	1	0.1%
1.446370005608	-	1	0.1%
1.451030015945	-	1	0.1%
1.458709955215	-	1	0.1%
1.465800046921	-	1	0.1%
1.466549992561	-	1	0.1%
1.467890024185	-	1	0.1%
1.472489953041	-	1	0.1%
1.476600050926	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.316889591584
- Minimum: 0.342022985220
- Maximum: 34.721199035645
- Standard Deviation: 3.040609519051

Location: 7558-7572 (width: 15; decimal: 12)

Variable Type: numeric

E80_ABS_ALPHAA4A4: E80_abs_alpha

Value	Label	Unweighted Frequency	%
0.103593997657	-	1	0.1%
0.199810996652	-	1	0.1%
0.212621003389	-	1	0.1%
0.214022994041	-	1	0.1%
0.222027003765	-	1	0.1%
0.229241997004	-	1	0.1%
0.233667999506	-	1	0.1%
0.258206993341	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.261224001646	-	1	0.1%
0.261768013239	-	1	0.1%
0.275893986225	-	1	0.1%
0.285270005465	-	1	0.1%
0.302000999451	-	1	0.1%
0.308587014675	-	1	0.1%
0.328090012074	-	1	0.1%
0.328951001167	-	1	0.1%
0.332062005997	-	1	0.1%
0.332664996386	-	1	0.1%
0.342853009701	-	1	0.1%
0.343140989542	-	1	0.1%
0.356373995543	-	1	0.1%
0.370274990797	-	1	0.1%
0.378863990307	-	1	0.1%
0.385379999876	-	1	0.1%
0.392058014870	-	1	0.1%
0.401912003756	-	1	0.1%
0.405097991228	-	1	0.1%
0.406751990318	-	1	0.1%
0.408138006926	-	1	0.1%
0.408445000648	-	1	0.1%
0.431665986776	-	1	0.1%
0.432467013597	-	1	0.1%
0.437198013067	-	1	0.1%
0.439442992210	-	1	0.1%
0.440759003162	-	1	0.1%
0.443105012178	-	1	0.1%
0.447492003441	-	1	0.1%
0.448300987482	-	1	0.1%
0.448709011078	-	1	0.1%
0.449218988419	-	1	0.1%
0.453709989786	-	1	0.1%
0.455092996359	-	1	0.1%
0.456418991089	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.456928014755	-	1	0.1%
0.457848995924	-	1	0.1%
0.459057986736	-	1	0.1%
0.468441009521	-	1	0.1%
0.468580007553	-	1	0.1%
0.478895008564	-	1	0.1%
0.486193001270	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.843297547381
- Minimum: 0.103593997657
- Maximum: 16.337799072266
- Standard Deviation: 1.434386460452

Location: 7573-7587 (width: 15; decimal: 12)

Variable Type: numeric

E80_ABS_BETAA4A4: E80_abs_beta

Value	Label	Unweighted Frequency	%
0.0201418008655	-	1	0.1%
0.0304397009313	-	1	0.1%
0.0377370007336	-	1	0.1%
0.0382261984050	-	1	0.1%
0.0504870004952	-	1	0.1%
0.0525992996991	-	1	0.1%
0.0529938004911	-	1	0.1%
0.0563688986003	-	1	0.1%
0.0571935996413	-	1	0.1%
0.0576739013195	-	1	0.1%
0.0587536990643	-	1	0.1%
0.0597167015076	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0606018006802	-	1	0.1%
0.0624531991780	-	1	0.1%
0.0647121965885	-	1	0.1%
0.0650418996811	-	1	0.1%
0.0711925998330	-	1	0.1%
0.0718311965466	-	1	0.1%
0.0724679008126	-	1	0.1%
0.0740372985601	-	1	0.1%
0.0779185965657	-	1	0.1%
0.0781603977084	-	1	0.1%
0.0786707997322	-	1	0.1%
0.0796509012580	-	1	0.1%
0.0816455036402	-	1	0.1%
0.0820014998317	-	1	0.1%
0.0822630003095	-	1	0.1%
0.0845694988966	-	1	0.1%
0.0850296020508	-	1	0.1%
0.0856589004397	-	1	0.1%
0.0858974978328	-	1	0.1%
0.0864330977201	-	1	0.1%
0.0869968011975	-	1	0.1%
0.0870605036616	-	1	0.1%
0.0870732963085	-	1	0.1%
0.0873138010502	-	1	0.1%
0.0878766030073	-	1	0.1%
0.0892333984375	-	1	0.1%
0.0901668965816	-	1	0.1%
0.0904186964035	-	1	0.1%
0.0906801968813	-	1	0.1%
0.0909741967916	-	1	0.1%
0.0913761034608	-	1	0.1%
0.0914973989129	-	1	0.1%
0.0918899998069	-	1	0.1%
0.0930026024580	-	1	0.1%
0.0937078967690	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0938669964671	-	1	0.1%
0.0943332016468	-	1	0.1%
0.0945732966065	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2151866881696
- Minimum: 0.0201418008655
- Maximum: 1.1039999723434
- Standard Deviation: 0.1167810477464

Location: 7588-7602 (width: 15; decimal: 13)

Variable Type: numeric

E80_ABS_GAMMAA4A4: E80_abs_gamma

Value	Label	Unweighted Frequency	%
0.0085501801223	-	1	0.1%
0.0098710302263	-	1	0.1%
0.0103417998180	-	1	0.1%
0.0142021002248	-	1	0.1%
0.0148275997490	-	1	0.1%
0.0153684997931	-	1	0.1%
0.0163217000663	-	1	0.1%
0.0177030991763	-	1	0.1%
0.0205223001540	-	1	0.1%
0.0206115990877	-	1	0.1%
0.0210303999484	-	1	0.1%
0.0212150998414	-	1	0.1%
0.0220040008426	-	1	0.1%
0.0223996005952	-	1	0.1%
0.0224121995270	-	1	0.1%
0.0228579007089	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0237814001739	-	1	0.1%
0.0246553998441	-	1	0.1%
0.0257680006325	-	1	0.1%
0.0266782008111	-	1	0.1%
0.0268607009202	-	1	0.1%
0.0269738007337	-	1	0.1%
0.0269824005663	-	1	0.1%
0.0274276006967	-	1	0.1%
0.0274844001979	-	1	0.1%
0.0277705006301	-	1	0.1%
0.0282012000680	-	1	0.1%
0.0285701006651	-	1	0.1%
0.0287388004363	-	1	0.1%
0.0288587994874	-	1	0.1%
0.0290600005537	-	1	0.1%
0.0294185001403	-	1	0.1%
0.0305675994605	-	1	0.1%
0.0308526996523	-	1	0.1%
0.0309861004353	-	1	0.1%
0.0319975018501	-	1	0.1%
0.0320375002921	-	1	0.1%
0.0321393981576	-	1	0.1%
0.0322116985917	-	1	0.1%
0.0322768017650	-	1	0.1%
0.0326910987496	-	1	0.1%
0.0332298986614	-	1	0.1%
0.0335099995136	-	1	0.1%
0.0335539989173	-	1	0.1%
0.0340286009014	-	1	0.1%
0.0341007001698	-	1	0.1%
0.0344875007868	-	1	0.1%
0.0345292016864	-	1	0.1%
0.0345932990313	-	1	0.1%
0.0347050987184	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.0704944385807
- Minimum: 0.0085501801223
- Maximum: 0.5341629981995
- Standard Deviation: 0.0372633414033

Location: 7603-7617 (width: 15; decimal: 13)

Variable Type: numeric

[E82_ABS_THETAA4A4: E82_abs_theta](#)

Value	Label	Unweighted Frequency	%
0.316302001476	-	1	0.1%
0.921898007393	-	1	0.1%
1.111789941788	-	1	0.1%
1.114650011063	-	1	0.1%
1.354120016098	-	1	0.1%
1.417559981346	-	1	0.1%
1.486570000648	-	1	0.1%
1.517089962959	-	1	0.1%
1.522070050240	-	1	0.1%
1.611140012741	-	1	0.1%
1.773259997368	-	1	0.1%
1.896980047226	-	1	0.1%
1.939569950104	-	1	0.1%
2.054300069809	-	1	0.1%
2.357089996338	-	1	0.1%
2.664330005646	-	1	0.1%
2.682670116425	-	1	0.1%
2.696470022202	-	1	0.1%
2.721299886703	-	2	0.2%
2.739150047302	-	1	0.1%
2.756079912186	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.766900062561	-	1	0.1%
2.777479887009	-	1	0.1%
2.778079986572	-	1	0.1%
2.810539960861	-	1	0.1%
2.843660116196	-	1	0.1%
2.871459960938	-	1	0.1%
2.886250019073	-	1	0.1%
2.941210031509	-	1	0.1%
2.962599992752	-	1	0.1%
3.018779993057	-	1	0.1%
3.043910026550	-	1	0.1%
3.045730113983	-	1	0.1%
3.053590059280	-	1	0.1%
3.135040044785	-	1	0.1%
3.138129949570	-	1	0.1%
3.178179979324	-	1	0.1%
3.186939954758	-	1	0.1%
3.217710018158	-	1	0.1%
3.265599966049	-	1	0.1%
3.288049936295	-	1	0.1%
3.291569948196	-	1	0.1%
3.304389953613	-	1	0.1%
3.325320005417	-	1	0.1%
3.371400117874	-	1	0.1%
3.393150091171	-	1	0.1%
3.444849967957	-	1	0.1%
3.457230091095	-	1	0.1%
3.559600114822	-	1	0.1%
3.670949935913	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 8.175001208904
- Minimum: 0.316302001476
- Maximum: 30.016099929810
- Standard Deviation: 3.832006277275

Location: 7618-7632 (width: 15; decimal: 12)

Variable Type: numeric

E82_ABS_ALPHAA4A4: E82_abs_alpha

Value	Label	Unweighted Frequency	%
0.168557003140	-	1	0.1%
0.234372004867	-	1	0.1%
0.253098994493	-	1	0.1%
0.253143012524	-	1	0.1%
0.266097992659	-	1	0.1%
0.275052011013	-	1	0.1%
0.281410008669	-	1	0.1%
0.289676994085	-	1	0.1%
0.298748999834	-	1	0.1%
0.363804012537	-	1	0.1%
0.400417000055	-	1	0.1%
0.429872989655	-	1	0.1%
0.570239007473	-	1	0.1%
0.588907003403	-	1	0.1%
0.605794012547	-	1	0.1%
0.636654019356	-	1	0.1%
0.670319020748	-	1	0.1%
0.687094986439	-	1	0.1%
0.697830021381	-	1	0.1%
0.707123994827	-	1	0.1%
0.709492027760	-	1	0.1%
0.712773978710	-	1	0.1%
0.759791970253	-	1	0.1%
0.821443974972	-	1	0.1%
0.844053983688	-	1	0.1%
0.854061007500	-	1	0.1%
0.855767011642	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.870904028416	-	1	0.1%
0.876411020756	-	1	0.1%
0.891695022583	-	1	0.1%
0.913780987263	-	1	0.1%
0.918336987495	-	1	0.1%
0.935980021954	-	1	0.1%
0.964233994484	-	1	0.1%
0.982650995255	-	1	0.1%
0.985266983509	-	1	0.1%
0.986200988293	-	1	0.1%
0.988774001598	-	1	0.1%
0.990960001945	-	1	0.1%
1.008679986000	-	1	0.1%
1.013949990273	-	1	0.1%
1.027609944344	-	1	0.1%
1.030789971352	-	1	0.1%
1.045830011368	-	1	0.1%
1.049139976501	-	1	0.1%
1.059239983559	-	1	0.1%
1.105739951134	-	1	0.1%
1.106889963150	-	1	0.1%
1.138790011406	-	1	0.1%
1.148669958115	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.975570408137
- Minimum: 0.168557003140
- Maximum: 16.722499847412
- Standard Deviation: 1.752564629977

Location: 7633-7647 (width: 15; decimal: 12)

Variable Type: numeric

E82_ABS_BETAA4A4: E82_abs_beta

Value	Label	Unweighted Frequency	%
0.0267897006124	-	1	0.1%
0.0496961995959	-	1	0.1%
0.0589118003845	-	1	0.1%
0.0676539018750	-	1	0.1%
0.0684920996428	-	1	0.1%
0.0708649978042	-	1	0.1%
0.0739993005991	-	1	0.1%
0.1011049970984	-	1	0.1%
0.1081359982491	-	1	0.1%
0.1122919991612	-	1	0.1%
0.1169430017471	-	1	0.1%
0.1169790029526	-	1	0.1%
0.1215109974146	-	1	0.1%
0.1219850033522	-	1	0.1%
0.1300120055676	-	1	0.1%
0.1397880017757	-	1	0.1%
0.1526249945164	-	1	0.1%
0.1533710062504	-	1	0.1%
0.1575690060854	-	1	0.1%
0.1647209972143	-	1	0.1%
0.1664890050888	-	1	0.1%
0.1720999926329	-	1	0.1%
0.1743829995394	-	1	0.1%
0.1760150045156	-	1	0.1%
0.1827639937401	-	1	0.1%
0.1831409931183	-	1	0.1%
0.1843400001526	-	1	0.1%
0.1848669946194	-	1	0.1%
0.1879490017891	-	1	0.1%
0.1942739933729	-	1	0.1%
0.2003590017557	-	1	0.1%
0.2037599980831	-	1	0.1%
0.2098609954119	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.2123470008373	-	1	0.1%
0.2130039930344	-	1	0.1%
0.2137389928102	-	1	0.1%
0.2158149927855	-	1	0.1%
0.2222989946604	-	1	0.1%
0.2244790047407	-	1	0.1%
0.2254689931870	-	1	0.1%
0.2263949960470	-	1	0.1%
0.2280759960413	-	1	0.1%
0.2309170067310	-	1	0.1%
0.2331089973450	-	1	0.1%
0.2404190003872	-	1	0.1%
0.2422869950533	-	1	0.1%
0.2423000037670	-	1	0.1%
0.2428559958935	-	1	0.1%
0.2613120079041	-	1	0.1%
0.2622280120850	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.7371608741068
- Minimum: 0.0267897006124
- Maximum: 3.3893899917603
- Standard Deviation: 0.4702718102720

Location: 7648-7662 (width: 15; decimal: 13)

Variable Type: numeric

E82_ABS_GAMMAA4A4: E82_abs_gamma

Value	Label	Unweighted Frequency	%
0.0086017800495	-	1	0.1%
0.0106546999887	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0203667990863	-	1	0.1%
0.0300558991730	-	1	0.1%
0.03031989993206	-	1	0.1%
0.0339962989092	-	1	0.1%
0.0349834002554	-	1	0.1%
0.0427273996174	-	1	0.1%
0.0441404990852	-	1	0.1%
0.0450069010258	-	1	0.1%
0.0462111011147	-	1	0.1%
0.0479089990258	-	1	0.1%
0.0499702990055	-	1	0.1%
0.0505021996796	-	1	0.1%
0.0506974011660	-	1	0.1%
0.0516344010830	-	1	0.1%
0.0524340011179	-	1	0.1%
0.0528686009347	-	1	0.1%
0.0531045012176	-	1	0.1%
0.0550155006349	-	1	0.1%
0.0567294992507	-	1	0.1%
0.0579464994371	-	1	0.1%
0.0592981018126	-	1	0.1%
0.0599270015955	-	1	0.1%
0.0622022002935	-	1	0.1%
0.0631652027369	-	1	0.1%
0.0637988969684	-	1	0.1%
0.0683396980166	-	1	0.1%
0.0696130022407	-	1	0.1%
0.0744818970561	-	1	0.1%
0.0749128982425	-	1	0.1%
0.0764254033566	-	1	0.1%
0.0795361027122	-	1	0.1%
0.0813729986548	-	1	0.1%
0.0819049030542	-	1	0.1%
0.0848425999284	-	1	0.1%
0.0856691002846	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0877451002598	-	1	0.1%
0.0881777033210	-	1	0.1%
0.0887797996402	-	1	0.1%
0.0913479030132	-	1	0.1%
0.0918280035257	-	1	0.1%
0.0921329036355	-	1	0.1%
0.0921584963799	-	1	0.1%
0.0927034020424	-	1	0.1%
0.0940804034472	-	1	0.1%
0.0951573029160	-	1	0.1%
0.0967421978712	-	1	0.1%
0.0978735983372	-	1	0.1%
0.0994206964970	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4502549696737
- Minimum: 0.0086017800495
- Maximum: 4.6776199340820
- Standard Deviation: 0.4699534580553

Location: 7663-7677 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E83_ABS_THETAA4A4: E83_abs_theta

Value	Label	Unweighted Frequency	%
0.325329989195	-	1	0.1%
0.681456983089	-	1	0.1%
0.997793972492	-	1	0.1%
1.012639999390	-	1	0.1%
1.146469950676	-	1	0.1%
1.170429944992	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.344799995422	-	1	0.1%
1.471119999886	-	1	0.1%
1.508640050888	-	1	0.1%
1.714269995689	-	1	0.1%
1.841770052910	-	1	0.1%
1.906679987907	-	1	0.1%
1.981109976768	-	1	0.1%
2.108289957047	-	1	0.1%
2.197839975357	-	1	0.1%
2.205199956894	-	1	0.1%
2.350379943848	-	1	0.1%
2.365220069885	-	1	0.1%
2.392410039902	-	1	0.1%
2.427190065384	-	1	0.1%
2.475480079651	-	1	0.1%
2.478159904480	-	1	0.1%
2.504019975662	-	1	0.1%
2.609930038452	-	1	0.1%
2.622649908066	-	1	0.1%
2.638060092926	-	1	0.1%
2.730890035629	-	1	0.1%
2.738339900970	-	1	0.1%
2.743880033493	-	1	0.1%
2.776710033417	-	1	0.1%
2.816720008850	-	1	0.1%
2.826989889145	-	1	0.1%
2.864340066910	-	1	0.1%
2.895149946213	-	1	0.1%
2.895900011063	-	1	0.1%
2.927119970322	-	1	0.1%
2.943089962006	-	1	0.1%
3.018300056458	-	1	0.1%
3.027040004730	-	1	0.1%
3.056529998779	-	1	0.1%
3.082180023193	-	1	0.1%

Value	Label	Unweighted Frequency	%
3.101249933243	-	1	0.1%
3.139869928360	-	1	0.1%
3.196389913559	-	1	0.1%
3.234119892120	-	1	0.1%
3.251549959183	-	1	0.1%
3.274679899216	-	1	0.1%
3.291769981384	-	1	0.1%
3.318979978561	-	1	0.1%
3.345429897308	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 8.527277206074
- Minimum: 0.325329989195
- Maximum: 27.857900619507
- Standard Deviation: 4.295962877768

Location: 7678-7692 (width: 15; decimal: 12)

Variable Type: numeric

E83_ABS_ALPHA4A4: E83_abs_alpha

Value	Label	Unweighted Frequency	%
0.163109004498	-	1	0.1%
0.176734000444	-	1	0.1%
0.261527985334	-	1	0.1%
0.263873010874	-	1	0.1%
0.291054993868	-	1	0.1%
0.313021004200	-	1	0.1%
0.333025991917	-	1	0.1%
0.375925004482	-	1	0.1%
0.387569010258	-	1	0.1%
0.415454000235	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.485449999571	-	1	0.1%
0.609567999840	-	1	0.1%
0.616577982903	-	1	0.1%
0.624386012554	-	1	0.1%
0.624912977219	-	1	0.1%
0.626276016235	-	1	0.1%
0.644360005856	-	1	0.1%
0.649932980537	-	1	0.1%
0.668361008167	-	1	0.1%
0.682170987129	-	1	0.1%
0.702404022217	-	1	0.1%
0.706789016724	-	1	0.1%
0.724766016006	-	1	0.1%
0.745877981186	-	1	0.1%
0.760204970837	-	1	0.1%
0.775847017765	-	1	0.1%
0.806768000126	-	1	0.1%
0.826202988625	-	1	0.1%
0.828118026257	-	1	0.1%
0.843747019768	-	1	0.1%
0.851027011871	-	1	0.1%
0.903908014297	-	1	0.1%
0.911916971207	-	1	0.1%
0.912240982056	-	1	0.1%
0.927303016186	-	1	0.1%
0.934246003628	-	1	0.1%
0.945456981659	-	1	0.1%
0.948486983776	-	1	0.1%
0.983479022980	-	1	0.1%
1.046339988708	-	1	0.1%
1.054299950600	-	1	0.1%
1.076609969139	-	1	0.1%
1.121000051498	-	1	0.1%
1.124289989471	-	1	0.1%
1.130990028381	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.141929984093	-	1	0.1%
1.143200039864	-	1	0.1%
1.149549961090	-	1	0.1%
1.177060008049	-	1	0.1%
1.185580015182	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 3.355598141258
- Minimum: 0.163109004498
- Maximum: 19.988500595093
- Standard Deviation: 2.085886899340

Location: 7693-7707 (width: 15; decimal: 12)

Variable Type: numeric

E83_ABS_BETAA4A4: E83_abs_beta

Value	Label	Unweighted Frequency	%
0.0238819997758	-	1	0.1%
0.0547762997448	-	1	0.1%
0.0558794997633	-	1	0.1%
0.0646338015795	-	1	0.1%
0.0763875022531	-	1	0.1%
0.0862433984876	-	1	0.1%
0.0933334976435	-	1	0.1%
0.1083130016923	-	1	0.1%
0.1097429990768	-	1	0.1%
0.1170570030808	-	1	0.1%
0.1192440018058	-	1	0.1%
0.1290829926729	-	1	0.1%
0.1421310007572	-	1	0.1%
0.1451620012522	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1462150067091	-	1	0.1%
0.1479270011187	-	1	0.1%
0.1579390019178	-	1	0.1%
0.1580390036106	-	1	0.1%
0.1676560044289	-	1	0.1%
0.1727869957685	-	1	0.1%
0.1747969985008	-	1	0.1%
0.1754149943590	-	1	0.1%
0.1775290071964	-	1	0.1%
0.1800590008497	-	1	0.1%
0.1931280046701	-	1	0.1%
0.1931480020285	-	1	0.1%
0.1945389956236	-	1	0.1%
0.1953710019588	-	1	0.1%
0.1965499967337	-	1	0.1%
0.1991849988699	-	1	0.1%
0.2020590007305	-	1	0.1%
0.2066030055285	-	1	0.1%
0.2110989987850	-	1	0.1%
0.2118189930916	-	1	0.1%
0.2150730043650	-	1	0.1%
0.2161040008068	-	1	0.1%
0.2170899957418	-	1	0.1%
0.2191299945116	-	1	0.1%
0.2253170013428	-	1	0.1%
0.2291450053453	-	1	0.1%
0.2291979938745	-	1	0.1%
0.2293130010366	-	1	0.1%
0.2306430041790	-	1	0.1%
0.2306949943304	-	1	0.1%
0.2317470014095	-	1	0.1%
0.2360659986734	-	1	0.1%
0.2370630055666	-	1	0.1%
0.2445410043001	-	1	0.1%
0.2456080019474	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.2483720034361	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.7093135550382
- Minimum: 0.0238819997758
- Maximum: 4.1528601646423
- Standard Deviation: 0.5023747193297

Location: 7708-7722 (width: 15; decimal: 13)

Variable Type: numeric

E83_ABS_GAMMAA4A4: E83_abs_gamma

Value	Label	Unweighted Frequency	%
0.0078063001856	-	1	0.1%
0.0209309998900	-	1	0.1%
0.0230187997222	-	1	0.1%
0.0233264006674	-	1	0.1%
0.0269754007459	-	1	0.1%
0.0318672992289	-	1	0.1%
0.0362251996994	-	1	0.1%
0.0400467999279	-	1	0.1%
0.0415449999273	-	1	0.1%
0.0418156981468	-	1	0.1%
0.0440906994045	-	1	0.1%
0.0443291999400	-	1	0.1%
0.0500290989876	-	1	0.1%
0.0526582002640	-	1	0.1%
0.0528826005757	-	1	0.1%
0.0541182011366	-	1	0.1%
0.0548214986920	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0561612993479	-	1	0.1%
0.0567031018436	-	1	0.1%
0.0567688010633	-	1	0.1%
0.0580423995852	-	1	0.1%
0.0590539984405	-	1	0.1%
0.0644835010171	-	1	0.1%
0.0644991993904	-	1	0.1%
0.0658937022090	-	1	0.1%
0.0668110996485	-	1	0.1%
0.0676039010286	-	1	0.1%
0.0713180974126	-	1	0.1%
0.0717744007707	-	1	0.1%
0.0719930976629	-	1	0.1%
0.0735531002283	-	1	0.1%
0.0755494982004	-	1	0.1%
0.0757550001144	-	1	0.1%
0.0759575963020	-	1	0.1%
0.0773176029325	-	1	0.1%
0.0785010978580	-	1	0.1%
0.0788177028298	-	1	0.1%
0.0819734036922	-	1	0.1%
0.0833380967379	-	1	0.1%
0.0833763033152	-	1	0.1%
0.0837100967765	-	1	0.1%
0.0847491025925	-	1	0.1%
0.0858111009002	-	1	0.1%
0.0863265991211	-	1	0.1%
0.0873889997602	-	1	0.1%
0.0874290019274	-	1	0.1%
0.0885287970304	-	1	0.1%
0.0890403017402	-	1	0.1%
0.0902417004108	-	1	0.1%
0.0902962014079	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3626744083083
- Minimum: 0.0078063001856
- Maximum: 4.2940697669983
- Standard Deviation: 0.4367959590136

Location: 7723-7737 (width: 15; decimal: 13)

Variable Type: numeric

E84_ABS_THETAA4A4: E84_abs_theta

Value	Label	Unweighted Frequency	%
0.324748992920	-	1	0.1%
0.454744011164	-	1	0.1%
0.660183012486	-	1	0.1%
0.822658002377	-	1	0.1%
0.858116984367	-	1	0.1%
0.954144001007	-	1	0.1%
1.057279944420	-	1	0.1%
1.074000000954	-	1	0.1%
1.228410005569	-	1	0.1%
1.315700054169	-	1	0.1%
1.316300034523	-	1	0.1%
1.335680007935	-	1	0.1%
1.340870022774	-	1	0.1%
1.464290022850	-	1	0.1%
1.532299995422	-	1	0.1%
1.672129988670	-	1	0.1%
1.797359943390	-	1	0.1%
1.812520027161	-	1	0.1%
1.829939961433	-	1	0.1%
1.902189970016	-	1	0.1%
1.911739945412	-	1	0.1%
1.979089975357	-	1	0.1%
1.996870040894	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.039799928665	-	1	0.1%
2.097029924393	-	1	0.1%
2.116729974747	-	1	0.1%
2.147289991379	-	1	0.1%
2.189359903336	-	1	0.1%
2.191020011902	-	1	0.1%
2.198090076447	-	1	0.1%
2.218359947205	-	1	0.1%
2.222229957581	-	1	0.1%
2.249469995499	-	1	0.1%
2.260620117188	-	1	0.1%
2.273699998856	-	1	0.1%
2.329349994659	-	1	0.1%
2.354470014572	-	1	0.1%
2.362060070038	-	1	0.1%
2.366950035095	-	1	0.1%
2.378509998322	-	1	0.1%
2.397619962692	-	1	0.1%
2.430809974670	-	1	0.1%
2.434730052948	-	1	0.1%
2.461699962616	-	1	0.1%
2.467139959335	-	1	0.1%
2.546819925308	-	1	0.1%
2.575609922409	-	1	0.1%
2.587529897690	-	1	0.1%
2.618900060654	-	1	0.1%
2.666470050812	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 7.284844634011
- Minimum: 0.324748992920
- Maximum: 29.939300537109
- Standard Deviation: 4.164364453914

Location: 7738-7752 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E84_ABS_ALPHA4A4: E84_abs_alpha

Value	Label	Unweighted Frequency	%
0.139680996537	-	1	0.1%
0.162569001317	-	1	0.1%
0.259644985199	-	1	0.1%
0.288073986769	-	1	0.1%
0.308315992355	-	1	0.1%
0.310111999512	-	1	0.1%
0.319945007563	-	1	0.1%
0.328103005886	-	1	0.1%
0.359917998314	-	1	0.1%
0.371809005737	-	1	0.1%
0.377696990967	-	1	0.1%
0.390174001455	-	1	0.1%
0.428323000669	-	1	0.1%
0.445578992367	-	1	0.1%
0.465249985456	-	1	0.1%
0.486571997404	-	1	0.1%
0.500833988190	-	1	0.1%
0.517885029316	-	1	0.1%
0.541041016579	-	1	0.1%
0.558138012886	-	1	0.1%
0.565581977367	-	1	0.1%
0.593015015125	-	1	0.1%
0.595130026340	-	1	0.1%
0.620146989822	-	1	0.1%
0.641999006271	-	1	0.1%
0.655085027218	-	1	0.1%
0.657980024815	-	1	0.1%
0.659430980682	-	1	0.1%
0.665594995022	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.679840981960	-	1	0.1%
0.683417022228	-	1	0.1%
0.695235013962	-	1	0.1%
0.704126000404	-	1	0.1%
0.730050027370	-	1	0.1%
0.759266018867	-	1	0.1%
0.770896971226	-	1	0.1%
0.778706014156	-	1	0.1%
0.800128996372	-	1	0.1%
0.802420020103	-	1	0.1%
0.819082021713	-	1	0.1%
0.823319017887	-	1	0.1%
0.824551999569	-	1	0.1%
0.842971026897	-	1	0.1%
0.855921983719	-	1	0.1%
0.885733008385	-	1	0.1%
0.887787997723	-	1	0.1%
0.888514995575	-	1	0.1%
0.891565024853	-	1	0.1%
0.902979016304	-	1	0.1%
0.906960010529	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.940848316432
- Minimum: 0.139680996537
- Maximum: 15.995499610901
- Standard Deviation: 2.139365947033

Location: 7753-7767 (width: 15; decimal: 12)

Variable Type: numeric

E84_ABS_BETAA4A4: E84_abs_beta

Value	Label	Unweighted Frequency	%
0.0234817005694	-	1	0.1%
0.0358585007489	-	1	0.1%
0.0522124990821	-	1	0.1%
0.0678414031863	-	1	0.1%
0.0709069967270	-	1	0.1%
0.0715826973319	-	1	0.1%
0.0751131996512	-	1	0.1%
0.0847671031952	-	1	0.1%
0.0850249975920	-	1	0.1%
0.0883800983429	-	1	0.1%
0.0952520966530	-	1	0.1%
0.1006070002913	-	1	0.1%
0.1030120030046	-	1	0.1%
0.1060850024223	-	1	0.1%
0.1074599996209	-	1	0.1%
0.1076179966331	-	1	0.1%
0.1123920008540	-	1	0.1%
0.1164460033178	-	1	0.1%
0.1243999972939	-	1	0.1%
0.1325390040874	-	1	0.1%
0.1358290016651	-	1	0.1%
0.1361279934645	-	1	0.1%
0.1381389945745	-	1	0.1%
0.1383150070906	-	1	0.1%
0.1494819968939	-	1	0.1%
0.1527439951897	-	1	0.1%
0.1528909951448	-	1	0.1%
0.1532869935036	-	1	0.1%
0.1591539978981	-	1	0.1%
0.1629509925842	-	1	0.1%
0.1634079962969	-	1	0.1%
0.1648090034723	-	1	0.1%
0.1694650053978	-	1	0.1%
0.1706130057573	-	1	0.1%
0.1724040061235	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1781630069017	-	1	0.1%
0.1785510033369	-	1	0.1%
0.1793639957905	-	1	0.1%
0.1800139993429	-	1	0.1%
0.1820069998503	-	1	0.1%
0.1834470033646	-	1	0.1%
0.1854950040579	-	1	0.1%
0.1881570070982	-	1	0.1%
0.1904149949551	-	1	0.1%
0.1905760020018	-	1	0.1%
0.1912640035152	-	1	0.1%
0.1920399963856	-	1	0.1%
0.1930720061064	-	1	0.1%
0.1959020048380	-	1	0.1%
0.1963170021772	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5323169091053
- Minimum: 0.0234817005694
- Maximum: 4.9885601997375
- Standard Deviation: 0.4211544712330

Location: 7768-7782 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E84_ABS_GAMMAA4A4: E84_abs_gamma

Value	Label	Unweighted Frequency	%
0.0077189002186	-	1	0.1%
0.0142035000026	-	1	0.1%
0.0258905999362	-	1	0.1%
0.0281114000827	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0286123007536	-	1	0.1%
0.0296181999147	-	1	0.1%
0.0308079998940	-	1	0.1%
0.0327808000147	-	1	0.1%
0.0331896990538	-	1	0.1%
0.0341218002141	-	1	0.1%
0.0347919985652	-	1	0.1%
0.0364771001041	-	1	0.1%
0.0366356000304	-	1	0.1%
0.0374421998858	-	1	0.1%
0.0392326004803	-	1	0.1%
0.0392677001655	-	1	0.1%
0.0393850989640	-	1	0.1%
0.0408447012305	-	1	0.1%
0.0438155010343	-	1	0.1%
0.0450558997691	-	1	0.1%
0.0467290990055	-	1	0.1%
0.0482054017484	-	1	0.1%
0.0530281998217	-	1	0.1%
0.0530832000077	-	1	0.1%
0.0531590990722	-	1	0.1%
0.0537909008563	-	1	0.1%
0.0547074005008	-	1	0.1%
0.0552123002708	-	1	0.1%
0.0560704991221	-	1	0.1%
0.0565173998475	-	1	0.1%
0.0568931996822	-	1	0.1%
0.0578390993178	-	1	0.1%
0.0580920018256	-	1	0.1%
0.0584710985422	-	1	0.1%
0.0593447983265	-	1	0.1%
0.0597825013101	-	1	0.1%
0.0604417994618	-	1	0.1%
0.0607451014221	-	1	0.1%
0.0628644973040	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0632352977991	-	1	0.1%
0.0638661012053	-	1	0.1%
0.0648726969957	-	1	0.1%
0.0651678964496	-	1	0.1%
0.0656230971217	-	1	0.1%
0.0663231983781	-	1	0.1%
0.0670517012477	-	1	0.1%
0.0671473965049	-	1	0.1%
0.0690248012543	-	1	0.1%
0.0698432996869	-	1	0.1%
0.0699307024479	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2103517135640
- Minimum: 0.0077189002186
- Maximum: 4.4838900566101
- Standard Deviation: 0.2799138576175

Location: 7783-7797 (width: 15; decimal: 13)

Variable Type: numeric

E85_ABS_THETAA4A4: E85_abs_theta

Value	Label	Unweighted Frequency	%
0.301283001900	-	1	0.1%
0.363245010376	-	1	0.1%
0.596899986267	-	1	0.1%
0.709878027439	-	1	0.1%
0.806918025017	-	1	0.1%
0.979897975922	-	1	0.1%
1.073629975319	-	1	0.1%
1.088490009308	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.144400000572	-	1	0.1%
1.184470057487	-	1	0.1%
1.195389986038	-	1	0.1%
1.248520016670	-	1	0.1%
1.249439954758	-	1	0.1%
1.276209950447	-	1	0.1%
1.289960026741	-	1	0.1%
1.306660056114	-	1	0.1%
1.391409993172	-	1	0.1%
1.452029943466	-	1	0.1%
1.574710011482	-	1	0.1%
1.590469956398	-	1	0.1%
1.599359989166	-	1	0.1%
1.600280046463	-	1	0.1%
1.606879949570	-	1	0.1%
1.638380050659	-	1	0.1%
1.658100008965	-	1	0.1%
1.669360041618	-	1	0.1%
1.709169983864	-	1	0.1%
1.710109949112	-	1	0.1%
1.738940000534	-	1	0.1%
1.835669994354	-	1	0.1%
1.859249949455	-	1	0.1%
1.883200049400	-	1	0.1%
1.932629942894	-	1	0.1%
1.935240030289	-	1	0.1%
1.935269951820	-	1	0.1%
1.960209965706	-	1	0.1%
1.968889951706	-	1	0.1%
1.971199989319	-	1	0.1%
1.991299986839	-	1	0.1%
2.044320106506	-	1	0.1%
2.056410074234	-	1	0.1%
2.081990003586	-	1	0.1%
2.101380109787	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.106770038605	-	1	0.1%
2.108750104904	-	1	0.1%
2.143270015717	-	1	0.1%
2.151149988174	-	1	0.1%
2.179440021515	-	1	0.1%
2.185630083084	-	1	0.1%
2.191780090332	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 5.609093731310
- Minimum: 0.301283001900
- Maximum: 40.631099700928
- Standard Deviation: 3.635879713211

Location: 7798-7812 (width: 15; decimal: 12)

Variable Type: numeric

E85_ABS_ALPHAA4A4: E85_abs_alpha

Value	Label	Unweighted Frequency	%
0.126787006855	-	1	0.1%
0.165024995804	-	1	0.1%
0.188927993178	-	1	0.1%
0.239169999957	-	1	0.1%
0.263570994139	-	1	0.1%
0.311488986015	-	1	0.1%
0.313353002071	-	1	0.1%
0.341569989920	-	1	0.1%
0.349489003420	-	1	0.1%
0.364840000868	-	1	0.1%
0.375232011080	-	1	0.1%
0.380210012197	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.423703998327	-	1	0.1%
0.436412006617	-	1	0.1%
0.442640990019	-	1	0.1%
0.443172991276	-	1	0.1%
0.453422993422	-	1	0.1%
0.461306005716	-	1	0.1%
0.473010987043	-	1	0.1%
0.499738007784	-	1	0.1%
0.517618000507	-	1	0.1%
0.527833998203	-	1	0.1%
0.539135992527	-	1	0.1%
0.542511999607	-	1	0.1%
0.550167977810	-	1	0.1%
0.558770000935	-	1	0.1%
0.568557977676	-	1	0.1%
0.587148010731	-	1	0.1%
0.590481996536	-	1	0.1%
0.600413978100	-	1	0.1%
0.600745022297	-	1	0.1%
0.602127015591	-	1	0.1%
0.605763018131	-	1	0.1%
0.608335971832	-	1	0.1%
0.637192010880	-	1	0.1%
0.639226019382	-	1	0.1%
0.651282012463	-	1	0.1%
0.654573976994	-	1	0.1%
0.655538022518	-	1	0.1%
0.662401974201	-	1	0.1%
0.666706979275	-	1	0.1%
0.669992983341	-	1	0.1%
0.674040973186	-	1	0.1%
0.677486002445	-	1	0.1%
0.679064989090	-	1	0.1%
0.683821976185	-	1	0.1%
0.695782005787	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.708845019341	-	1	0.1%
0.711350977421	-	1	0.1%
0.729645013809	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.305387649651
- Minimum: 0.126787006855
- Maximum: 14.752699851990
- Standard Deviation: 1.747858589994

Location: 7813-7827 (width: 15; decimal: 12)

Variable Type: numeric

[E85_ABS_BETAA4A4: E85_abs_beta](#)

Value	Label	Unweighted Frequency	%
0.0244855992496	-	1	0.1%
0.0298337992281	-	1	0.1%
0.0501383990049	-	1	0.1%
0.0503650009632	-	1	0.1%
0.0575819984078	-	1	0.1%
0.0641980990767	-	1	0.1%
0.0669189020991	-	1	0.1%
0.0675109997392	-	1	0.1%
0.0748625993729	-	1	0.1%
0.0852925032377	-	1	0.1%
0.0871040970087	-	1	0.1%
0.0941501036286	-	1	0.1%
0.0953340977430	-	1	0.1%
0.0960206985474	-	1	0.1%
0.0989407971501	-	1	0.1%
0.0989556014538	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1043139994144	-	1	0.1%
0.1062979996204	-	1	0.1%
0.1068449988961	-	1	0.1%
0.1071899980307	-	1	0.1%
0.1086559966207	-	1	0.1%
0.1121869981289	-	1	0.1%
0.1159949973226	-	1	0.1%
0.1189849972725	-	1	0.1%
0.1206189990044	-	1	0.1%
0.1231539994478	-	1	0.1%
0.1277630031109	-	1	0.1%
0.1292610019445	-	1	0.1%
0.1323300004005	-	1	0.1%
0.1325989961624	-	1	0.1%
0.1344079971313	-	1	0.1%
0.1358699947596	-	1	0.1%
0.1379510015249	-	1	0.1%
0.1389939934015	-	1	0.1%
0.1393290013075	-	1	0.1%
0.1393480002880	-	1	0.1%
0.1400279998779	-	1	0.1%
0.1426180005074	-	1	0.1%
0.1427579969168	-	1	0.1%
0.1443080008030	-	1	0.1%
0.1463720053434	-	1	0.1%
0.1524949967861	-	1	0.1%
0.1533389985561	-	1	0.1%
0.1558550000191	-	1	0.1%
0.1568759977818	-	1	0.1%
0.1595990061760	-	1	0.1%
0.1597480028868	-	1	0.1%
0.1601359993219	-	1	0.1%
0.1605120003223	-	1	0.1%
0.1612699925900	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3817728860419
- Minimum: 0.0244855992496
- Maximum: 1.7381800413132
- Standard Deviation: 0.2099611146250

Location: 7828-7842 (width: 15; decimal: 13)

Variable Type: numeric

E85_ABS_GAMMAA4A4: E85_abs_gamma

Value	Label	Unweighted Frequency	%
0.0087113296613	-	1	0.1%
0.0116275995970	-	1	0.1%
0.0189107004553	-	1	0.1%
0.0221648998559	-	1	0.1%
0.0223475005478	-	1	0.1%
0.0241730995476	-	1	0.1%
0.0280252993107	-	1	0.1%
0.0282058008015	-	1	0.1%
0.0326377004385	-	1	0.1%
0.0328832007945	-	1	0.1%
0.0345260985196	-	1	0.1%
0.0348995998502	-	1	0.1%
0.0353855006397	-	1	0.1%
0.0357295013964	-	1	0.1%
0.0368832014501	-	1	0.1%
0.0369549989700	-	1	0.1%
0.0372151993215	-	1	0.1%
0.0383699983358	-	1	0.1%
0.0396713986993	-	1	0.1%
0.0400669015944	-	1	0.1%
0.0419814996421	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0421556010842	-	1	0.1%
0.0434918999672	-	1	0.1%
0.0440916009247	-	1	0.1%
0.0450040996075	-	1	0.1%
0.0450492985547	-	1	0.1%
0.0450854003429	-	1	0.1%
0.0453950017691	-	1	0.1%
0.0455051995814	-	1	0.1%
0.0461357012391	-	1	0.1%
0.0475191995502	-	1	0.1%
0.0481445007026	-	1	0.1%
0.0490445010364	-	1	0.1%
0.0490943007171	-	1	0.1%
0.0493077002466	-	1	0.1%
0.0512434989214	-	1	0.1%
0.0512656010687	-	1	0.1%
0.0516253001988	-	1	0.1%
0.0517169013619	-	1	0.1%
0.0519330985844	-	1	0.1%
0.0522717013955	-	1	0.1%
0.0528304986656	-	1	0.1%
0.0528408996761	-	1	0.1%
0.0534734986722	-	1	0.1%
0.0543382987380	-	1	0.1%
0.0552669987082	-	1	0.1%
0.0554848015308	-	1	0.1%
0.0560211017728	-	1	0.1%
0.0561425983906	-	1	0.1%
0.0561674013734	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.1373291577345
- Minimum: 0.0087113296613
- Maximum: 1.2663999795914
- Standard Deviation: 0.0995738817560

Location: 7843-7857 (width: 15; decimal: 13)

Variable Type: numeric

E86_ABS_THETAA4A4: E86_abs_theta

Value	Label	Unweighted Frequency	%
0.292041987181	-	1	0.1%
0.293758004904	-	1	0.1%
0.562876999378	-	1	0.1%
0.589480996132	-	1	0.1%
0.655058979988	-	1	0.1%
0.870280981064	-	1	0.1%
0.891582012177	-	1	0.1%
0.912024021149	-	1	0.1%
1.010010004044	-	1	0.1%
1.035419940948	-	1	0.1%
1.049510002136	-	1	0.1%
1.049520015717	-	1	0.1%
1.077780008316	-	1	0.1%
1.100870013237	-	1	0.1%
1.149569988251	-	1	0.1%
1.155910015106	-	1	0.1%
1.191709995270	-	1	0.1%
1.213549971581	-	1	0.1%
1.216989994049	-	1	0.1%
1.233590006828	-	1	0.1%
1.247059941292	-	1	0.1%
1.265959978104	-	1	0.1%
1.297369956970	-	1	0.1%
1.306710004807	-	1	0.1%
1.343430042267	-	1	0.1%
1.358109951019	-	1	0.1%
1.362890005112	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.372179985046	-	1	0.1%
1.376590013504	-	1	0.1%
1.377990007401	-	1	0.1%
1.379369974136	-	1	0.1%
1.451290011406	-	1	0.1%
1.473580002785	-	1	0.1%
1.478600025177	-	1	0.1%
1.483090043068	-	1	0.1%
1.494269967079	-	1	0.1%
1.504340052605	-	1	0.1%
1.513749957085	-	1	0.1%
1.529049992561	-	1	0.1%
1.531530022621	-	1	0.1%
1.548910021782	-	1	0.1%
1.551579952240	-	1	0.1%
1.585639953613	-	1	0.1%
1.605200052261	-	1	0.1%
1.637889981270	-	1	0.1%
1.655050039291	-	1	0.1%
1.662700057030	-	1	0.1%
1.685160040855	-	1	0.1%
1.699480056763	-	1	0.1%
1.737190008163	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.417393380090
- Minimum: 0.292041987181
- Maximum: 33.135700225830
- Standard Deviation: 2.929055949918

Location: 7858-7872 (width: 15; decimal: 12)

Variable Type: numeric

E86_ABS_ALPHAA4A4: E86_abs_alpha

Value	Label	Unweighted Frequency	%
0.129624992609	-	1	0.1%
0.165030002594	-	1	0.1%
0.181703001261	-	1	0.1%
0.193707004189	-	1	0.1%
0.220113992691	-	1	0.1%
0.223584994674	-	1	0.1%
0.228854000568	-	1	0.1%
0.231300994754	-	1	0.1%
0.245324999094	-	1	0.1%
0.248156994581	-	1	0.1%
0.323260009289	-	1	0.1%
0.323790013790	-	1	0.1%
0.337024003267	-	1	0.1%
0.341479003429	-	1	0.1%
0.351417005062	-	1	0.1%
0.358610004187	-	1	0.1%
0.369877994061	-	1	0.1%
0.372462004423	-	1	0.1%
0.384214013815	-	1	0.1%
0.388976007700	-	1	0.1%
0.414205014706	-	1	0.1%
0.417757987976	-	1	0.1%
0.419701993465	-	1	0.1%
0.441181004047	-	1	0.1%
0.443693011999	-	1	0.1%
0.444566994905	-	1	0.1%
0.448231011629	-	1	0.1%
0.460954993963	-	1	0.1%
0.466688007116	-	1	0.1%
0.480872988701	-	1	0.1%
0.481748014688	-	1	0.1%
0.495757013559	-	1	0.1%
0.502644002438	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.512395977974	-	1	0.1%
0.520847022533	-	1	0.1%
0.522857010365	-	1	0.1%
0.530614018440	-	1	0.1%
0.531076014042	-	1	0.1%
0.537356972694	-	1	0.1%
0.556259989738	-	1	0.1%
0.574833989143	-	1	0.1%
0.579863011837	-	1	0.1%
0.580352008343	-	1	0.1%
0.583099007607	-	1	0.1%
0.585770010948	-	1	0.1%
0.591183006763	-	1	0.1%
0.599376976490	-	1	0.1%
0.605171024799	-	1	0.1%
0.605899989605	-	1	0.1%
0.608624994755	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.963051808116
- Minimum: 0.129624992609
- Maximum: 12.721099853516
- Standard Deviation: 1.461867050652

Location: 7873-7887 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E86_ABS_BETAA4A4: E86_abs_beta

Value	Label	Unweighted Frequency	%
0.0233869999647	-	1	0.1%
0.0320193991065	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0495782010257	-	1	0.1%
0.0522960014641	-	1	0.1%
0.0561977997422	-	1	0.1%
0.0571337006986	-	1	0.1%
0.0636492967606	-	1	0.1%
0.0652863979340	-	1	0.1%
0.0667726993561	-	1	0.1%
0.0685527995229	-	1	0.1%
0.0715653002262	-	1	0.1%
0.0722445994616	-	1	0.1%
0.0798330977559	-	1	0.1%
0.0831919014454	-	1	0.1%
0.0844741985202	-	1	0.1%
0.0874371975660	-	1	0.1%
0.0874724015594	-	1	0.1%
0.0877707004547	-	1	0.1%
0.0891098007560	-	1	0.1%
0.0899045988917	-	1	0.1%
0.0924452021718	-	1	0.1%
0.0928583964705	-	1	0.1%
0.0948171988130	-	1	0.1%
0.0962302014232	-	1	0.1%
0.0962933972478	-	1	0.1%
0.0983292013407	-	1	0.1%
0.1014290004969	-	1	0.1%
0.1017469987273	-	1	0.1%
0.1036999970675	-	1	0.1%
0.1038599982858	-	1	0.1%
0.1076190024614	-	1	0.1%
0.1078549996018	-	1	0.1%
0.1096279993653	-	1	0.1%
0.1102169975638	-	1	0.1%
0.1133060008287	-	1	0.1%
0.1141429990530	-	1	0.1%
0.1155370026827	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1155859977007	-	1	0.1%
0.1179440021515	-	1	0.1%
0.1186309978366	-	1	0.1%
0.1195349991322	-	1	0.1%
0.1202379986644	-	1	0.1%
0.1224830001593	-	1	0.1%
0.1231430023909	-	1	0.1%
0.1247889995575	-	1	0.1%
0.1258009970188	-	1	0.1%
0.1289429962635	-	1	0.1%
0.1291300058365	-	1	0.1%
0.1293960064650	-	1	0.1%
0.1295299977064	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3024306501847
- Minimum: 0.0233869999647
- Maximum: 2.7665500640869
- Standard Deviation: 0.1875913428665

Location: 7888-7902 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E86_ABS_GAMMAA4A4: E86_abs_gamma

Value	Label	Unweighted Frequency	%
0.0084088901058	-	1	0.1%
0.0127440001816	-	1	0.1%
0.0149243995547	-	1	0.1%
0.0178353991359	-	1	0.1%
0.0224191006273	-	1	0.1%
0.0224722009152	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0231066998094	-	1	0.1%
0.0231433995068	-	1	0.1%
0.0232222005725	-	1	0.1%
0.0253433994949	-	1	0.1%
0.0280808992684	-	1	0.1%
0.0286653991789	-	1	0.1%
0.0290853995830	-	1	0.1%
0.0294765997678	-	1	0.1%
0.0296822004020	-	1	0.1%
0.0298797991127	-	1	0.1%
0.0307248998433	-	1	0.1%
0.0309865996242	-	1	0.1%
0.0310638993979	-	1	0.1%
0.0320567004383	-	1	0.1%
0.0320998989046	-	1	0.1%
0.0347699001431	-	1	0.1%
0.0350035987794	-	1	0.1%
0.0352337993681	-	1	0.1%
0.0367554984987	-	1	0.1%
0.0368214994669	-	1	0.1%
0.0379646010697	-	1	0.1%
0.0392839014530	-	1	0.1%
0.0393894985318	-	1	0.1%
0.0400494001806	-	1	0.1%
0.0403399989009	-	1	0.1%
0.0411339998245	-	1	0.1%
0.0413170009851	-	1	0.1%
0.0415446981788	-	1	0.1%
0.0422827005386	-	1	0.1%
0.0428857989609	-	1	0.1%
0.0430499985814	-	1	0.1%
0.0434943996370	-	1	0.1%
0.0435643009841	-	1	0.1%
0.0440534986556	-	1	0.1%
0.0441096015275	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0450042001903	-	1	0.1%
0.0452124997973	-	1	0.1%
0.0457427985966	-	1	0.1%
0.0465721003711	-	1	0.1%
0.0465727001429	-	1	0.1%
0.0466435998678	-	1	0.1%
0.0467445999384	-	1	0.1%
0.0469995997846	-	1	0.1%
0.0479165986180	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.1080447818649
- Minimum: 0.0084088901058
- Maximum: 1.3800899982452
- Standard Deviation: 0.0779654985397

Location: 7903-7917 (width: 15; decimal: 13)

Variable Type: numeric

E87_ABS_THETAA4A4: E87_abs_theta

Value	Label	Unweighted Frequency	%
0.254572987556	-	1	0.1%
0.425419002771	-	1	0.1%
0.572683990002	-	1	0.1%
0.574774980545	-	1	0.1%
0.597774028778	-	1	0.1%
0.625831007957	-	1	0.1%
0.661614000797	-	1	0.1%
0.711526989937	-	1	0.1%
0.866593003273	-	1	0.1%
0.867978990078	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.926155984402	-	1	0.1%
0.948997974396	-	1	0.1%
0.959327995777	-	1	0.1%
0.999001979828	-	1	0.1%
1.005869984627	-	1	0.1%
1.041939973831	-	1	0.1%
1.077419996262	-	1	0.1%
1.081230044365	-	1	0.1%
1.084810018539	-	1	0.1%
1.096549987793	-	1	0.1%
1.107699990273	-	1	0.1%
1.111899971962	-	1	0.1%
1.124619960785	-	1	0.1%
1.136039972305	-	1	0.1%
1.136790037155	-	1	0.1%
1.160570025444	-	1	0.1%
1.169849991798	-	1	0.1%
1.172520041466	-	1	0.1%
1.195140004158	-	1	0.1%
1.202270030975	-	1	0.1%
1.225450038910	-	1	0.1%
1.231899976730	-	1	0.1%
1.234249949455	-	1	0.1%
1.240229964256	-	1	0.1%
1.241410017014	-	1	0.1%
1.243739962578	-	1	0.1%
1.269279956818	-	1	0.1%
1.281069993973	-	1	0.1%
1.282729983330	-	1	0.1%
1.295580029488	-	1	0.1%
1.302729964256	-	1	0.1%
1.303920030594	-	1	0.1%
1.306429982185	-	1	0.1%
1.310649991035	-	1	0.1%
1.314339995384	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.319090008736	-	1	0.1%
1.319659948349	-	1	0.1%
1.335190057755	-	1	0.1%
1.335980057716	-	1	0.1%
1.338029980659	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 3.717734551051
- Minimum: 0.254572987556
- Maximum: 18.968900680542
- Standard Deviation: 2.246136468459

Location: 7918-7932 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E87_ABS_ALPHA4A4: E87_abs_alpha

Value	Label	Unweighted Frequency	%
0.093645602465	-	1	0.1%
0.100014999509	-	1	0.1%
0.154486998916	-	1	0.1%
0.216839998960	-	1	0.1%
0.219882994890	-	1	0.1%
0.239803999662	-	1	0.1%
0.245772004128	-	1	0.1%
0.252402007580	-	1	0.1%
0.260486990213	-	1	0.1%
0.268739998341	-	1	0.1%
0.272996991873	-	1	0.1%
0.273072004318	-	1	0.1%
0.280391007662	-	1	0.1%
0.303927987814	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.312519013882	-	1	0.1%
0.319435000420	-	1	0.1%
0.319882988930	-	1	0.1%
0.329145014286	-	1	0.1%
0.331090003252	-	1	0.1%
0.332372009754	-	1	0.1%
0.354728996754	-	1	0.1%
0.357158005238	-	1	0.1%
0.366447985172	-	1	0.1%
0.371127992868	-	1	0.1%
0.371313989162	-	1	0.1%
0.381170988083	-	1	0.1%
0.391544014215	-	1	0.1%
0.392064005136	-	1	0.1%
0.400198996067	-	1	0.1%
0.417104005814	-	1	0.1%
0.421763002872	-	1	0.1%
0.428752988577	-	1	0.1%
0.429868012667	-	1	0.1%
0.433546006680	-	1	0.1%
0.442463994026	-	1	0.1%
0.444043993950	-	1	0.1%
0.445134013891	-	1	0.1%
0.447584003210	-	1	0.1%
0.455099999905	-	1	0.1%
0.457199007273	-	1	0.1%
0.461804986000	-	1	0.1%
0.463023006916	-	1	0.1%
0.463483989239	-	1	0.1%
0.468843996525	-	1	0.1%
0.471091002226	-	1	0.1%
0.474296003580	-	1	0.1%
0.475973010063	-	1	0.1%
0.482014000416	-	1	0.1%
0.485796004534	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.492152988911	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.737121208626
- Minimum: 0.093645602465
- Maximum: 16.028600692749
- Standard Deviation: 1.359013366503

Location: 7933-7947 (width: 15; decimal: 12)

Variable Type: numeric

E87_ABS_BETAA4A4: E87_abs_beta

Value	Label	Unweighted Frequency	%
0.0198823008686	-	1	0.1%
0.0238438006490	-	1	0.1%
0.0408507995307	-	1	0.1%
0.0476872995496	-	1	0.1%
0.0518358983099	-	1	0.1%
0.0536702014506	-	1	0.1%
0.0586943998933	-	1	0.1%
0.0590522997081	-	1	0.1%
0.0591347999871	-	1	0.1%
0.0605821013451	-	1	0.1%
0.0614821985364	-	1	0.1%
0.0631394013762	-	1	0.1%
0.0649401023984	-	1	0.1%
0.0654622018337	-	1	0.1%
0.0693384036422	-	1	0.1%
0.0703231990337	-	1	0.1%
0.0708338990808	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0711627006531	-	1	0.1%
0.0739746019244	-	1	0.1%
0.0755395963788	-	1	0.1%
0.0766796022654	-	1	0.1%
0.0800781026483	-	1	0.1%
0.0816366970539	-	1	0.1%
0.0827884972095	-	1	0.1%
0.0846671983600	-	1	0.1%
0.0848205015063	-	1	0.1%
0.0850080028176	-	1	0.1%
0.0872510001063	-	1	0.1%
0.0877704024315	-	1	0.1%
0.0888639986515	-	1	0.1%
0.0892646983266	-	1	0.1%
0.0894581004977	-	1	0.1%
0.0902071967721	-	1	0.1%
0.0908974036574	-	1	0.1%
0.0914601981640	-	1	0.1%
0.0925436988473	-	1	0.1%
0.0939228013158	-	1	0.1%
0.0946092978120	-	1	0.1%
0.0956220999360	-	1	0.1%
0.0965290963650	-	1	0.1%
0.0970000997186	-	1	0.1%
0.0982657000422	-	1	0.1%
0.0998269021511	-	1	0.1%
0.0999580994248	-	1	0.1%
0.1014740020037	-	1	0.1%
0.1017249971628	-	1	0.1%
0.1021490022540	-	1	0.1%
0.1023479998112	-	1	0.1%
0.1026429980993	-	1	0.1%
0.1030720025301	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2467578277050
- Minimum: 0.0198823008686
- Maximum: 1.4748699665070
- Standard Deviation: 0.1501618166427

Location: 7948-7962 (width: 15; decimal: 13)

Variable Type: numeric

E87_ABS_GAMMAA4A4: E87_abs_gamma

Value	Label	Unweighted Frequency	%
0.0079286703840	-	1	0.1%
0.0098679997027	-	1	0.1%
0.0126163000241	-	1	0.1%
0.0148163996637	-	1	0.1%
0.0200695991516	-	1	0.1%
0.0204287990928	-	1	0.1%
0.0204722993076	-	1	0.1%
0.0208499003202	-	1	0.1%
0.0225383993238	-	1	0.1%
0.0227642003447	-	1	0.1%
0.0228394009173	-	1	0.1%
0.0231913998723	-	1	0.1%
0.0235622990876	-	1	0.1%
0.0241064000875	-	1	0.1%
0.0254983995110	-	1	0.1%
0.0258783008903	-	1	0.1%
0.0263094995171	-	1	0.1%
0.0271780006588	-	1	0.1%
0.0293140001595	-	1	0.1%
0.0294036995620	-	1	0.1%
0.0301847998053	-	1	0.1%
0.0307542998344	-	1	0.1%
0.0316174998879	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0317716002464	-	1	0.1%
0.0318300016224	-	1	0.1%
0.0323217995465	-	1	0.1%
0.0325060002506	-	1	0.1%
0.0325854010880	-	1	0.1%
0.0326306000352	-	1	0.1%
0.0327387005091	-	1	0.1%
0.0332496017218	-	1	0.1%
0.0336422994733	-	1	0.1%
0.0339661017060	-	1	0.1%
0.0343713015318	-	1	0.1%
0.0347051993012	-	1	0.1%
0.0347178988159	-	1	0.1%
0.0350531004369	-	1	0.1%
0.0350541993976	-	1	0.1%
0.0350946001709	-	1	0.1%
0.0355738997459	-	1	0.1%
0.0358972996473	-	1	0.1%
0.0359605997801	-	1	0.1%
0.0360302999616	-	1	0.1%
0.0364857986569	-	1	0.1%
0.0368355996907	-	1	0.1%
0.0369477011263	-	1	0.1%
0.0373566001654	-	1	0.1%
0.0375933013856	-	1	0.1%
0.0377642996609	-	1	0.1%
0.0380940996110	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.0917731737920
- Minimum: 0.0079286703840
- Maximum: 0.8608109951019
- Standard Deviation: 0.0681778450156

Location: 7963-7977 (width: 15; decimal: 13)

Variable Type: numeric

E89_ABS_THETAA4A4: E89_abs_theta

Value	Label	Unweighted Frequency	%
0.388471007347	-	1	0.1%
0.873735010624	-	1	0.1%
1.150840044022	-	1	0.1%
1.159180045128	-	1	0.1%
1.291270017624	-	1	0.1%
1.369009971619	-	1	0.1%
1.501049995422	-	1	0.1%
1.624269962311	-	1	0.1%
1.690760016441	-	1	0.1%
1.858649969101	-	1	0.1%
1.864070057869	-	1	0.1%
1.872969985008	-	1	0.1%
1.931820034981	-	1	0.1%
1.982560038567	-	1	0.1%
2.010309934616	-	1	0.1%
2.011859893799	-	1	0.1%
2.075999975204	-	1	0.1%
2.112190008163	-	1	0.1%
2.117470026016	-	1	0.1%
2.120179891586	-	1	0.1%
2.196199893951	-	1	0.1%
2.296940088272	-	1	0.1%
2.339050054550	-	1	0.1%
2.380359888077	-	1	0.1%
2.464179992676	-	1	0.1%
2.472800016403	-	1	0.1%
2.513240098953	-	1	0.1%
2.520289897919	-	1	0.1%
2.548160076141	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.613719940186	-	1	0.1%
2.625469923019	-	1	0.1%
2.741590023041	-	1	0.1%
2.786890029907	-	1	0.1%
2.811209917068	-	1	0.1%
2.854549884796	-	1	0.1%
2.900680065155	-	1	0.1%
2.926830053329	-	1	0.1%
2.976840019226	-	1	0.1%
2.977139949799	-	1	0.1%
2.989039897919	-	1	0.1%
3.001840114594	-	1	0.1%
3.045989990234	-	1	0.1%
3.046380043030	-	1	0.1%
3.143699884415	-	1	0.1%
3.167629957199	-	1	0.1%
3.173209905624	-	1	0.1%
3.191570043564	-	1	0.1%
3.236920118332	-	1	0.1%
3.239540100098	-	1	0.1%
3.311369895935	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 7.783109893647
- Minimum: 0.388471007347
- Maximum: 37.694499969482
- Standard Deviation: 3.990385898695

Location: 7978-7992 (width: 15; decimal: 12)

Variable Type: numeric

E89_ABS_ALPHAA4A4: E89_abs_alpha

Value	Label	Unweighted Frequency	%
0.172285005450	-	1	0.1%
0.257966995239	-	1	0.1%
0.259324014187	-	1	0.1%
0.409106999636	-	1	0.1%
0.417400985956	-	1	0.1%
0.442885994911	-	1	0.1%
0.448426008224	-	1	0.1%
0.465579003096	-	1	0.1%
0.476402997971	-	1	0.1%
0.490568995476	-	1	0.1%
0.511278986931	-	1	0.1%
0.537028014660	-	1	0.1%
0.569468975067	-	1	0.1%
0.621477007866	-	1	0.1%
0.697809994221	-	1	0.1%
0.702897012234	-	1	0.1%
0.718513011932	-	1	0.1%
0.729063987732	-	1	0.1%
0.747951984406	-	1	0.1%
0.761820971966	-	1	0.1%
0.775182008743	-	1	0.1%
0.777752995491	-	1	0.1%
0.782871007919	-	1	0.1%
0.784092009068	-	1	0.1%
0.797056972980	-	1	0.1%
0.797093987465	-	1	0.1%
0.814836025238	-	1	0.1%
0.822248995304	-	1	0.1%
0.831546008587	-	1	0.1%
0.845377981663	-	1	0.1%
0.876646995544	-	1	0.1%
0.896654009819	-	1	0.1%
0.905686974525	-	1	0.1%
0.916431009769	-	1	0.1%
0.937969028950	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.939310014248	-	1	0.1%
0.960395991802	-	1	0.1%
0.962911009789	-	1	0.1%
0.986823976040	-	1	0.1%
0.989741027355	-	1	0.1%
0.989848971367	-	1	0.1%
0.997806012630	-	1	0.1%
1.009770035744	-	1	0.1%
1.014670014381	-	1	0.1%
1.017910003662	-	1	0.1%
1.020789980888	-	1	0.1%
1.024710059166	-	1	0.1%
1.025580048561	-	1	0.1%
1.028200030327	-	1	0.1%
1.033120036125	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.875912544367
- Minimum: 0.172285005450
- Maximum: 18.894199371338
- Standard Deviation: 1.873347558292

Location: 7993-8007 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E89_ABS_BETAA4A4: E89_abs_beta

Value	Label	Unweighted Frequency	%
0.0292831007391	-	1	0.1%
0.0551789999008	-	1	0.1%
0.0697427019477	-	1	0.1%
0.0802718997002	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0931525006890	-	1	0.1%
0.0987161993980	-	1	0.1%
0.1085719987750	-	1	0.1%
0.1169970035553	-	1	0.1%
0.1307079941034	-	1	0.1%
0.1325069963932	-	1	0.1%
0.1408489942551	-	1	0.1%
0.1450459957123	-	1	0.1%
0.1465429961681	-	1	0.1%
0.1606020033360	-	1	0.1%
0.1611350029707	-	1	0.1%
0.1638150066137	-	1	0.1%
0.1849250048399	-	1	0.1%
0.1880329996347	-	1	0.1%
0.1969559937716	-	1	0.1%
0.2012670040131	-	1	0.1%
0.2035609930754	-	1	0.1%
0.2060579955578	-	1	0.1%
0.2081679999828	-	1	0.1%
0.2083770036697	-	1	0.1%
0.2088679969311	-	1	0.1%
0.2120960056782	-	1	0.1%
0.2135560065508	-	1	0.1%
0.2150170058012	-	1	0.1%
0.2153539955616	-	1	0.1%
0.2153870016336	-	1	0.1%
0.2189700007439	-	1	0.1%
0.2193150073290	-	1	0.1%
0.2260670065880	-	1	0.1%
0.2273350059986	-	1	0.1%
0.2278559952974	-	1	0.1%
0.2288189977407	-	1	0.1%
0.2330510020256	-	1	0.1%
0.2354779988527	-	1	0.1%
0.2399269938469	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.2401950061321	-	1	0.1%
0.2459200024605	-	1	0.1%
0.2466039955616	-	1	0.1%
0.2474890053272	-	1	0.1%
0.2488169968128	-	1	0.1%
0.2502169907093	-	1	0.1%
0.2515589892864	-	1	0.1%
0.2537150084972	-	1	0.1%
0.2537569999695	-	1	0.1%
0.2555060088634	-	1	0.1%
0.2564119994640	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.8501194315781
- Minimum: 0.0292831007391
- Maximum: 4.5165300369263
- Standard Deviation: 0.6445902155467

Location: 8008-8022 (width: 15; decimal: 13)

Variable Type: numeric

E89_ABS_GAMMAA4A4: E89_abs_gamma

Value	Label	Unweighted Frequency	%
0.0112541997805	-	1	0.1%
0.0129428002983	-	1	0.1%
0.0260458998382	-	1	0.1%
0.0339036993682	-	1	0.1%
0.0375466011465	-	1	0.1%
0.0376533009112	-	1	0.1%
0.0382500998676	-	1	0.1%
0.0498347990215	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0509985983372	-	1	0.1%
0.0510017015040	-	1	0.1%
0.0510999001563	-	1	0.1%
0.0516238994896	-	1	0.1%
0.0517183989286	-	1	0.1%
0.0533086992800	-	1	0.1%
0.0592123009264	-	1	0.1%
0.0600154995918	-	1	0.1%
0.0600606985390	-	1	0.1%
0.0632423013449	-	1	0.1%
0.0636951029301	-	1	0.1%
0.0697216019034	-	1	0.1%
0.0738041996956	-	1	0.1%
0.0755195021629	-	1	0.1%
0.0758723020554	-	1	0.1%
0.0763700008392	-	1	0.1%
0.0774058029056	-	1	0.1%
0.0776641964912	-	1	0.1%
0.0785958021879	-	1	0.1%
0.0800096988678	-	1	0.1%
0.0829560011625	-	1	0.1%
0.0837368965149	-	1	0.1%
0.0849049985409	-	1	0.1%
0.0856477022171	-	1	0.1%
0.0893698036671	-	1	0.1%
0.0905667021871	-	1	0.1%
0.0930114015937	-	1	0.1%
0.0934493988752	-	1	0.1%
0.0944330990314	-	1	0.1%
0.0961870029569	-	1	0.1%
0.0970493033528	-	1	0.1%
0.0972525998950	-	1	0.1%
0.0977896004915	-	1	0.1%
0.0998371988535	-	1	0.1%
0.1031289994717	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1031849980354	-	1	0.1%
0.1032819971442	-	1	0.1%
0.1041050031781	-	1	0.1%
0.1051530018449	-	1	0.1%
0.1063280031085	-	1	0.1%
0.1066389977932	-	1	0.1%
0.1075730025768	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.6173166509057
- Minimum: 0.0112541997805
- Maximum: 5.7062401771545
- Standard Deviation: 0.6889690676923

Location: 8023-8037 (width: 15; decimal: 13)

Variable Type: numeric

E90_ABS_THETAA4A4: E90_abs_theta

Value	Label	Unweighted Frequency	%
0.321588993073	-	1	0.1%
0.511892974377	-	1	0.1%
0.656217992306	-	1	0.1%
0.824663996696	-	1	0.1%
1.028830051422	-	1	0.1%
1.085850000381	-	1	0.1%
1.116999983788	-	1	0.1%
1.129119992256	-	1	0.1%
1.199349999428	-	1	0.1%
1.214450001717	-	1	0.1%
1.325330018997	-	1	0.1%
1.473399996758	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.479539990425	-	1	0.1%
1.532760024071	-	1	0.1%
1.535949945450	-	1	0.1%
1.618119955063	-	1	0.1%
1.722830057144	-	1	0.1%
1.804579973221	-	1	0.1%
1.898460030556	-	1	0.1%
1.900679945946	-	1	0.1%
1.903920054436	-	1	0.1%
1.948760032654	-	1	0.1%
1.978989958763	-	1	0.1%
1.997470021248	-	1	0.1%
2.003109931946	-	1	0.1%
2.025880098343	-	1	0.1%
2.039469957352	-	1	0.1%
2.064500093460	-	1	0.1%
2.231719970703	-	1	0.1%
2.289259910583	-	1	0.1%
2.309499979019	-	1	0.1%
2.320480108261	-	1	0.1%
2.335779905319	-	1	0.1%
2.349980115891	-	1	0.1%
2.354729890823	-	1	0.1%
2.384989976883	-	1	0.1%
2.423049926758	-	1	0.1%
2.433700084686	-	1	0.1%
2.478909969330	-	1	0.1%
2.505320072174	-	1	0.1%
2.530889987946	-	1	0.1%
2.551199913025	-	1	0.1%
2.577430009842	-	1	0.1%
2.595180034637	-	1	0.1%
2.596899986267	-	1	0.1%
2.602950096130	-	1	0.1%
2.628570079803	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.646019935608	-	1	0.1%
2.660190105438	-	1	0.1%
2.684910058975	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 8.001978393679
- Minimum: 0.321588993073
- Maximum: 36.083198547363
- Standard Deviation: 4.585452135828

Location: 8038-8052 (width: 15; decimal: 12)

Variable Type: numeric

E90_ABS_ALPHAA4A4: E90_abs_alpha

Value	Label	Unweighted Frequency	%
0.132585003972	-	1	0.1%
0.161944001913	-	1	0.1%
0.247893005610	-	1	0.1%
0.283605009317	-	1	0.1%
0.287488013506	-	1	0.1%
0.317252010107	-	1	0.1%
0.322115987539	-	1	0.1%
0.361245989799	-	1	0.1%
0.374861985445	-	1	0.1%
0.431979000568	-	1	0.1%
0.439287006855	-	1	0.1%
0.442202985287	-	1	0.1%
0.450403988361	-	1	0.1%
0.465647995472	-	1	0.1%
0.531889021397	-	1	0.1%
0.568704009056	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.644356012344	-	1	0.1%
0.646054029465	-	1	0.1%
0.653433024883	-	1	0.1%
0.674475014210	-	1	0.1%
0.674951016903	-	1	0.1%
0.685608029366	-	1	0.1%
0.694522023201	-	1	0.1%
0.697135984898	-	1	0.1%
0.701713025570	-	1	0.1%
0.736827015877	-	1	0.1%
0.768926024437	-	1	0.1%
0.770232021809	-	1	0.1%
0.772862970829	-	1	0.1%
0.784314990044	-	1	0.1%
0.804475009441	-	1	0.1%
0.811097025871	-	1	0.1%
0.815551996231	-	1	0.1%
0.826245009899	-	1	0.1%
0.851592004299	-	1	0.1%
0.853515982628	-	1	0.1%
0.854156970978	-	1	0.1%
0.866325020790	-	1	0.1%
0.884603977203	-	1	0.1%
0.887495994568	-	1	0.1%
0.889172971249	-	1	0.1%
0.895444989204	-	1	0.1%
0.914112985134	-	1	0.1%
0.945182979107	-	1	0.1%
0.956151008606	-	1	0.1%
0.967701017857	-	1	0.1%
0.969621002674	-	1	0.1%
0.974009990692	-	1	0.1%
0.976316988468	-	1	0.1%
0.977092981339	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 3.316456991429
- Minimum: 0.132585003972
- Maximum: 19.515199661255
- Standard Deviation: 2.355854789345

Location: 8053-8067 (width: 15; decimal: 12)

Variable Type: numeric

E90_ABS_BETAA4A4: E90_abs_beta

Value	Label	Unweighted Frequency	%
0.0252068992704	-	1	0.1%
0.0412383005023	-	1	0.1%
0.0503815002739	-	1	0.1%
0.0612301006913	-	1	0.1%
0.0737330019474	-	1	0.1%
0.0853137001395	-	1	0.1%
0.0889848992229	-	1	0.1%
0.0895373001695	-	1	0.1%
0.0949608013034	-	1	0.1%
0.0951500982046	-	1	0.1%
0.1049809977412	-	1	0.1%
0.1051770001650	-	1	0.1%
0.1062349975109	-	1	0.1%
0.1181700006127	-	1	0.1%
0.1359110027552	-	1	0.1%
0.1406580060720	-	1	0.1%
0.1447750031948	-	1	0.1%
0.1465310007334	-	1	0.1%
0.1471219956875	-	1	0.1%
0.1497219949961	-	1	0.1%
0.1570560038090	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1584500074387	-	1	0.1%
0.1620119959116	-	1	0.1%
0.1671220064163	-	1	0.1%
0.1671559959650	-	1	0.1%
0.1672589927912	-	1	0.1%
0.1741739958525	-	1	0.1%
0.1805869936943	-	1	0.1%
0.1814779937267	-	1	0.1%
0.1859699934721	-	1	0.1%
0.1895669996738	-	1	0.1%
0.1902649998665	-	1	0.1%
0.1947740018368	-	1	0.1%
0.1970600038767	-	1	0.1%
0.1997690051794	-	1	0.1%
0.2030120044947	-	1	0.1%
0.2058530002832	-	1	0.1%
0.2098300009966	-	1	0.1%
0.2111929953098	-	1	0.1%
0.2116650044918	-	1	0.1%
0.2150840014219	-	1	0.1%
0.2177840024233	-	1	0.1%
0.2179010063410	-	1	0.1%
0.2188799977303	-	1	0.1%
0.2221450060606	-	1	0.1%
0.2229170054197	-	1	0.1%
0.2230930030346	-	1	0.1%
0.2261720001698	-	1	0.1%
0.2276210039854	-	1	0.1%
0.2290640026331	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.8857730454895
- Minimum: 0.0252068992704
- Maximum: 8.4121103286743
- Standard Deviation: 0.8401736853683

Location: 8068-8082 (width: 15; decimal: 13)

Variable Type: numeric

E90_ABS_GAMMAA4A4: E90_abs_gamma

Value	Label	Unweighted Frequency	%
0.0093305204064	-	1	0.1%
0.0184994004667	-	1	0.1%
0.0211743991822	-	1	0.1%
0.0245514009148	-	1	0.1%
0.0295832008123	-	1	0.1%
0.0300137996674	-	1	0.1%
0.0336399003863	-	1	0.1%
0.0342923998833	-	1	0.1%
0.0348973982036	-	1	0.1%
0.0350544005632	-	1	0.1%
0.0357003994286	-	1	0.1%
0.0374288000166	-	1	0.1%
0.0399673990905	-	1	0.1%
0.0447396002710	-	1	0.1%
0.0492499992251	-	1	0.1%
0.0494071990252	-	1	0.1%
0.0500097014010	-	1	0.1%
0.0522652007639	-	1	0.1%
0.0531589984894	-	1	0.1%
0.0584945008159	-	1	0.1%
0.0595209002495	-	1	0.1%
0.0595262981951	-	1	0.1%
0.0600584000349	-	1	0.1%
0.0604806989431	-	1	0.1%
0.0620043985546	-	1	0.1%
0.0638644993305	-	1	0.1%
0.0647853985429	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0658911019564	-	1	0.1%
0.0660741999745	-	1	0.1%
0.0663828998804	-	1	0.1%
0.0684026032686	-	1	0.1%
0.0704844966531	-	1	0.1%
0.0731491968036	-	1	0.1%
0.0739032030106	-	1	0.1%
0.0755276978016	-	1	0.1%
0.0760105028749	-	1	0.1%
0.0789415985346	-	1	0.1%
0.0803323015571	-	1	0.1%
0.0804134011269	-	1	0.1%
0.0815970972180	-	1	0.1%
0.0831328034401	-	1	0.1%
0.0833332985640	-	1	0.1%
0.0834027007222	-	1	0.1%
0.0839937031269	-	1	0.1%
0.0843921005726	-	1	0.1%
0.0853658020496	-	1	0.1%
0.0854184031487	-	1	0.1%
0.0859593003988	-	1	0.1%
0.0870395973325	-	1	0.1%
0.0871296003461	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5521857963886
- Minimum: 0.0093305204064
- Maximum: 5.3926401138306
- Standard Deviation: 0.7666362525125

Location: 8083-8097 (width: 15; decimal: 13)

Variable Type: numeric

E91_ABS_THETAA4A4: E91_abs_theta

Value	Label	Unweighted Frequency	%
0.299198001623	-	1	0.1%
0.325233995914	-	1	0.1%
0.474880993366	-	1	0.1%
0.673323988914	-	1	0.1%
0.919283986092	-	1	0.1%
0.951946973801	-	1	0.1%
0.999875009060	-	1	0.1%
1.115479946136	-	1	0.1%
1.128360033035	-	1	0.1%
1.160169959068	-	1	0.1%
1.358289957047	-	1	0.1%
1.378209948540	-	1	0.1%
1.415619969368	-	1	0.1%
1.417369961739	-	1	0.1%
1.422150015831	-	1	0.1%
1.437649965286	-	1	0.1%
1.503679990768	-	1	0.1%
1.521370053291	-	1	0.1%
1.608979940414	-	1	0.1%
1.613880038261	-	1	0.1%
1.655470013618	-	1	0.1%
1.655920028687	-	1	0.1%
1.660730004311	-	1	0.1%
1.683200001717	-	1	0.1%
1.711490035057	-	1	0.1%
1.753159999847	-	1	0.1%
1.767249941826	-	1	0.1%
1.803329944611	-	1	0.1%
1.812739968300	-	1	0.1%
1.819039940834	-	1	0.1%
1.833590030670	-	1	0.1%
1.846789956093	-	1	0.1%
1.854830026627	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.858379960060	-	1	0.1%
1.864869952202	-	1	0.1%
1.922189950943	-	1	0.1%
1.940719962120	-	1	0.1%
1.960139989853	-	1	0.1%
1.960500001907	-	1	0.1%
1.974490046501	-	1	0.1%
1.991520047188	-	1	0.1%
1.999060034752	-	1	0.1%
2.011650085449	-	1	0.1%
2.056629896164	-	1	0.1%
2.091710090637	-	1	0.1%
2.114809989929	-	1	0.1%
2.128269910812	-	1	0.1%
2.140140056610	-	1	0.1%
2.162400007248	-	1	0.1%
2.167510032654	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 6.331188357698
- Minimum: 0.299198001623
- Maximum: 34.317798614502
- Standard Deviation: 4.011999893495

Location: 8098-8112 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E91_ABS_ALPHAA4A4: E91_abs_alpha

Value	Label	Unweighted Frequency	%
0.097586296499	-	1	0.1%
0.161131992936	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.224471002817	-	1	0.1%
0.231565997005	-	1	0.1%
0.258632987738	-	1	0.1%
0.316581010818	-	1	0.1%
0.344087004662	-	1	0.1%
0.401410996914	-	1	0.1%
0.417497009039	-	1	0.1%
0.417672008276	-	1	0.1%
0.425900012255	-	1	0.1%
0.427868008614	-	1	0.1%
0.436002999544	-	1	0.1%
0.448747009039	-	1	0.1%
0.448855012655	-	1	0.1%
0.484292000532	-	1	0.1%
0.518110990524	-	1	0.1%
0.550535023212	-	1	0.1%
0.551088988781	-	1	0.1%
0.555604994297	-	1	0.1%
0.564724981785	-	1	0.1%
0.566151976585	-	1	0.1%
0.577139973640	-	1	0.1%
0.585995018482	-	1	0.1%
0.627223014832	-	1	0.1%
0.645053029060	-	1	0.1%
0.646706998348	-	1	0.1%
0.656408011913	-	1	0.1%
0.659505009651	-	1	0.1%
0.670180976391	-	1	0.1%
0.679237008095	-	1	0.1%
0.698578000069	-	1	0.1%
0.709002017975	-	1	0.1%
0.710180997849	-	1	0.1%
0.715349972248	-	1	0.1%
0.721284985542	-	1	0.1%
0.721557021141	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.738599002361	-	1	0.1%
0.754297018051	-	1	0.1%
0.762484014034	-	1	0.1%
0.766885995865	-	1	0.1%
0.768804013729	-	1	0.1%
0.768835008144	-	1	0.1%
0.774851977825	-	1	0.1%
0.778173983097	-	1	0.1%
0.780241012573	-	1	0.1%
0.781248986721	-	1	0.1%
0.781296014786	-	1	0.1%
0.781786978245	-	1	0.1%
0.784708976746	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.630986628783
- Minimum: 0.097586296499
- Maximum: 16.332000732422
- Standard Deviation: 1.968628116231

Location: 8113-8127 (*width:* 15; *decimal:* 12)

Variable Type: numeric

[E91_ABS_BETAA4A4: E91_abs_beta](#)

Value	Label	Unweighted Frequency	%
0.0252944994718	-	1	0.1%
0.0267798993737	-	1	0.1%
0.0392873995006	-	1	0.1%
0.0671005025506	-	1	0.1%
0.0761955976486	-	1	0.1%
0.0767372995615	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0853435024619	-	1	0.1%
0.0929078981280	-	1	0.1%
0.0969161018729	-	1	0.1%
0.0972104966640	-	1	0.1%
0.1044489964843	-	1	0.1%
0.1054420024157	-	1	0.1%
0.1058600023389	-	1	0.1%
0.1096910014749	-	1	0.1%
0.1100889965892	-	1	0.1%
0.1127569973469	-	1	0.1%
0.1222489997745	-	1	0.1%
0.1258600056171	-	1	0.1%
0.1302250027657	-	1	0.1%
0.1395670026541	-	1	0.1%
0.1401659995317	-	1	0.1%
0.1412820070982	-	1	0.1%
0.1474290043116	-	1	0.1%
0.1493699997663	-	1	0.1%
0.1497980058193	-	1	0.1%
0.1500159949064	-	1	0.1%
0.1506440043449	-	1	0.1%
0.1510169953108	-	1	0.1%
0.1511310040951	-	1	0.1%
0.1532199978828	-	1	0.1%
0.1540749967098	-	1	0.1%
0.1550019979477	-	1	0.1%
0.1605650037527	-	1	0.1%
0.1636410057545	-	1	0.1%
0.1649760007858	-	1	0.1%
0.1660619974136	-	1	0.1%
0.1662019938231	-	1	0.1%
0.1669559925795	-	1	0.1%
0.1706359982491	-	1	0.1%
0.1717430055141	-	1	0.1%
0.1729570031166	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1767230033875	-	1	0.1%
0.1768839955330	-	1	0.1%
0.1786649972200	-	1	0.1%
0.1788679957390	-	1	0.1%
0.1803839951754	-	1	0.1%
0.1808439940214	-	1	0.1%
0.1825889945030	-	1	0.1%
0.1828320026398	-	1	0.1%
0.1844840049744	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5779394706013
- Minimum: 0.0252944994718
- Maximum: 7.0986299514771
- Standard Deviation: 0.4939235678105

Location: 8128-8142 (width: 15; decimal: 13)

Variable Type: numeric

E91_ABS_GAMMAA4A4: E91_abs_gamma

Value	Label	Unweighted Frequency	%
0.0093046501279	-	1	0.1%
0.0119920996949	-	1	0.1%
0.0193718001246	-	1	0.1%
0.0201283991337	-	1	0.1%
0.0282633993775	-	1	0.1%
0.0285758003592	-	1	0.1%
0.0320040993392	-	1	0.1%
0.0328588001430	-	1	0.1%
0.0358148999512	-	1	0.1%
0.0381539985538	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0394942015409	-	1	0.1%
0.0397313982248	-	1	0.1%
0.0407672002912	-	1	0.1%
0.0419597998261	-	1	0.1%
0.0447265990078	-	1	0.1%
0.0459685996175	-	1	0.1%
0.0471060983837	-	1	0.1%
0.0490486994386	-	1	0.1%
0.0498126000166	-	1	0.1%
0.0499162003398	-	1	0.1%
0.0505018010736	-	1	0.1%
0.0512269996107	-	1	0.1%
0.0512465983629	-	1	0.1%
0.0514230988920	-	1	0.1%
0.0521829985082	-	1	0.1%
0.0530745983124	-	1	0.1%
0.0540178008378	-	1	0.1%
0.0546443983912	-	1	0.1%
0.0554374009371	-	1	0.1%
0.0557128004730	-	1	0.1%
0.0559890009463	-	1	0.1%
0.0560332983732	-	1	0.1%
0.0579480007291	-	1	0.1%
0.0594485998154	-	1	0.1%
0.0594508983195	-	1	0.1%
0.0595550015569	-	1	0.1%
0.0619155988097	-	1	0.1%
0.0633762031794	-	1	0.1%
0.0641203969717	-	1	0.1%
0.0663812011480	-	1	0.1%
0.0666455999017	-	1	0.1%
0.0668155997992	-	1	0.1%
0.0674943998456	-	1	0.1%
0.0676008984447	-	1	0.1%
0.0677461028099	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0678166002035	-	1	0.1%
0.0684448033571	-	1	0.1%
0.0701415985823	-	1	0.1%
0.0705991983414	-	1	0.1%
0.0708274990320	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2762710618118
- Minimum: 0.0093046501279
- Maximum: 2.8417301177979
- Standard Deviation: 0.3270475353615

Location: 8143-8157 (width: 15; decimal: 13)

Variable Type: numeric

E92_ABS_THETAA4A4: E92_abs_theta

Value	Label	Unweighted Frequency	%
0.260726988316	-	1	0.1%
0.397121012211	-	1	0.1%
0.542441010475	-	1	0.1%
0.603186011314	-	1	0.1%
0.736563026905	-	1	0.1%
0.782796025276	-	1	0.1%
0.870877981186	-	1	0.1%
0.902154982090	-	1	0.1%
1.005139946938	-	1	0.1%
1.005499958992	-	1	0.1%
1.040089964867	-	1	0.1%
1.055199980736	-	1	0.1%
1.083549976349	-	1	0.1%
1.092260003090	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.093770027161	-	1	0.1%
1.106960058212	-	1	0.1%
1.129439949989	-	1	0.1%
1.158519983292	-	1	0.1%
1.175330042839	-	1	0.1%
1.203289985657	-	1	0.1%
1.234680056572	-	1	0.1%
1.263139963150	-	1	0.1%
1.272019982338	-	1	0.1%
1.276090025902	-	1	0.1%
1.293709993362	-	1	0.1%
1.308959960938	-	1	0.1%
1.322520017624	-	1	0.1%
1.330090045929	-	1	0.1%
1.354900002480	-	1	0.1%
1.374429941177	-	1	0.1%
1.380439996719	-	1	0.1%
1.404659986496	-	1	0.1%
1.407439947128	-	1	0.1%
1.436969995499	-	1	0.1%
1.474939942360	-	1	0.1%
1.492460012436	-	1	0.1%
1.506100058556	-	1	0.1%
1.516440033913	-	1	0.1%
1.522240042686	-	1	0.1%
1.527269959450	-	1	0.1%
1.543499946594	-	1	0.1%
1.564560055733	-	1	0.1%
1.607730031013	-	1	0.1%
1.609599947929	-	1	0.1%
1.635139942169	-	1	0.1%
1.647959947586	-	1	0.1%
1.656810045242	-	1	0.1%
1.664669990540	-	1	0.1%
1.685709953308	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.700809955597	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.551113311536
- Minimum: 0.260726988316
- Maximum: 26.686800003052
- Standard Deviation: 2.918963303111

Location: 8158-8172 (width: 15; decimal: 12)

Variable Type: numeric

E92_ABS_ALPHAA4A4: E92_abs_alpha

Value	Label	Unweighted Frequency	%
0.104310996830	-	1	0.1%
0.197720006108	-	1	0.1%
0.235681995749	-	1	0.1%
0.236453995109	-	1	0.1%
0.249051004648	-	1	0.1%
0.265998989344	-	1	0.1%
0.296700000763	-	1	0.1%
0.329180985689	-	1	0.1%
0.334237009287	-	1	0.1%
0.339049011469	-	1	0.1%
0.352755010128	-	1	0.1%
0.355933010578	-	1	0.1%
0.365853011608	-	1	0.1%
0.371306002140	-	1	0.1%
0.385461002588	-	1	0.1%
0.391151994467	-	1	0.1%
0.393373996019	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.410118013620	-	1	0.1%
0.416714996099	-	1	0.1%
0.426631987095	-	1	0.1%
0.444687992334	-	1	0.1%
0.446309000254	-	1	0.1%
0.481319010258	-	1	0.1%
0.482320994139	-	1	0.1%
0.489724993706	-	1	0.1%
0.495660007000	-	1	0.1%
0.510801970959	-	1	0.1%
0.512721002102	-	1	0.1%
0.513351023197	-	1	0.1%
0.528198003769	-	1	0.1%
0.536989986897	-	1	0.1%
0.538658022881	-	1	0.1%
0.548207998276	-	1	0.1%
0.551514029503	-	1	0.1%
0.556590974331	-	1	0.1%
0.560458004475	-	1	0.1%
0.560932993889	-	1	0.1%
0.580650985241	-	1	0.1%
0.581481993198	-	1	0.1%
0.589850008488	-	1	0.1%
0.594663023949	-	1	0.1%
0.606891989708	-	1	0.1%
0.607155025005	-	1	0.1%
0.623606979847	-	1	0.1%
0.629841983318	-	1	0.1%
0.631350994110	-	1	0.1%
0.643930971622	-	1	0.1%
0.644123017788	-	1	0.1%
0.651045024395	-	1	0.1%
0.654870986938	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.999144985338
- Minimum: 0.104310996830
- Maximum: 13.735699653625
- Standard Deviation: 1.449121547582

Location: 8173-8187 (width: 15; decimal: 12)

Variable Type: numeric

E92_ABS_BETAA4A4: E92_abs_beta

Value	Label	Unweighted Frequency	%
0.0269905999303	-	1	0.1%
0.0374452993274	-	1	0.1%
0.0488147996366	-	1	0.1%
0.0518380999565	-	1	0.1%
0.0684052035213	-	1	0.1%
0.0687586963177	-	1	0.1%
0.0721445977688	-	1	0.1%
0.0815529003739	-	1	0.1%
0.0818874984980	-	1	0.1%
0.0842410027981	-	1	0.1%
0.0848267003894	-	1	0.1%
0.0850540995598	-	1	0.1%
0.0851768031716	-	1	0.1%
0.0869439989328	-	1	0.1%
0.0871085971594	-	1	0.1%
0.0903476029634	-	1	0.1%
0.0971983969212	-	1	0.1%
0.0985476970673	-	1	0.1%
0.1006819978356	-	1	0.1%
0.1019029989839	-	1	0.1%
0.1052400022745	-	1	0.1%
0.1052829995751	-	1	0.1%
0.1078139990568	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1123899966478	-	1	0.1%
0.1139170005918	-	1	0.1%
0.1158009991050	-	1	0.1%
0.1162220016122	-	1	0.1%
0.1198000013828	-	1	0.1%
0.1203610002995	-	1	0.1%
0.1212309971452	-	1	0.1%
0.1217110008001	-	1	0.1%
0.1226309984922	-	1	0.1%
0.1241940036416	-	1	0.1%
0.1261560022831	-	1	0.1%
0.1264880001545	-	1	0.1%
0.1309739947319	-	1	0.1%
0.1310140043497	-	1	0.1%
0.1334699988365	-	1	0.1%
0.1356990039349	-	1	0.1%
0.1383019983768	-	1	0.1%
0.1391460001469	-	1	0.1%
0.1395290046930	-	1	0.1%
0.1398549973965	-	1	0.1%
0.1399099975824	-	1	0.1%
0.1401010006666	-	1	0.1%
0.1407780051231	-	1	0.1%
0.1447899937630	-	1	0.1%
0.1450950056314	-	1	0.1%
0.1456220000982	-	1	0.1%
0.1456329971552	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4099229142796
- Minimum: 0.0269905999303
- Maximum: 5.9647102355957
- Standard Deviation: 0.3193611935366

Location: 8188-8202 (width: 15; decimal: 13)

Variable Type: numeric

E92_ABS_GAMMAA4A4: E92_abs_gamma

Value	Label	Unweighted Frequency	%
0.0110424002632	-	1	0.1%
0.0130602996796	-	1	0.1%
0.0157233998179	-	1	0.1%
0.0170418005437	-	1	0.1%
0.0225371997803	-	1	0.1%
0.0256923995912	-	1	0.1%
0.0279184002429	-	1	0.1%
0.0289501994848	-	1	0.1%
0.0323765017092	-	1	0.1%
0.0337839014828	-	1	0.1%
0.0352139994502	-	1	0.1%
0.0354330986738	-	1	0.1%
0.0365028008819	-	1	0.1%
0.0367335006595	-	1	0.1%
0.0367978997529	-	1	0.1%
0.0389510989189	-	1	0.1%
0.0404371991754	-	1	0.1%
0.0404562987387	-	1	0.1%
0.0404580011964	-	1	0.1%
0.0406553000212	-	1	0.1%
0.0445655994117	-	1	0.1%
0.0456383004785	-	1	0.1%
0.0462726987898	-	1	0.1%
0.0464873015881	-	1	0.1%
0.0472247004509	-	1	0.1%
0.0472664982080	-	1	0.1%
0.0473061986268	-	1	0.1%
0.0474041998386	-	1	0.1%
0.0480367988348	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0486170016229	-	1	0.1%
0.0493173003197	-	1	0.1%
0.0494101010263	-	1	0.1%
0.0496244989336	-	1	0.1%
0.0500174984336	-	1	0.1%
0.0501331984997	-	1	0.1%
0.0504963994026	-	1	0.1%
0.0507327988744	-	1	0.1%
0.0517872981727	-	1	0.1%
0.0518990010023	-	1	0.1%
0.0524856001139	-	1	0.1%
0.0525861009955	-	1	0.1%
0.0536000989377	-	1	0.1%
0.0539201982319	-	1	0.1%
0.0542685985565	-	1	0.1%
0.0542785003781	-	1	0.1%
0.0548405982554	-	1	0.1%
0.0554522015154	-	1	0.1%
0.0558233000338	-	1	0.1%
0.0558721981943	-	1	0.1%
0.0558730997145	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.1788299828177
- Minimum: 0.0110424002632
- Maximum: 2.3930199146271
- Standard Deviation: 0.1677988430322

Location: 8203-8217 (width: 15; decimal: 13)

Variable Type: numeric

E93_ABS_THETAA4A4: E93_abs_theta

Value	Label	Unweighted Frequency	%
0.408194988966	-	1	0.1%
0.550602972507	-	1	0.1%
0.614503026009	-	1	0.1%
0.671612024307	-	1	0.1%
0.691043019295	-	1	0.1%
0.692753970623	-	1	0.1%
0.794862985611	-	1	0.1%
0.824980974197	-	1	0.1%
0.839854001999	-	1	0.1%
0.860149025917	-	1	0.1%
0.885420978069	-	1	0.1%
0.901634991169	-	1	0.1%
0.912958025932	-	1	0.1%
0.946051001549	-	1	0.1%
0.947462022305	-	1	0.1%
0.952363014221	-	1	0.1%
0.964245021343	-	1	0.1%
1.005910038948	-	1	0.1%
1.012429952621	-	1	0.1%
1.050580024719	-	1	0.1%
1.120730042458	-	1	0.1%
1.164499998093	-	1	0.1%
1.183310031891	-	1	0.1%
1.191419959068	-	1	0.1%
1.205520033836	-	1	0.1%
1.226300001144	-	1	0.1%
1.229550004005	-	1	0.1%
1.230620026588	-	1	0.1%
1.240339994431	-	1	0.1%
1.251299977303	-	1	0.1%
1.297230005264	-	1	0.1%
1.301139950752	-	1	0.1%
1.321720004082	-	1	0.1%
1.334840059280	-	1	0.1%
1.337759971619	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.339580059052	-	1	0.1%
1.373160004616	-	1	0.1%
1.392079949379	-	1	0.1%
1.394160032272	-	1	0.1%
1.394250035286	-	1	0.1%
1.400889992714	-	1	0.1%
1.418239951134	-	1	0.1%
1.438799977303	-	1	0.1%
1.439450025558	-	1	0.1%
1.460450053215	-	1	0.1%
1.472100019455	-	1	0.1%
1.473629951477	-	1	0.1%
1.492670059204	-	1	0.1%
1.518959999084	-	1	0.1%
1.533910036087	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.038730001625
- Minimum: 0.408194988966
- Maximum: 22.906900405884
- Standard Deviation: 2.513685761536

Location: 8218-8232 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E93_ABS_ALPHAA4A4: E93_abs_alpha

Value	Label	Unweighted Frequency	%
0.165989995003	-	1	0.1%
0.174058005214	-	1	0.1%
0.186710998416	-	1	0.1%
0.227377995849	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.267006009817	-	1	0.1%
0.268400996923	-	1	0.1%
0.300906985998	-	1	0.1%
0.307485997677	-	1	0.1%
0.315066009760	-	1	0.1%
0.329631000757	-	1	0.1%
0.335238009691	-	1	0.1%
0.366699993610	-	1	0.1%
0.373676002026	-	1	0.1%
0.381534010172	-	1	0.1%
0.382914990187	-	1	0.1%
0.382945001125	-	1	0.1%
0.383226990700	-	1	0.1%
0.394398987293	-	1	0.1%
0.397677004337	-	1	0.1%
0.400402992964	-	1	0.1%
0.403461009264	-	1	0.1%
0.403481990099	-	1	0.1%
0.405274003744	-	1	0.1%
0.436136990786	-	1	0.1%
0.436618000269	-	1	0.1%
0.447782009840	-	1	0.1%
0.449256002903	-	1	0.1%
0.466255009174	-	1	0.1%
0.478377014399	-	1	0.1%
0.484831005335	-	1	0.1%
0.485835999250	-	1	0.1%
0.497204989195	-	1	0.1%
0.499821007252	-	1	0.1%
0.508930981159	-	1	0.1%
0.517700016499	-	1	0.1%
0.529504001141	-	1	0.1%
0.529565989971	-	1	0.1%
0.542424976826	-	1	0.1%
0.557341992855	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.558407008648	-	1	0.1%
0.560892999172	-	1	0.1%
0.573197007179	-	1	0.1%
0.573589980602	-	1	0.1%
0.577476024628	-	1	0.1%
0.584999978542	-	1	0.1%
0.595332026482	-	1	0.1%
0.604676008224	-	1	0.1%
0.616680979729	-	1	0.1%
0.619078993797	-	1	0.1%
0.620550990105	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.894078236592
- Minimum: 0.165989995003
- Maximum: 10.814800262451
- Standard Deviation: 1.360596273349

Location: 8233-8247 (width: 15; decimal: 12)

Variable Type: numeric

E93_ABS_BETAA4A4: E93_abs_beta

Value	Label	Unweighted Frequency	%
0.0433398000896	-	1	0.1%
0.0434858016670	-	1	0.1%
0.0437521003187	-	1	0.1%
0.0571523010731	-	1	0.1%
0.0601596012712	-	1	0.1%
0.0621604993939	-	1	0.1%
0.0635685026646	-	1	0.1%
0.0672153010964	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0675529986620	-	1	0.1%
0.0751741975546	-	1	0.1%
0.0770044997334	-	1	0.1%
0.0771740972996	-	1	0.1%
0.0801381021738	-	1	0.1%
0.0816588029265	-	1	0.1%
0.0826729014516	-	1	0.1%
0.0829166024923	-	1	0.1%
0.0831485986710	-	1	0.1%
0.0831839963794	-	1	0.1%
0.0866340994835	-	1	0.1%
0.0896985977888	-	1	0.1%
0.0902948975563	-	1	0.1%
0.0922463014722	-	1	0.1%
0.0933369025588	-	1	0.1%
0.0984916016459	-	1	0.1%
0.1017619967461	-	1	0.1%
0.1038829982281	-	1	0.1%
0.1075050011277	-	2	0.2%
0.1090269982815	-	1	0.1%
0.1107029989362	-	1	0.1%
0.1111000031233	-	1	0.1%
0.1152480021119	-	1	0.1%
0.1174449995160	-	1	0.1%
0.1176009997725	-	1	0.1%
0.1188040003181	-	1	0.1%
0.1206059977412	-	1	0.1%
0.1217539981008	-	1	0.1%
0.1220289990306	-	1	0.1%
0.1235530003905	-	1	0.1%
0.1259019970894	-	1	0.1%
0.1264860033989	-	1	0.1%
0.1271869987249	-	1	0.1%
0.1276639997959	-	1	0.1%
0.1277509927750	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1278149932623	-	1	0.1%
0.1281290054321	-	1	0.1%
0.1286599934101	-	1	0.1%
0.1307619959116	-	1	0.1%
0.1327539980412	-	1	0.1%
0.1346569955349	-	1	0.1%
0.1351969987154	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3569209657713
- Minimum: 0.0433398000896
- Maximum: 1.8099999427795
- Standard Deviation: 0.2097848926475

Location: 8248-8262 (width: 15; decimal: 13)

Variable Type: numeric

E93_ABS_GAMMAA4A4: E93_abs_gamma

Value	Label	Unweighted Frequency	%
0.0140346996486	-	1	0.1%
0.0162337999791	-	1	0.1%
0.0169364996254	-	1	0.1%
0.0175349004567	-	1	0.1%
0.0231484007090	-	1	0.1%
0.0263404995203	-	1	0.1%
0.0274611990899	-	1	0.1%
0.0302186999470	-	1	0.1%
0.0318908989429	-	1	0.1%
0.0322256013751	-	1	0.1%
0.0329884998500	-	1	0.1%
0.0332120992243	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0332758985460	-	1	0.1%
0.0335794016719	-	1	0.1%
0.0339403003454	-	1	0.1%
0.0344204008579	-	1	0.1%
0.0362755991518	-	1	0.1%
0.0371695011854	-	1	0.1%
0.0377167984843	-	1	0.1%
0.0377312004566	-	1	0.1%
0.0377565994859	-	1	0.1%
0.0388836003840	-	1	0.1%
0.0394503995776	-	1	0.1%
0.0413237996399	-	1	0.1%
0.0421652011573	-	1	0.1%
0.0432111993432	-	1	0.1%
0.0432218015194	-	1	0.1%
0.0434818007052	-	1	0.1%
0.0440696999431	-	1	0.1%
0.0454834997654	-	1	0.1%
0.0458557009697	-	1	0.1%
0.0461096987128	-	1	0.1%
0.0463762991130	-	1	0.1%
0.0471680015326	-	1	0.1%
0.0471865981817	-	1	0.1%
0.0472539998591	-	1	0.1%
0.0474501997232	-	1	0.1%
0.0476604998112	-	1	0.1%
0.0477228015661	-	1	0.1%
0.0477874986827	-	1	0.1%
0.0480633005500	-	1	0.1%
0.0480865985155	-	1	0.1%
0.0491019003093	-	1	0.1%
0.0494678989053	-	1	0.1%
0.0499507002532	-	1	0.1%
0.0500025004148	-	1	0.1%
0.0506340004504	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0507804006338	-	1	0.1%
0.0509772002697	-	1	0.1%
0.0516736991704	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.1526989852346
- Minimum: 0.0140346996486
- Maximum: 2.0706899166107
- Standard Deviation: 0.1264594709842

Location: 8263-8277 (width: 15; decimal: 13)

Variable Type: numeric

E95_ABS_THETAA4A4: E95_abs_theta

Value	Label	Unweighted Frequency	%
0.334001988173	-	1	0.1%
0.710066974163	-	1	0.1%
1.086410045624	-	1	0.1%
1.105440020561	-	1	0.1%
1.133859992027	-	1	0.1%
1.352370023727	-	1	0.1%
1.431439995766	-	1	0.1%
1.503859996796	-	1	0.1%
1.529549956322	-	1	0.1%
1.547199964523	-	1	0.1%
1.552710056305	-	1	0.1%
1.572720050812	-	1	0.1%
1.629570007324	-	1	0.1%
1.634930014610	-	1	0.1%
1.669360041618	-	1	0.1%
1.717620015144	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.767770051956	-	1	0.1%
1.926540017128	-	1	0.1%
1.927929997444	-	1	0.1%
1.943330049515	-	1	0.1%
1.979380011559	-	1	0.1%
1.984459996223	-	1	0.1%
2.034780025482	-	1	0.1%
2.046979904175	-	1	0.1%
2.119699954987	-	1	0.1%
2.168999910355	-	1	0.1%
2.188930034637	-	1	0.1%
2.247750043869	-	1	0.1%
2.266370058060	-	1	0.1%
2.294939994812	-	1	0.1%
2.331660032272	-	1	0.1%
2.342679977417	-	1	0.1%
2.349109888077	-	1	0.1%
2.419189929962	-	1	0.1%
2.546089887619	-	1	0.1%
2.580600023270	-	1	0.1%
2.665400028229	-	1	0.1%
2.710850000381	-	1	0.1%
2.713660001755	-	1	0.1%
2.713969945908	-	1	0.1%
2.732120037079	-	1	0.1%
2.810309886932	-	1	0.1%
2.815659999847	-	1	0.1%
2.826400041580	-	1	0.1%
2.874049901962	-	1	0.1%
2.898080110550	-	1	0.1%
2.898770093918	-	1	0.1%
2.913290023804	-	1	0.1%
2.956229925156	-	1	0.1%
2.970390081406	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 7.066331877105
- Minimum: 0.334001988173
- Maximum: 27.937000274658
- Standard Deviation: 3.704740908875

Location: 8278-8292 (width: 15; decimal: 12)

Variable Type: numeric

E95_ABS_ALPHAA4A4: E95_abs_alpha

Value	Label	Unweighted Frequency	%
0.163011997938	-	1	0.1%
0.277685999870	-	1	0.1%
0.320735007524	-	1	0.1%
0.343742012978	-	1	0.1%
0.382523000240	-	1	0.1%
0.423444002867	-	1	0.1%
0.451792985201	-	1	0.1%
0.465954005718	-	1	0.1%
0.485002994537	-	1	0.1%
0.499763011932	-	1	0.1%
0.509672999382	-	1	0.1%
0.523872017860	-	1	0.1%
0.531265020370	-	1	0.1%
0.571084022522	-	1	0.1%
0.587657988071	-	1	0.1%
0.590431988239	-	1	0.1%
0.596543014050	-	1	0.1%
0.612689018250	-	1	0.1%
0.619509994984	-	1	0.1%
0.624912977219	-	1	0.1%
0.633253991604	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.637475013733	-	1	0.1%
0.658289015293	-	1	0.1%
0.676482021809	-	1	0.1%
0.678726971149	-	1	0.1%
0.684161007404	-	1	0.1%
0.689119994640	-	1	0.1%
0.690083026886	-	1	0.1%
0.707799971104	-	1	0.1%
0.737468004227	-	1	0.1%
0.740558028221	-	1	0.1%
0.753422975540	-	1	0.1%
0.756151974201	-	1	0.1%
0.780139029026	-	1	0.1%
0.810265004635	-	1	0.1%
0.815784990788	-	1	0.1%
0.825262010098	-	1	0.1%
0.828953027725	-	1	0.1%
0.830461025238	-	1	0.1%
0.831534028053	-	1	0.1%
0.867967009544	-	1	0.1%
0.882497012615	-	1	0.1%
0.887041985989	-	1	0.1%
0.890748023987	-	1	0.1%
0.891800999641	-	1	0.1%
0.898912012577	-	1	0.1%
0.899369001389	-	1	0.1%
0.899789988995	-	1	0.1%
0.911354005337	-	1	0.1%
0.921875000000	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.596493550129
- Minimum: 0.163011997938
- Maximum: 18.273000717163
- Standard Deviation: 1.723911783639

Location: 8293-8307 (width: 15; decimal: 12)

Variable Type: numeric

E95_ABS_BETAA4A4: E95_abs_beta

Value	Label	Unweighted Frequency	%
0.0270812995732	-	1	0.1%
0.0541905984282	-	1	0.1%
0.0606691017747	-	1	0.1%
0.0631257966161	-	1	0.1%
0.0836614966393	-	1	0.1%
0.1040280014277	-	1	0.1%
0.1100720018148	-	1	0.1%
0.1122659966350	-	1	0.1%
0.1175699979067	-	1	0.1%
0.1227890029550	-	1	0.1%
0.1246279999614	-	1	0.1%
0.1397410035133	-	1	0.1%
0.1512300074100	-	1	0.1%
0.1521060019732	-	1	0.1%
0.1522119939327	-	1	0.1%
0.1527049988508	-	1	0.1%
0.1528239995241	-	1	0.1%
0.1538680046797	-	1	0.1%
0.1601579934359	-	1	0.1%
0.1616709977388	-	1	0.1%
0.1636359989643	-	1	0.1%
0.1699029952288	-	1	0.1%
0.1757789999247	-	1	0.1%
0.1833900064230	-	1	0.1%
0.1858649998903	-	1	0.1%
0.1871269941330	-	1	0.1%
0.1875540018082	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1882240027189	-	1	0.1%
0.1915390044451	-	1	0.1%
0.1935189962387	-	1	0.1%
0.1963289976120	-	1	0.1%
0.1972679942846	-	1	0.1%
0.2004390060902	-	1	0.1%
0.2006530016661	-	1	0.1%
0.2018280029297	-	1	0.1%
0.2025839984417	-	1	0.1%
0.2086800038815	-	1	0.1%
0.2097419947386	-	1	0.1%
0.2107650041580	-	1	0.1%
0.2148990035057	-	1	0.1%
0.2159810066223	-	1	0.1%
0.2177650034428	-	1	0.1%
0.2217310070992	-	1	0.1%
0.2224999964237	-	1	0.1%
0.2236450016499	-	1	0.1%
0.2250660061836	-	1	0.1%
0.2257860004902	-	1	0.1%
0.2282000035048	-	1	0.1%
0.2313970029354	-	1	0.1%
0.2361859977245	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.7975621680692
- Minimum: 0.0270812995732
- Maximum: 4.9466300010681
- Standard Deviation: 0.6965832457733

Location: 8308-8322 (width: 15; decimal: 13)

Variable Type: numeric

E95_ABS_GAMMAA4A4: E95_abs_gamma

Value	Label	Unweighted Frequency	%
0.0107822995633	-	1	0.1%
0.0156121999025	-	1	0.1%
0.0247725006193	-	1	0.1%
0.0259339995682	-	1	0.1%
0.0342614017427	-	1	0.1%
0.0359343998134	-	1	0.1%
0.0389431007206	-	1	0.1%
0.0421763993800	-	1	0.1%
0.0443664006889	-	1	0.1%
0.0479605011642	-	1	0.1%
0.0485663004220	-	1	0.1%
0.0518145002425	-	1	0.1%
0.0522400997579	-	1	0.1%
0.0527012981474	-	1	0.1%
0.0529173985124	-	1	0.1%
0.0570885017514	-	1	0.1%
0.0590000003576	-	1	0.1%
0.0593045018613	-	1	0.1%
0.0619154982269	-	1	0.1%
0.0648756027222	-	1	0.1%
0.0693195983768	-	1	0.1%
0.0694231987000	-	1	0.1%
0.0702461004257	-	1	0.1%
0.0720020011067	-	1	0.1%
0.0730521976948	-	1	0.1%
0.0737027972937	-	1	0.1%
0.0742316022515	-	1	0.1%
0.0755017995834	-	1	0.1%
0.0760444030166	-	1	0.1%
0.0764290019870	-	1	0.1%
0.0766554996371	-	1	0.1%
0.0779507979751	-	1	0.1%
0.0780884996057	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0785294994712	-	1	0.1%
0.0793863981962	-	1	0.1%
0.0822169035673	-	1	0.1%
0.0862710028887	-	1	0.1%
0.0864494964480	-	1	0.1%
0.0867789983749	-	1	0.1%
0.0883440002799	-	1	0.1%
0.0886197015643	-	1	0.1%
0.0888203978539	-	1	0.1%
0.0952242016792	-	1	0.1%
0.0991526991129	-	1	0.1%
0.1003480032086	-	1	0.1%
0.1005069985986	-	1	0.1%
0.1007409989834	-	1	0.1%
0.1009970009327	-	1	0.1%
0.1016720011830	-	1	0.1%
0.1029430031776	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5161654071611
- Minimum: 0.0107822995633
- Maximum: 3.4719700813293
- Standard Deviation: 0.5488203154066

Location: 8323-8337 (width: 15; decimal: 13)

Variable Type: numeric

E96_ABS_THETAA4A4: E96_abs_theta

Value	Label	Unweighted Frequency	%
0.334001988173	-	1	0.1%
0.522823989391	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.532005012035	-	1	0.1%
0.979713976383	-	1	0.1%
1.000540018082	-	1	0.1%
1.028270006180	-	1	0.1%
1.052060008049	-	1	0.1%
1.101750016212	-	1	0.1%
1.243340015411	-	1	0.1%
1.245939970016	-	1	0.1%
1.308509945869	-	1	0.1%
1.361189961433	-	1	0.1%
1.415519952774	-	1	0.1%
1.427780032158	-	1	0.1%
1.437090039253	-	1	0.1%
1.496670007706	-	1	0.1%
1.525509953499	-	1	0.1%
1.534919977188	-	1	0.1%
1.558990001678	-	1	0.1%
1.581670045853	-	1	0.1%
1.621649980545	-	1	0.1%
1.733979940414	-	1	0.1%
1.735270023346	-	1	0.1%
1.783519983292	-	1	0.1%
1.879189968109	-	1	0.1%
1.894940018654	-	1	0.1%
1.918830037117	-	1	0.1%
1.952800035477	-	1	0.1%
1.975999951363	-	1	0.1%
1.994019985199	-	1	0.1%
2.022389888763	-	1	0.1%
2.042779922485	-	1	0.1%
2.120440006256	-	1	0.1%
2.128599882126	-	1	0.1%
2.135200023651	-	1	0.1%
2.139130115509	-	1	0.1%
2.141849994659	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.160830020905	-	1	0.1%
2.169229984283	-	1	0.1%
2.201469898224	-	1	0.1%
2.245300054550	-	1	0.1%
2.256269931793	-	1	0.1%
2.264889955521	-	1	0.1%
2.282469987869	-	1	0.1%
2.293469905853	-	1	0.1%
2.299050092697	-	1	0.1%
2.340240001678	-	1	0.1%
2.347650051117	-	1	0.1%
2.380089998245	-	1	0.1%
2.385799884796	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 6.766249350212
- Minimum: 0.334001988173
- Maximum: 33.447299957275
- Standard Deviation: 4.015560128583

Location: 8338-8352 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E96_ABS_ALPHAA4A4: E96_abs_alpha

Value	Label	Unweighted Frequency	%
0.161304995418	-	1	0.1%
0.163562998176	-	1	0.1%
0.253746986389	-	1	0.1%
0.257643997669	-	1	0.1%
0.353915005922	-	1	0.1%
0.354941993952	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.365841001272	-	1	0.1%
0.380151987076	-	1	0.1%
0.435039013624	-	1	0.1%
0.496214002371	-	1	0.1%
0.513255000114	-	1	0.1%
0.516442000866	-	1	0.1%
0.524040997028	-	1	0.1%
0.526552021503	-	1	0.1%
0.526984989643	-	1	0.1%
0.549933016300	-	1	0.1%
0.568093001842	-	1	0.1%
0.591890990734	-	1	0.1%
0.627996027470	-	1	0.1%
0.635523021221	-	1	0.1%
0.644474029541	-	1	0.1%
0.644650995731	-	1	0.1%
0.652359008789	-	1	0.1%
0.655376970768	-	1	0.1%
0.658883988857	-	1	0.1%
0.661219000816	-	1	0.1%
0.666612029076	-	1	0.1%
0.671239018440	-	1	0.1%
0.675170004368	-	1	0.1%
0.694440007210	-	1	0.1%
0.695928990841	-	1	0.1%
0.699482023716	-	1	0.1%
0.711468994617	-	1	0.1%
0.716948986053	-	1	0.1%
0.724852025509	-	1	0.1%
0.743080973625	-	1	0.1%
0.747748970985	-	1	0.1%
0.750438988209	-	1	0.1%
0.753506004810	-	1	0.1%
0.759060025215	-	1	0.1%
0.766515970230	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.784399986267	-	1	0.1%
0.793686985970	-	1	0.1%
0.794158995152	-	1	0.1%
0.804318010807	-	1	0.1%
0.806340992451	-	1	0.1%
0.841793000698	-	1	0.1%
0.845160007477	-	1	0.1%
0.845211029053	-	1	0.1%
0.852441012859	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.805598304829
- Minimum: 0.161304995418
- Maximum: 18.322999954224
- Standard Deviation: 2.023996752818

Location: 8353-8367 (width: 15; decimal: 12)

Variable Type: numeric

E96_ABS_BETAA4A4: E96_abs_beta

Value	Label	Unweighted Frequency	%
0.0255667995661	-	1	0.1%
0.0441328994930	-	1	0.1%
0.0480716004968	-	1	0.1%
0.0732847973704	-	1	0.1%
0.0832516029477	-	1	0.1%
0.0932193994522	-	1	0.1%
0.0933518037200	-	1	0.1%
0.0976077988744	-	1	0.1%
0.1077890023589	-	1	0.1%
0.1118000000715	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1131220012903	-	1	0.1%
0.1172019988298	-	1	0.1%
0.1181690022349	-	1	0.1%
0.1213430017233	-	1	0.1%
0.1368730068207	-	1	0.1%
0.1404259949923	-	1	0.1%
0.1432850062847	-	1	0.1%
0.1487739980221	-	1	0.1%
0.1507789939642	-	1	0.1%
0.1518429964781	-	1	0.1%
0.1525360047817	-	1	0.1%
0.1551350057125	-	1	0.1%
0.1558230072260	-	1	0.1%
0.1571010053158	-	1	0.1%
0.1625279933214	-	1	0.1%
0.1635559946299	-	1	0.1%
0.1692299991846	-	1	0.1%
0.1695780009031	-	1	0.1%
0.1726620048285	-	1	0.1%
0.1738770008087	-	1	0.1%
0.1746570020914	-	1	0.1%
0.1746679991484	-	1	0.1%
0.1772619932890	-	1	0.1%
0.1804780066013	-	1	0.1%
0.1819290071726	-	1	0.1%
0.1842720061541	-	1	0.1%
0.1852809935808	-	1	0.1%
0.1863829940557	-	1	0.1%
0.1872500032187	-	1	0.1%
0.1879660040140	-	1	0.1%
0.1909240037203	-	1	0.1%
0.1914909929037	-	1	0.1%
0.1936230063438	-	1	0.1%
0.1946009993553	-	1	0.1%
0.1959210038185	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1961749941111	-	1	0.1%
0.1980739980936	-	1	0.1%
0.1983059942722	-	1	0.1%
0.2011550068855	-	1	0.1%
0.2051090002060	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.9161336522797
- Minimum: 0.0255667995661
- Maximum: 8.7366104125977
- Standard Deviation: 1.0208836468610

Location: 8368-8382 (width: 15; decimal: 13)

Variable Type: numeric

E96_ABS_GAMMAA4A4: E96_abs_gamma

Value	Label	Unweighted Frequency	%
0.0098985200748	-	1	0.1%
0.0192622002214	-	1	0.1%
0.0231509003788	-	1	0.1%
0.0245874002576	-	1	0.1%
0.0342861004174	-	1	0.1%
0.0363929010928	-	1	0.1%
0.0367496982217	-	1	0.1%
0.0378138013184	-	1	0.1%
0.0380680002272	-	1	0.1%
0.0405691005290	-	1	0.1%
0.0430340990424	-	1	0.1%
0.0493050999939	-	1	0.1%
0.0522475987673	-	1	0.1%
0.0525285005569	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0535797998309	-	1	0.1%
0.0554294995964	-	1	0.1%
0.0571907982230	-	1	0.1%
0.0581444986165	-	1	0.1%
0.0585248991847	-	1	0.1%
0.0605713985860	-	1	0.1%
0.0613285005093	-	1	0.1%
0.0625128969550	-	1	0.1%
0.0632644966245	-	1	0.1%
0.0643400996923	-	1	0.1%
0.0652687996626	-	1	0.1%
0.0660324990749	-	1	0.1%
0.0662271976471	-	1	0.1%
0.0678746029735	-	1	0.1%
0.0693200975657	-	1	0.1%
0.0696529969573	-	1	0.1%
0.0696813017130	-	1	0.1%
0.0699101015925	-	1	0.1%
0.0704210996628	-	1	0.1%
0.0708665996790	-	1	0.1%
0.0714055001736	-	1	0.1%
0.0718396976590	-	1	0.1%
0.0724409967661	-	1	0.1%
0.0727920979261	-	1	0.1%
0.0744393989444	-	1	0.1%
0.0745683014393	-	1	0.1%
0.0748279988766	-	1	0.1%
0.0751145035028	-	1	0.1%
0.0757130011916	-	1	0.1%
0.0757782012224	-	1	0.1%
0.0766282975674	-	1	0.1%
0.0766723975539	-	1	0.1%
0.0774578005075	-	1	0.1%
0.0798915028572	-	1	0.1%
0.0804203003645	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0806109979749	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5710508284021
- Minimum: 0.0098985200748
- Maximum: 4.8346800804138
- Standard Deviation: 0.7844621953791

Location: 8383-8397 (width: 15; decimal: 13)

Variable Type: numeric

E97_ABS_THETAA4A4: E97_abs_theta

Value	Label	Unweighted Frequency	%
0.528028011322	-	1	0.1%
0.612966001034	-	1	0.1%
0.712576985359	-	1	0.1%
0.728856027126	-	1	0.1%
0.753965973854	-	1	0.1%
0.911812007427	-	1	0.1%
0.954521000385	-	1	0.1%
1.030570030212	-	1	0.1%
1.032459974289	-	1	0.1%
1.040070056915	-	1	0.1%
1.047070026398	-	1	0.1%
1.061779975891	-	1	0.1%
1.080369949341	-	1	0.1%
1.125280022621	-	1	0.1%
1.130920052528	-	1	0.1%
1.152480006218	-	1	0.1%
1.204869985580	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.256240010262	-	1	0.1%
1.276329994202	-	1	0.1%
1.280869960785	-	1	0.1%
1.286370038986	-	1	0.1%
1.300989985466	-	1	0.1%
1.326429963112	-	1	0.1%
1.331120014191	-	1	0.1%
1.357349991798	-	1	0.1%
1.377810001373	-	1	0.1%
1.436020016670	-	1	0.1%
1.490829944611	-	1	0.1%
1.524449944496	-	1	0.1%
1.542719960213	-	1	0.1%
1.575569987297	-	1	0.1%
1.608209967613	-	1	0.1%
1.619279980659	-	1	0.1%
1.626610040665	-	1	0.1%
1.627410054207	-	1	0.1%
1.649219989777	-	1	0.1%
1.672289967537	-	1	0.1%
1.681859970093	-	1	0.1%
1.683359980583	-	1	0.1%
1.688779950142	-	1	0.1%
1.716490030289	-	1	0.1%
1.726699948311	-	1	0.1%
1.736439943314	-	1	0.1%
1.748890042305	-	1	0.1%
1.755419969559	-	1	0.1%
1.766780018806	-	1	0.1%
1.788140058517	-	1	0.1%
1.789680004120	-	1	0.1%
1.811779975891	-	1	0.1%
1.813770055771	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.850248554543
- Minimum: 0.528028011322
- Maximum: 28.750699996948
- Standard Deviation: 2.900175412678

Location: 8398-8412 (width: 15; decimal: 12)

Variable Type: numeric

E97_ABS_ALPHAA4A4: E97_abs_alpha

Value	Label	Unweighted Frequency	%
0.273301988840	-	1	0.1%
0.283719003201	-	1	0.1%
0.301021009684	-	1	0.1%
0.316693991423	-	1	0.1%
0.328023999929	-	1	0.1%
0.337137997150	-	1	0.1%
0.352095991373	-	1	0.1%
0.352636009455	-	1	0.1%
0.365505993366	-	1	0.1%
0.367859005928	-	1	0.1%
0.369823992252	-	1	0.1%
0.375180006027	-	1	0.1%
0.381285995245	-	1	0.1%
0.391115993261	-	1	0.1%
0.394547998905	-	1	0.1%
0.407723993063	-	1	0.1%
0.414999008179	-	1	0.1%
0.419631004333	-	1	0.1%
0.447531998158	-	1	0.1%
0.452903002501	-	1	0.1%
0.481016993523	-	1	0.1%
0.493833005428	-	1	0.1%
0.500110983849	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.505909979343	-	1	0.1%
0.520965993404	-	1	0.1%
0.522068023682	-	1	0.1%
0.532581984997	-	1	0.1%
0.538610994816	-	1	0.1%
0.543987989426	-	1	0.1%
0.561003983021	-	1	0.1%
0.567209005356	-	1	0.1%
0.567610979080	-	1	0.1%
0.585933983326	-	1	0.1%
0.588338971138	-	1	0.1%
0.606079995632	-	1	0.1%
0.610397994518	-	1	0.1%
0.621586024761	-	1	0.1%
0.623438000679	-	1	0.1%
0.638984978199	-	1	0.1%
0.642000973225	-	1	0.1%
0.642481982708	-	1	0.1%
0.644719004631	-	1	0.1%
0.647534012794	-	1	0.1%
0.649864971638	-	1	0.1%
0.651335000992	-	1	0.1%
0.655489981174	-	1	0.1%
0.659277021885	-	1	0.1%
0.663712024689	-	1	0.1%
0.664153993130	-	1	0.1%
0.671157002449	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.101624343141
- Minimum: 0.273301988840
- Maximum: 13.595299720764
- Standard Deviation: 1.436964883494

Location: 8413-8427 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E97_ABS_BETAA4A4: E97_abs_beta

Value	Label	Unweighted Frequency	%
0.0486125014722	-	1	0.1%
0.0511220991611	-	1	0.1%
0.0615893006325	-	1	0.1%
0.0647023990750	-	1	0.1%
0.0691531002522	-	1	0.1%
0.0753218010068	-	1	0.1%
0.0806725025177	-	1	0.1%
0.0824026986957	-	1	0.1%
0.0828173011541	-	1	0.1%
0.0857739970088	-	1	0.1%
0.0892672017217	-	1	0.1%
0.0908014029264	-	1	0.1%
0.0918658003211	-	1	0.1%
0.0969616994262	-	1	0.1%
0.1009629964828	-	1	0.1%
0.1013950034976	-	1	0.1%
0.1058589965105	-	1	0.1%
0.1081940010190	-	1	0.1%
0.1087310016155	-	1	0.1%
0.1145289987326	-	1	0.1%
0.1146479994059	-	1	0.1%
0.1163699999452	-	1	0.1%
0.1179620027542	-	1	0.1%
0.1184249967337	-	1	0.1%
0.1203669980168	-	1	0.1%
0.1238309964538	-	1	0.1%
0.1264699995518	-	1	0.1%
0.1265940070152	-	1	0.1%
0.1277740001678	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1293449997902	-	1	0.1%
0.1311189979315	-	1	0.1%
0.1317349970341	-	1	0.1%
0.1360619962215	-	1	0.1%
0.1375949978828	-	1	0.1%
0.1399669945240	-	1	0.1%
0.1420409977436	-	1	0.1%
0.1458040028811	-	1	0.1%
0.1468009948730	-	1	0.1%
0.1474509984255	-	1	0.1%
0.1481350064278	-	1	0.1%
0.1508550047874	-	1	0.1%
0.1565539985895	-	1	0.1%
0.1580049991608	-	1	0.1%
0.1584270000458	-	1	0.1%
0.1611829996109	-	1	0.1%
0.1619970053434	-	1	0.1%
0.1629839986563	-	1	0.1%
0.1631069928408	-	1	0.1%
0.1634619981050	-	1	0.1%
0.1634639948606	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5645094092866
- Minimum: 0.0486125014722
- Maximum: 7.7023000717163
- Standard Deviation: 0.5552630530220

Location: 8428-8442 (width: 15; decimal: 13)

Variable Type: numeric

E97_ABS_GAMMAA4A4: E97_abs_gamma

Value	Label	Unweighted Frequency	%
0.0166079998016	-	1	0.1%
0.0175388008356	-	1	0.1%
0.0229384005070	-	1	0.1%
0.0268217995763	-	1	0.1%
0.0332635007799	-	1	0.1%
0.0341506004333	-	1	0.1%
0.0347574017942	-	1	0.1%
0.0351204983890	-	1	0.1%
0.0354689992964	-	1	0.1%
0.0355278998613	-	1	0.1%
0.0368280000985	-	1	0.1%
0.0369246006012	-	1	0.1%
0.0386326983571	-	1	0.1%
0.0397718995810	-	1	0.1%
0.0401340983808	-	1	0.1%
0.0403613001108	-	1	0.1%
0.0423090010881	-	1	0.1%
0.0430481992662	-	1	0.1%
0.0431773997843	-	1	0.1%
0.0434929989278	-	1	0.1%
0.0438610017300	-	1	0.1%
0.0459734015167	-	1	0.1%
0.0466352999210	-	1	0.1%
0.0468770004809	-	1	0.1%
0.0472613982856	-	1	0.1%
0.0475622005761	-	1	0.1%
0.0480495989323	-	1	0.1%
0.0508637018502	-	1	0.1%
0.0510171987116	-	1	0.1%
0.0513347014785	-	1	0.1%
0.0529612004757	-	1	0.1%
0.0540161989629	-	1	0.1%
0.0545891001821	-	1	0.1%
0.0548684000969	-	1	0.1%
0.0554889999330	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0561947003007	-	1	0.1%
0.0571721009910	-	1	0.1%
0.0582836009562	-	1	0.1%
0.0590725988150	-	1	0.1%
0.0594821982086	-	1	0.1%
0.0597308017313	-	1	0.1%
0.0602219998837	-	1	0.1%
0.0605258010328	-	1	0.1%
0.0605689994991	-	1	0.1%
0.0617084987462	-	1	0.1%
0.0621973015368	-	1	0.1%
0.0622614994645	-	1	0.1%
0.0628252997994	-	1	0.1%
0.0629132017493	-	1	0.1%
0.0632022991776	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3166294296794
- Minimum: 0.0166079998016
- Maximum: 3.7275400161743
- Standard Deviation: 0.4256698821253

Location: 8443-8457 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E98_ABS_THETAA4A4: E98_abs_theta

Value	Label	Unweighted Frequency	%
0.540331006050	-	1	0.1%
0.645120978355	-	1	0.1%
0.692139029503	-	1	0.1%
0.694688975811	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.800369024277	-	1	0.1%
0.887404024601	-	1	0.1%
0.897086977959	-	1	0.1%
0.928530991077	-	1	0.1%
0.934644997120	-	1	0.1%
0.975790977478	-	1	0.1%
0.996173024178	-	1	0.1%
0.996239006519	-	1	0.1%
1.024320006371	-	1	0.1%
1.025050044060	-	1	0.1%
1.066939949989	-	1	0.1%
1.068400025368	-	1	0.1%
1.085360050201	-	1	0.1%
1.085800051689	-	1	0.1%
1.095790028572	-	1	0.1%
1.107969999313	-	1	0.1%
1.113929986954	-	1	0.1%
1.145499944687	-	1	0.1%
1.165150046349	-	1	0.1%
1.194169998169	-	1	0.1%
1.285959959030	-	1	0.1%
1.291190028191	-	1	0.1%
1.297129988670	-	1	0.1%
1.298339962959	-	1	0.1%
1.324460029602	-	1	0.1%
1.333909988403	-	1	0.1%
1.334300041199	-	1	0.1%
1.349259972572	-	1	0.1%
1.395560026169	-	1	0.1%
1.423329949379	-	1	0.1%
1.431970000267	-	1	0.1%
1.436969995499	-	1	0.1%
1.494179964066	-	1	0.1%
1.504549980164	-	1	0.1%
1.509340047836	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.517660021782	-	1	0.1%
1.540549993515	-	1	0.1%
1.559470057487	-	1	0.1%
1.565269947052	-	1	0.1%
1.567450046539	-	1	0.1%
1.578520059586	-	1	0.1%
1.635810017586	-	1	0.1%
1.647660017014	-	1	0.1%
1.660879969597	-	1	0.1%
1.682100057602	-	1	0.1%
1.704929947853	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.308402463471
- Minimum: 0.540331006050
- Maximum: 32.765499114990
- Standard Deviation: 2.804514371457

Location: 8458-8472 (width: 15; decimal: 12)

Variable Type: numeric

E98_ABS_ALPHAA4A4: E98_abs_alpha

Value	Label	Unweighted Frequency	%
0.170344993472	-	1	0.1%
0.246012002230	-	1	0.1%
0.271420001984	-	1	0.1%
0.279067009687	-	1	0.1%
0.287663012743	-	1	0.1%
0.306057989597	-	1	0.1%
0.317126989365	-	1	0.1%
0.329082012177	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.330682992935	-	1	0.1%
0.332058012486	-	1	0.1%
0.370159000158	-	1	0.1%
0.381047993898	-	1	0.1%
0.381449013948	-	1	0.1%
0.389589995146	-	1	0.1%
0.391932010651	-	1	0.1%
0.399145007133	-	1	0.1%
0.414831012487	-	1	0.1%
0.425096988678	-	1	0.1%
0.435362011194	-	1	0.1%
0.437438994646	-	1	0.1%
0.442425012589	-	1	0.1%
0.462475001812	-	1	0.1%
0.467712998390	-	1	0.1%
0.473461985588	-	1	0.1%
0.498450994492	-	1	0.1%
0.524360001087	-	1	0.1%
0.524483025074	-	1	0.1%
0.526522994041	-	1	0.1%
0.544780015945	-	1	0.1%
0.559585988522	-	1	0.1%
0.563818991184	-	1	0.1%
0.574231982231	-	1	0.1%
0.594610989094	-	1	0.1%
0.596886992455	-	1	0.1%
0.597446978092	-	1	0.1%
0.598344981670	-	1	0.1%
0.603371024132	-	1	0.1%
0.608250021935	-	1	0.1%
0.613898992538	-	1	0.1%
0.615411996841	-	1	0.1%
0.616981983185	-	1	0.1%
0.618413984776	-	1	0.1%
0.626112997532	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.629117012024	-	1	0.1%
0.636222004890	-	1	0.1%
0.640982985497	-	1	0.1%
0.643166005611	-	1	0.1%
0.643193006516	-	1	0.1%
0.652113020420	-	1	0.1%
0.659066021442	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.937607013566
- Minimum: 0.170344993472
- Maximum: 13.377599716187
- Standard Deviation: 1.393644459000

Location: 8473-8487 (width: 15; decimal: 12)

Variable Type: numeric

E98_ABS_BETAA4A4: E98_abs_beta

Value	Label	Unweighted Frequency	%
0.0447878986597	-	1	0.1%
0.0464572012424	-	1	0.1%
0.0584410987794	-	1	0.1%
0.0654790028930	-	1	0.1%
0.0760210976005	-	1	0.1%
0.0765746012330	-	1	0.1%
0.0772849023342	-	1	0.1%
0.0781515985727	-	1	0.1%
0.0792310982943	-	1	0.1%
0.0810069963336	-	1	0.1%
0.0837045982480	-	1	0.1%
0.0839579999447	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0841370001435	-	1	0.1%
0.0859299004078	-	1	0.1%
0.0880855992436	-	1	0.1%
0.0887549966574	-	1	0.1%
0.0893701016903	-	1	0.1%
0.0927435979247	-	1	0.1%
0.0969808995724	-	1	0.1%
0.1020580008626	-	1	0.1%
0.1037919968367	-	1	0.1%
0.1053749993443	-	1	0.1%
0.1113329976797	-	1	0.1%
0.1143229976296	-	1	0.1%
0.1158099994063	-	1	0.1%
0.1205179989338	-	1	0.1%
0.1208980008960	-	1	0.1%
0.1209459975362	-	1	0.1%
0.1225290000439	-	1	0.1%
0.1245509982109	-	1	0.1%
0.1267340034246	-	1	0.1%
0.1279979944229	-	1	0.1%
0.1297149956226	-	1	0.1%
0.1303769946098	-	1	0.1%
0.1316850036383	-	1	0.1%
0.1320469975471	-	1	0.1%
0.1340440064669	-	1	0.1%
0.1345909982920	-	1	0.1%
0.1365250051022	-	1	0.1%
0.1370040029287	-	1	0.1%
0.1375160068274	-	1	0.1%
0.1375180035830	-	1	0.1%
0.1380559951067	-	1	0.1%
0.1383890062571	-	1	0.1%
0.1404760032892	-	1	0.1%
0.1414510011673	-	1	0.1%
0.1429619938135	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1445070058107	-	1	0.1%
0.1496070027351	-	1	0.1%
0.1508899927139	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4480168404398
- Minimum: 0.0447878986597
- Maximum: 4.1297597885132
- Standard Deviation: 0.3369944523361

Location: 8488-8502 (width: 15; decimal: 13)

Variable Type: numeric

E98_ABS_GAMMAA4A4: E98_abs_gamma

Value	Label	Unweighted Frequency	%
0.0154999997467	-	1	0.1%
0.0186423007399	-	1	0.1%
0.0222036000341	-	1	0.1%
0.0268874000758	-	1	0.1%
0.0295960996300	-	1	0.1%
0.0299743991345	-	1	0.1%
0.0313046984375	-	1	0.1%
0.0324566997588	-	1	0.1%
0.0338425002992	-	1	0.1%
0.0341122001410	-	1	0.1%
0.0392283983529	-	1	0.1%
0.0392602011561	-	1	0.1%
0.0399801991880	-	1	0.1%
0.0405808985233	-	1	0.1%
0.0418938994408	-	1	0.1%
0.0420869998634	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0430638007820	-	1	0.1%
0.0442030988634	-	1	0.1%
0.0443241000175	-	1	0.1%
0.0446062982082	-	1	0.1%
0.0446690991521	-	1	0.1%
0.0461423993111	-	1	0.1%
0.0468329004943	-	1	0.1%
0.0468684993684	-	1	0.1%
0.0470813997090	-	1	0.1%
0.0473368987441	-	1	0.1%
0.0486203990877	-	1	0.1%
0.0494613982737	-	1	0.1%
0.0500621981919	-	1	0.1%
0.0509181991220	-	1	0.1%
0.0510349012911	-	1	0.1%
0.0511389002204	-	1	0.1%
0.0515978001058	-	1	0.1%
0.0516786985099	-	1	0.1%
0.0518200993538	-	1	0.1%
0.0519572012126	-	1	0.1%
0.0523357987404	-	1	0.1%
0.0526393987238	-	1	0.1%
0.0532030984759	-	1	0.1%
0.0533781982958	-	1	0.1%
0.0534128993750	-	1	0.1%
0.0539611987770	-	1	0.1%
0.0552133992314	-	1	0.1%
0.0554733015597	-	1	0.1%
0.0561681017280	-	1	0.1%
0.0563967004418	-	1	0.1%
0.0578216984868	-	1	0.1%
0.0602536983788	-	1	0.1%
0.0608337000012	-	1	0.1%
0.0615711994469	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2230607958989
- Minimum: 0.0154999997467
- Maximum: 1.6758600473404
- Standard Deviation: 0.2139644745070

Location: 8503-8517 (width: 15; decimal: 13)

Variable Type: numeric

E100_ABS_THETAA4A4: E100_abs_theta

Value	Label	Unweighted Frequency	%
0.821215987206	-	1	0.1%
0.934292972088	-	1	0.1%
1.019230008125	-	1	0.1%
1.032179951668	-	1	0.1%
1.098399996758	-	1	0.1%
1.434479951859	-	1	0.1%
1.478099942207	-	1	0.1%
1.529510021210	-	1	0.1%
1.553169965744	-	1	0.1%
1.638649940491	-	1	0.1%
1.693899989128	-	1	0.1%
1.695440053940	-	1	0.1%
1.751219987869	-	1	0.1%
1.847360014915	-	1	0.1%
1.873579978943	-	1	0.1%
1.894970059395	-	1	0.1%
1.936820030212	-	1	0.1%
1.942569971085	-	1	0.1%
1.955410003662	-	1	0.1%
1.976930022240	-	1	0.1%
1.993070006371	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.020740032196	-	1	0.1%
2.071749925613	-	1	0.1%
2.086040019989	-	1	0.1%
2.090260028839	-	1	0.1%
2.098720073700	-	1	0.1%
2.108730077744	-	1	0.1%
2.123990058899	-	1	0.1%
2.138319969177	-	1	0.1%
2.214649915695	-	1	0.1%
2.315399885178	-	1	0.1%
2.316989898682	-	1	0.1%
2.320780038834	-	1	0.1%
2.394809961319	-	1	0.1%
2.425899982452	-	1	0.1%
2.453190088272	-	1	0.1%
2.458590030670	-	1	0.1%
2.561830043793	-	1	0.1%
2.585180044174	-	1	0.1%
2.599770069122	-	1	0.1%
2.608469963074	-	1	0.1%
2.620179891586	-	1	0.1%
2.668689966202	-	1	0.1%
2.680759906769	-	1	0.1%
2.684469938278	-	1	0.1%
2.684730052948	-	1	0.1%
2.735320091248	-	1	0.1%
2.740639925003	-	1	0.1%
2.768840074539	-	1	0.1%
2.777650117874	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 6.435639536694
- Minimum: 0.821215987206
- Maximum: 27.635599136353
- Standard Deviation: 3.306711856811

Location: 8518-8532 (width: 15; decimal: 12)

Variable Type: numeric

E100_ABS_ALPHAA4A4: E100_abs_alpha

Value	Label	Unweighted Frequency	%
0.368717998266	-	1	0.1%
0.371381998062	-	1	0.1%
0.377865999937	-	1	0.1%
0.382346987724	-	1	0.1%
0.394800990820	-	1	0.1%
0.416274994612	-	1	0.1%
0.420832991600	-	1	0.1%
0.448581993580	-	1	0.1%
0.469612985849	-	1	0.1%
0.509158015251	-	1	0.1%
0.552133023739	-	1	0.1%
0.569809973240	-	1	0.1%
0.592251002789	-	1	0.1%
0.596484005451	-	1	0.1%
0.602894008160	-	1	0.1%
0.617480993271	-	1	0.1%
0.623230993748	-	1	0.1%
0.624927997589	-	1	0.1%
0.631538987160	-	1	0.1%
0.640366971493	-	1	0.1%
0.658856987953	-	1	0.1%
0.659964025021	-	1	0.1%
0.666746973991	-	1	0.1%
0.668403983116	-	1	0.1%
0.675136029720	-	1	0.1%
0.681765019894	-	1	0.1%
0.685195028782	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.688090026379	-	1	0.1%
0.704792022705	-	1	0.1%
0.708311975002	-	1	0.1%
0.709519982338	-	1	0.1%
0.734880983829	-	1	0.1%
0.762551009655	-	1	0.1%
0.772231996059	-	1	0.1%
0.787941992283	-	1	0.1%
0.800956010818	-	1	0.1%
0.809494018555	-	1	0.1%
0.812147021294	-	1	0.1%
0.819886028767	-	1	0.1%
0.822458028793	-	1	0.1%
0.825248003006	-	1	0.1%
0.847025990486	-	1	0.1%
0.851764976978	-	1	0.1%
0.852155983448	-	1	0.1%
0.858505010605	-	1	0.1%
0.860116004944	-	1	0.1%
0.861527979374	-	1	0.1%
0.869943976402	-	1	0.1%
0.870432019234	-	1	0.1%
0.879401028156	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.325419871385
- Minimum: 0.368717998266
- Maximum: 18.235200881958
- Standard Deviation: 1.477026821048

Location: 8533-8547 (width: 15; decimal: 12)

Variable Type: numeric

E100_ABS_BETAA4A4: E100_abs_beta

Value	Label	Unweighted Frequency	%
0.0687398016453	-	1	0.1%
0.0717390030622	-	1	0.1%
0.0751471966505	-	1	0.1%
0.0910049974918	-	1	0.1%
0.1025599986315	-	1	0.1%
0.1028999984264	-	1	0.1%
0.1106270030141	-	1	0.1%
0.1245590001345	-	1	0.1%
0.1259600073099	-	1	0.1%
0.1292839944363	-	1	0.1%
0.1302839964628	-	1	0.1%
0.1306049972773	-	1	0.1%
0.1375920027494	-	1	0.1%
0.1417119950056	-	1	0.1%
0.1445340067148	-	1	0.1%
0.1455110013485	-	1	0.1%
0.1465619951487	-	1	0.1%
0.1502909958363	-	1	0.1%
0.1523350030184	-	1	0.1%
0.1538490056992	-	1	0.1%
0.1591159999371	-	1	0.1%
0.1614129990339	-	1	0.1%
0.1622309982777	-	1	0.1%
0.1717649996281	-	1	0.1%
0.1733029931784	-	1	0.1%
0.1735720038414	-	1	0.1%
0.1741079986095	-	1	0.1%
0.1800689995289	-	1	0.1%
0.1803759932518	-	1	0.1%
0.1853269934654	-	1	0.1%
0.1857260018587	-	1	0.1%
0.1866939961910	-	1	0.1%
0.1899479925632	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1930390000343	-	1	0.1%
0.1935289949179	-	1	0.1%
0.1985220015049	-	1	0.1%
0.1995549947023	-	1	0.1%
0.2012979984283	-	1	0.1%
0.2040600031614	-	1	0.1%
0.2046329975128	-	1	0.1%
0.2059880048037	-	1	0.1%
0.2064899951220	-	1	0.1%
0.2089480012655	-	1	0.1%
0.2092539966106	-	1	0.1%
0.2133280038834	-	1	0.1%
0.2139990031719	-	1	0.1%
0.2143329977989	-	1	0.1%
0.2197349965572	-	1	0.1%
0.2205439954996	-	1	0.1%
0.2213210016489	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.8246205983678
- Minimum: 0.0687398016453
- Maximum: 5.2321801185608
- Standard Deviation: 0.7407736927883

Location: 8548-8562 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E100_ABS_GAMMAA4A4: E100_abs_gamma

Value	Label	Unweighted Frequency	%
0.0312428008765	-	1	0.1%
0.0332790017128	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0341734997928	-	1	0.1%
0.0345711000264	-	1	0.1%
0.0359257012606	-	1	0.1%
0.0376136004925	-	1	0.1%
0.0444746986032	-	1	0.1%
0.0492804013193	-	1	0.1%
0.0507691018283	-	1	0.1%
0.0520366989076	-	1	0.1%
0.0544421002269	-	1	0.1%
0.0566413998604	-	1	0.1%
0.0577058009803	-	1	0.1%
0.0601059012115	-	1	0.1%
0.0612004995346	-	1	0.1%
0.0620816983283	-	1	0.1%
0.0630498006940	-	1	0.1%
0.0636653974652	-	1	0.1%
0.0638715997338	-	1	0.1%
0.0642359033227	-	1	0.1%
0.0647146031260	-	1	0.1%
0.0648043975234	-	1	0.1%
0.0650129020214	-	1	0.1%
0.0675633028150	-	1	0.1%
0.0701574012637	-	1	0.1%
0.0710979998112	-	1	0.1%
0.0721352994442	-	1	0.1%
0.0738255977631	-	1	0.1%
0.0742186978459	-	1	0.1%
0.0757988989353	-	1	0.1%
0.0760968998075	-	1	0.1%
0.0761618986726	-	1	0.1%
0.0770196989179	-	1	0.1%
0.0772057026625	-	1	0.1%
0.0781669020653	-	1	0.1%
0.0785486027598	-	1	0.1%
0.0823684036732	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0845492035151	-	1	0.1%
0.0856131017208	-	1	0.1%
0.0861326977611	-	1	0.1%
0.0900705009699	-	1	0.1%
0.0909560024738	-	1	0.1%
0.0917014032602	-	1	0.1%
0.0921501964331	-	1	0.1%
0.0944690033793	-	1	0.1%
0.0957961976528	-	1	0.1%
0.0985770002007	-	1	0.1%
0.1002859994769	-	1	0.1%
0.1006119996309	-	1	0.1%
0.1010169982910	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5799854253347
- Minimum: 0.0312428008765
- Maximum: 4.1934700012207
- Standard Deviation: 0.6294631619416

Location: 8563-8577 (width: 15; decimal: 13)

Variable Type: numeric

E101_ABS_THETAA4A4: E101_abs_theta

Value	Label	Unweighted Frequency	%
0.522512972355	-	1	0.1%
0.585300028324	-	1	0.1%
0.784887015820	-	1	0.1%
0.832120001316	-	1	0.1%
0.881666004658	-	1	0.1%
1.014039993286	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.050699949265	-	1	0.1%
1.077430009842	-	1	0.1%
1.087820053101	-	1	0.1%
1.121649980545	-	1	0.1%
1.172709941864	-	1	0.1%
1.184730052948	-	1	0.1%
1.197139978409	-	1	0.1%
1.246230006218	-	1	0.1%
1.294999957085	-	1	0.1%
1.319069981575	-	1	0.1%
1.348489999771	-	1	0.1%
1.423930048943	-	1	0.1%
1.490610003471	-	1	0.1%
1.517300009727	-	1	0.1%
1.538640022278	-	1	0.1%
1.587200045586	-	1	0.1%
1.597470045090	-	1	0.1%
1.604779958725	-	1	0.1%
1.714159965515	-	1	0.1%
1.757259964943	-	1	0.1%
1.776399970055	-	1	0.1%
1.816550016403	-	1	0.1%
1.824880003929	-	1	0.1%
1.843189954758	-	1	0.1%
1.852139949799	-	1	0.1%
1.933449983597	-	1	0.1%
1.934260010719	-	1	0.1%
1.964470028877	-	1	0.1%
1.967290043831	-	1	0.1%
1.975759983063	-	1	0.1%
2.002419948578	-	1	0.1%
2.010260105133	-	1	0.1%
2.020030021667	-	1	0.1%
2.024640083313	-	1	0.1%
2.061110019684	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.076960086823	-	1	0.1%
2.109889984131	-	1	0.1%
2.128109931946	-	1	0.1%
2.165600061417	-	1	0.1%
2.209969997406	-	1	0.1%
2.238059997559	-	1	0.1%
2.247889995575	-	1	0.1%
2.255340099335	-	1	0.1%
2.261519908905	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 5.907086298654
- Minimum: 0.522512972355
- Maximum: 30.921100616455
- Standard Deviation: 3.381484202867

Location: 8578-8592 (width: 15; decimal: 12)

Variable Type: numeric

E101_ABS_ALPHAA4A4: E101_abs_alpha

Value	Label	Unweighted Frequency	%
0.294791996479	-	1	0.1%
0.313053011894	-	1	0.1%
0.328173011541	-	1	0.1%
0.328548997641	-	1	0.1%
0.340608000755	-	1	0.1%
0.349417001009	-	1	0.1%
0.384148985147	-	1	0.1%
0.411561995745	-	1	0.1%
0.421002000570	-	1	0.1%
0.421131998301	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.431190013885	-	1	0.1%
0.444485992193	-	1	0.1%
0.447082996368	-	1	0.1%
0.480098992586	-	1	0.1%
0.496614009142	-	1	0.1%
0.511130988598	-	1	0.1%
0.522156000137	-	1	0.1%
0.527759015560	-	1	0.1%
0.530023992062	-	1	0.1%
0.538975000381	-	1	0.1%
0.544560015202	-	1	0.1%
0.548031985760	-	1	0.1%
0.557206988335	-	1	0.1%
0.565411984921	-	1	0.1%
0.572148978710	-	1	0.1%
0.579192996025	-	1	0.1%
0.585489988327	-	1	0.1%
0.599704027176	-	1	0.1%
0.622511982918	-	1	0.1%
0.638096988201	-	1	0.1%
0.651372015476	-	1	0.1%
0.651477992535	-	1	0.1%
0.674354016781	-	1	0.1%
0.677197992802	-	1	0.1%
0.684993982315	-	1	0.1%
0.689634025097	-	1	0.1%
0.693391978741	-	1	0.1%
0.702256023884	-	1	0.1%
0.705686986446	-	1	0.1%
0.737464010715	-	1	0.1%
0.743827998638	-	1	0.1%
0.743915021420	-	1	0.1%
0.787945985794	-	1	0.1%
0.789609014988	-	1	0.1%
0.798906981945	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.798973977566	-	1	0.1%
0.801245987415	-	1	0.1%
0.803048014641	-	1	0.1%
0.803402006626	-	1	0.1%
0.804253995419	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.335312091068
- Minimum: 0.294791996479
- Maximum: 13.168499946594
- Standard Deviation: 1.430204746149

Location: 8593-8607 (width: 15; decimal: 12)

Variable Type: numeric

[**E101_ABS_BETAA4A4: E101_abs_beta**](#)

Value	Label	Unweighted Frequency	%
0.0505268983543	-	1	0.1%
0.0584901012480	-	1	0.1%
0.0726424977183	-	1	0.1%
0.0802448987961	-	1	0.1%
0.0804565027356	-	1	0.1%
0.0816991999745	-	1	0.1%
0.0868460983038	-	1	0.1%
0.0870919972658	-	1	0.1%
0.0900005996227	-	1	0.1%
0.0929554030299	-	1	0.1%
0.0935662016273	-	1	0.1%
0.0954748988152	-	1	0.1%
0.0967058017850	-	1	0.1%
0.1020509973168	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1034569963813	-	1	0.1%
0.1131990030408	-	1	0.1%
0.1194859966636	-	1	0.1%
0.1234230026603	-	1	0.1%
0.1291060000658	-	1	0.1%
0.1329739987850	-	1	0.1%
0.1372839957476	-	1	0.1%
0.1399040073156	-	1	0.1%
0.1410409957170	-	1	0.1%
0.1423999965191	-	1	0.1%
0.1435060054064	-	1	0.1%
0.1488839983940	-	1	0.1%
0.1510819941759	-	1	0.1%
0.1531080007553	-	1	0.1%
0.1556999981403	-	1	0.1%
0.1593620032072	-	1	0.1%
0.1600729972124	-	1	0.1%
0.1602399945259	-	1	0.1%
0.1639360040426	-	1	0.1%
0.1647820025682	-	1	0.1%
0.1660750061274	-	1	0.1%
0.1662999987602	-	1	0.1%
0.1674250066280	-	1	0.1%
0.1754329949617	-	1	0.1%
0.1766230016947	-	1	0.1%
0.1786299943924	-	1	0.1%
0.1809709966183	-	1	0.1%
0.1824599951506	-	1	0.1%
0.1829490065575	-	1	0.1%
0.1850100010633	-	1	0.1%
0.1885090023279	-	1	0.1%
0.1891659945250	-	1	0.1%
0.1905879974365	-	1	0.1%
0.1937859952450	-	1	0.1%
0.1946710050106	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1949950009584	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.8177809290726
- Minimum: 0.0505268983543
- Maximum: 5.8505201339722
- Standard Deviation: 0.8144961735358

Location: 8608-8622 (width: 15; decimal: 13)

Variable Type: numeric

E101_ABS_GAMMAA4A4: E101_abs_gamma

Value	Label	Unweighted Frequency	%
0.0222437996417	-	1	0.1%
0.0225074999034	-	1	0.1%
0.0324929989874	-	1	0.1%
0.0352043993771	-	1	0.1%
0.0359111987054	-	1	0.1%
0.0371280014515	-	1	0.1%
0.0373441018164	-	1	0.1%
0.0380400009453	-	1	0.1%
0.0383890010417	-	1	0.1%
0.0400058999658	-	1	0.1%
0.0401250012219	-	1	0.1%
0.0417483001947	-	1	0.1%
0.0422759987414	-	1	0.1%
0.0445435009897	-	1	0.1%
0.0480870008469	-	1	0.1%
0.0483159981668	-	1	0.1%
0.0493718013167	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0507609993219	-	1	0.1%
0.0509295985103	-	1	0.1%
0.0511265993118	-	1	0.1%
0.0523161999881	-	1	0.1%
0.0527864992619	-	1	0.1%
0.0529351010919	-	1	0.1%
0.0547109991312	-	1	0.1%
0.0551574006677	-	1	0.1%
0.0581221990287	-	1	0.1%
0.0587261989713	-	1	0.1%
0.0612541995943	-	1	0.1%
0.0626163035631	-	1	0.1%
0.0639559999108	-	1	0.1%
0.0640100017190	-	1	0.1%
0.0649185031652	-	1	0.1%
0.0656580030918	-	1	0.1%
0.0658027008176	-	1	0.1%
0.0674455016851	-	1	0.1%
0.0688161030412	-	1	0.1%
0.0727906003594	-	1	0.1%
0.0729944035411	-	1	0.1%
0.0734741017222	-	1	0.1%
0.0766619965434	-	1	0.1%
0.0770635977387	-	1	0.1%
0.0774689987302	-	1	0.1%
0.0774824023247	-	1	0.1%
0.0777688995004	-	1	0.1%
0.0779154971242	-	1	0.1%
0.0791361033916	-	1	0.1%
0.0793047025800	-	1	0.1%
0.0793908983469	-	1	0.1%
0.0807285979390	-	1	0.1%
0.0820164978504	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5578068491942
- Minimum: 0.0222437996417
- Maximum: 4.7229599952698
- Standard Deviation: 0.6920186616840

Location: 8623-8637 (width: 15; decimal: 13)

Variable Type: numeric

E102_ABS_THETAA4A4: E102_abs_theta

Value	Label	Unweighted Frequency	%
0.514153003693	-	1	0.1%
0.585053980350	-	1	0.1%
0.727195024490	-	1	0.1%
0.790865004063	-	1	0.1%
0.844994008541	-	1	0.1%
0.850637972355	-	1	0.1%
1.016510009766	-	1	0.1%
1.038380026817	-	1	0.1%
1.056079983711	-	1	0.1%
1.127810001373	-	1	0.1%
1.129050016403	-	1	0.1%
1.144479990005	-	1	0.1%
1.156219959259	-	1	0.1%
1.158169984818	-	1	0.1%
1.175609946251	-	1	0.1%
1.186259984970	-	1	0.1%
1.195469975471	-	1	0.1%
1.212939977646	-	1	0.1%
1.224879980087	-	1	0.1%
1.231220006943	-	1	0.1%
1.232839941978	-	1	0.1%
1.264000058174	-	1	0.1%
1.264230012894	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.273599982262	-	1	0.1%
1.305459976196	-	1	0.1%
1.329949975014	-	1	0.1%
1.341740012169	-	1	0.1%
1.359429955482	-	1	0.1%
1.381240010262	-	1	0.1%
1.384469985962	-	1	0.1%
1.390529990196	-	1	0.1%
1.403159976006	-	1	0.1%
1.459660053253	-	1	0.1%
1.463150024414	-	1	0.1%
1.497439980507	-	1	0.1%
1.511229991913	-	1	0.1%
1.547799944878	-	1	0.1%
1.558979988098	-	1	0.1%
1.560299992561	-	1	0.1%
1.561050057411	-	1	0.1%
1.569000005722	-	1	0.1%
1.581869959831	-	1	0.1%
1.605599999428	-	1	0.1%
1.606430053711	-	1	0.1%
1.718969941139	-	1	0.1%
1.734949946404	-	1	0.1%
1.735209941864	-	1	0.1%
1.736430048943	-	1	0.1%
1.764420032501	-	1	0.1%
1.766190052032	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.497123735054
- Minimum: 0.514153003693
- Maximum: 20.697999954224
- Standard Deviation: 2.643392890668

Location: 8638-8652 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E102_ABS_ALPHAA4A4: E102_abs_alpha

Value	Label	Unweighted Frequency	%
0.212401002645	-	1	0.1%
0.223950996995	-	1	0.1%
0.269695013762	-	1	0.1%
0.297836989164	-	1	0.1%
0.308970987797	-	1	0.1%
0.317072987556	-	1	0.1%
0.321256011724	-	1	0.1%
0.345995008945	-	1	0.1%
0.367458999157	-	1	0.1%
0.380454987288	-	1	0.1%
0.384826004505	-	1	0.1%
0.387717008591	-	1	0.1%
0.387829005718	-	1	0.1%
0.397680997849	-	1	0.1%
0.401010006666	-	1	0.1%
0.408039987087	-	1	0.1%
0.416476994753	-	1	0.1%
0.419032007456	-	1	0.1%
0.422462999821	-	1	0.1%
0.437045991421	-	1	0.1%
0.442000001669	-	1	0.1%
0.444615989923	-	1	0.1%
0.446763008833	-	1	0.1%
0.448359012604	-	1	0.1%
0.474290013313	-	1	0.1%
0.481963008642	-	1	0.1%
0.482749998569	-	1	0.1%
0.536230027676	-	1	0.1%
0.569464981556	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.575425028801	-	1	0.1%
0.581658005714	-	1	0.1%
0.588254988194	-	1	0.1%
0.596144020557	-	1	0.1%
0.619096994400	-	1	0.1%
0.619132995605	-	1	0.1%
0.627822995186	-	1	0.1%
0.636151015759	-	1	0.1%
0.638714015484	-	1	0.1%
0.639590978622	-	1	0.1%
0.642646014690	-	1	0.1%
0.645950019360	-	1	0.1%
0.651960015297	-	1	0.1%
0.656850993633	-	1	0.1%
0.659681975842	-	1	0.1%
0.661068022251	-	1	0.1%
0.677950978279	-	1	0.1%
0.679669022560	-	1	0.1%
0.687806010246	-	1	0.1%
0.705540001392	-	1	0.1%
0.710153996944	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.960662615119
- Minimum: 0.212401002645
- Maximum: 14.487500190735
- Standard Deviation: 1.368783690628

Location: 8653-8667 (width: 15; decimal: 12)

Variable Type: numeric

E102_ABS_BETAA4A4: E102_abs_beta

Value	Label	Unweighted Frequency	%
0.0498671010137	-	1	0.1%
0.0548118986189	-	1	0.1%
0.0691360011697	-	1	0.1%
0.0709505006671	-	1	0.1%
0.0721066966653	-	1	0.1%
0.0740526020527	-	1	0.1%
0.0885953977704	-	1	0.1%
0.0887397974730	-	1	0.1%
0.0887465029955	-	1	0.1%
0.0901999995112	-	1	0.1%
0.0924026966095	-	1	0.1%
0.0959685966372	-	1	0.1%
0.0989248007536	-	1	0.1%
0.1003710031509	-	1	0.1%
0.1022540032864	-	1	0.1%
0.1123310029507	-	1	0.1%
0.1154949963093	-	1	0.1%
0.1161750033498	-	1	0.1%
0.1163669973612	-	1	0.1%
0.1172370016575	-	1	0.1%
0.1184289976954	-	1	0.1%
0.1220310032368	-	1	0.1%
0.1282519996166	-	1	0.1%
0.1288329958916	-	1	0.1%
0.1300520002842	-	1	0.1%
0.1306899935007	-	1	0.1%
0.1310970038176	-	1	0.1%
0.1315799951553	-	1	0.1%
0.1317239999771	-	1	0.1%
0.1324400007725	-	1	0.1%
0.1357810050249	-	1	0.1%
0.1361380070448	-	1	0.1%
0.1385059952736	-	1	0.1%
0.1386640071869	-	1	0.1%
0.1429480016232	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1435090005398	-	1	0.1%
0.1457459926605	-	1	0.1%
0.1466290056705	-	1	0.1%
0.1483760029078	-	1	0.1%
0.1497209966183	-	1	0.1%
0.1505810022354	-	1	0.1%
0.1508760005236	-	1	0.1%
0.1511259973049	-	1	0.1%
0.1522780060768	-	1	0.1%
0.1544779986143	-	1	0.1%
0.1550319939852	-	1	0.1%
0.1583849936724	-	1	0.1%
0.1605409979820	-	1	0.1%
0.1609439998865	-	1	0.1%
0.1632869988680	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5455403992900
- Minimum: 0.0498671010137
- Maximum: 5.6327800750732
- Standard Deviation: 0.4750303956547

Location: 8668-8682 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E102_ABS_GAMMAA4A4: E102_abs_gamma

Value	Label	Unweighted Frequency	%
0.0219918992370	-	1	0.1%
0.0271544996649	-	1	0.1%
0.0273396000266	-	1	0.1%
0.0291156992316	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0322563014925	-	1	0.1%
0.0340716987848	-	1	0.1%
0.0366160012782	-	1	0.1%
0.0367484986782	-	1	0.1%
0.0395882017910	-	1	0.1%
0.0397173017263	-	1	0.1%
0.0405921004713	-	1	0.1%
0.0426754988730	-	1	0.1%
0.0428830012679	-	1	0.1%
0.0431302003562	-	1	0.1%
0.0442340001464	-	1	0.1%
0.0462457984686	-	1	0.1%
0.0463165007532	-	1	0.1%
0.0469278991222	-	1	0.1%
0.0478086993098	-	1	0.1%
0.0486737005413	-	1	0.1%
0.0486954003572	-	1	0.1%
0.0507401004434	-	1	0.1%
0.0522104986012	-	1	0.1%
0.0529177002609	-	1	0.1%
0.0546534992754	-	1	0.1%
0.0550476983190	-	1	0.1%
0.0555888004601	-	1	0.1%
0.0556140989065	-	1	0.1%
0.0556147992611	-	1	0.1%
0.0567510016263	-	1	0.1%
0.0570661984384	-	1	0.1%
0.0582714006305	-	1	0.1%
0.0585526004434	-	1	0.1%
0.0588679015636	-	1	0.1%
0.0597256012261	-	1	0.1%
0.0612833984196	-	1	0.1%
0.0612891986966	-	1	0.1%
0.0613238997757	-	1	0.1%
0.0646720007062	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0647543966770	-	1	0.1%
0.0653894022107	-	1	0.1%
0.0656037032604	-	1	0.1%
0.0661645010114	-	1	0.1%
0.0663274973631	-	1	0.1%
0.0671112984419	-	1	0.1%
0.0675882995129	-	1	0.1%
0.0686538964510	-	1	0.1%
0.0700550973415	-	1	0.1%
0.0707269012928	-	1	0.1%
0.0707938000560	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3384836082730
- Minimum: 0.0219918992370
- Maximum: 5.6325001716614
- Standard Deviation: 0.4351893003897

Location: 8683-8697 (width: 15; decimal: 13)

Variable Type: numeric

E103_ABS_THETAA4A4: E103_abs_theta

Value	Label	Unweighted Frequency	%
0.524977982044	-	1	0.1%
0.534936010838	-	1	0.1%
0.602063000202	-	1	0.1%
0.730111002922	-	1	0.1%
0.757852971554	-	1	0.1%
0.777593016624	-	1	0.1%
0.802142024040	-	1	0.1%
0.829905986786	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.860453009605	-	1	0.1%
0.866877973080	-	1	0.1%
0.883175015450	-	1	0.1%
0.895385980606	-	1	0.1%
0.901297986507	-	1	0.1%
0.918102979660	-	1	0.1%
0.973573029041	-	1	0.1%
0.994148015976	-	1	0.1%
1.042639970779	-	1	0.1%
1.050789952278	-	1	0.1%
1.060189962387	-	1	0.1%
1.069810032845	-	1	0.1%
1.077710032463	-	1	0.1%
1.141180038452	-	1	0.1%
1.187100052834	-	1	0.1%
1.228569984436	-	1	0.1%
1.270269989967	-	1	0.1%
1.282819986343	-	1	0.1%
1.294239997864	-	1	0.1%
1.298799991608	-	1	0.1%
1.300950050354	-	1	0.1%
1.317000031471	-	1	0.1%
1.318269968033	-	1	0.1%
1.319129943848	-	1	0.1%
1.337679982185	-	1	0.1%
1.340059995651	-	1	0.1%
1.372040033340	-	1	0.1%
1.397109985352	-	1	0.1%
1.398749947548	-	1	0.1%
1.402410030365	-	1	0.1%
1.429080009460	-	1	0.1%
1.431290030479	-	1	0.1%
1.451750040054	-	1	0.1%
1.478049993515	-	1	0.1%
1.504310011864	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.505830049515	-	1	0.1%
1.509310007095	-	1	0.1%
1.520539999008	-	1	0.1%
1.524340033531	-	1	0.1%
1.536530017853	-	1	0.1%
1.541779994965	-	1	0.1%
1.548380017281	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.064427305024
- Minimum: 0.524977982044
- Maximum: 18.773300170898
- Standard Deviation: 2.474160946091

Location: 8698-8712 (width: 15; decimal: 12)

Variable Type: numeric

E103_ABS_ALPHAA4A4: E103_abs_alpha

Value	Label	Unweighted Frequency	%
0.185699000955	-	1	0.1%
0.235199004412	-	1	0.1%
0.241012006998	-	1	0.1%
0.257687985897	-	1	0.1%
0.303256005049	-	1	0.1%
0.313968002796	-	1	0.1%
0.314215004444	-	1	0.1%
0.318753004074	-	1	0.1%
0.335658997297	-	1	0.1%
0.340474009514	-	1	0.1%
0.357255995274	-	1	0.1%
0.372869014740	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.381401985884	-	1	0.1%
0.384674996138	-	1	0.1%
0.389012992382	-	1	0.1%
0.394116014242	-	1	0.1%
0.394282013178	-	1	0.1%
0.405155003071	-	1	0.1%
0.409065008163	-	1	0.1%
0.411606013775	-	1	0.1%
0.413376003504	-	1	0.1%
0.419753998518	-	1	0.1%
0.420112997293	-	1	0.1%
0.429740995169	-	1	0.1%
0.432770013809	-	1	0.1%
0.440257996321	-	1	0.1%
0.444503009319	-	1	0.1%
0.445609003305	-	1	0.1%
0.464913994074	-	1	0.1%
0.467097014189	-	1	0.1%
0.467864006758	-	1	0.1%
0.474817007780	-	1	0.1%
0.487001985312	-	1	0.1%
0.490581989288	-	1	0.1%
0.496693998575	-	1	0.1%
0.497554004192	-	1	0.1%
0.521422028542	-	1	0.1%
0.522953987122	-	1	0.1%
0.523324012756	-	1	0.1%
0.528322994709	-	1	0.1%
0.531338989735	-	1	0.1%
0.575195014477	-	1	0.1%
0.586762011051	-	1	0.1%
0.595108985901	-	1	0.1%
0.597181022167	-	1	0.1%
0.602407991886	-	1	0.1%
0.613290011883	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.613844990730	-	1	0.1%
0.614401996136	-	1	0.1%
0.614480972290	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.905127490752
- Minimum: 0.185699000955
- Maximum: 12.013099670410
- Standard Deviation: 1.372237098378

Location: 8713-8727 (width: 15; decimal: 12)

Variable Type: numeric

E103_ABS_BETAA4A4: E103_abs_beta

Value	Label	Unweighted Frequency	%
0.0481757000089	-	1	0.1%
0.0536255016923	-	1	0.1%
0.0538915991783	-	1	0.1%
0.0606541000307	-	1	0.1%
0.0651682987809	-	1	0.1%
0.0677490979433	-	1	0.1%
0.0727261975408	-	1	0.1%
0.0764809995890	-	1	0.1%
0.0772700011730	-	1	0.1%
0.0809981971979	-	1	0.1%
0.0812354013324	-	1	0.1%
0.0843755006790	-	1	0.1%
0.0862473994493	-	1	0.1%
0.0932774990797	-	1	0.1%
0.0978697016835	-	1	0.1%
0.0984309017658	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0998964011669	-	1	0.1%
0.1013450026512	-	1	0.1%
0.1019880026579	-	1	0.1%
0.1028840020299	-	1	0.1%
0.1030479967594	-	1	0.1%
0.1062920019031	-	1	0.1%
0.1089589968324	-	1	0.1%
0.1093769967556	-	1	0.1%
0.1153709962964	-	1	0.1%
0.1159659996629	-	1	0.1%
0.1163270026445	-	1	0.1%
0.1168019995093	-	1	0.1%
0.1169390007854	-	1	0.1%
0.1185230016708	-	1	0.1%
0.1191650032997	-	1	0.1%
0.1216700002551	-	1	0.1%
0.1235750019550	-	1	0.1%
0.1241569966078	-	1	0.1%
0.1247159987688	-	1	0.1%
0.1253719925880	-	1	0.1%
0.1256020069122	-	1	0.1%
0.1281780004501	-	1	0.1%
0.1283569931984	-	1	0.1%
0.1287239938974	-	1	0.1%
0.1301980018616	-	1	0.1%
0.1313460022211	-	1	0.1%
0.1319600045681	-	1	0.1%
0.1324850022793	-	1	0.1%
0.1326490044594	-	1	0.1%
0.1326989978552	-	1	0.1%
0.1334359943867	-	1	0.1%
0.1340339928865	-	1	0.1%
0.1370940059423	-	1	0.1%
0.1390350013971	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4412714641933
- Minimum: 0.0481757000089
- Maximum: 3.3419001102448
- Standard Deviation: 0.3191775040018

Location: 8728-8742 (width: 15; decimal: 13)

Variable Type: numeric

E103_ABS_GAMMAA4A4: E103_abs_gamma

Value	Label	Unweighted Frequency	%
0.0183554999530	-	1	0.1%
0.0189337003976	-	1	0.1%
0.0240713991225	-	1	0.1%
0.0241752993315	-	1	0.1%
0.0296625997871	-	1	0.1%
0.0308216996491	-	1	0.1%
0.0315177999437	-	1	0.1%
0.0351569987833	-	1	0.1%
0.0353027991951	-	1	0.1%
0.0356694012880	-	1	0.1%
0.0359942987561	-	1	0.1%
0.0361286997795	-	1	0.1%
0.0366397015750	-	1	0.1%
0.0382237993181	-	1	0.1%
0.0384748987854	-	1	0.1%
0.0389688983560	-	1	0.1%
0.0393293015659	-	1	0.1%
0.0393389016390	-	1	0.1%
0.0402387008071	-	1	0.1%
0.0412834994495	-	1	0.1%
0.0413735993207	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0416110008955	-	1	0.1%
0.0445161983371	-	1	0.1%
0.0466809011996	-	1	0.1%
0.0469723008573	-	1	0.1%
0.0476405993104	-	1	0.1%
0.0478065982461	-	1	0.1%
0.0485780015588	-	1	0.1%
0.0502353012562	-	1	0.1%
0.0505875982344	-	1	0.1%
0.0513195991516	-	1	0.1%
0.0519847981632	-	1	0.1%
0.0542328990996	-	1	0.1%
0.0545042008162	-	1	0.1%
0.0546773001552	-	1	0.1%
0.0549087002873	-	1	0.1%
0.0550929009914	-	1	0.1%
0.0554867014289	-	1	0.1%
0.0556825995445	-	1	0.1%
0.0558114014566	-	1	0.1%
0.0560313016176	-	1	0.1%
0.0563764013350	-	1	0.1%
0.0565536990762	-	1	0.1%
0.0579563006759	-	1	0.1%
0.0588942989707	-	1	0.1%
0.0598201006651	-	1	0.1%
0.0604708008468	-	1	0.1%
0.0604765005410	-	1	0.1%
0.0606665983796	-	1	0.1%
0.0611408986151	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2416788675958
- Minimum: 0.0183554999530
- Maximum: 4.0214900970459
- Standard Deviation: 0.2689602902472

Location: 8743-8757 (width: 15; decimal: 13)

Variable Type: numeric

E104_ABS_THETAA4A4: E104_abs_theta

Value	Label	Unweighted Frequency	%
0.504020988941	-	1	0.1%
0.523415029049	-	1	0.1%
0.533603012562	-	1	0.1%
0.572440981865	-	1	0.1%
0.641681015491	-	1	0.1%
0.673641026020	-	1	0.1%
0.739396989346	-	1	0.1%
0.774411022663	-	1	0.1%
0.849709987640	-	1	0.1%
0.869302988052	-	1	0.1%
0.902604997158	-	1	0.1%
0.966929972172	-	1	0.1%
0.980798006058	-	1	0.1%
0.992056012154	-	1	0.1%
0.994517028332	-	1	0.1%
1.026489973068	-	1	0.1%
1.026819944382	-	1	0.1%
1.034950017929	-	1	0.1%
1.035850048065	-	1	0.1%
1.048580050468	-	1	0.1%
1.066910028458	-	1	0.1%
1.072839975357	-	1	0.1%
1.076169967651	-	1	0.1%
1.089200019836	-	1	0.1%
1.096570014954	-	1	0.1%
1.106940031052	-	1	0.1%
1.126680016518	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.132850050926	-	1	0.1%
1.163059949875	-	1	0.1%
1.166560053825	-	1	0.1%
1.168339967728	-	1	0.1%
1.170220017433	-	1	0.1%
1.198379993439	-	1	0.1%
1.243010044098	-	1	0.1%
1.270030021667	-	1	0.1%
1.271829962730	-	1	0.1%
1.279919981956	-	1	0.1%
1.281319975853	-	1	0.1%
1.290220022202	-	1	0.1%
1.296900033951	-	1	0.1%
1.327409982681	-	1	0.1%
1.335770010948	-	1	0.1%
1.337579965591	-	1	0.1%
1.339429974556	-	1	0.1%
1.340919971466	-	1	0.1%
1.346019983292	-	1	0.1%
1.350299954414	-	1	0.1%
1.352259993553	-	1	0.1%
1.365419983864	-	1	0.1%
1.369150042534	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 3.672820471389
- Minimum: 0.504020988941
- Maximum: 73.128601074219
- Standard Deviation: 3.458471941667

Location: 8758-8772 (width: 15; decimal: 12)

Variable Type: numeric

E104_ABS_ALPHAA4A4: E104_abs_alpha

Value	Label	Unweighted Frequency	%
0.143683001399	-	1	0.1%
0.178494006395	-	1	0.1%
0.196031004190	-	1	0.1%
0.233889997005	-	1	0.1%
0.246913999319	-	1	0.1%
0.250566989183	-	1	0.1%
0.262591004372	-	1	0.1%
0.268952012062	-	1	0.1%
0.310505002737	-	1	0.1%
0.312346994877	-	1	0.1%
0.317532002926	-	1	0.1%
0.320733994246	-	1	0.1%
0.321707993746	-	1	0.1%
0.323511987925	-	1	0.1%
0.324303001165	-	1	0.1%
0.324533998966	-	1	0.1%
0.337137013674	-	1	0.1%
0.343463003635	-	1	0.1%
0.360139995813	-	1	0.1%
0.360303997993	-	1	0.1%
0.366237998009	-	1	0.1%
0.393124997616	-	1	0.1%
0.402305006981	-	1	0.1%
0.403885006905	-	1	0.1%
0.415921002626	-	1	0.1%
0.416137993336	-	1	0.1%
0.416543990374	-	1	0.1%
0.417270988226	-	1	0.1%
0.420163989067	-	1	0.1%
0.426624000072	-	1	0.1%
0.428436011076	-	1	0.1%
0.434724986553	-	1	0.1%
0.435447007418	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.440670013428	-	1	0.1%
0.441311985254	-	1	0.1%
0.445223987103	-	1	0.1%
0.446743011475	-	1	0.1%
0.455990999937	-	1	0.1%
0.469224989414	-	1	0.1%
0.479400008917	-	1	0.1%
0.492155998945	-	1	0.1%
0.495110005140	-	1	0.1%
0.499720990658	-	1	0.1%
0.504387021065	-	1	0.1%
0.507866978645	-	1	0.1%
0.508839011192	-	1	0.1%
0.510263979435	-	1	0.1%
0.510453999043	-	1	0.1%
0.521944999695	-	1	0.1%
0.526573002338	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.765847927023
- Minimum: 0.143683001399
- Maximum: 13.411299705505
- Standard Deviation: 1.393793757163

Location: 8773-8787 (width: 15; decimal: 12)

Variable Type: numeric

E104_ABS_BETAA4A4: E104_abs_beta

Value	Label	Unweighted Frequency	%
0.0415734015405	-	1	0.1%
0.0454983003438	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0456430017948	-	1	0.1%
0.0499444007874	-	1	0.1%
0.0502518005669	-	1	0.1%
0.0526436008513	-	1	0.1%
0.0556180998683	-	1	0.1%
0.0603367984295	-	1	0.1%
0.0608516000211	-	1	0.1%
0.0640650019050	-	1	0.1%
0.0654779002070	-	1	0.1%
0.0656353011727	-	1	0.1%
0.0674502030015	-	1	0.1%
0.0693728998303	-	1	0.1%
0.0739478990436	-	1	0.1%
0.0820648968220	-	1	0.1%
0.0829839035869	-	1	0.1%
0.0856764018536	-	1	0.1%
0.0872548967600	-	1	0.1%
0.0884459987283	-	1	0.1%
0.0911249965429	-	1	0.1%
0.0917432010174	-	1	0.1%
0.0917830020189	-	1	0.1%
0.0931821018457	-	1	0.1%
0.0950587019324	-	1	0.1%
0.0976381972432	-	1	0.1%
0.0984549000859	-	1	0.1%
0.0993312969804	-	1	0.1%
0.0996109023690	-	1	0.1%
0.1020580008626	-	1	0.1%
0.1041390001774	-	1	0.1%
0.1048559993505	-	1	0.1%
0.1052630022168	-	1	0.1%
0.1065300032496	-	1	0.1%
0.1065390035510	-	1	0.1%
0.1086449995637	-	1	0.1%
0.1097289994359	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1106640025973	-	1	0.1%
0.1108210012317	-	1	0.1%
0.1112269982696	-	1	0.1%
0.1121380031109	-	1	0.1%
0.1164610013366	-	1	0.1%
0.1176849976182	-	1	0.1%
0.1177060008049	-	1	0.1%
0.1180040016770	-	1	0.1%
0.1180690005422	-	1	0.1%
0.1196710020304	-	1	0.1%
0.1197940036654	-	1	0.1%
0.1233809962869	-	1	0.1%
0.1236959993839	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3316192814544
- Minimum: 0.0415734015405
- Maximum: 6.1267499923706
- Standard Deviation: 0.3089106082300

Location: 8788-8802 (width: 15; decimal: 13)

Variable Type: numeric

E104_ABS_GAMMAA4A4: E104_abs_gamma

Value	Label	Unweighted Frequency	%
0.0145966000855	-	1	0.1%
0.0146070001647	-	1	0.1%
0.0184307005256	-	1	0.1%
0.0188420992345	-	1	0.1%
0.0198094993830	-	1	0.1%
0.0205458998680	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0276136007160	-	1	0.1%
0.0278475992382	-	1	0.1%
0.0279095992446	-	1	0.1%
0.0279779992998	-	1	0.1%
0.0291475001723	-	1	0.1%
0.0291530992836	-	1	0.1%
0.0298482999206	-	1	0.1%
0.0312440004200	-	1	0.1%
0.0317867994308	-	1	0.1%
0.0336731001735	-	1	0.1%
0.0338715985417	-	1	0.1%
0.0346564017236	-	1	0.1%
0.0348313003778	-	1	0.1%
0.0351977013052	-	1	0.1%
0.0373627990484	-	1	0.1%
0.0374167002738	-	1	0.1%
0.0379909016192	-	1	0.1%
0.0382026992738	-	1	0.1%
0.0386881008744	-	1	0.1%
0.0387303009629	-	1	0.1%
0.0388091988862	-	1	0.1%
0.0391439981759	-	1	0.1%
0.0394596010447	-	1	0.1%
0.0411549992859	-	1	0.1%
0.0420043990016	-	1	0.1%
0.0425489991903	-	1	0.1%
0.0426559001207	-	1	0.1%
0.0427604988217	-	1	0.1%
0.0430971011519	-	1	0.1%
0.0433155000210	-	1	0.1%
0.0433641001582	-	1	0.1%
0.0435135997832	-	1	0.1%
0.0444205999374	-	1	0.1%
0.0446646995842	-	1	0.1%
0.0447990000248	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0448743999004	-	1	0.1%
0.0450796000659	-	1	0.1%
0.0454242005944	-	1	0.1%
0.0454354993999	-	1	0.1%
0.0459127984941	-	1	0.1%
0.0461277998984	-	1	0.1%
0.0467468015850	-	1	0.1%
0.0469019003212	-	1	0.1%
0.0472327992320	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.1510782915531
- Minimum: 0.0145966000855
- Maximum: 2.8599400520325
- Standard Deviation: 0.1780896620172

Location: 8803-8817 (width: 15; decimal: 13)

Variable Type: numeric

E105_ABS_THETAA4A4: E105_abs_theta

Value	Label	Unweighted Frequency	%
0.342000991106	-	1	0.1%
0.356496989727	-	1	0.1%
0.583181977272	-	1	0.1%
0.608123004436	-	1	0.1%
0.636995971203	-	1	0.1%
0.652198016644	-	1	0.1%
0.740257024765	-	1	0.1%
0.778237998486	-	1	0.1%
0.794304013252	-	1	0.1%
0.810096979141	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.812840998173	-	1	0.1%
0.813757002354	-	1	0.1%
0.828230023384	-	1	0.1%
0.839241027832	-	1	0.1%
0.852708995342	-	1	0.1%
0.895268976688	-	1	0.1%
0.903400003910	-	1	0.1%
0.942761003971	-	1	0.1%
0.950031995773	-	1	0.1%
1.011209964752	-	1	0.1%
1.018319964409	-	1	0.1%
1.022500038147	-	1	0.1%
1.049829959869	-	1	0.1%
1.053220033646	-	1	0.1%
1.077859997749	-	1	0.1%
1.087470054626	-	1	0.1%
1.094660043716	-	1	0.1%
1.165609955788	-	1	0.1%
1.173120021820	-	1	0.1%
1.176920056343	-	1	0.1%
1.182690024376	-	1	0.1%
1.211830019951	-	1	0.1%
1.215999960899	-	1	0.1%
1.220219969749	-	1	0.1%
1.220409989357	-	1	0.1%
1.230270028114	-	1	0.1%
1.237329959869	-	1	0.1%
1.245820045471	-	1	0.1%
1.252159953117	-	1	0.1%
1.259989976883	-	1	0.1%
1.262770056725	-	1	0.1%
1.264770030975	-	1	0.1%
1.271180033684	-	1	0.1%
1.271440029144	-	1	0.1%
1.279950022697	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.285380005836	-	1	0.1%
1.286910057068	-	1	0.1%
1.287060022354	-	1	0.1%
1.312739968300	-	1	0.1%
1.315739989281	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 3.570832641455
- Minimum: 0.342000991106
- Maximum: 23.229499816895
- Standard Deviation: 2.138259665283

Location: 8818-8832 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E105_ABS_ALPHAA4A4: E105_abs_alpha

Value	Label	Unweighted Frequency	%
0.123246997595	-	1	0.1%
0.148468002677	-	1	0.1%
0.174468994141	-	1	0.1%
0.190237000585	-	1	0.1%
0.196860000491	-	1	0.1%
0.211530998349	-	1	0.1%
0.219882994890	-	1	0.1%
0.221331000328	-	1	0.1%
0.239554002881	-	1	0.1%
0.244137004018	-	1	0.1%
0.250827014446	-	1	0.1%
0.261786997318	-	1	0.1%
0.262450009584	-	1	0.1%
0.282985985279	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.294542014599	-	1	0.1%
0.305880010128	-	1	0.1%
0.306753009558	-	1	0.1%
0.350369006395	-	1	0.1%
0.352548003197	-	1	0.1%
0.353480011225	-	1	0.1%
0.353715986013	-	1	0.1%
0.354775995016	-	1	0.1%
0.360734999180	-	1	0.1%
0.363077014685	-	1	0.1%
0.368579000235	-	1	0.1%
0.383493989706	-	1	0.1%
0.385464996099	-	1	0.1%
0.387970000505	-	1	0.1%
0.395651012659	-	1	0.1%
0.400909990072	-	1	0.1%
0.403052002192	-	1	0.1%
0.408064991236	-	1	0.1%
0.413982987404	-	1	0.1%
0.424652010202	-	1	0.1%
0.426041990519	-	1	0.1%
0.426757991314	-	1	0.1%
0.427359014750	-	1	0.1%
0.427774995565	-	1	0.1%
0.428714990616	-	1	0.1%
0.432496011257	-	1	0.1%
0.437460005283	-	1	0.1%
0.438562005758	-	1	0.1%
0.438829988241	-	1	0.1%
0.439076989889	-	1	0.1%
0.439186990261	-	1	0.1%
0.439949989319	-	1	0.1%
0.444077998400	-	1	0.1%
0.451137006283	-	1	0.1%
0.455006986856	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.463394999504	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.516439889007
- Minimum: 0.123246997595
- Maximum: 15.797599792480
- Standard Deviation: 1.174416446471

Location: 8833-8847 (width: 15; decimal: 12)

Variable Type: numeric

E105_ABS_BETAA4A4: E105_abs_beta

Value	Label	Unweighted Frequency	%
0.0333339981735	-	1	0.1%
0.0335161015391	-	1	0.1%
0.0411062985659	-	1	0.1%
0.0413906984031	-	1	0.1%
0.0458322018385	-	1	0.1%
0.0488057993352	-	1	0.1%
0.0489233992994	-	1	0.1%
0.0529589988291	-	1	0.1%
0.0543350987136	-	1	0.1%
0.0598176009953	-	1	0.1%
0.0608493983746	-	1	0.1%
0.0655658990145	-	1	0.1%
0.0663921982050	-	1	0.1%
0.0666890963912	-	1	0.1%
0.0676840990782	-	1	0.1%
0.0693335980177	-	1	0.1%
0.0694274008274	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0699815973639	-	1	0.1%
0.0753759965301	-	1	0.1%
0.0753948986530	-	1	0.1%
0.0760632008314	-	1	0.1%
0.0765888020396	-	1	0.1%
0.0769214034081	-	1	0.1%
0.0808378979564	-	1	0.1%
0.0819600000978	-	1	0.1%
0.0822618976235	-	1	0.1%
0.0846894979477	-	1	0.1%
0.0858981013298	-	1	0.1%
0.0870750993490	-	1	0.1%
0.0882176011801	-	1	0.1%
0.0886733010411	-	1	0.1%
0.0895531997085	-	1	0.1%
0.0900686979294	-	1	0.1%
0.0902857035398	-	1	0.1%
0.0903856009245	-	1	0.1%
0.0926742032170	-	1	0.1%
0.0932879000902	-	1	0.1%
0.0948444008827	-	1	0.1%
0.0952382013202	-	1	0.1%
0.0964407995343	-	1	0.1%
0.0966710001230	-	1	0.1%
0.0971914008260	-	1	0.1%
0.0977426990867	-	1	0.1%
0.0982635021210	-	1	0.1%
0.0992382988334	-	1	0.1%
0.0993025973439	-	1	0.1%
0.1006430014968	-	1	0.1%
0.1013339981437	-	1	0.1%
0.1018640026450	-	1	0.1%
0.1018920019269	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2548994603322
- Minimum: 0.0333339981735
- Maximum: 3.2112801074982
- Standard Deviation: 0.1929660504401

Location: 8848-8862 (width: 15; decimal: 13)

Variable Type: numeric

E105_ABS_GAMMAA4A4: E105_abs_gamma

Value	Label	Unweighted Frequency	%
0.0112284002826	-	1	0.1%
0.0124123003334	-	1	0.1%
0.0126387001947	-	1	0.1%
0.0158601999283	-	1	0.1%
0.0159497000277	-	1	0.1%
0.0178798995912	-	1	0.1%
0.0184755995870	-	1	0.1%
0.0188861992210	-	1	0.1%
0.0189971998334	-	1	0.1%
0.0218985993415	-	1	0.1%
0.0223297998309	-	1	0.1%
0.0233453009278	-	1	0.1%
0.0235363002867	-	1	0.1%
0.0253012999892	-	1	0.1%
0.0267593003809	-	1	0.1%
0.0267954003066	-	1	0.1%
0.0268304999918	-	1	0.1%
0.0269105993211	-	1	0.1%
0.0279846005142	-	1	0.1%
0.0287245996296	-	1	0.1%
0.0295522008091	-	1	0.1%
0.0304894000292	-	1	0.1%
0.0311586000025	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0312775000930	-	1	0.1%
0.0314818993211	-	1	0.1%
0.0318409986794	-	1	0.1%
0.0322582982481	-	1	0.1%
0.0324513018131	-	1	0.1%
0.0326143987477	-	1	0.1%
0.0330838002264	-	1	0.1%
0.0330960005522	-	1	0.1%
0.0335074998438	-	1	0.1%
0.0339437015355	-	1	0.1%
0.0341407991946	-	1	0.1%
0.0345996990800	-	1	0.1%
0.0350111015141	-	1	0.1%
0.0358844995499	-	1	0.1%
0.0359026007354	-	1	0.1%
0.0360887013376	-	1	0.1%
0.0362525992095	-	1	0.1%
0.0369593985379	-	1	0.1%
0.0370193012059	-	1	0.1%
0.0370338000357	-	1	0.1%
0.0372692011297	-	1	0.1%
0.0376606993377	-	1	0.1%
0.0380390994251	-	1	0.1%
0.0382004007697	-	1	0.1%
0.0383686013520	-	1	0.1%
0.0388404987752	-	1	0.1%
0.0389648005366	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.0992298632364
- Minimum: 0.0112284002826
- Maximum: 2.0869998931885
- Standard Deviation: 0.1034506072553

Location: 8863-8877 (width: 15; decimal: 13)

Variable Type: numeric

E106_ABS_THETAA4A4: E106_abs_theta

Value	Label	Unweighted Frequency	%
0.199623003602	-	1	0.1%
0.302879005671	-	1	0.1%
0.622708976269	-	1	0.1%
0.641677975655	-	1	0.1%
0.678892016411	-	1	0.1%
0.768712997437	-	1	0.1%
0.790475010872	-	1	0.1%
0.860936999321	-	1	0.1%
0.886224985123	-	1	0.1%
0.887876987457	-	1	0.1%
0.975624978542	-	1	0.1%
1.000869989395	-	1	0.1%
1.001420021057	-	1	0.1%
1.044479966164	-	1	0.1%
1.090459942818	-	1	0.1%
1.192109942436	-	1	0.1%
1.200119972229	-	1	0.1%
1.222609996796	-	1	0.1%
1.230360031128	-	1	0.1%
1.241070032120	-	1	0.1%
1.247020006180	-	1	0.1%
1.255390048027	-	1	0.1%
1.270419955254	-	1	0.1%
1.277459979057	-	1	0.1%
1.293290019035	-	1	0.1%
1.318580031395	-	1	0.1%
1.319700002670	-	1	0.1%
1.327769994736	-	1	0.1%
1.353360056877	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.376009941101	-	1	0.1%
1.378559947014	-	1	0.1%
1.384299993515	-	1	0.1%
1.403880000114	-	1	0.1%
1.405089974403	-	1	0.1%
1.415840029716	-	1	0.1%
1.417760014534	-	1	0.1%
1.437590003014	-	1	0.1%
1.448230028152	-	1	0.1%
1.466709971428	-	1	0.1%
1.495409965515	-	1	0.1%
1.496070027351	-	1	0.1%
1.519400000572	-	1	0.1%
1.530820012093	-	1	0.1%
1.550650000572	-	1	0.1%
1.562680006027	-	1	0.1%
1.563380002975	-	1	0.1%
1.642779946327	-	1	0.1%
1.672099947929	-	1	0.1%
1.678410053253	-	1	0.1%
1.678529977798	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.624871676805
- Minimum: 0.199623003602
- Maximum: 36.275699615479
- Standard Deviation: 2.975882793482

Location: 8878-8892 (width: 15; decimal: 12)

Variable Type: numeric

E106_ABS_ALPHAA4A4: E106_abs_alpha

Value	Label	Unweighted Frequency	%
0.047040499747	-	1	0.1%
0.127682998776	-	1	0.1%
0.131288006902	-	1	0.1%
0.176847994328	-	1	0.1%
0.179211005569	-	1	0.1%
0.199909001589	-	1	0.1%
0.219769001007	-	1	0.1%
0.232592001557	-	1	0.1%
0.247468993068	-	1	0.1%
0.321114987135	-	1	0.1%
0.325116991997	-	1	0.1%
0.325361013412	-	1	0.1%
0.345508992672	-	1	0.1%
0.348708987236	-	1	0.1%
0.349730998278	-	1	0.1%
0.351527988911	-	1	0.1%
0.352665990591	-	1	0.1%
0.356887996197	-	1	0.1%
0.376938998699	-	1	0.1%
0.381475001574	-	1	0.1%
0.383536994457	-	1	0.1%
0.387196987867	-	1	0.1%
0.393532991409	-	1	0.1%
0.398943006992	-	1	0.1%
0.412472993135	-	1	0.1%
0.417849004269	-	1	0.1%
0.419656991959	-	1	0.1%
0.425500988960	-	1	0.1%
0.431703001261	-	1	0.1%
0.432236999273	-	1	0.1%
0.433647006750	-	1	0.1%
0.434707999229	-	1	0.1%
0.436998009682	-	1	0.1%
0.449930012226	-	1	0.1%
0.454816997051	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.457318991423	-	1	0.1%
0.463512003422	-	1	0.1%
0.463514000177	-	1	0.1%
0.465952992439	-	1	0.1%
0.466452002525	-	1	0.1%
0.470622003078	-	1	0.1%
0.477412998676	-	1	0.1%
0.485381007195	-	1	0.1%
0.485769987106	-	1	0.1%
0.489421993494	-	1	0.1%
0.496650010347	-	1	0.1%
0.496971011162	-	1	0.1%
0.498089998960	-	1	0.1%
0.498282998800	-	1	0.1%
0.510182976723	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.709097294512
- Minimum: 0.047040499747
- Maximum: 12.495400428772
- Standard Deviation: 1.258571455114

Location: 8893-8907 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E106_ABS_BETAA4A4: E106_abs_beta

Value	Label	Unweighted Frequency	%
0.0099596101791	-	1	0.1%
0.0271889995784	-	1	0.1%
0.0306007992476	-	1	0.1%
0.0402279011905	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0474356003106	-	1	0.1%
0.0526284016669	-	1	0.1%
0.0530521981418	-	1	0.1%
0.0544526986778	-	1	0.1%
0.0573431998491	-	1	0.1%
0.0577316991985	-	1	0.1%
0.0590737015009	-	1	0.1%
0.0606742016971	-	1	0.1%
0.0630642995238	-	1	0.1%
0.0691972002387	-	1	0.1%
0.0693020969629	-	1	0.1%
0.0709543004632	-	1	0.1%
0.0719705969095	-	1	0.1%
0.0720674023032	-	1	0.1%
0.0727294981480	-	1	0.1%
0.0742835029960	-	1	0.1%
0.0746238976717	-	1	0.1%
0.0769099965692	-	1	0.1%
0.0794148966670	-	1	0.1%
0.0818474963307	-	1	0.1%
0.0833166018128	-	1	0.1%
0.0834287032485	-	1	0.1%
0.0857117995620	-	1	0.1%
0.0873851031065	-	1	0.1%
0.0883681997657	-	1	0.1%
0.0884243994951	-	1	0.1%
0.0886586979032	-	1	0.1%
0.0902191996574	-	1	0.1%
0.0917062014341	-	1	0.1%
0.0918485000730	-	1	0.1%
0.0919096991420	-	1	0.1%
0.0923032984138	-	1	0.1%
0.0926276966929	-	1	0.1%
0.0926797017455	-	1	0.1%
0.0939008966088	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0939531996846	-	1	0.1%
0.0941513031721	-	1	0.1%
0.0946051999927	-	1	0.1%
0.0966117978096	-	1	0.1%
0.0972810983658	-	1	0.1%
0.0985504984856	-	1	0.1%
0.0988048017025	-	1	0.1%
0.0988458022475	-	1	0.1%
0.0988873988390	-	1	0.1%
0.0992413982749	-	1	0.1%
0.1011279970407	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2464015672226
- Minimum: 0.0099596101791
- Maximum: 7.1527800559998
- Standard Deviation: 0.2987249771759

Location: 8908-8922 (width: 15; decimal: 13)

Variable Type: numeric

E106_ABS_GAMMAA4A4: E106_abs_gamma

Value	Label	Unweighted Frequency	%
0.0048285499215	-	1	0.1%
0.0081097101793	-	1	0.1%
0.0084894504398	-	1	0.1%
0.0151281999424	-	1	0.1%
0.0151744000614	-	1	0.1%
0.0157450996339	-	1	0.1%
0.0160837005824	-	1	0.1%
0.0199228003621	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0202124994248	-	1	0.1%
0.0204594992101	-	1	0.1%
0.0222357995808	-	1	0.1%
0.0229649003595	-	1	0.1%
0.0231189001352	-	1	0.1%
0.0231749005616	-	1	0.1%
0.0243763998151	-	1	0.1%
0.0248339995742	-	1	0.1%
0.0249017998576	-	1	0.1%
0.0250327996910	-	1	0.1%
0.0262080002576	-	1	0.1%
0.0263606999069	-	1	0.1%
0.0267523992807	-	1	0.1%
0.0267686992884	-	1	0.1%
0.0271652005613	-	1	0.1%
0.0275129992515	-	1	0.1%
0.0280074998736	-	1	0.1%
0.0280168000609	-	1	0.1%
0.0284668002278	-	1	0.1%
0.0287437997758	-	1	0.1%
0.0290654003620	-	1	0.1%
0.0290700998157	-	1	0.1%
0.0292831007391	-	1	0.1%
0.0293800998479	-	1	0.1%
0.0294879004359	-	1	0.1%
0.0295160003006	-	1	0.1%
0.0299437008798	-	1	0.1%
0.0302648991346	-	1	0.1%
0.0306799001992	-	1	0.1%
0.0311098992825	-	1	0.1%
0.0320667997003	-	1	0.1%
0.0325179994106	-	1	0.1%
0.0328807011247	-	1	0.1%
0.0330120995641	-	1	0.1%
0.0330744981766	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0331970006227	-	1	0.1%
0.0339405015111	-	1	0.1%
0.0339456982911	-	1	0.1%
0.0339707992971	-	1	0.1%
0.0344271995127	-	1	0.1%
0.0350149981678	-	1	0.1%
0.0352996997535	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.0796547405964
- Minimum: 0.0048285499215
- Maximum: 2.2600200176239
- Standard Deviation: 0.0930026405201

Location: 8923-8937 (width: 15; decimal: 13)

Variable Type: numeric

E108_ABS_THETAA4A4: E108_abs_theta

Value	Label	Unweighted Frequency	%
0.594932973385	-	1	0.1%
0.715969979763	-	1	0.1%
0.825251996517	-	1	0.1%
0.899716973305	-	1	0.1%
0.955708980560	-	1	0.1%
1.188910007477	-	1	0.1%
1.215309977531	-	1	0.1%
1.228229999542	-	1	0.1%
1.285799980164	-	1	0.1%
1.322239995003	-	1	0.1%
1.393959999084	-	1	0.1%
1.402539968491	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.435729980469	-	1	0.1%
1.451470017433	-	1	0.1%
1.507959961891	-	1	0.1%
1.508319973946	-	1	0.1%
1.536759972572	-	1	0.1%
1.552500009537	-	1	0.1%
1.571879982948	-	1	0.1%
1.621829986572	-	1	0.1%
1.679389953613	-	1	0.1%
1.688179969788	-	1	0.1%
1.712249994278	-	1	0.1%
1.730530023575	-	1	0.1%
1.733700037003	-	1	0.1%
1.762789964676	-	1	0.1%
1.805670022964	-	1	0.1%
1.852419972420	-	1	0.1%
1.897940039635	-	1	0.1%
1.932559967041	-	1	0.1%
1.955890059471	-	1	0.1%
1.984719991684	-	1	0.1%
1.991709947586	-	1	0.1%
1.995229959488	-	1	0.1%
2.001800060272	-	1	0.1%
2.005079984665	-	1	0.1%
2.053910017014	-	1	0.1%
2.060120105743	-	1	0.1%
2.077029943466	-	1	0.1%
2.095050096512	-	1	0.1%
2.112250089645	-	1	0.1%
2.114789962769	-	1	0.1%
2.127409934998	-	1	0.1%
2.142060041428	-	1	0.1%
2.162090063095	-	1	0.1%
2.176959991455	-	1	0.1%
2.195770025253	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.196099996567	-	1	0.1%
2.196710109711	-	1	0.1%
2.202820062637	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 5.798402160222
- Minimum: 0.594932973385
- Maximum: 27.728000640869
- Standard Deviation: 3.301348514651

Location: 8938-8952 (width: 15; decimal: 12)

Variable Type: numeric

E108_ABS_ALPHAA4A4: E108_abs_alpha

Value	Label	Unweighted Frequency	%
0.216569006443	-	1	0.1%
0.288776993752	-	1	0.1%
0.362221986055	-	1	0.1%
0.363878995180	-	1	0.1%
0.383083999157	-	1	0.1%
0.384763985872	-	1	0.1%
0.392219990492	-	1	0.1%
0.414368987083	-	1	0.1%
0.415672987700	-	1	0.1%
0.426553994417	-	1	0.1%
0.433358997107	-	1	0.1%
0.449288994074	-	1	0.1%
0.456728994846	-	1	0.1%
0.473167985678	-	1	0.1%
0.485275000334	-	1	0.1%
0.493351012468	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.494792997837	-	1	0.1%
0.499743998051	-	1	0.1%
0.518253982067	-	1	0.1%
0.526526987553	-	1	0.1%
0.529624998569	-	1	0.1%
0.538480997086	-	1	0.1%
0.582810997963	-	1	0.1%
0.587513029575	-	1	0.1%
0.600836992264	-	1	0.1%
0.602630972862	-	1	0.1%
0.612218976021	-	1	0.1%
0.621397018433	-	1	0.1%
0.629706025124	-	1	0.1%
0.631155014038	-	1	0.1%
0.643733024597	-	1	0.1%
0.650134980679	-	1	0.1%
0.670431971550	-	1	0.1%
0.691377997398	-	1	0.1%
0.696453988552	-	1	0.1%
0.697493970394	-	1	0.1%
0.704963982105	-	1	0.1%
0.705547988415	-	1	0.1%
0.726561009884	-	1	0.1%
0.729870021343	-	1	0.1%
0.736518979073	-	1	0.1%
0.736983001232	-	1	0.1%
0.747155010700	-	1	0.1%
0.749652028084	-	1	0.1%
0.750966012478	-	1	0.1%
0.757708013058	-	1	0.1%
0.771068990231	-	1	0.1%
0.771982014179	-	1	0.1%
0.776196002960	-	1	0.1%
0.778053998947	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.275883737686
- Minimum: 0.216569006443
- Maximum: 14.139200210571
- Standard Deviation: 1.511533173330

Location: 8953-8967 (width: 15; decimal: 12)

Variable Type: numeric

E108_ABS_BETAA4A4: E108_abs_beta

Value	Label	Unweighted Frequency	%
0.0529269017279	-	1	0.1%
0.0647495985031	-	1	0.1%
0.0754854977131	-	1	0.1%
0.0895548015833	-	1	0.1%
0.0955474972725	-	1	0.1%
0.0991685986519	-	1	0.1%
0.1015970036387	-	1	0.1%
0.1078670024872	-	1	0.1%
0.1094300001860	-	1	0.1%
0.1111980006099	-	1	0.1%
0.1262830048800	-	1	0.1%
0.1275379955769	-	1	0.1%
0.1295630037785	-	1	0.1%
0.1379210054874	-	1	0.1%
0.1401879936457	-	1	0.1%
0.1427560001612	-	1	0.1%
0.1479430049658	-	1	0.1%
0.1529140025377	-	1	0.1%
0.1536470055580	-	1	0.1%
0.1539089977741	-	1	0.1%
0.1541689932346	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1582359969616	-	1	0.1%
0.1644050031900	-	1	0.1%
0.1681720018387	-	1	0.1%
0.1698140054941	-	1	0.1%
0.1724780052900	-	1	0.1%
0.1729709953070	-	1	0.1%
0.1731390058994	-	1	0.1%
0.1811520010233	-	1	0.1%
0.1838839948177	-	1	0.1%
0.1856340020895	-	1	0.1%
0.1856449991465	-	1	0.1%
0.1864379942417	-	1	0.1%
0.1886699944735	-	1	0.1%
0.1915470063686	-	1	0.1%
0.1922730058432	-	1	0.1%
0.1935199946165	-	1	0.1%
0.1940699964762	-	1	0.1%
0.1947270035744	-	1	0.1%
0.1951030045748	-	1	0.1%
0.1956990063190	-	1	0.1%
0.1959519982338	-	1	0.1%
0.1963720023632	-	1	0.1%
0.1968490034342	-	1	0.1%
0.1975090056658	-	1	0.1%
0.2007309943438	-	1	0.1%
0.2013289928436	-	1	0.1%
0.2017299979925	-	1	0.1%
0.2046709954739	-	1	0.1%
0.2050780057907	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.1040060552062
- Minimum: 0.0529269017279
- Maximum: 8.3899202346802
- Standard Deviation: 1.1256237789667

Location: 8968-8982 (width: 15; decimal: 13)

Variable Type: numeric

E108_ABS_GAMMAA4A4: E108_abs_gamma

Value	Label	Unweighted Frequency	%
0.0239818003029	-	1	0.1%
0.0351679995656	-	1	0.1%
0.0383024998009	-	1	0.1%
0.0401191003621	-	1	0.1%
0.0447839982808	-	1	0.1%
0.0463107004762	-	1	0.1%
0.0475094988942	-	1	0.1%
0.0509825982153	-	1	0.1%
0.0532593987882	-	1	0.1%
0.0535444989800	-	1	0.1%
0.0544348992407	-	1	0.1%
0.0571358986199	-	1	0.1%
0.0594317987561	-	1	0.1%
0.0624273009598	-	1	0.1%
0.0631814971566	-	1	0.1%
0.0668063014746	-	1	0.1%
0.0672855973244	-	1	0.1%
0.0673514008522	-	1	0.1%
0.0686855986714	-	1	0.1%
0.0689724981785	-	1	0.1%
0.0711207017303	-	1	0.1%
0.0720368027687	-	1	0.1%
0.0732548981905	-	1	0.1%
0.0741231963038	-	1	0.1%
0.0743827000260	-	1	0.1%
0.0746207013726	-	1	0.1%
0.0761592984200	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0766625031829	-	1	0.1%
0.0766678974032	-	1	0.1%
0.0769385024905	-	1	0.1%
0.0770914033055	-	1	0.1%
0.0800945982337	-	1	0.1%
0.0824967995286	-	1	0.1%
0.0843326002359	-	1	0.1%
0.0850877016783	-	1	0.1%
0.0856909975410	-	1	0.1%
0.0870980992913	-	1	0.1%
0.0877209976315	-	1	0.1%
0.0880869030952	-	1	0.1%
0.0885576009750	-	1	0.1%
0.0895081982017	-	1	0.1%
0.0896537974477	-	1	0.1%
0.0897473022342	-	1	0.1%
0.0911903977394	-	1	0.1%
0.0943678990006	-	1	0.1%
0.0961117967963	-	1	0.1%
0.0978301987052	-	1	0.1%
0.1020520031452	-	1	0.1%
0.1031579971313	-	1	0.1%
0.1033909991384	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.9903583417938
- Minimum: 0.0239818003029
- Maximum: 8.3180704116821
- Standard Deviation: 1.207775385599

Location: 8983-8997 (width: 15; decimal: 13)

Variable Type: numeric

E109_ABS_THETAA4A4: E109_abs_theta

Value	Label	Unweighted Frequency	%
0.581526994705	-	1	0.1%
0.637802004814	-	1	0.1%
0.676759004593	-	1	0.1%
0.749746024609	-	1	0.1%
0.838073015213	-	1	0.1%
0.845513999462	-	1	0.1%
0.895789027214	-	1	0.1%
1.022420048714	-	1	0.1%
1.050050020218	-	1	0.1%
1.065960049629	-	1	0.1%
1.073250055313	-	1	0.1%
1.114500045776	-	1	0.1%
1.126260042191	-	1	0.1%
1.141829967499	-	1	0.1%
1.144000053406	-	1	0.1%
1.150230050087	-	1	0.1%
1.160529971123	-	1	0.1%
1.211349964142	-	1	0.1%
1.241350054741	-	1	0.1%
1.254649996758	-	1	0.1%
1.291820049286	-	1	0.1%
1.322579979897	-	1	0.1%
1.335530042648	-	1	0.1%
1.346410036087	-	1	0.1%
1.348309993744	-	1	0.1%
1.352839946747	-	1	0.1%
1.358759999275	-	1	0.1%
1.371279954910	-	1	0.1%
1.373489975929	-	1	0.1%
1.396180033684	-	1	0.1%
1.400910019875	-	1	0.1%
1.421650052071	-	1	0.1%
1.448750019073	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.468479990959	-	1	0.1%
1.470020055771	-	1	0.1%
1.472540020943	-	1	0.1%
1.484130024910	-	1	0.1%
1.520249962807	-	1	0.1%
1.524250030518	-	1	0.1%
1.537310004234	-	1	0.1%
1.548689961433	-	1	0.1%
1.558820009232	-	1	0.1%
1.589810013771	-	1	0.1%
1.603129982948	-	1	0.1%
1.603670001030	-	1	0.1%
1.607149958611	-	1	0.1%
1.625699996948	-	1	0.1%
1.631469964981	-	1	0.1%
1.644459962845	-	1	0.1%
1.649580001831	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.188892534274
- Minimum: 0.581526994705
- Maximum: 15.314800262451
- Standard Deviation: 2.296357874720

Location: 8998-9012 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E109_ABS_ALPHAA4A4: E109_abs_alpha

Value	Label	Unweighted Frequency	%
0.265269994736	-	1	0.1%
0.267574995756	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.292567998171	-	1	0.1%
0.304625988007	-	1	0.1%
0.313625991344	-	1	0.1%
0.342148989439	-	1	0.1%
0.345979005098	-	1	0.1%
0.363299012184	-	1	0.1%
0.365440994501	-	1	0.1%
0.373611003160	-	1	0.1%
0.379783987999	-	1	0.1%
0.383495986462	-	1	0.1%
0.393337994814	-	1	0.1%
0.398781001568	-	1	0.1%
0.402211993933	-	1	0.1%
0.402260005474	-	1	0.1%
0.410501986742	-	1	0.1%
0.411837011576	-	1	0.1%
0.440203994513	-	1	0.1%
0.443704992533	-	1	0.1%
0.445663988590	-	1	0.1%
0.445915013552	-	1	0.1%
0.454445987940	-	1	0.1%
0.460406005383	-	1	0.1%
0.462271988392	-	1	0.1%
0.464401006699	-	1	0.1%
0.467682003975	-	1	0.1%
0.468679010868	-	1	0.1%
0.470214992762	-	1	0.1%
0.475062012672	-	1	0.1%
0.478008985519	-	1	0.1%
0.485558003187	-	1	0.1%
0.491782993078	-	1	0.1%
0.496874988079	-	1	0.1%
0.501275002956	-	1	0.1%
0.504817008972	-	1	0.1%
0.518748998642	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.522498011589	-	1	0.1%
0.529982984066	-	1	0.1%
0.544996976852	-	1	0.1%
0.551651000977	-	1	0.1%
0.558171987534	-	1	0.1%
0.559409022331	-	1	0.1%
0.560752987862	-	1	0.1%
0.571551024914	-	1	0.1%
0.579531013966	-	1	0.1%
0.583245992661	-	1	0.1%
0.597043991089	-	1	0.1%
0.601490020752	-	1	0.1%
0.606938004494	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.827348084134
- Minimum: 0.265269994736
- Maximum: 10.059100151062
- Standard Deviation: 1.225230308755

Location: 9013-9027 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E109_ABS_BETAA4A4: E109_abs_beta

Value	Label	Unweighted Frequency	%
0.0554931983352	-	1	0.1%
0.0622273981571	-	1	0.1%
0.0637170001864	-	1	0.1%
0.0658824965358	-	1	0.1%
0.0745726972818	-	1	0.1%
0.0746833011508	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0773122012615	-	1	0.1%
0.0794700011611	-	1	0.1%
0.0868716984987	-	1	0.1%
0.0876626968384	-	1	0.1%
0.0953726023436	-	1	0.1%
0.1006330028176	-	1	0.1%
0.1025390028954	-	1	0.1%
0.1048789992929	-	1	0.1%
0.1062299981713	-	1	0.1%
0.1085380017757	-	1	0.1%
0.1095430031419	-	1	0.1%
0.1101220026612	-	1	0.1%
0.1117959991097	-	1	0.1%
0.1150550022721	-	1	0.1%
0.1170469969511	-	1	0.1%
0.1176870018244	-	1	0.1%
0.1194169968367	-	1	0.1%
0.1199209988117	-	1	0.1%
0.1238420009613	-	1	0.1%
0.1255110055208	-	1	0.1%
0.1296440064907	-	1	0.1%
0.1313689947128	-	1	0.1%
0.1341580003500	-	1	0.1%
0.1347260028124	-	1	0.1%
0.1379979997873	-	1	0.1%
0.1436309963465	-	1	0.1%
0.1463450044394	-	1	0.1%
0.1469080001116	-	1	0.1%
0.1477780044079	-	1	0.1%
0.1488980054855	-	1	0.1%
0.1490550041199	-	1	0.1%
0.1496050059795	-	1	0.1%
0.1510960012674	-	1	0.1%
0.1562590003014	-	1	0.1%
0.1564649939537	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1574970036745	-	1	0.1%
0.1626300066710	-	1	0.1%
0.1635629981756	-	1	0.1%
0.1662400066853	-	1	0.1%
0.1669719964266	-	1	0.1%
0.1669919937849	-	1	0.1%
0.1678339987993	-	1	0.1%
0.1700039952993	-	1	0.1%
0.1732899993658	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.6281025128053
- Minimum: 0.0554931983352
- Maximum: 5.2484397888184
- Standard Deviation: 0.6158585401200

Location: 9028-9042 (width: 15; decimal: 13)

Variable Type: numeric

E109_ABS_GAMMAA4A4: E109_abs_gamma

Value	Label	Unweighted Frequency	%
0.0236125998199	-	1	0.1%
0.0261629000306	-	1	0.1%
0.0269792992622	-	1	0.1%
0.0277791004628	-	1	0.1%
0.0278002992272	-	1	0.1%
0.0333633013070	-	1	0.1%
0.0345954000950	-	1	0.1%
0.0349717997015	-	1	0.1%
0.0382830016315	-	1	0.1%
0.0429219007492	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0434014014900	-	1	0.1%
0.0438669994473	-	1	0.1%
0.0442708991468	-	1	0.1%
0.0445980988443	-	1	0.1%
0.0453964993358	-	1	0.1%
0.0486538000405	-	1	0.1%
0.0499645993114	-	1	0.1%
0.0502650998533	-	1	0.1%
0.0518729984760	-	1	0.1%
0.0528087988496	-	1	0.1%
0.0534789003432	-	1	0.1%
0.0543761998415	-	1	0.1%
0.0564462989569	-	1	0.1%
0.0591131001711	-	1	0.1%
0.0594420991838	-	1	0.1%
0.0630339011550	-	1	0.1%
0.0632947012782	-	1	0.1%
0.0641812011600	-	1	0.1%
0.0644714012742	-	1	0.1%
0.0659883022308	-	1	0.1%
0.0663809999824	-	1	0.1%
0.0665462985635	-	1	0.1%
0.0666640996933	-	1	0.1%
0.0676710978150	-	1	0.1%
0.0688237994909	-	1	0.1%
0.0688548982143	-	1	0.1%
0.0694504976273	-	1	0.1%
0.0705602988601	-	1	0.1%
0.0709747970104	-	1	0.1%
0.0709768980742	-	1	0.1%
0.0725004971027	-	1	0.1%
0.0732223019004	-	1	0.1%
0.0737596005201	-	1	0.1%
0.0748431012034	-	1	0.1%
0.0749716982245	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0758168995380	-	1	0.1%
0.0766446962953	-	1	0.1%
0.0776014998555	-	1	0.1%
0.0781032964587	-	1	0.1%
0.0786235034466	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4994683876899
- Minimum: 0.0236125998199
- Maximum: 4.3829298019409
- Standard Deviation: 0.6471106889298

Location: 9043-9057 (width: 15; decimal: 13)

Variable Type: numeric

E110_ABS_THETAA4A4: E110_abs_theta

Value	Label	Unweighted Frequency	%
0.579423010349	-	1	0.1%
0.664995014668	-	1	0.1%
0.744603991508	-	1	0.1%
0.744814991951	-	1	0.1%
0.793192028999	-	1	0.1%
0.802112996578	-	1	0.1%
0.825946986675	-	1	0.1%
0.892907977104	-	1	0.1%
0.932419002056	-	1	0.1%
0.954964995384	-	1	0.1%
0.964803993702	-	1	0.1%
1.006590008736	-	1	0.1%
1.020429968834	-	1	0.1%
1.042809963226	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.047709941864	-	1	0.1%
1.065569996834	-	1	0.1%
1.084810018539	-	1	0.1%
1.114840030670	-	1	0.1%
1.134750008583	-	1	0.1%
1.153859972954	-	1	0.1%
1.156530022621	-	1	0.1%
1.158830046654	-	1	0.1%
1.159790039063	-	1	0.1%
1.163730025291	-	1	0.1%
1.172199964523	-	1	0.1%
1.181200027466	-	1	0.1%
1.188390016556	-	1	0.1%
1.195219993591	-	1	0.1%
1.233979940414	-	1	0.1%
1.239879965782	-	1	0.1%
1.245589971542	-	1	0.1%
1.268290042877	-	1	0.1%
1.279770016670	-	1	0.1%
1.283120036125	-	1	0.1%
1.335060000420	-	1	0.1%
1.354019999504	-	1	0.1%
1.384439945221	-	1	0.1%
1.385460019112	-	1	0.1%
1.406280040741	-	1	0.1%
1.412459969521	-	1	0.1%
1.417510032654	-	1	0.1%
1.428590059280	-	1	0.1%
1.431470036507	-	1	0.1%
1.438629984856	-	1	0.1%
1.441210031509	-	1	0.1%
1.444519996643	-	1	0.1%
1.452309966087	-	1	0.1%
1.456719994545	-	1	0.1%
1.456859946251	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.475720047951	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 3.642750945623
- Minimum: 0.579423010349
- Maximum: 16.049100875854
- Standard Deviation: 2.072127893345

Location: 9058-9072 (width: 15; decimal: 12)

Variable Type: numeric

E110_ABS_ALPHAA4A4: E110_abs_alpha

Value	Label	Unweighted Frequency	%
0.234022006392	-	1	0.1%
0.247369006276	-	1	0.1%
0.252673000097	-	1	0.1%
0.269767999649	-	1	0.1%
0.282835006714	-	1	0.1%
0.285497993231	-	1	0.1%
0.292075991631	-	1	0.1%
0.298312991858	-	1	0.1%
0.313769996166	-	1	0.1%
0.330743014812	-	1	0.1%
0.332765012980	-	1	0.1%
0.339262008667	-	1	0.1%
0.350078999996	-	1	0.1%
0.353713989258	-	1	0.1%
0.371302008629	-	1	0.1%
0.381998986006	-	1	0.1%
0.383150011301	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.402846992016	-	1	0.1%
0.412887990475	-	1	0.1%
0.421727985144	-	1	0.1%
0.426806002855	-	1	0.1%
0.429098010063	-	1	0.1%
0.438353002071	-	1	0.1%
0.441974997520	-	1	0.1%
0.460280001163	-	1	0.1%
0.462045013905	-	1	0.1%
0.463414013386	-	1	0.1%
0.467106997967	-	1	0.1%
0.472196996212	-	1	0.1%
0.480991989374	-	1	0.1%
0.488366991282	-	1	0.1%
0.491012990475	-	1	0.1%
0.497864007950	-	1	0.1%
0.502725005150	-	1	0.1%
0.503409028053	-	1	0.1%
0.506563007832	-	1	0.1%
0.511344015598	-	1	0.1%
0.516273975372	-	1	0.1%
0.522900998592	-	1	0.1%
0.523769021034	-	1	0.1%
0.524223983288	-	1	0.1%
0.524553000927	-	1	0.1%
0.539438009262	-	1	0.1%
0.552811980247	-	1	0.1%
0.553595006466	-	1	0.1%
0.554045021534	-	1	0.1%
0.556177020073	-	1	0.1%
0.562291979790	-	1	0.1%
0.562304019928	-	1	0.1%
0.565467000008	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.731790653323
- Minimum: 0.234022006392
- Maximum: 16.020900726318
- Standard Deviation: 1.365057962924

Location: 9073-9087 (width: 15; decimal: 12)

Variable Type: numeric

E110_ABS_BETAA4A4: E110_abs_beta

Value	Label	Unweighted Frequency	%
0.0596952997148	-	1	0.1%
0.0608724988997	-	1	0.1%
0.0638552978635	-	1	0.1%
0.0639455020428	-	1	0.1%
0.0640972033143	-	1	0.1%
0.0665042027831	-	1	0.1%
0.0721867978573	-	1	0.1%
0.0766853988171	-	1	0.1%
0.0826805979013	-	1	0.1%
0.0849474966526	-	1	0.1%
0.0853613987565	-	1	0.1%
0.0857539027929	-	1	0.1%
0.0864565968513	-	1	0.1%
0.0867249965668	-	1	0.1%
0.0892195031047	-	1	0.1%
0.1001110002398	-	1	0.1%
0.1006750017405	-	1	0.1%
0.1015100032091	-	1	0.1%
0.1022009998560	-	1	0.1%
0.1027799993753	-	1	0.1%
0.1037399992347	-	1	0.1%
0.1040769964457	-	1	0.1%
0.1065779998899	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1068599969149	-	1	0.1%
0.1079989969730	-	1	0.1%
0.1089830026031	-	1	0.1%
0.1101239994168	-	1	0.1%
0.1130099967122	-	1	0.1%
0.1136460006237	-	1	0.1%
0.1156949996948	-	1	0.1%
0.1163149997592	-	1	0.1%
0.1173759996891	-	1	0.1%
0.1182520017028	-	1	0.1%
0.1192739978433	-	1	0.1%
0.1203610002995	-	1	0.1%
0.1210889965296	-	1	0.1%
0.1213440001011	-	1	0.1%
0.1214480027556	-	1	0.1%
0.1251550018787	-	1	0.1%
0.1258160024881	-	1	0.1%
0.1268460005522	-	1	0.1%
0.1323350071907	-	1	0.1%
0.1326200067997	-	1	0.1%
0.1359390020370	-	1	0.1%
0.1399080008268	-	1	0.1%
0.1400910019875	-	1	0.1%
0.1403699964285	-	1	0.1%
0.1404529958963	-	1	0.1%
0.1409920006990	-	1	0.1%
0.1429000049829	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4428496457083
- Minimum: 0.0596952997148
- Maximum: 5.3536701202393
- Standard Deviation: 0.4468613524536

Location: 9088-9102 (width: 15; decimal: 13)

Variable Type: numeric

E110_ABS_GAMMAA4A4: E110_abs_gamma

Value	Label	Unweighted Frequency	%
0.0202974993736	-	1	0.1%
0.0233372002840	-	1	0.1%
0.0240822006017	-	1	0.1%
0.0243110992014	-	1	0.1%
0.0259144008160	-	1	0.1%
0.0306522008032	-	1	0.1%
0.0323477983475	-	1	0.1%
0.0338261015713	-	1	0.1%
0.0340592004359	-	1	0.1%
0.0345419012010	-	1	0.1%
0.0372533984482	-	1	0.1%
0.0374668017030	-	1	0.1%
0.0379179008305	-	1	0.1%
0.0388269014657	-	1	0.1%
0.0392083004117	-	1	0.1%
0.0398811995983	-	1	0.1%
0.0401981994510	-	1	0.1%
0.0403259992599	-	1	0.1%
0.0428918004036	-	1	0.1%
0.0432227998972	-	1	0.1%
0.0448919981718	-	1	0.1%
0.0453417003155	-	1	0.1%
0.0457460992038	-	1	0.1%
0.0459847003222	-	1	0.1%
0.0462828017771	-	1	0.1%
0.0466731004417	-	1	0.1%
0.0475106984377	-	1	0.1%
0.0476180016994	-	1	0.1%
0.0483323000371	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0486790016294	-	1	0.1%
0.0491244010627	-	1	0.1%
0.0505144000053	-	1	0.1%
0.0518499985337	-	1	0.1%
0.0523934997618	-	1	0.1%
0.0524283982813	-	1	0.1%
0.0528891012073	-	1	0.1%
0.0533958002925	-	1	0.1%
0.0534753985703	-	1	0.1%
0.0535420998931	-	1	0.1%
0.0536353997886	-	1	0.1%
0.0541055984795	-	1	0.1%
0.0544536001980	-	1	0.1%
0.0545832999051	-	1	0.1%
0.0547087006271	-	1	0.1%
0.0562959015369	-	1	0.1%
0.0573607012630	-	1	0.1%
0.0575570985675	-	1	0.1%
0.0577559992671	-	1	0.1%
0.0585824996233	-	1	0.1%
0.0590119995177	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2724541066180
- Minimum: 0.0202974993736
- Maximum: 8.4408302307129
- Standard Deviation: 0.4613954150445

Location: 9103-9117 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E111_ABS_THETAA4A4: E111_abs_theta

Value	Label	Unweighted Frequency	%
0.338721990585	-	1	0.1%
0.432624012232	-	1	0.1%
0.686182022095	-	1	0.1%
0.753059983253	-	1	0.1%
0.782073974609	-	1	0.1%
0.802706003189	-	1	0.1%
0.842365980148	-	1	0.1%
0.900776982307	-	1	0.1%
0.916420996189	-	1	0.1%
0.922945976257	-	1	0.1%
0.923897027969	-	1	0.1%
0.927268028259	-	1	0.1%
0.937840998173	-	1	0.1%
0.940801978111	-	1	0.1%
0.947163999081	-	1	0.1%
0.963541984558	-	1	0.1%
0.973614990711	-	1	0.1%
0.976611971855	-	1	0.1%
1.082149982452	-	1	0.1%
1.100299954414	-	1	0.1%
1.105530023575	-	1	0.1%
1.107210040092	-	1	0.1%
1.151090025902	-	1	0.1%
1.159190058708	-	1	0.1%
1.162819981575	-	1	0.1%
1.173179984093	-	1	0.1%
1.193449974060	-	1	0.1%
1.205479979515	-	1	0.1%
1.222720026970	-	1	0.1%
1.245550036430	-	1	0.1%
1.248489975929	-	1	0.1%
1.253309965134	-	1	0.1%
1.257789969444	-	1	0.1%
1.258139967918	-	1	0.1%
1.258800029755	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.259690046310	-	1	0.1%
1.290109992027	-	1	0.1%
1.303599953651	-	1	0.1%
1.320410013199	-	1	0.1%
1.369729995728	-	1	0.1%
1.385450005531	-	1	0.1%
1.386980056763	-	1	0.1%
1.390159964561	-	1	0.1%
1.397510051727	-	1	0.1%
1.398210048676	-	1	0.1%
1.405879974365	-	1	0.1%
1.424780011177	-	1	0.1%
1.435510039330	-	1	0.1%
1.437719941139	-	1	0.1%
1.483999967575	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 3.715641336406
- Minimum: 0.338721990585
- Maximum: 29.340599060059
- Standard Deviation: 2.306582221403

Location: 9118-9132 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E111_ABS_ALPHAA4A4: E111_abs_alpha

Value	Label	Unweighted Frequency	%
0.197665005922	-	1	0.1%
0.200609996915	-	1	0.1%
0.226880997419	-	1	0.1%
0.228933006525	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.264183014631	-	1	0.1%
0.268756985664	-	1	0.1%
0.274473994970	-	1	0.1%
0.281569004059	-	1	0.1%
0.291660994291	-	1	0.1%
0.301070004702	-	1	0.1%
0.323325991631	-	1	0.1%
0.326700985432	-	1	0.1%
0.333366990089	-	1	0.1%
0.334729999304	-	1	0.1%
0.338066995144	-	1	0.1%
0.355733990669	-	1	0.1%
0.367170989513	-	1	0.1%
0.371235013008	-	1	0.1%
0.373836994171	-	1	0.1%
0.375934988260	-	1	0.1%
0.381029009819	-	1	0.1%
0.394638985395	-	1	0.1%
0.397062003613	-	1	0.1%
0.399524986744	-	1	0.1%
0.417807012796	-	1	0.1%
0.420684993267	-	1	0.1%
0.421254009008	-	1	0.1%
0.424145996571	-	1	0.1%
0.425000011921	-	1	0.1%
0.427991986275	-	1	0.1%
0.429233998060	-	1	0.1%
0.430651009083	-	1	0.1%
0.433737993240	-	1	0.1%
0.452872991562	-	1	0.1%
0.456057995558	-	1	0.1%
0.456481993198	-	1	0.1%
0.457547992468	-	1	0.1%
0.458763003349	-	1	0.1%
0.462585985661	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.466387003660	-	1	0.1%
0.475618988276	-	1	0.1%
0.476965993643	-	1	0.1%
0.482293993235	-	1	0.1%
0.485724002123	-	1	0.1%
0.489562988281	-	1	0.1%
0.495867013931	-	1	0.1%
0.501191973686	-	1	0.1%
0.504079997540	-	1	0.1%
0.518616974354	-	1	0.1%
0.520237982273	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.575746662407
- Minimum: 0.197665005922
- Maximum: 13.480699539185
- Standard Deviation: 1.101879863504

Location: 9133-9147 (width: 15; decimal: 12)

Variable Type: numeric

E111_ABS_BETAA4A4: E111_abs_beta

Value	Label	Unweighted Frequency	%
0.0285567995161	-	1	0.1%
0.0473130010068	-	1	0.1%
0.0545563995838	-	1	0.1%
0.0558300018311	-	1	0.1%
0.0624900981784	-	1	0.1%
0.0628719031811	-	1	0.1%
0.0675083994865	-	1	0.1%
0.0684394016862	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0722528025508	-	1	0.1%
0.0757537037134	-	1	0.1%
0.0800900012255	-	1	0.1%
0.0839084014297	-	1	0.1%
0.0859977975488	-	1	0.1%
0.0868477001786	-	1	0.1%
0.0883155986667	-	1	0.1%
0.0883492976427	-	1	0.1%
0.0887181982398	-	1	0.1%
0.0896663963795	-	1	0.1%
0.0902118980885	-	1	0.1%
0.0917200967669	-	1	0.1%
0.0932008996606	-	1	0.1%
0.0935423001647	-	1	0.1%
0.0985350981355	-	1	0.1%
0.0998623967171	-	1	0.1%
0.0999002978206	-	1	0.1%
0.1006119996309	-	1	0.1%
0.1010690033436	-	1	0.1%
0.1024340018630	-	1	0.1%
0.1031790003181	-	1	0.1%
0.1032650023699	-	1	0.1%
0.1076920032501	-	1	0.1%
0.1087450012565	-	1	0.1%
0.1093979999423	-	1	0.1%
0.1100109964609	-	1	0.1%
0.1112679988146	-	1	0.1%
0.1123680025339	-	1	0.1%
0.1127690002322	-	1	0.1%
0.1146650016308	-	1	0.1%
0.1164499968290	-	1	0.1%
0.1168600022793	-	1	0.1%
0.1175059974194	-	1	0.1%
0.1176780015230	-	1	0.1%
0.1185090020299	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1185790002346	-	1	0.1%
0.1213919967413	-	1	0.1%
0.1215329989791	-	1	0.1%
0.1224929988384	-	1	0.1%
0.1230330020189	-	1	0.1%
0.1240689978004	-	1	0.1%
0.1244459971786	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3497651440608
- Minimum: 0.0285567995161
- Maximum: 4.9142599105835
- Standard Deviation: 0.3018874279762

Location: 9148-9162 (width: 15; decimal: 13)

Variable Type: numeric

E111_ABS_GAMMAA4A4: E111_abs_gamma

Value	Label	Unweighted Frequency	%
0.0136463996023	-	1	0.1%
0.0149194002151	-	1	0.1%
0.0167624000460	-	1	0.1%
0.0187762994319	-	1	0.1%
0.0236268993467	-	1	0.1%
0.0256731007248	-	1	0.1%
0.0271113999188	-	1	0.1%
0.0271761007607	-	1	0.1%
0.0301571991295	-	1	0.1%
0.0303073003888	-	1	0.1%
0.0307413004339	-	1	0.1%
0.0336900986731	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0341213010252	-	1	0.1%
0.0351362004876	-	1	0.1%
0.0351657010615	-	1	0.1%
0.0352433994412	-	1	0.1%
0.0356191992760	-	1	0.1%
0.0361309014261	-	1	0.1%
0.0362052991986	-	1	0.1%
0.0363311991096	-	1	0.1%
0.0382439009845	-	1	0.1%
0.0390512011945	-	1	0.1%
0.0410072989762	-	1	0.1%
0.0414258018136	-	1	0.1%
0.0417583994567	-	1	0.1%
0.0418002009392	-	1	0.1%
0.0419479012489	-	1	0.1%
0.0421165004373	-	1	0.1%
0.0423968993127	-	1	0.1%
0.0426845997572	-	1	0.1%
0.0426964014769	-	1	0.1%
0.0428359992802	-	1	0.1%
0.0432326011360	-	1	0.1%
0.0445072017610	-	1	0.1%
0.0448395013809	-	1	0.1%
0.0448794998229	-	1	0.1%
0.0450275987387	-	1	0.1%
0.0459155999124	-	1	0.1%
0.0465793982148	-	1	0.1%
0.0468835011125	-	1	0.1%
0.0470790006220	-	1	0.1%
0.0477062985301	-	1	0.1%
0.0479313991964	-	1	0.1%
0.0488484017551	-	1	0.1%
0.0489469990134	-	1	0.1%
0.0492529012263	-	1	0.1%
0.0494254007936	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0496319010854	-	1	0.1%
0.0497306995094	-	1	0.1%
0.0501094013453	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.1699056279018
- Minimum: 0.0136463996023
- Maximum: 4.0669298171997
- Standard Deviation: 0.2341456344787

Location: 9163-9177 (width: 15; decimal: 13)

Variable Type: numeric

E112_ABS_THETAA4A4: E112_abs_theta

Value	Label	Unweighted Frequency	%
0.435613006353	-	1	0.1%
0.460388988256	-	1	0.1%
0.531274020672	-	1	0.1%
0.590699017048	-	1	0.1%
0.682492017746	-	1	0.1%
0.838262021542	-	1	0.1%
0.860558986664	-	1	0.1%
0.886390984058	-	1	0.1%
0.886433005333	-	1	0.1%
0.912742972374	-	1	0.1%
0.923864006996	-	1	0.1%
0.976521015167	-	1	0.1%
1.021139979362	-	1	0.1%
1.037410020828	-	1	0.1%
1.068680047989	-	1	0.1%
1.070090055466	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.073869943619	-	1	0.1%
1.082749962807	-	1	0.1%
1.196599960327	-	1	0.1%
1.222300052643	-	1	0.1%
1.224660038948	-	1	0.1%
1.226430058479	-	1	0.1%
1.247509956360	-	1	0.1%
1.264150023460	-	1	0.1%
1.319120049477	-	1	0.1%
1.346199989319	-	1	0.1%
1.349220037460	-	1	0.1%
1.352489948273	-	1	0.1%
1.361649990082	-	1	0.1%
1.386469960213	-	1	0.1%
1.392979979515	-	1	0.1%
1.404670000076	-	1	0.1%
1.424970030785	-	1	0.1%
1.453510046005	-	1	0.1%
1.498110055923	-	1	0.1%
1.501479983330	-	1	0.1%
1.517549991608	-	1	0.1%
1.519510030746	-	1	0.1%
1.577659964561	-	1	0.1%
1.590489983559	-	1	0.1%
1.599259972572	-	1	0.1%
1.602010011673	-	1	0.1%
1.603620052338	-	1	0.1%
1.607820034027	-	1	0.1%
1.615460038185	-	1	0.1%
1.631319999695	-	1	0.1%
1.633569955826	-	1	0.1%
1.648059964180	-	1	0.1%
1.680680036545	-	1	0.1%
1.687080025673	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.591735499101
- Minimum: 0.435613006353
- Maximum: 17.533700942993
- Standard Deviation: 2.533620444481

Location: 9178-9192 (width: 15; decimal: 12)

Variable Type: numeric

E112_ABS_ALPHAA4A4: E112_abs_alpha

Value	Label	Unweighted Frequency	%
0.113729998469	-	1	0.1%
0.163901001215	-	1	0.1%
0.178620994091	-	1	0.1%
0.190465003252	-	1	0.1%
0.205253005028	-	1	0.1%
0.207398995757	-	1	0.1%
0.213291004300	-	1	0.1%
0.232724994421	-	1	0.1%
0.270015001297	-	1	0.1%
0.279233992100	-	1	0.1%
0.310972005129	-	1	0.1%
0.326449990273	-	1	0.1%
0.327612996101	-	1	0.1%
0.333332985640	-	1	0.1%
0.347901999950	-	1	0.1%
0.357852995396	-	1	0.1%
0.377718001604	-	1	0.1%
0.386211991310	-	1	0.1%
0.386615008116	-	1	0.1%
0.398683995008	-	1	0.1%
0.402348011732	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.429237008095	-	1	0.1%
0.444983005524	-	1	0.1%
0.445378005505	-	1	0.1%
0.445966005325	-	1	0.1%
0.448828011751	-	1	0.1%
0.454580008984	-	1	0.1%
0.457134008408	-	1	0.1%
0.459542006254	-	1	0.1%
0.465831995010	-	1	0.1%
0.467613995075	-	1	0.1%
0.467891007662	-	1	0.1%
0.470687001944	-	1	0.1%
0.472775012255	-	1	0.1%
0.479090005159	-	1	0.1%
0.479135990143	-	1	0.1%
0.483763992786	-	1	0.1%
0.486943989992	-	1	0.1%
0.488357007504	-	1	0.1%
0.492495000362	-	1	0.1%
0.495299011469	-	1	0.1%
0.496358990669	-	1	0.1%
0.497188985348	-	1	0.1%
0.502350986004	-	1	0.1%
0.503735005856	-	1	0.1%
0.505177974701	-	1	0.1%
0.508450984955	-	1	0.1%
0.511402010918	-	1	0.1%
0.516959011555	-	1	0.1%
0.520943999290	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.577597579189
- Minimum: 0.113729998469
- Maximum: 11.508700370789
- Standard Deviation: 1.026350202677

Location: 9193-9207 (width: 15; decimal: 12)

Variable Type: numeric

E112_ABS_BETAA4A4: E112_abs_beta

Value	Label	Unweighted Frequency	%
0.0228199996054	-	1	0.1%
0.0315763987601	-	1	0.1%
0.0401464998722	-	1	0.1%
0.0455540008843	-	1	0.1%
0.0489908009768	-	1	0.1%
0.0520135983825	-	1	0.1%
0.0552798993886	-	1	0.1%
0.0571113005280	-	1	0.1%
0.0611095987260	-	1	0.1%
0.0677264034748	-	1	0.1%
0.0677284970880	-	1	0.1%
0.0687742009759	-	1	0.1%
0.0707610994577	-	1	0.1%
0.0709623023868	-	1	0.1%
0.0760025009513	-	1	0.1%
0.0776510015130	-	1	0.1%
0.0808966979384	-	1	0.1%
0.0825257003307	-	1	0.1%
0.0854946002364	-	1	0.1%
0.0858161970973	-	1	0.1%
0.0862500965595	-	1	0.1%
0.0863815024495	-	1	0.1%
0.0867635980248	-	1	0.1%
0.0878447964787	-	1	0.1%
0.0892426967621	-	1	0.1%
0.0897198989987	-	1	0.1%
0.0898075997829	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0923157036304	-	1	0.1%
0.0929114967585	-	1	0.1%
0.0943173021078	-	1	0.1%
0.0945627018809	-	1	0.1%
0.0956448018551	-	1	0.1%
0.0978408008814	-	1	0.1%
0.0983991995454	-	1	0.1%
0.0994201973081	-	1	0.1%
0.1005610004067	-	1	0.1%
0.1011210009456	-	1	0.1%
0.1026709973812	-	1	0.1%
0.1028029993176	-	1	0.1%
0.1030120030046	-	1	0.1%
0.1030770018697	-	1	0.1%
0.1043760031462	-	1	0.1%
0.1063589975238	-	1	0.1%
0.1102719977498	-	1	0.1%
0.1104670017958	-	1	0.1%
0.1105140000582	-	1	0.1%
0.1122270002961	-	1	0.1%
0.1122820004821	-	1	0.1%
0.1131779998541	-	1	0.1%
0.1134049966931	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2933507769343
- Minimum: 0.0228199996054
- Maximum: 2.8520200252533
- Standard Deviation: 0.1995915404792

Location: 9208-9222 (width: 15; decimal: 13)

Variable Type: numeric

E112_ABS_GAMMAA4A4: E112_abs_gamma

Value	Label	Unweighted Frequency	%
0.0084902299568	-	1	0.1%
0.0095133204013	-	1	0.1%
0.0163560006768	-	1	0.1%
0.0172853004187	-	1	0.1%
0.0179345998913	-	1	0.1%
0.0181184001267	-	1	0.1%
0.0205234996974	-	1	0.1%
0.0214233007282	-	1	0.1%
0.0226399991661	-	1	0.1%
0.0234747007489	-	1	0.1%
0.0260898992419	-	1	0.1%
0.0276295002550	-	1	0.1%
0.0279233008623	-	1	0.1%
0.0281667001545	-	1	0.1%
0.0282947998494	-	1	0.1%
0.0292758997530	-	1	0.1%
0.0293824002147	-	1	0.1%
0.0296034999192	-	1	0.1%
0.0297727007419	-	1	0.1%
0.0309654995799	-	1	0.1%
0.0319785997272	-	1	0.1%
0.0323302000761	-	1	0.1%
0.0324500985444	-	1	0.1%
0.0325293987989	-	1	0.1%
0.0331584997475	-	1	0.1%
0.0333634987473	-	1	0.1%
0.0340979993343	-	1	0.1%
0.0343695990741	-	1	0.1%
0.0347171016037	-	1	0.1%
0.0348208993673	-	1	0.1%
0.0353857018054	-	1	0.1%
0.0358575992286	-	1	0.1%
0.0361416004598	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0363087989390	-	1	0.1%
0.0363711006939	-	1	0.1%
0.0371319018304	-	1	0.1%
0.0387490987778	-	1	0.1%
0.0391274988651	-	1	0.1%
0.0391792990267	-	1	0.1%
0.0399823002517	-	1	0.1%
0.0400413013995	-	1	0.1%
0.0400661006570	-	1	0.1%
0.0405014008284	-	1	0.1%
0.0406560003757	-	1	0.1%
0.0408780016005	-	1	0.1%
0.0409016981721	-	1	0.1%
0.0415672995150	-	1	0.1%
0.0416865013540	-	1	0.1%
0.0417257994413	-	1	0.1%
0.0417692996562	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.1072231491858
- Minimum: 0.0084902299568
- Maximum: 1.654469966884
- Standard Deviation: 0.0930104294846

Location: 9223-9237 (width: 15; decimal: 13)

Variable Type: numeric

E115_ABS_THETAA4A4: E115_abs_theta

Value	Label	Unweighted Frequency	%
0.607438981533	-	1	0.1%
0.920404016972	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.960318028927	-	1	0.1%
0.977168023586	-	1	0.1%
1.015939950943	-	1	0.1%
1.106899976730	-	1	0.1%
1.174090027809	-	1	0.1%
1.287819981575	-	1	0.1%
1.305279970169	-	1	0.1%
1.349779963493	-	1	0.1%
1.463089942932	-	1	0.1%
1.502650022507	-	1	0.1%
1.542350053787	-	1	0.1%
1.558470010757	-	1	0.1%
1.566619992256	-	1	0.1%
1.574699997902	-	1	0.1%
1.577190041542	-	1	0.1%
1.586650013924	-	1	0.1%
1.618950009346	-	1	0.1%
1.635390043259	-	1	0.1%
1.642969965935	-	1	0.1%
1.667359948158	-	1	0.1%
1.702929973602	-	1	0.1%
1.740530014038	-	1	0.1%
1.773659944534	-	1	0.1%
1.796380043030	-	1	0.1%
1.797029972076	-	1	0.1%
1.799499988556	-	1	0.1%
1.824659943581	-	1	0.1%
1.850849986076	-	1	0.1%
1.892660021782	-	1	0.1%
1.903399944305	-	1	0.1%
1.924029946327	-	1	0.1%
1.934129953384	-	1	0.1%
2.002739906311	-	1	0.1%
2.009000062943	-	1	0.1%
2.035290002823	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.048439979553	-	1	0.1%
2.058020114899	-	1	0.1%
2.064090013504	-	1	0.1%
2.068759918213	-	1	0.1%
2.108170032501	-	1	0.1%
2.111010074615	-	1	0.1%
2.118210077286	-	1	0.1%
2.138390064240	-	1	0.1%
2.139569997787	-	1	0.1%
2.166130065918	-	1	0.1%
2.186300039291	-	1	0.1%
2.193370103836	-	1	0.1%
2.208110094070	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 5.482611261839
- Minimum: 0.607438981533
- Maximum: 20.368900299072
- Standard Deviation: 2.879932438585

Location: 9238-9252 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E115_ABS_ALPHAA4A4: E115_abs_alpha

Value	Label	Unweighted Frequency	%
0.255968004465	-	1	0.1%
0.286134988070	-	1	0.1%
0.296750009060	-	1	0.1%
0.371762007475	-	1	0.1%
0.415690988302	-	1	0.1%
0.421947002411	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.427998006344	-	1	0.1%
0.455527991056	-	1	0.1%
0.464058995247	-	1	0.1%
0.479692995548	-	1	0.1%
0.501489996910	-	1	0.1%
0.506677985191	-	1	0.1%
0.524881005287	-	1	0.1%
0.539367020130	-	1	0.1%
0.550736010075	-	1	0.1%
0.551647007465	-	1	0.1%
0.558520019054	-	1	0.1%
0.559019982815	-	1	0.1%
0.561596989632	-	1	0.1%
0.570909023285	-	1	0.1%
0.575685024261	-	1	0.1%
0.577943980694	-	1	0.1%
0.581767976284	-	1	0.1%
0.585995018482	-	1	0.1%
0.594159007072	-	1	0.1%
0.595278978348	-	1	0.1%
0.596158981323	-	1	0.1%
0.607011973858	-	1	0.1%
0.620644986629	-	1	0.1%
0.628265023232	-	1	0.1%
0.638177990913	-	1	0.1%
0.644380986691	-	1	0.1%
0.646624028683	-	1	0.1%
0.661422014236	-	1	0.1%
0.663595974445	-	1	0.1%
0.667039990425	-	1	0.1%
0.689801990986	-	1	0.1%
0.702974975109	-	1	0.1%
0.725045979023	-	1	0.1%
0.732267975807	-	1	0.1%
0.732676029205	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.754172027111	-	1	0.1%
0.757559001446	-	1	0.1%
0.758831977844	-	1	0.1%
0.762522995472	-	1	0.1%
0.765326023102	-	1	0.1%
0.772511005402	-	1	0.1%
0.774568021297	-	1	0.1%
0.785883009434	-	1	0.1%
0.790349006653	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.037270640118
- Minimum: 0.255968004465
- Maximum: 11.718999862671
- Standard Deviation: 1.277383057464

Location: 9253-9267 (width: 15; decimal: 12)

Variable Type: numeric

E115_ABS_BETAA4A4: E115_abs_beta

Value	Label	Unweighted Frequency	%
0.0410433001816	-	1	0.1%
0.0738705992699	-	1	0.1%
0.0848219022155	-	1	0.1%
0.0984475985169	-	1	0.1%
0.1073290035129	-	1	0.1%
0.1145749986172	-	1	0.1%
0.1326189935207	-	1	0.1%
0.1331759989262	-	1	0.1%
0.1332170069218	-	1	0.1%
0.1385339945555	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1419889926910	-	1	0.1%
0.1426270008087	-	1	0.1%
0.1438149958849	-	1	0.1%
0.1503500044346	-	1	0.1%
0.1544930040836	-	1	0.1%
0.1564660072327	-	1	0.1%
0.1596850007772	-	1	0.1%
0.1627970039845	-	1	0.1%
0.1635349988937	-	1	0.1%
0.1641319990158	-	1	0.1%
0.1678079962730	-	1	0.1%
0.1783600002527	-	1	0.1%
0.1789480000734	-	1	0.1%
0.1844830065966	-	1	0.1%
0.1865379959345	-	1	0.1%
0.1904020011425	-	1	0.1%
0.1904450058937	-	1	0.1%
0.1917340010405	-	1	0.1%
0.1951819956303	-	1	0.1%
0.1963150054216	-	1	0.1%
0.1967040002346	-	1	0.1%
0.1978410035372	-	1	0.1%
0.1978590041399	-	1	0.1%
0.1988189965487	-	1	0.1%
0.2011149972677	-	1	0.1%
0.2028480023146	-	1	0.1%
0.2029239982367	-	1	0.1%
0.2035299986601	-	1	0.1%
0.2044990062714	-	1	0.1%
0.2058770060539	-	1	0.1%
0.2059350013733	-	1	0.1%
0.2068150043488	-	1	0.1%
0.2082049995661	-	1	0.1%
0.2086839973927	-	1	0.1%
0.2102320045233	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.2109459936619	-	1	0.1%
0.2118169963360	-	1	0.1%
0.2134539932013	-	1	0.1%
0.2140520066023	-	1	0.1%
0.2140939980745	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.0318133320959
- Minimum: 0.0410433001816
- Maximum: 5.8091697692871
- Standard Deviation: 1.0181717750837

Location: 9268-9282 (width: 15; decimal: 13)

Variable Type: numeric

E115_ABS_GAMMAA4A4: E115_abs_gamma

Value	Label	Unweighted Frequency	%
0.0199053008109	-	1	0.1%
0.0358076989651	-	1	0.1%
0.0436239987612	-	1	0.1%
0.0462842993438	-	1	0.1%
0.0485380999744	-	1	0.1%
0.0485852994025	-	1	0.1%
0.0486277006567	-	1	0.1%
0.0518224984407	-	1	0.1%
0.0583845004439	-	1	0.1%
0.0591036006808	-	1	0.1%
0.0624702982605	-	1	0.1%
0.0649444982409	-	1	0.1%
0.0659679025412	-	1	0.1%
0.0705095976591	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0714887008071	-	1	0.1%
0.0735422968864	-	1	0.1%
0.0740744993091	-	1	0.1%
0.0756793022156	-	1	0.1%
0.0799982994795	-	1	0.1%
0.0843961983919	-	1	0.1%
0.0854981020093	-	1	0.1%
0.0856133997440	-	1	0.1%
0.0868610963225	-	1	0.1%
0.0876419991255	-	1	0.1%
0.0885683000088	-	1	0.1%
0.0886638015509	-	1	0.1%
0.0890028029680	-	1	0.1%
0.0894780978560	-	1	0.1%
0.0907113999128	-	1	0.1%
0.0919203981757	-	1	0.1%
0.0922501981258	-	1	0.1%
0.0925515964627	-	1	0.1%
0.0974005013704	-	1	0.1%
0.0999350994825	-	1	0.1%
0.1007950007915	-	1	0.1%
0.1014150008559	-	1	0.1%
0.1048270016909	-	1	0.1%
0.1065599992871	-	1	0.1%
0.1084399968386	-	1	0.1%
0.1092280000448	-	1	0.1%
0.1107560023665	-	1	0.1%
0.1114509999752	-	1	0.1%
0.1117300018668	-	1	0.1%
0.1133920028806	-	1	0.1%
0.1139829978347	-	1	0.1%
0.1142560020089	-	1	0.1%
0.1161739975214	-	1	0.1%
0.1170670017600	-	1	0.1%
0.1176659986377	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1177920028567	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.0382887442847
- Minimum: 0.0199053008109
- Maximum: 7.8017902374268
- Standard Deviation: 1.2757784807662

Location: 9283-9297 (width: 15; decimal: 13)

Variable Type: numeric

E116_ABS_THETAA4A4: E116_abs_theta

Value	Label	Unweighted Frequency	%
0.586372017860	-	1	0.1%
0.807874023914	-	1	0.1%
0.841979026794	-	1	0.1%
0.873978972435	-	1	0.1%
0.925195991993	-	1	0.1%
1.029090046883	-	1	0.1%
1.057950019836	-	1	0.1%
1.080330014229	-	1	0.1%
1.085980057716	-	1	0.1%
1.104969978333	-	1	0.1%
1.117319941521	-	1	0.1%
1.188840031624	-	1	0.1%
1.189010024071	-	1	0.1%
1.217540025711	-	1	0.1%
1.227920055389	-	1	0.1%
1.234990000725	-	1	0.1%
1.241060018539	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.259240031242	-	1	0.1%
1.280220031738	-	1	0.1%
1.306280016899	-	1	0.1%
1.320160031319	-	1	0.1%
1.332569956779	-	1	0.1%
1.352929949760	-	1	0.1%
1.368510007858	-	1	0.1%
1.416859984398	-	1	0.1%
1.419229984283	-	1	0.1%
1.431720018387	-	1	0.1%
1.433969974518	-	1	0.1%
1.441030025482	-	1	0.1%
1.446079969406	-	1	0.1%
1.461539983749	-	1	0.1%
1.510010004044	-	1	0.1%
1.526119947433	-	1	0.1%
1.526829957962	-	1	0.1%
1.529620051384	-	1	0.1%
1.554200053215	-	1	0.1%
1.564550042152	-	1	0.1%
1.570350050926	-	1	0.1%
1.571709990501	-	1	0.1%
1.608639955521	-	1	0.1%
1.631029963493	-	1	0.1%
1.645980000496	-	1	0.1%
1.651010036469	-	1	0.1%
1.660369992256	-	1	0.1%
1.674810051918	-	1	0.1%
1.682500004768	-	1	0.1%
1.686059951782	-	1	0.1%
1.705430030823	-	1	0.1%
1.711069941521	-	1	0.1%
1.711150050163	-	2	0.2%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 3.979379007322
- Minimum: 0.586372017860
- Maximum: 15.766599655151
- Standard Deviation: 2.072630322212

Location: 9298-9312 (width: 15; decimal: 12)

Variable Type: numeric

E116_ABS_ALPHAA4A4: E116_abs_alpha

Value	Label	Unweighted Frequency	%
0.235515996814	-	1	0.1%
0.241650998592	-	1	0.1%
0.253408998251	-	1	0.1%
0.292374998331	-	1	0.1%
0.313358008862	-	1	0.1%
0.324932992458	-	1	0.1%
0.364398986101	-	1	0.1%
0.367588013411	-	1	0.1%
0.375239998102	-	1	0.1%
0.378515988588	-	1	0.1%
0.385856002569	-	1	0.1%
0.403497993946	-	1	0.1%
0.407258003950	-	1	0.1%
0.426847994328	-	1	0.1%
0.432253986597	-	1	0.1%
0.437548011541	-	1	0.1%
0.448738992214	-	1	0.1%
0.449541002512	-	1	0.1%
0.451813012362	-	1	0.1%
0.457587987185	-	1	0.1%
0.463532000780	-	1	0.1%
0.470512002707	-	1	0.1%
0.472420006990	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.492707997561	-	1	0.1%
0.493894994259	-	1	0.1%
0.507005989552	-	1	0.1%
0.516192018986	-	1	0.1%
0.518199026585	-	1	0.1%
0.521089017391	-	1	0.1%
0.526606976986	-	1	0.1%
0.526984989643	-	1	0.1%
0.529862999916	-	1	0.1%
0.533501982689	-	1	0.1%
0.537633001804	-	1	0.1%
0.541200995445	-	1	0.1%
0.545651972294	-	1	0.1%
0.547707974911	-	1	0.1%
0.560298979282	-	1	0.1%
0.566109001637	-	1	0.1%
0.566704988480	-	1	0.1%
0.570156991482	-	1	0.1%
0.573467016220	-	1	0.1%
0.575922012329	-	1	0.1%
0.580676972866	-	1	0.1%
0.586513996124	-	1	0.1%
0.592045009136	-	1	0.1%
0.600974977016	-	1	0.1%
0.605279982090	-	1	0.1%
0.608447015285	-	1	0.1%
0.609618008137	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.660473755108
- Minimum: 0.235515996814
- Maximum: 10.289299964905
- Standard Deviation: 1.080629221222

Location: 9313-9327 (width: 15; decimal: 12)

Variable Type: numeric

E116_ABS_BETAA4A4: E116_abs_beta

Value	Label	Unweighted Frequency	%
0.0394456014037	-	1	0.1%
0.0539700016379	-	1	0.1%
0.0678441002965	-	1	0.1%
0.0742017999291	-	1	0.1%
0.0772318989038	-	1	0.1%
0.0826148018241	-	1	0.1%
0.0870978012681	-	1	0.1%
0.0925469025970	-	1	0.1%
0.0952946022153	-	1	0.1%
0.1067010015249	-	1	0.1%
0.1108520030975	-	1	0.1%
0.1139239966869	-	1	0.1%
0.1207650005817	-	1	0.1%
0.1215789988637	-	1	0.1%
0.1248520016670	-	1	0.1%
0.1262629926205	-	1	0.1%
0.1299870014191	-	1	0.1%
0.1301199942827	-	1	0.1%
0.1310400068760	-	1	0.1%
0.1335240006447	-	1	0.1%
0.1345960050821	-	1	0.1%
0.1354600042105	-	1	0.1%
0.1356749981642	-	1	0.1%
0.1359439939260	-	1	0.1%
0.1364299952984	-	1	0.1%
0.1377899944782	-	1	0.1%
0.1379030048847	-	1	0.1%
0.1426060050726	-	1	0.1%
0.1431850045919	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1436070054770	-	1	0.1%
0.1452309936285	-	1	0.1%
0.1452790051699	-	1	0.1%
0.1473249942064	-	1	0.1%
0.1474059969187	-	1	0.1%
0.1479990035295	-	1	0.1%
0.1488379985094	-	1	0.1%
0.1492509990931	-	1	0.1%
0.1495919972658	-	1	0.1%
0.1504629999399	-	1	0.1%
0.1550939977169	-	1	0.1%
0.1577740013599	-	1	0.1%
0.1589899957180	-	1	0.1%
0.1601179987192	-	1	0.1%
0.1609559953213	-	1	0.1%
0.1633709967136	-	1	0.1%
0.1636189967394	-	1	0.1%
0.1637800037861	-	1	0.1%
0.1646240055561	-	1	0.1%
0.1671729981899	-	1	0.1%
0.1680949926376	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5756815239533
- Minimum: 0.0394456014037
- Maximum: 5.6223797798157
- Standard Deviation: 0.5599986720732

Location: 9328-9342 (width: 15; decimal: 13)

Variable Type: numeric

E116_ABS_GAMMAA4A4: E116_abs_gamma

Value	Label	Unweighted Frequency	%
0.0190670993179	-	1	0.1%
0.0209673997015	-	1	0.1%
0.0263762008399	-	1	0.1%
0.0337183997035	-	1	0.1%
0.0364678017795	-	1	0.1%
0.0374848991632	-	1	0.1%
0.0410219989717	-	1	0.1%
0.0412072986364	-	1	0.1%
0.0413019992411	-	1	0.1%
0.0421953015029	-	1	0.1%
0.0437161996961	-	1	0.1%
0.0446806997061	-	1	0.1%
0.0490733012557	-	1	0.1%
0.0495402999222	-	1	0.1%
0.0509994998574	-	1	0.1%
0.0550098009408	-	1	0.1%
0.0559280999005	-	1	0.1%
0.0560838989913	-	1	0.1%
0.0562114007771	-	1	0.1%
0.0575966015458	-	1	0.1%
0.0577474012971	-	1	0.1%
0.0596468001604	-	1	0.1%
0.0598725005984	-	1	0.1%
0.0602477006614	-	1	0.1%
0.0614303983748	-	1	0.1%
0.0631251037121	-	1	0.1%
0.0631690993905	-	1	0.1%
0.0637725964189	-	1	0.1%
0.0648853033781	-	1	0.1%
0.0667926967144	-	1	0.1%
0.0669509992003	-	1	0.1%
0.0672705024481	-	1	0.1%
0.0678564012051	-	1	0.1%
0.0680946037173	-	1	0.1%
0.0683337002993	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0686431974173	-	1	0.1%
0.0718393027782	-	1	0.1%
0.0723282024264	-	1	0.1%
0.0730704963207	-	1	0.1%
0.0733527019620	-	1	0.1%
0.0737337991595	-	1	0.1%
0.0740232020617	-	1	0.1%
0.0750261023641	-	1	0.1%
0.0765606984496	-	1	0.1%
0.0768309980631	-	1	0.1%
0.0770505964756	-	1	0.1%
0.0771035030484	-	1	0.1%
0.0780050978065	-	1	0.1%
0.0781548023224	-	1	0.1%
0.0782577991486	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4506327046670
- Minimum: 0.0190670993179
- Maximum: 6.6566500663757
- Standard Deviation: 0.5882275581494

Location: 9343-9357 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E117_ABS_THETAA4A4: E117_abs_theta

Value	Label	Unweighted Frequency	%
0.426216989756	-	1	0.1%
0.747421979904	-	1	0.1%
0.787074983120	-	1	0.1%
0.792294979095	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.802658021450	-	1	0.1%
0.916459023952	-	1	0.1%
1.009439945221	-	1	0.1%
1.037610054016	-	1	0.1%
1.050320029259	-	1	0.1%
1.051959991455	-	1	0.1%
1.067010045052	-	1	0.1%
1.111140012741	-	1	0.1%
1.111410021782	-	1	0.1%
1.160770058632	-	1	0.1%
1.273880004883	-	1	0.1%
1.338160037994	-	1	0.1%
1.341099977493	-	1	0.1%
1.343240022659	-	1	0.1%
1.389189958572	-	1	0.1%
1.396639943123	-	1	0.1%
1.445219993591	-	1	0.1%
1.479349970818	-	1	0.1%
1.483710050583	-	1	0.1%
1.486400008202	-	1	0.1%
1.489580035210	-	1	0.1%
1.500959992409	-	1	0.1%
1.512879967690	-	1	0.1%
1.514109969139	-	1	0.1%
1.515910029411	-	1	0.1%
1.541859984398	-	1	0.1%
1.546679973602	-	1	0.1%
1.548099994659	-	1	0.1%
1.583150029182	-	1	0.1%
1.597820043564	-	1	0.1%
1.606320023537	-	1	0.1%
1.606699943542	-	1	0.1%
1.613659977913	-	1	0.1%
1.618039965630	-	1	0.1%
1.620530009270	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.623980045319	-	1	0.1%
1.631659984589	-	1	0.1%
1.668210029602	-	1	0.1%
1.675369977951	-	1	0.1%
1.691990017891	-	1	0.1%
1.696059942245	-	1	0.1%
1.697059988976	-	1	0.1%
1.701120018959	-	1	0.1%
1.728459954262	-	1	0.1%
1.731690049171	-	1	0.1%
1.741549968719	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.146890077198
- Minimum: 0.426216989756
- Maximum: 15.693699836731
- Standard Deviation: 2.139410461618

Location: 9358-9372 (width: 15; decimal: 12)

Variable Type: numeric

E117_ABS_ALPHAA4A4: E117_abs_alpha

Value	Label	Unweighted Frequency	%
0.204293996096	-	1	0.1%
0.255425006151	-	1	0.1%
0.258538007736	-	1	0.1%
0.294236004353	-	1	0.1%
0.321107000113	-	1	0.1%
0.332938998938	-	1	0.1%
0.357183992863	-	1	0.1%
0.378179997206	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.385069996119	-	1	0.1%
0.390938997269	-	1	0.1%
0.392877012491	-	1	0.1%
0.402530014515	-	1	0.1%
0.411141991615	-	1	0.1%
0.412014007568	-	1	0.1%
0.417795985937	-	1	0.1%
0.423099011183	-	1	0.1%
0.424268007278	-	1	0.1%
0.430341988802	-	1	0.1%
0.432460010052	-	1	0.1%
0.432469010353	-	1	0.1%
0.451546996832	-	1	0.1%
0.460070014000	-	1	0.1%
0.469855010509	-	1	0.1%
0.476388007402	-	1	0.1%
0.483175992966	-	1	0.1%
0.500864982605	-	1	0.1%
0.506245970726	-	1	0.1%
0.508445978165	-	1	0.1%
0.509272992611	-	1	0.1%
0.514415025711	-	1	0.1%
0.515057981014	-	1	0.1%
0.519486010075	-	1	0.1%
0.524076998234	-	1	0.1%
0.531651020050	-	1	0.1%
0.531738996506	-	1	0.1%
0.532051980495	-	1	0.1%
0.535059988499	-	1	0.1%
0.535385012627	-	1	0.1%
0.541997015476	-	1	0.1%
0.544601023197	-	1	0.1%
0.546797990799	-	1	0.1%
0.572022020817	-	1	0.1%
0.585164010525	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.589282989502	-	1	0.1%
0.601615011692	-	1	0.1%
0.602455973625	-	1	0.1%
0.613339006901	-	1	0.1%
0.621585011482	-	1	0.1%
0.623946011066	-	1	0.1%
0.628722012043	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.682691923605
- Minimum: 0.204293996096
- Maximum: 12.613699913025
- Standard Deviation: 1.072047501960

Location: 9373-9387 (width: 15; decimal: 12)

Variable Type: numeric

E117_ABS_BETAA4A4: E117_abs_beta

Value	Label	Unweighted Frequency	%
0.0382243990898	-	1	0.1%
0.0701322034001	-	1	0.1%
0.0778653994203	-	1	0.1%
0.0795791000128	-	1	0.1%
0.0800615996122	-	1	0.1%
0.0811204016209	-	1	0.1%
0.0856351032853	-	1	0.1%
0.0919373035431	-	1	0.1%
0.0924339964986	-	1	0.1%
0.0961207970977	-	1	0.1%
0.0974207967520	-	1	0.1%
0.0980179980397	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1064269989729	-	1	0.1%
0.1081679984927	-	1	0.1%
0.1123619973660	-	1	0.1%
0.1132439970970	-	1	0.1%
0.1137719973922	-	1	0.1%
0.1183419972658	-	1	0.1%
0.1196800023317	-	1	0.1%
0.1207379996777	-	1	0.1%
0.1220149993896	-	1	0.1%
0.1232440024614	-	1	0.1%
0.1242379993200	-	1	0.1%
0.1242569983006	-	1	0.1%
0.1259479969740	-	1	0.1%
0.1277749985456	-	1	0.1%
0.1280580013990	-	1	0.1%
0.1286700069904	-	1	0.1%
0.1289030015469	-	1	0.1%
0.1341470032930	-	1	0.1%
0.1353179961443	-	1	0.1%
0.1354469954967	-	1	0.1%
0.1412480026484	-	1	0.1%
0.1416929960251	-	1	0.1%
0.1457200050354	-	1	0.1%
0.1462129950523	-	1	0.1%
0.1462810039520	-	1	0.1%
0.1469960063696	-	1	0.1%
0.1472479999065	-	1	0.1%
0.1503899991512	-	1	0.1%
0.1513140052557	-	1	0.1%
0.1521179974079	-	1	0.1%
0.1545400023460	-	1	0.1%
0.1604450047016	-	1	0.1%
0.1613029986620	-	1	0.1%
0.1615490019321	-	1	0.1%
0.1623249948025	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1626410037279	-	1	0.1%
0.1628459990025	-	1	0.1%
0.1648170053959	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4879079703530
- Minimum: 0.0382243990898
- Maximum: 2.8286700248718
- Standard Deviation: 0.3830137491698

Location: 9388-9402 (width: 15; decimal: 13)

Variable Type: numeric

E117_ABS_GAMMAA4A4: E117_abs_gamma

Value	Label	Unweighted Frequency	%
0.0179473999888	-	1	0.1%
0.0245351009071	-	1	0.1%
0.0270598996431	-	1	0.1%
0.0325567983091	-	1	0.1%
0.0337500981987	-	1	0.1%
0.0372674986720	-	1	0.1%
0.0397289991379	-	1	0.1%
0.0422901995480	-	1	0.1%
0.0428383015096	-	1	0.1%
0.0429333001375	-	1	0.1%
0.0435209013522	-	1	0.1%
0.0444886982441	-	1	0.1%
0.0445498004556	-	1	0.1%
0.0456141009927	-	1	0.1%
0.0463173016906	-	1	0.1%
0.0464914999902	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0465108007193	-	1	0.1%
0.0468461997807	-	1	0.1%
0.0469927005470	-	1	0.1%
0.0483993999660	-	1	0.1%
0.0497220009565	-	1	0.1%
0.0510454997420	-	1	0.1%
0.0516217015684	-	1	0.1%
0.0528189986944	-	1	0.1%
0.0545431002975	-	1	0.1%
0.0574166998267	-	1	0.1%
0.0591664984822	-	1	0.1%
0.0595942996442	-	1	0.1%
0.0600985996425	-	1	0.1%
0.0606619007885	-	1	0.1%
0.0609376989305	-	1	0.1%
0.0611043982208	-	1	0.1%
0.0612451992929	-	1	0.1%
0.0618712007999	-	1	0.1%
0.0623036995530	-	1	0.1%
0.0647277981043	-	1	0.1%
0.0651447996497	-	1	0.1%
0.0662370026112	-	1	0.1%
0.0663217008114	-	1	0.1%
0.0667146965861	-	1	0.1%
0.0679273009300	-	1	0.1%
0.0681080967188	-	1	0.1%
0.0686585009098	-	1	0.1%
0.0690082013607	-	1	0.1%
0.0694335028529	-	1	0.1%
0.0696270018816	-	1	0.1%
0.0696685984731	-	1	0.1%
0.0699115023017	-	1	0.1%
0.0709507986903	-	1	0.1%
0.0712291002274	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2940578452389
- Minimum: 0.0179473999888
- Maximum: 2.9255499839783
- Standard Deviation: 0.3358947749297

Location: 9403-9417 (width: 15; decimal: 13)

Variable Type: numeric

E118_ABS_THETAA4A4: E118_abs_theta

Value	Label	Unweighted Frequency	%
0.751236975193	-	1	0.1%
0.824783980846	-	1	0.1%
0.892803013325	-	1	0.1%
0.931267023087	-	1	0.1%
1.005579948425	-	1	0.1%
1.086709976196	-	1	0.1%
1.162819981575	-	1	0.1%
1.217159986496	-	1	0.1%
1.222290039063	-	1	0.1%
1.251189947128	-	1	0.1%
1.266489982605	-	1	0.1%
1.317530035973	-	1	0.1%
1.376340031624	-	1	0.1%
1.379660010338	-	1	0.1%
1.418660044670	-	1	0.1%
1.436679959297	-	1	0.1%
1.442639946938	-	1	0.1%
1.478829979897	-	1	0.1%
1.496160030365	-	1	0.1%
1.507069945335	-	1	0.1%
1.507079958916	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.584900021553	-	1	0.1%
1.597129940987	-	1	0.1%
1.620110034943	-	1	0.1%
1.698529958725	-	1	0.1%
1.709810018539	-	1	0.1%
1.726150035858	-	1	0.1%
1.728690028191	-	1	0.1%
1.796959996223	-	1	0.1%
1.813420057297	-	1	0.1%
1.827929973602	-	1	0.1%
1.858440041542	-	1	0.1%
1.863890051842	-	1	0.1%
1.869310021400	-	1	0.1%
1.879819989204	-	1	0.1%
1.897490024567	-	1	0.1%
1.910040020943	-	1	0.1%
1.940750002861	-	1	0.1%
1.943860054016	-	1	0.1%
1.944530010223	-	1	0.1%
1.965190052986	-	1	0.1%
1.970409989357	-	1	0.1%
1.976230025291	-	1	0.1%
1.981289982796	-	1	0.1%
2.006930112839	-	1	0.1%
2.008699893951	-	1	0.1%
2.040329933167	-	1	0.1%
2.058799982071	-	1	0.1%
2.062949895859	-	1	0.1%
2.075469970703	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 5.045712206847
- Minimum: 0.751236975193
- Maximum: 17.785999298096
- Standard Deviation: 2.507760988702

Location: 9418-9432 (width: 15; decimal: 12)

Variable Type: numeric

E118_ABS_ALPHAA4A4: E118_abs_alpha

Value	Label	Unweighted Frequency	%
0.220544993877	-	1	0.1%
0.253354996443	-	1	0.1%
0.276636004448	-	1	0.1%
0.311812996864	-	1	0.1%
0.338187992573	-	1	0.1%
0.365949988365	-	1	0.1%
0.374720990658	-	1	0.1%
0.390381991863	-	1	0.1%
0.396654009819	-	1	0.1%
0.397368013859	-	1	0.1%
0.423934012651	-	1	0.1%
0.428449988365	-	1	0.1%
0.443545997143	-	1	0.1%
0.445964008570	-	1	0.1%
0.446545004845	-	1	0.1%
0.448323011398	-	1	0.1%
0.451422005892	-	1	0.1%
0.454398989677	-	1	0.1%
0.488016009331	-	1	0.1%
0.495034009218	-	1	0.1%
0.499538004398	-	1	0.1%
0.499606996775	-	1	0.1%
0.510811984539	-	1	0.1%
0.514295995235	-	1	0.1%
0.546754002571	-	1	0.1%
0.551780998707	-	1	0.1%
0.554450988770	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.561094999313	-	1	0.1%
0.564419984818	-	1	0.1%
0.571178972721	-	1	0.1%
0.572830975056	-	1	0.1%
0.573155999184	-	1	0.1%
0.584411025047	-	1	0.1%
0.605783998966	-	1	0.1%
0.610388994217	-	1	0.1%
0.612685024738	-	1	0.1%
0.612784028053	-	1	0.1%
0.619077980518	-	1	0.1%
0.622879028320	-	1	0.1%
0.629683017731	-	1	0.1%
0.632678985596	-	1	0.1%
0.633750975132	-	1	0.1%
0.639029026031	-	1	0.1%
0.644846022129	-	1	0.1%
0.650888979435	-	1	0.1%
0.651004016399	-	1	0.1%
0.651009976864	-	1	0.1%
0.654605984688	-	1	0.1%
0.655816972256	-	1	0.1%
0.661073982716	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.789436065007
- Minimum: 0.220544993877
- Maximum: 13.431400299072
- Standard Deviation: 1.168156743302

Location: 9433-9447 (width: 15; decimal: 12)

Variable Type: numeric

E118_ABS_BETAA4A4: E118_abs_beta

Value	Label	Unweighted Frequency	%
0.0627446994185	-	1	0.1%
0.0709659010172	-	1	0.1%
0.0848547965288	-	1	0.1%
0.0850363001227	-	1	0.1%
0.0868029966950	-	1	0.1%
0.0918046012521	-	1	0.1%
0.0922340974212	-	1	0.1%
0.0931240990758	-	1	0.1%
0.1011189967394	-	1	0.1%
0.1046610027552	-	1	0.1%
0.1075439974666	-	1	0.1%
0.1077480018139	-	1	0.1%
0.1078160032630	-	1	0.1%
0.1097859963775	-	1	0.1%
0.1099319979548	-	1	0.1%
0.1169319972396	-	1	0.1%
0.1179879978299	-	1	0.1%
0.1184379979968	-	1	0.1%
0.1221930012107	-	1	0.1%
0.1266189962626	-	1	0.1%
0.1274230033159	-	1	0.1%
0.1295370012522	-	1	0.1%
0.1310539990664	-	1	0.1%
0.1339779943228	-	1	0.1%
0.1349010020494	-	1	0.1%
0.1349370032549	-	1	0.1%
0.1369719952345	-	1	0.1%
0.1380870044231	-	1	0.1%
0.1388439983130	-	1	0.1%
0.1391229927540	-	1	0.1%
0.1417060047388	-	1	0.1%
0.1424639970064	-	1	0.1%
0.1465180069208	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1488099992275	-	1	0.1%
0.1488730013371	-	1	0.1%
0.1494649946690	-	1	0.1%
0.1535550057888	-	1	0.1%
0.1540240049362	-	1	0.1%
0.1546310037374	-	1	0.1%
0.1560460031033	-	1	0.1%
0.1563870012760	-	1	0.1%
0.1581179946661	-	1	0.1%
0.1583780050278	-	1	0.1%
0.1592590063810	-	1	0.1%
0.1610070019960	-	1	0.1%
0.1627629995346	-	1	0.1%
0.1646180003881	-	1	0.1%
0.1672510057688	-	1	0.1%
0.1686390042305	-	1	0.1%
0.1698410063982	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4440920879782
- Minimum: 0.0627446994185
- Maximum: 5.2853899002075
- Standard Deviation: 0.3468317151490

Location: 9448-9462 (width: 15; decimal: 13)

Variable Type: numeric

E118_ABS_GAMMAA4A4: E118_abs_gamma

Value	Label	Unweighted Frequency	%
0.0200698003173	-	1	0.1%
0.0247418005019	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0274564996362	-	1	0.1%
0.0354289002717	-	1	0.1%
0.0374385006726	-	1	0.1%
0.0384243987501	-	1	0.1%
0.0433950014412	-	1	0.1%
0.0445168018341	-	1	0.1%
0.0452976003289	-	1	0.1%
0.0458241999149	-	1	0.1%
0.0461934991181	-	1	0.1%
0.0463888011873	-	1	0.1%
0.0473181009293	-	1	0.1%
0.0476967990398	-	1	0.1%
0.0478130988777	-	1	0.1%
0.0483185984194	-	1	0.1%
0.0485254004598	-	1	0.1%
0.0487243011594	-	1	0.1%
0.0494786985219	-	1	0.1%
0.0496799983084	-	1	0.1%
0.0499618984759	-	1	0.1%
0.0508161000907	-	1	0.1%
0.0515130981803	-	1	0.1%
0.0528452992439	-	1	0.1%
0.0530214011669	-	1	0.1%
0.0560395009816	-	1	0.1%
0.0562890991569	-	1	0.1%
0.0563949011266	-	1	0.1%
0.0564633011818	-	1	0.1%
0.0572777986526	-	1	0.1%
0.0575751997530	-	1	0.1%
0.0589180998504	-	1	0.1%
0.0589514002204	-	1	0.1%
0.0595360994339	-	1	0.1%
0.0598728992045	-	1	0.1%
0.0598940998316	-	1	0.1%
0.0603077001870	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0609380006790	-	1	0.1%
0.0611438006163	-	1	0.1%
0.0620190985501	-	1	0.1%
0.0622892007232	-	1	0.1%
0.0625172033906	-	1	0.1%
0.0630460977554	-	1	0.1%
0.0630560964346	-	1	0.1%
0.0632013976574	-	1	0.1%
0.0633469000459	-	1	0.1%
0.0639413967729	-	1	0.1%
0.0646312013268	-	1	0.1%
0.0654451996088	-	1	0.1%
0.0663248971105	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2209494763801
- Minimum: 0.0200698003173
- Maximum: 5.1782698631287
- Standard Deviation: 0.2719008515024

Location: 9463-9477 (*width:* 15; *decimal:* 13)

Variable Type: numeric

E122_ABS_THETAA4A4: E122_abs_theta

Value	Label	Unweighted Frequency	%
0.986298978329	-	1	0.1%
1.097280025482	-	1	0.1%
1.158640027046	-	1	0.1%
1.174559950829	-	1	0.1%
1.176740050316	-	1	0.1%
1.183779954910	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.244230031967	-	1	0.1%
1.313380002975	-	1	0.1%
1.352659940720	-	1	0.1%
1.369860053062	-	1	0.1%
1.382740020752	-	1	0.1%
1.416170001030	-	1	0.1%
1.422029972076	-	1	0.1%
1.425469994545	-	1	0.1%
1.435369968414	-	1	0.1%
1.441640019417	-	1	0.1%
1.441750049591	-	1	0.1%
1.476879954338	-	1	0.1%
1.477079987526	-	1	0.1%
1.482859969139	-	1	0.1%
1.519400000572	-	1	0.1%
1.547690033913	-	1	0.1%
1.556360006332	-	1	0.1%
1.567630052567	-	1	0.1%
1.576689958572	-	1	0.1%
1.621739983559	-	1	0.1%
1.630740046501	-	1	0.1%
1.640930056572	-	1	0.1%
1.647279977798	-	1	0.1%
1.654240012169	-	1	0.1%
1.658149957657	-	1	0.1%
1.665130019188	-	1	0.1%
1.745749950409	-	1	0.1%
1.750360012054	-	1	0.1%
1.763219952583	-	1	0.1%
1.772690057755	-	1	0.1%
1.789749979973	-	1	0.1%
1.798370003700	-	1	0.1%
1.799559950829	-	1	0.1%
1.841560006142	-	1	0.1%
1.844470024109	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.867609977722	-	1	0.1%
1.888839960098	-	1	0.1%
1.894899964333	-	1	0.1%
1.912760019302	-	1	0.1%
1.927880048752	-	1	0.1%
1.978970050812	-	1	0.1%
1.985270023346	-	1	0.1%
1.986289978027	-	1	0.1%
1.986860036850	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.580492854949
- Minimum: 0.986298978329
- Maximum: 19.483499526978
- Standard Deviation: 2.376241904461

Location: 9478-9492 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E122_ABS_ALPHAA4A4: E122_abs_alpha

Value	Label	Unweighted Frequency	%
0.2826620042324	-	1	0.1%
0.2848049998283	-	1	0.1%
0.3180240094662	-	1	0.1%
0.3416070044041	-	1	0.1%
0.3473399877548	-	1	0.1%
0.3478449881077	-	1	0.1%
0.3628000020981	-	1	0.1%
0.3677160143852	-	1	0.1%
0.4320999979973	-	1	0.1%
0.4342570006847	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.4378579854965	-	1	0.1%
0.4697029888630	-	1	0.1%
0.4733290076256	-	1	0.1%
0.4898569881916	-	1	0.1%
0.4903550148010	-	1	0.1%
0.4961290061474	-	1	0.1%
0.4996849894524	-	1	0.1%
0.5018780231476	-	1	0.1%
0.5103330016136	-	1	0.1%
0.5134339928627	-	1	0.1%
0.5174469947815	-	1	0.1%
0.5191760063171	-	1	0.1%
0.5222449898720	-	1	0.1%
0.5257210135460	-	1	0.1%
0.5323160290718	-	1	0.1%
0.5361980199814	-	1	0.1%
0.5393229722977	-	1	0.1%
0.5475460290909	-	1	0.1%
0.5635269880295	-	1	0.1%
0.5640519857407	-	1	0.1%
0.5672500133514	-	1	0.1%
0.5758389830589	-	1	0.1%
0.5785380005836	-	1	0.1%
0.5866690278053	-	1	0.1%
0.5930470228195	-	1	0.1%
0.5930770039558	-	1	0.1%
0.6005460023880	-	1	0.1%
0.6013749837875	-	1	0.1%
0.6074569821358	-	1	0.1%
0.6090450286865	-	1	0.1%
0.6124439835548	-	1	0.1%
0.6141660213470	-	1	0.1%
0.6253629922867	-	1	0.1%
0.6256020069122	-	1	0.1%
0.6280779838562	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.6298819780350	-	1	0.1%
0.6312729716301	-	1	0.1%
0.6318659782410	-	1	0.1%
0.6345469951630	-	1	0.1%
0.6396740078926	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.6164823269512
- Minimum: 0.2826620042324
- Maximum: 9.5781602859497
- Standard Deviation: 1.0350666817641

Location: 9493-9507 (width: 15; decimal: 13)

Variable Type: numeric

E122_ABS_BETAA4A4: E122_abs_beta

Value	Label	Unweighted Frequency	%
0.0805251002312	-	1	0.1%
0.0856162011623	-	1	0.1%
0.0940892994404	-	1	0.1%
0.1106560006738	-	1	0.1%
0.1113229990005	-	1	0.1%
0.1140260025859	-	1	0.1%
0.1165769994259	-	1	0.1%
0.1217660009861	-	1	0.1%
0.1298979967833	-	1	0.1%
0.1299259960651	-	1	0.1%
0.1313360035419	-	1	0.1%
0.1321740001440	-	1	0.1%
0.1330299973488	-	1	0.1%
0.1360509991646	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1363500058651	-	1	0.1%
0.1367789953947	-	1	0.1%
0.1460800021887	-	1	0.1%
0.1462119966745	-	1	0.1%
0.1463609933853	-	1	0.1%
0.1471250057220	-	1	0.1%
0.1476120054722	-	1	0.1%
0.1517959982157	-	1	0.1%
0.1529770046473	-	1	0.1%
0.1536339968443	-	1	0.1%
0.1549399942160	-	1	0.1%
0.1572120040655	-	1	0.1%
0.1582199931145	-	1	0.1%
0.1589989960194	-	1	0.1%
0.1604350060225	-	1	0.1%
0.1611000001431	-	1	0.1%
0.1620510071516	-	1	0.1%
0.1671299934387	-	1	0.1%
0.1691450029612	-	1	0.1%
0.1705580055714	-	1	0.1%
0.1744679957628	-	1	0.1%
0.1745000034571	-	1	0.1%
0.1745329946280	-	1	0.1%
0.1747100055218	-	1	0.1%
0.1750240027905	-	1	0.1%
0.1756979972124	-	1	0.1%
0.1767839938402	-	1	0.1%
0.1768250018358	-	1	0.1%
0.1768600046635	-	1	0.1%
0.1775860041380	-	1	0.1%
0.1777140051126	-	1	0.1%
0.1795520037413	-	1	0.1%
0.1816730052233	-	1	0.1%
0.1817280054092	-	1	0.1%
0.1827179938555	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1834910064936	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.4565292303407
- Minimum: 0.0805251002312
- Maximum: 2.5749299526215
- Standard Deviation: 0.3109633715093

Location: 9508-9522 (width: 15; decimal: 13)

Variable Type: numeric

E122_ABS_GAMMAA4A4: E122_abs_gamma

Value	Label	Unweighted Frequency	%
0.0369793996215	-	1	0.1%
0.0377416983247	-	1	0.1%
0.0429536998272	-	1	0.1%
0.0458329990506	-	1	0.1%
0.0485446006060	-	1	0.1%
0.0501350983977	-	1	0.1%
0.0535831004381	-	1	0.1%
0.0566932000220	-	1	0.1%
0.0571273006499	-	1	0.1%
0.0593119002879	-	1	0.1%
0.0638870969415	-	1	0.1%
0.0667733997107	-	1	0.1%
0.0681874975562	-	1	0.1%
0.0683424994349	-	1	0.1%
0.0686156004667	-	1	0.1%
0.0693020969629	-	1	0.1%
0.0702351033688	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0707710012794	-	1	0.1%
0.0715579986572	-	1	0.1%
0.0725767016411	-	1	0.1%
0.0726697966456	-	1	0.1%
0.0763301029801	-	1	0.1%
0.0777084976435	-	1	0.1%
0.0783334970474	-	1	0.1%
0.0798953995109	-	1	0.1%
0.0809848010540	-	1	0.1%
0.0813435986638	-	1	0.1%
0.0814770013094	-	1	0.1%
0.0815225020051	-	1	0.1%
0.0821117982268	-	1	0.1%
0.0821729004383	-	1	0.1%
0.0827146992087	-	1	0.1%
0.0828984007239	-	1	0.1%
0.0841161012650	-	1	0.1%
0.0849602967501	-	1	0.1%
0.0850984007120	-	1	0.1%
0.0865669026971	-	1	0.1%
0.0867549031973	-	1	0.1%
0.0875900983810	-	1	0.1%
0.0889376997948	-	1	0.1%
0.0896205976605	-	1	0.1%
0.0905082002282	-	1	0.1%
0.0912666022778	-	1	0.1%
0.0914553999901	-	1	0.1%
0.0935769975185	-	1	0.1%
0.0950215980411	-	1	0.1%
0.0957480967045	-	1	0.1%
0.0961915031075	-	1	0.1%
0.0963675007224	-	1	0.1%
0.0967812016606	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3248695754518
- Minimum: 0.0369793996215
- Maximum: 2.7749099731445
- Standard Deviation: 0.3206747780666

Location: 9523-9537 (width: 15; decimal: 13)

Variable Type: numeric

E123_ABS_THETAA4A4: E123_abs_theta

Value	Label	Unweighted Frequency	%
0.864682972431	-	1	0.1%
0.945505976677	-	1	0.1%
1.162500023842	-	1	0.1%
1.198410034180	-	1	0.1%
1.219370007515	-	1	0.1%
1.276749968529	-	1	0.1%
1.326349973679	-	1	0.1%
1.341519951820	-	1	0.1%
1.353389978409	-	1	0.1%
1.442000031471	-	1	0.1%
1.522070050240	-	1	0.1%
1.582219958305	-	1	0.1%
1.589740037918	-	1	0.1%
1.612159967422	-	1	0.1%
1.638120055199	-	1	0.1%
1.664219975471	-	1	0.1%
1.676329970360	-	1	0.1%
1.685709953308	-	1	0.1%
1.743330001831	-	1	0.1%
1.758839964867	-	1	0.1%
1.782780051231	-	1	0.1%
1.783570051193	-	1	0.1%
1.822239995003	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.826439976692	-	1	0.1%
1.832820057869	-	1	0.1%
1.846439957619	-	1	0.1%
1.853809952736	-	1	0.1%
1.906260013580	-	1	0.1%
1.967579960823	-	1	0.1%
1.968889951706	-	1	0.1%
1.986369967461	-	1	0.1%
1.990630030632	-	1	0.1%
2.014389991760	-	1	0.1%
2.023659944534	-	1	0.1%
2.026510000229	-	1	0.1%
2.046649932861	-	1	0.1%
2.051460027695	-	1	0.1%
2.051700115204	-	1	0.1%
2.077339887619	-	1	0.1%
2.088320016861	-	1	0.1%
2.102420091629	-	1	0.1%
2.116300106049	-	1	0.1%
2.119290113449	-	1	0.1%
2.129470109940	-	1	0.1%
2.142859935760	-	1	0.1%
2.144429922104	-	1	0.1%
2.153330087662	-	1	0.1%
2.154239892960	-	1	0.1%
2.157200098038	-	1	0.1%
2.160949945450	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.786545290205
- Minimum: 0.864682972431
- Maximum: 15.828000068665
- Standard Deviation: 2.281908120962

Location: 9538-9552 (width: 15; decimal: 12)

Variable Type: numeric

E123_ABS_ALPHAA4A4: E123_abs_alpha

Value	Label	Unweighted Frequency	%
0.165204003453	-	1	0.1%
0.321570008993	-	1	0.1%
0.334149003029	-	1	0.1%
0.352005004883	-	1	0.1%
0.368193000555	-	1	0.1%
0.382225990295	-	1	0.1%
0.385661005974	-	1	0.1%
0.430400997400	-	1	0.1%
0.454420000315	-	1	0.1%
0.456322997808	-	1	0.1%
0.468854010105	-	1	0.1%
0.476469010115	-	1	0.1%
0.497606009245	-	1	0.1%
0.503921985626	-	1	0.1%
0.510865986347	-	1	0.1%
0.515425026417	-	1	0.1%
0.515547990799	-	1	0.1%
0.518610000610	-	1	0.1%
0.519608020782	-	1	0.1%
0.523405015469	-	1	0.1%
0.524605989456	-	1	0.1%
0.535665988922	-	1	0.1%
0.551092982292	-	1	0.1%
0.560313999653	-	1	0.1%
0.561505973339	-	1	0.1%
0.595609009266	-	1	0.1%
0.598631978035	-	1	0.1%
0.603443980217	-	1	0.1%
0.605616986752	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.616607010365	-	1	0.1%
0.619045019150	-	1	0.1%
0.624970018864	-	1	0.1%
0.625885009766	-	1	0.1%
0.632393002510	-	1	0.1%
0.650026023388	-	1	0.1%
0.674537003040	-	1	0.1%
0.674884021282	-	1	0.1%
0.680224001408	-	1	0.1%
0.685364007950	-	1	0.1%
0.687156021595	-	1	0.1%
0.693179011345	-	1	0.1%
0.697759985924	-	1	0.1%
0.708114027977	-	1	0.1%
0.709546983242	-	1	0.1%
0.712692975998	-	1	0.1%
0.727647006512	-	1	0.1%
0.738615989685	-	1	0.1%
0.739705979824	-	1	0.1%
0.743982017040	-	1	0.1%
0.746492028236	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.785638648821
- Minimum: 0.165204003453
- Maximum: 11.198200225830
- Standard Deviation: 1.030928738561

Location: 9553-9567 (*width:* 15; *decimal:* 12)

Variable Type: numeric

E123_ABS_BETAA4A4: E123_abs_beta

Value	Label	Unweighted Frequency	%
0.0726182013750	-	1	0.1%
0.0726594030857	-	1	0.1%
0.0788260027766	-	1	0.1%
0.1014780029655	-	1	0.1%
0.1035429984331	-	1	0.1%
0.1064189970493	-	1	0.1%
0.1147769987583	-	1	0.1%
0.1167569980025	-	1	0.1%
0.1218840032816	-	1	0.1%
0.1226570010185	-	1	0.1%
0.1298290044069	-	1	0.1%
0.1314669996500	-	1	0.1%
0.1330579966307	-	1	0.1%
0.1330720037222	-	1	0.1%
0.1368699967861	-	1	0.1%
0.1399919986725	-	1	0.1%
0.1408189982176	-	1	0.1%
0.1414339989424	-	1	0.1%
0.1458230018616	-	1	0.1%
0.1489699929953	-	1	0.1%
0.1492819935083	-	1	0.1%
0.1523769944906	-	1	0.1%
0.1528279930353	-	1	0.1%
0.1540720015764	-	1	0.1%
0.1553770005703	-	1	0.1%
0.1563760042191	-	1	0.1%
0.1591909974813	-	1	0.1%
0.1653169989586	-	1	0.1%
0.1665659993887	-	1	0.1%
0.1711660027504	-	1	0.1%
0.1741359978914	-	1	0.1%
0.1793570071459	-	1	0.1%
0.1828979998827	-	1	0.1%
0.1831900030375	-	1	0.1%
0.1838299930096	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1873040050268	-	1	0.1%
0.1873160004616	-	1	0.1%
0.1882269978523	-	1	0.1%
0.1889300048351	-	1	0.1%
0.1899890005589	-	1	0.1%
0.1902229934931	-	1	0.1%
0.1926680058241	-	1	0.1%
0.1944710016251	-	1	0.1%
0.1945219933987	-	1	0.1%
0.1975290030241	-	1	0.1%
0.1976159960032	-	1	0.1%
0.1983859986067	-	1	0.1%
0.1986230015755	-	1	0.1%
0.2008350044489	-	1	0.1%
0.2013580054045	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5586453749000
- Minimum: 0.0726182013750
- Maximum: 4.1194901466370
- Standard Deviation: 0.4144846113302

Location: 9568-9582 (width: 15; decimal: 13)

Variable Type: numeric

E123_ABS_GAMMAA4A4: E123_abs_gamma

Value	Label	Unweighted Frequency	%
0.0281504001468	-	1	0.1%
0.0353275984526	-	1	0.1%
0.0360396988690	-	1	0.1%
0.0379159003496	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0446141995490	-	1	0.1%
0.0473380982876	-	1	0.1%
0.0488658994436	-	1	0.1%
0.0500006005168	-	1	0.1%
0.0521398000419	-	1	0.1%
0.0526828989387	-	1	0.1%
0.0527047999203	-	1	0.1%
0.0540600009263	-	1	0.1%
0.0546471998096	-	1	0.1%
0.0560255981982	-	1	0.1%
0.0562806986272	-	1	0.1%
0.0568590015173	-	1	0.1%
0.0576413981616	-	1	0.1%
0.0577546991408	-	1	0.1%
0.0581570006907	-	1	0.1%
0.0583375990391	-	1	0.1%
0.0648941993713	-	1	0.1%
0.0656647011638	-	1	0.1%
0.0665327012539	-	1	0.1%
0.0671273022890	-	1	0.1%
0.0705635994673	-	1	0.1%
0.0709327980876	-	1	0.1%
0.0726682990789	-	1	0.1%
0.0734850987792	-	1	0.1%
0.0749524012208	-	1	0.1%
0.0782748982310	-	1	0.1%
0.0797640010715	-	1	0.1%
0.0814045965672	-	1	0.1%
0.0815868973732	-	1	0.1%
0.0836945995688	-	1	0.1%
0.0837730020285	-	1	0.1%
0.0843319967389	-	1	0.1%
0.0847384035587	-	1	0.1%
0.0854696035385	-	1	0.1%
0.0859720036387	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0862516984344	-	1	0.1%
0.0877605974674	-	1	0.1%
0.0885351002216	-	1	0.1%
0.0888891965151	-	1	0.1%
0.0900178998709	-	1	0.1%
0.0909990966320	-	1	0.1%
0.0915442034602	-	1	0.1%
0.0917093977332	-	1	0.1%
0.0940122008324	-	1	0.1%
0.0945015996695	-	1	0.1%
0.0945113003254	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3800586391523
- Minimum: 0.0281504001468
- Maximum: 3.6014800071716
- Standard Deviation: 0.4173805818349

Location: 9583-9597 (width: 15; decimal: 13)

Variable Type: numeric

E124_ABS_THETAA4A4: E124_abs_theta

Value	Label	Unweighted Frequency	%
0.732007026672	-	1	0.1%
0.806613981724	-	1	0.1%
0.993175983429	-	1	0.1%
1.177270054817	-	1	0.1%
1.283190011978	-	1	0.1%
1.291569948196	-	1	0.1%
1.316490054131	-	1	0.1%
1.321599960327	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.334400057793	-	1	0.1%
1.352839946747	-	1	0.1%
1.419739961624	-	1	0.1%
1.513599991798	-	1	0.1%
1.624729990959	-	1	0.1%
1.644490003586	-	1	0.1%
1.705549955368	-	1	0.1%
1.731459975243	-	1	0.1%
1.754729986191	-	1	0.1%
1.788699984550	-	1	0.1%
1.811439990997	-	1	0.1%
1.871140003204	-	1	0.1%
1.899189949036	-	1	0.1%
1.932450056076	-	1	0.1%
1.940070033073	-	1	0.1%
1.964730024338	-	1	0.1%
1.975419998169	-	1	0.1%
2.002079963684	-	1	0.1%
2.003350019455	-	1	0.1%
2.013070106506	-	1	0.1%
2.036459922791	-	1	0.1%
2.044719934464	-	1	0.1%
2.044950008392	-	1	0.1%
2.053430080414	-	1	0.1%
2.056090116501	-	1	0.1%
2.060400009155	-	1	0.1%
2.096240043640	-	1	0.1%
2.121469974518	-	1	0.1%
2.122869968414	-	1	0.1%
2.147020101547	-	1	0.1%
2.153759956360	-	1	0.1%
2.168020009995	-	1	0.1%
2.173209905624	-	1	0.1%
2.241329908371	-	1	0.1%
2.244410037994	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.267019987106	-	1	0.1%
2.292860031128	-	1	0.1%
2.326859951019	-	1	0.1%
2.332969903946	-	1	0.1%
2.347769975662	-	1	0.1%
2.359159946442	-	1	0.1%
2.390039920807	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 5.302438181713
- Minimum: 0.732007026672
- Maximum: 17.736600875854
- Standard Deviation: 2.540867170156

Location: 9598-9612 (width: 15; decimal: 12)

Variable Type: numeric

E124_ABS_ALPHAA4A4: E124_abs_alpha

Value	Label	Unweighted Frequency	%
0.279491007328	-	1	0.1%
0.292466998100	-	1	0.1%
0.325172007084	-	1	0.1%
0.378120005131	-	1	0.1%
0.381781995296	-	1	0.1%
0.382625013590	-	1	0.1%
0.393040001392	-	1	0.1%
0.398900985718	-	1	0.1%
0.419813007116	-	1	0.1%
0.434276998043	-	1	0.1%
0.446586996317	-	1	0.1%
0.477414995432	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.478202998638	-	1	0.1%
0.479770988226	-	1	0.1%
0.482618987560	-	1	0.1%
0.483094006777	-	1	0.1%
0.492372006178	-	1	0.1%
0.498784989119	-	1	0.1%
0.507894992828	-	1	0.1%
0.547465980053	-	1	0.1%
0.548425972462	-	1	0.1%
0.593024015427	-	1	0.1%
0.597826004028	-	1	0.1%
0.601185023785	-	1	0.1%
0.604278981686	-	1	0.1%
0.605127990246	-	1	0.1%
0.610534012318	-	1	0.1%
0.626025974751	-	1	0.1%
0.635312020779	-	1	0.1%
0.640922009945	-	1	0.1%
0.647132992744	-	1	0.1%
0.670096993446	-	1	0.1%
0.671549975872	-	1	0.1%
0.672326982021	-	1	0.1%
0.675512015820	-	1	0.1%
0.684844970703	-	1	0.1%
0.685599982738	-	1	0.1%
0.692191004753	-	1	0.1%
0.705286979675	-	1	0.1%
0.714891016483	-	1	0.1%
0.728308975697	-	1	0.1%
0.729993999004	-	1	0.1%
0.743296027184	-	1	0.1%
0.747191011906	-	1	0.1%
0.750126004219	-	1	0.1%
0.752402007580	-	1	0.1%
0.754170000553	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.767310023308	-	1	0.1%
0.775129973888	-	1	0.1%
0.777611970901	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.897440890133
- Minimum: 0.279491007328
- Maximum: 11.151700019836
- Standard Deviation: 1.094062859002

Location: 9613-9627 (width: 15; decimal: 12)

Variable Type: numeric

E124_ABS_BETAA4A4: E124_abs_beta

Value	Label	Unweighted Frequency	%
0.0750314965844	-	1	0.1%
0.0828462019563	-	1	0.1%
0.0877685025334	-	1	0.1%
0.0991676971316	-	1	0.1%
0.1056910008192	-	1	0.1%
0.1110799983144	-	1	0.1%
0.1123040020466	-	1	0.1%
0.1204629987478	-	1	0.1%
0.1260890066624	-	1	0.1%
0.1270889937878	-	1	0.1%
0.1275950074196	-	1	0.1%
0.1302790045738	-	1	0.1%
0.1305129975080	-	1	0.1%
0.1335979998112	-	1	0.1%
0.1338620036840	-	1	0.1%
0.1350940018892	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1364679932594	-	1	0.1%
0.1430280059576	-	1	0.1%
0.1435530036688	-	1	0.1%
0.1465390026569	-	1	0.1%
0.1507489979267	-	1	0.1%
0.1533620059490	-	1	0.1%
0.1549980044365	-	1	0.1%
0.1575610041618	-	1	0.1%
0.1581570059061	-	1	0.1%
0.1591800004244	-	1	0.1%
0.1604170054197	-	1	0.1%
0.1612540036440	-	1	0.1%
0.1631869971752	-	1	0.1%
0.1652020066977	-	1	0.1%
0.1686439961195	-	1	0.1%
0.1719540059566	-	1	0.1%
0.1747310012579	-	1	0.1%
0.1760479956865	-	1	0.1%
0.1776559948921	-	1	0.1%
0.1779139935970	-	1	0.1%
0.1779859960079	-	1	0.1%
0.1797299981117	-	1	0.1%
0.1848530024290	-	1	0.1%
0.1859239935875	-	1	0.1%
0.1900970041752	-	1	0.1%
0.1903959959745	-	1	0.1%
0.1909029930830	-	1	0.1%
0.1932500004768	-	1	0.1%
0.1938779950142	-	1	0.1%
0.1947599947453	-	1	0.1%
0.1947959959507	-	1	0.1%
0.1964669972658	-	1	0.1%
0.1970549970865	-	1	0.1%
0.1970759928226	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5676806151705
- Minimum: 0.0750314965844
- Maximum: 8.1567897796631
- Standard Deviation: 0.4886830851354

Location: 9628-9642 (width: 15; decimal: 13)

Variable Type: numeric

E124_ABS_GAMMAA4A4: E124_abs_gamma

Value	Label	Unweighted Frequency	%
0.0354645997286	-	1	0.1%
0.0400384999812	-	1	0.1%
0.0410282984376	-	1	0.1%
0.0412307009101	-	1	0.1%
0.0427693016827	-	1	0.1%
0.0451311990619	-	1	0.1%
0.0452486984432	-	1	0.1%
0.0497899018228	-	1	0.1%
0.0520136989653	-	1	0.1%
0.0529206991196	-	1	0.1%
0.0532041005790	-	1	0.1%
0.0532466992736	-	1	0.1%
0.0571560002863	-	1	0.1%
0.0575232990086	-	1	0.1%
0.0578301995993	-	1	0.1%
0.0620899982750	-	1	0.1%
0.0624012984335	-	1	0.1%
0.0636119991541	-	1	0.1%
0.0648524016142	-	1	0.1%
0.0654203966260	-	1	0.1%
0.0665104016662	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0676539018750	-	1	0.1%
0.0678791999817	-	1	0.1%
0.0690053999424	-	1	0.1%
0.0695094987750	-	1	0.1%
0.0698302015662	-	1	0.1%
0.0700893029571	-	1	0.1%
0.0709268003702	-	1	0.1%
0.0716847032309	-	1	0.1%
0.0719083026052	-	1	0.1%
0.0719560012221	-	1	0.1%
0.0720904022455	-	1	0.1%
0.0728299990296	-	1	0.1%
0.0734414011240	-	1	0.1%
0.0736718028784	-	1	0.1%
0.0750633999705	-	1	0.1%
0.0754195004702	-	1	0.1%
0.0770637989044	-	1	0.1%
0.0772686004639	-	1	0.1%
0.0779203996062	-	1	0.1%
0.0779265016317	-	1	0.1%
0.0779777988791	-	1	0.1%
0.0804976969957	-	1	0.1%
0.0808935016394	-	1	0.1%
0.0818118005991	-	1	0.1%
0.0830589979887	-	1	0.1%
0.0830982029438	-	1	0.1%
0.0836651995778	-	1	0.1%
0.0851965025067	-	1	0.1%
0.0860830992460	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3549648310193
- Minimum: 0.0354645997286
- Maximum: 6.4217400550842
- Standard Deviation: 0.4427214061974

Location: 9643-9657 (width: 15; decimal: 13)

Variable Type: numeric

CZ_ABS_THETAA4A4: Cz_abs_theta

Value	Label	Unweighted Frequency	%
0.296225011349	-	1	0.1%
0.543065011501	-	1	0.1%
0.584388017654	-	1	0.1%
0.585726976395	-	1	0.1%
0.676373004913	-	1	0.1%
0.718129992485	-	1	0.1%
0.845332026482	-	1	0.1%
0.881672024727	-	1	0.1%
1.015730023384	-	1	0.1%
1.028319954872	-	1	0.1%
1.063459992409	-	1	0.1%
1.089079976082	-	1	0.1%
1.182549953461	-	1	0.1%
1.184509992599	-	1	0.1%
1.192149996758	-	1	0.1%
1.310539960861	-	1	0.1%
1.312829971313	-	1	0.1%
1.328390002251	-	1	0.1%
1.333660006523	-	1	0.1%
1.340970039368	-	1	0.1%
1.418570041656	-	1	0.1%
1.423320055008	-	1	0.1%
1.432960033417	-	1	0.1%
1.447669982910	-	1	0.1%
1.459890007973	-	1	0.1%
1.468729972839	-	1	0.1%
1.471259951591	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.473230004311	-	1	0.1%
1.480579972267	-	1	0.1%
1.488659977913	-	1	0.1%
1.499590039253	-	1	0.1%
1.526810050011	-	1	0.1%
1.558660030365	-	1	0.1%
1.578220009804	-	1	0.1%
1.582460045815	-	1	0.1%
1.590409994125	-	1	0.1%
1.610710024834	-	1	0.1%
1.616989970207	-	1	0.1%
1.619459986687	-	1	0.1%
1.633460044861	-	1	0.1%
1.662400007248	-	1	0.1%
1.675169944763	-	1	0.1%
1.680760025978	-	1	0.1%
1.686900019646	-	1	0.1%
1.698379993439	-	1	0.1%
1.711410045624	-	1	0.1%
1.720239996910	-	1	0.1%
1.772439956665	-	1	0.1%
1.773830056190	-	1	0.1%
1.785159945488	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.826067981890
- Minimum: 0.296225011349
- Maximum: 22.615400314331
- Standard Deviation: 2.823617516136

Location: 9658-9672 (width: 15; decimal: 12)

Variable Type: numeric

CZ_ABS_ALPHA4A4: Cz_abs_alpha

Value	Label	Unweighted Frequency	%
0.089266702533	-	1	0.1%
0.134222000837	-	1	0.1%
0.187531992793	-	1	0.1%
0.188637003303	-	1	0.1%
0.210291996598	-	1	0.1%
0.226594999433	-	1	0.1%
0.258836001158	-	1	0.1%
0.272469013929	-	1	0.1%
0.280876010656	-	1	0.1%
0.289847999811	-	1	0.1%
0.301335990429	-	1	0.1%
0.310261994600	-	1	0.1%
0.319903999567	-	1	0.1%
0.347864985466	-	1	0.1%
0.355939000845	-	1	0.1%
0.371327012777	-	1	0.1%
0.375611990690	-	1	0.1%
0.376381993294	-	1	0.1%
0.382019996643	-	1	0.1%
0.392078012228	-	1	0.1%
0.394313007593	-	1	0.1%
0.431515008211	-	1	0.1%
0.435102999210	-	1	0.1%
0.437278985977	-	1	0.1%
0.442838996649	-	1	0.1%
0.461194992065	-	1	0.1%
0.466028004885	-	1	0.1%
0.475208014250	-	1	0.1%
0.475982010365	-	1	0.1%
0.477501004934	-	1	0.1%
0.478262007236	-	1	0.1%
0.496935993433	-	1	0.1%
0.496991008520	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.498732000589	-	1	0.1%
0.515344023705	-	1	0.1%
0.519988000393	-	1	0.1%
0.524330019951	-	1	0.1%
0.524784028530	-	1	0.1%
0.527254998684	-	1	0.1%
0.530053019524	-	1	0.1%
0.532432973385	-	1	0.1%
0.534936010838	-	1	0.1%
0.536191999912	-	1	0.1%
0.537730991840	-	1	0.1%
0.539781987667	-	1	0.1%
0.545234024525	-	1	0.1%
0.559032976627	-	1	0.1%
0.560464978218	-	1	0.1%
0.561767995358	-	1	0.1%
0.561785995960	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.946404621489
- Minimum: 0.089266702533
- Maximum: 12.819299697876
- Standard Deviation: 1.424127379615

Location: 9673-9687 (*width:* 15; *decimal:* 12)

Variable Type: numeric

CZ_ABS_BETAA4A4: Cz_abs_beta

Value	Label	Unweighted Frequency	%
0.0134899001569	-	1	0.1%
0.0285205002874	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0327183008194	-	1	0.1%
0.0349767990410	-	1	0.1%
0.0426310002804	-	1	0.1%
0.0487286001444	-	1	0.1%
0.0516699999571	-	1	0.1%
0.0553482994437	-	1	0.1%
0.0574481002986	-	1	0.1%
0.0583887994289	-	1	0.1%
0.0593643002212	-	1	0.1%
0.0608076006174	-	1	0.1%
0.0609816014767	-	1	0.1%
0.0624011009932	-	1	0.1%
0.0626796036959	-	1	0.1%
0.0641390010715	-	1	0.1%
0.0646426975727	-	1	0.1%
0.0721592009068	-	1	0.1%
0.0753898024559	-	1	0.1%
0.0758536979556	-	1	0.1%
0.0761666968465	-	1	0.1%
0.0768683031201	-	1	0.1%
0.0772676020861	-	1	0.1%
0.0775073990226	-	1	0.1%
0.0778238996863	-	1	0.1%
0.0797291994095	-	1	0.1%
0.0810341015458	-	1	0.1%
0.0818485021591	-	1	0.1%
0.0820335000753	-	1	0.1%
0.0822746977210	-	1	0.1%
0.0823115035892	-	1	0.1%
0.0825688987970	-	1	0.1%
0.0829989016056	-	1	0.1%
0.0833726972342	-	1	0.1%
0.0837374031544	-	1	0.1%
0.0846156999469	-	1	0.1%
0.0848259031773	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0870705023408	-	1	0.1%
0.0895095020533	-	1	0.1%
0.0900655984879	-	1	0.1%
0.0901030972600	-	1	0.1%
0.0915066003799	-	1	0.1%
0.0922252014279	-	1	0.1%
0.0934465974569	-	1	0.1%
0.0934870019555	-	1	0.1%
0.0936013981700	-	1	0.1%
0.0936705991626	-	1	0.1%
0.0938592031598	-	1	0.1%
0.0963186025620	-	1	0.1%
0.0968872010708	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2224574288463
- Minimum: 0.0134899001569
- Maximum: 1.2657599449158
- Standard Deviation: 0.1212891247302

Location: 9688-9702 (*width:* 15; *decimal:* 13)

Variable Type: numeric

CZ_ABS_GAMMAA4A4: Cz_abs_gamma

Value	Label	Unweighted Frequency	%
0.0061599002220	-	1	0.1%
0.0073981299065	-	1	0.1%
0.0100079001859	-	1	0.1%
0.0130957998335	-	1	0.1%
0.0131660001352	-	1	0.1%
0.0166267994791	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0171601008624	-	1	0.1%
0.0189229007810	-	1	0.1%
0.0213479008526	-	1	0.1%
0.0216233003885	-	1	0.1%
0.0222002007067	-	1	0.1%
0.0223834998906	-	1	0.1%
0.0224251002073	-	1	0.1%
0.0233463998884	-	1	0.1%
0.0233680997044	-	1	0.1%
0.0234888996929	-	1	0.1%
0.0240911003202	-	1	0.1%
0.0244232006371	-	1	0.1%
0.0248579997569	-	1	0.1%
0.0252289008349	-	1	0.1%
0.0256188996136	-	1	0.1%
0.0261132996529	-	1	0.1%
0.0269237998873	-	1	0.1%
0.0270245000720	-	1	0.1%
0.0275564007461	-	1	0.1%
0.0276890005916	-	1	0.1%
0.0280917994678	-	1	0.1%
0.0281140003353	-	1	0.1%
0.0281477998942	-	1	0.1%
0.0282103996724	-	1	0.1%
0.0285564009100	-	1	0.1%
0.0285627990961	-	1	0.1%
0.0288890991360	-	1	0.1%
0.0293950997293	-	1	0.1%
0.0294477008283	-	1	0.1%
0.0294601004571	-	1	0.1%
0.0301162991673	-	1	0.1%
0.0302985999733	-	1	0.1%
0.0303204990923	-	1	0.1%
0.0308750998229	-	1	0.1%
0.0310415998101	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0310807991773	-	1	0.1%
0.0311121996492	-	1	0.1%
0.0311743002385	-	1	0.1%
0.0316522009671	-	1	0.1%
0.0322226993740	-	1	0.1%
0.0322601981461	-	1	0.1%
0.0323708988726	-	1	0.1%
0.0324104018509	-	1	0.1%
0.0324181988835	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.0689118709617
- Minimum: 0.0061599002220
- Maximum: 0.3925110101700
- Standard Deviation: 0.0321591728583

Location: 9703-9717 (width: 15; decimal: 13)

Variable Type: numeric

CFINAL_EPOCHSA4A4: Final epochs from power script

Value	Label	Unweighted Frequency	%
2	-	2	0.2%
3	-	2	0.2%
5	-	2	0.2%
6	-	2	0.2%
8	-	1	0.1%
10	-	2	0.2%
12	-	1	0.1%
14	-	1	0.1%
15	-	1	0.1%
17	-	1	0.1%

Value	Label	Unweighted Frequency	%
21	-	1	0.1%
23	-	1	0.1%
25	-	1	0.1%
26	-	2	0.2%
28	-	1	0.1%
30	-	1	0.1%
32	-	1	0.1%
34	-	1	0.1%
35	-	1	0.1%
36	-	1	0.1%
38	-	1	0.1%
40	-	2	0.2%
42	-	1	0.1%
43	-	1	0.1%
45	-	2	0.2%
46	-	1	0.1%
48	-	2	0.2%
49	-	1	0.1%
51	-	1	0.1%
52	-	2	0.2%
53	-	2	0.2%
54	-	1	0.1%
56	-	1	0.1%
57	-	1	0.1%
58	-	2	0.2%
59	-	1	0.1%
61	-	2	0.2%
66	-	2	0.2%
68	-	1	0.1%
69	-	1	0.1%
70	-	1	0.1%
73	-	1	0.1%
74	-	1	0.1%
75	-	1	0.1%
77	-	1	0.1%

Value	Label	Unweighted Frequency	%
78	-	1	0.1%
79	-	1	0.1%
80	-	3	0.3%
82	-	3	0.3%
84	-	3	0.3%
Total		646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-		354	35.4%
Total		354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 227.23
- Minimum: 2.00
- Maximum: 360.00
- Standard Deviation: 95.70

Location: 9718-9720 (width: 3; decimal: 0)

Variable Type: numeric

CABSTHETAA4A4: Abs Theta (WB)

Value	Label	Unweighted Frequency	%
1.249410629272	-	1	0.1%
1.491891384125	-	1	0.1%
1.694298386574	-	1	0.1%
1.768100857735	-	1	0.1%
1.884171009064	-	1	0.1%
1.948167443275	-	1	0.1%
1.958170652390	-	1	0.1%
2.092449665070	-	1	0.1%
2.169843196869	-	1	0.1%
2.197610139847	-	1	0.1%
2.273112773895	-	1	0.1%
2.301605463028	-	1	0.1%
2.358965873718	-	1	0.1%
2.391628742218	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.430880308151	-	1	0.1%
2.432739496231	-	1	0.1%
2.473039627075	-	1	0.1%
2.495616912842	-	1	0.1%
2.496079683304	-	1	0.1%
2.555620670319	-	1	0.1%
2.611915111542	-	1	0.1%
2.630791425705	-	1	0.1%
2.652147054672	-	1	0.1%
2.667586326599	-	1	0.1%
2.685412645340	-	1	0.1%
2.696120262146	-	1	0.1%
2.721551895142	-	1	0.1%
2.728123188019	-	1	0.1%
2.731617927551	-	1	0.1%
2.736198663712	-	1	0.1%
2.736509561539	-	1	0.1%
2.741661787033	-	1	0.1%
2.751656532288	-	1	0.1%
2.771848678589	-	1	0.1%
2.779318571091	-	1	0.1%
2.795372724533	-	1	0.1%
2.812195062637	-	1	0.1%
2.835976123810	-	1	0.1%
2.844179153442	-	1	0.1%
2.849812269211	-	1	0.1%
2.865241289139	-	1	0.1%
2.895344257355	-	1	0.1%
2.898614168167	-	1	0.1%
2.928041458130	-	1	0.1%
2.974565505981	-	1	0.1%
2.998967647552	-	1	0.1%
3.041333913803	-	1	0.1%
3.046886444092	-	1	0.1%
3.052706003189	-	1	0.1%

Value	Label	Unweighted Frequency	%
3.068031311035	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 5.640157929330
- Minimum: 1.249410629272
- Maximum: 18.129550933838
- Standard Deviation: 2.279026865229

Location: 9721-9735 (width: 15; decimal: 12)

Variable Type: numeric

CABSALPHAA4A4: Abs Alpha (WB)

Value	Label	Unweighted Frequency	%
0.408764302731	-	1	0.1%
0.439960122108	-	1	0.1%
0.455831021070	-	1	0.1%
0.499307304621	-	1	0.1%
0.563934683800	-	1	0.1%
0.570611596107	-	1	0.1%
0.587834179401	-	1	0.1%
0.598551809788	-	1	0.1%
0.599232792854	-	1	0.1%
0.612966477871	-	1	0.1%
0.615455210209	-	1	0.1%
0.617301940918	-	1	0.1%
0.689852058887	-	1	0.1%
0.709055721760	-	1	0.1%
0.712439477444	-	1	0.1%
0.718301534653	-	1	0.1%
0.733150720596	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.772659778595	-	1	0.1%
0.780857443810	-	1	0.1%
0.782466471195	-	1	0.1%
0.795017480850	-	1	0.1%
0.816124260426	-	1	0.1%
0.832819104195	-	1	0.1%
0.833827435970	-	1	0.1%
0.840148925781	-	1	0.1%
0.851617991924	-	1	0.1%
0.853692531586	-	1	0.1%
0.859381437302	-	1	0.1%
0.865615427494	-	1	0.1%
0.876556932926	-	1	0.1%
0.881522119045	-	1	0.1%
0.884302675724	-	1	0.1%
0.891513049603	-	1	0.1%
0.892307817936	-	1	0.1%
0.896091759205	-	1	0.1%
0.902219533920	-	1	0.1%
0.915886163712	-	1	0.1%
0.919227182865	-	1	0.1%
0.922013163567	-	1	0.1%
0.930202186108	-	1	0.1%
0.946882307529	-	1	0.1%
0.947182297707	-	1	0.1%
0.953507304192	-	1	0.1%
0.953928589821	-	1	0.1%
0.953975081444	-	1	0.1%
0.964134752750	-	1	0.1%
0.970574855804	-	1	0.1%
0.976384222507	-	1	0.1%
0.987016081810	-	1	0.1%
0.990164458752	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.142308799475
- Minimum: 0.408764302731
- Maximum: 13.431253433228
- Standard Deviation: 1.178273848256

Location: 9736-9750 (width: 15; decimal: 12)

Variable Type: numeric

CABSBETAA4A4: Abs Beta (WB)

Value	Label	Unweighted Frequency	%
0.0872698053718	-	1	0.1%
0.1184907853603	-	1	0.1%
0.1255874037743	-	1	0.1%
0.1286879181862	-	1	0.1%
0.1343908160925	-	1	0.1%
0.1595250517130	-	1	0.1%
0.1613397151232	-	1	0.1%
0.1634293943644	-	1	0.1%
0.1707545369864	-	1	0.1%
0.1733042597771	-	1	0.1%
0.1886423975229	-	1	0.1%
0.1887423396111	-	1	0.1%
0.1926418244839	-	1	0.1%
0.1929065436125	-	1	0.1%
0.1938707381487	-	1	0.1%
0.1939928084612	-	1	0.1%
0.1951025724411	-	1	0.1%
0.2053002864122	-	1	0.1%
0.2076884806156	-	1	0.1%
0.2077163457870	-	1	0.1%
0.2100734114647	-	1	0.1%
0.2156333923340	-	1	0.1%
0.2183249294758	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.2240886390209	-	1	0.1%
0.2243995368481	-	1	0.1%
0.2284913361073	-	1	0.1%
0.2289056032896	-	1	0.1%
0.2294266521931	-	1	0.1%
0.2312288284302	-	1	0.1%
0.2316883057356	-	1	0.1%
0.2318774312735	-	1	0.1%
0.2319291830063	-	1	0.1%
0.2358769625425	-	1	0.1%
0.2360102087259	-	1	0.1%
0.2404516488314	-	1	0.1%
0.2448493391275	-	1	0.1%
0.2453133910894	-	1	0.1%
0.2476194947958	-	1	0.1%
0.2480104118586	-	1	0.1%
0.2483404725790	-	1	0.1%
0.2490774840117	-	1	0.1%
0.2499859482050	-	1	0.1%
0.2502962648869	-	1	0.1%
0.2530726194382	-	1	0.1%
0.2536412179470	-	1	0.1%
0.2537183463573	-	1	0.1%
0.2546983361244	-	1	0.1%
0.2575658559799	-	1	0.1%
0.2585754394531	-	1	0.1%
0.2621009051800	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5265943690004
- Minimum: 0.0872698053718
- Maximum: 1.7609882354736
- Standard Deviation: 0.2374888762732

Location: 9751-9765 (width: 15; decimal: 13)

Variable Type: numeric

CABSGAMMAA4A4: Abs Gamma (WB)

Value	Label	Unweighted Frequency	%
0.0381424054503	-	1	0.1%
0.0424040667713	-	1	0.1%
0.0544604249299	-	1	0.1%
0.0546720810235	-	1	0.1%
0.0558350756764	-	1	0.1%
0.0563752688468	-	1	0.1%
0.0642049163580	-	1	0.1%
0.0664424821734	-	1	0.1%
0.0675121173263	-	1	0.1%
0.0717404484749	-	1	0.1%
0.0758012756705	-	1	0.1%
0.0769907161593	-	1	0.1%
0.0802595987916	-	1	0.1%
0.0808537974954	-	1	0.1%
0.0822988077998	-	1	0.1%
0.0867516472936	-	1	0.1%
0.0875077694654	-	1	0.1%
0.0879014506936	-	1	0.1%
0.0886832699180	-	1	0.1%
0.0886951461434	-	1	0.1%
0.0894552394748	-	1	0.1%
0.0900144279003	-	1	0.1%
0.0905379578471	-	1	0.1%
0.0931299030781	-	1	0.1%
0.0933285728097	-	1	0.1%
0.0945905372500	-	1	0.1%
0.0955029353499	-	1	0.1%
0.0993089526892	-	1	0.1%
0.1003467962146	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1018727645278	-	1	0.1%
0.1046349033713	-	1	0.1%
0.1076122671366	-	1	0.1%
0.1083379983902	-	1	0.1%
0.1116204485297	-	1	0.1%
0.1121337413788	-	1	0.1%
0.1124579682946	-	1	0.1%
0.1134524494410	-	1	0.1%
0.1145560219884	-	1	0.1%
0.1148401722312	-	1	0.1%
0.1149966493249	-	1	0.1%
0.1181620806456	-	1	0.1%
0.1200422346592	-	1	0.1%
0.1205395087600	-	1	0.1%
0.1217564940453	-	1	0.1%
0.1223135739565	-	1	0.1%
0.1223727390170	-	1	0.1%
0.1239028349519	-	1	0.1%
0.1252092570066	-	1	0.1%
0.1264837682247	-	1	0.1%
0.1268353313208	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3198647787420
- Minimum: 0.0381424054503
- Maximum: 1.5477652549744
- Standard Deviation: 0.1929513146746

Location: 9766-9780 (width: 15; decimal: 13)

Variable Type: numeric

CHIGHFREQCOMPA4A4: Age 4 High Frequency Band Composite, Pre-R

Value	Label	Unweighted Frequency	%
0.538438200951	-	1	0.1%
0.612911343575	-	1	0.1%
0.759461224079	-	1	0.1%
0.762962579727	-	1	0.1%
0.781000077724	-	1	0.1%
0.795200169086	-	1	0.1%
0.876739740372	-	1	0.1%
0.895799458027	-	1	0.1%
0.907934188843	-	1	0.1%
0.923376619816	-	1	0.1%
0.993585944176	-	1	0.1%
1.009537220001	-	1	0.1%
1.038926839828	-	1	0.1%
1.079555630684	-	1	0.1%
1.113001465797	-	1	0.1%
1.125206112862	-	1	0.1%
1.129853367805	-	1	0.1%
1.152761816978	-	1	0.1%
1.154831767082	-	1	0.1%
1.154989123344	-	1	0.1%
1.205269336700	-	1	0.1%
1.210668921471	-	1	0.1%
1.247388720512	-	1	0.1%
1.249775290489	-	1	0.1%
1.250011801720	-	1	0.1%
1.264843940735	-	1	0.1%
1.267186641693	-	1	0.1%
1.268865466118	-	1	0.1%
1.275509834290	-	1	0.1%
1.278584003448	-	1	0.1%
1.287793397903	-	1	0.1%
1.288084626198	-	1	0.1%
1.326511144638	-	1	0.1%
1.333206176758	-	1	0.1%
1.333902120590	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.338749766350	-	1	0.1%
1.345416903496	-	1	0.1%
1.350735664368	-	1	0.1%
1.374372720718	-	1	0.1%
1.383713006973	-	1	0.1%
1.397874832153	-	1	0.1%
1.424619317055	-	1	0.1%
1.433305144310	-	1	0.1%
1.460224747658	-	1	0.1%
1.464595317841	-	1	0.1%
1.466025710106	-	1	0.1%
1.478137612343	-	1	0.1%
1.485856533051	-	1	0.1%
1.486248373985	-	1	0.1%
1.497433185577	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.988767956156
- Minimum: 0.538438200951
- Maximum: 14.589606285095
- Standard Deviation: 1.368973226841

Location: 9781-9795 (*width:* 15; *decimal:* 12)

Variable Type: numeric

CRELALPHAA4A4: Relative Alpha, Whole Brain

Value	Label	Unweighted Frequency	%
0.0888641625643	-	1	0.1%
0.1050407886505	-	1	0.1%
0.1236572712660	-	1	0.1%
0.1259564161301	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1313437819481	-	1	0.1%
0.1414532214403	-	1	0.1%
0.1420672684908	-	1	0.1%
0.1430300325155	-	1	0.1%
0.1435694694519	-	1	0.1%
0.1464472413063	-	1	0.1%
0.1464533507824	-	1	0.1%
0.1465126425028	-	1	0.1%
0.1507615894079	-	1	0.1%
0.1520883589983	-	1	0.1%
0.1533931791782	-	1	0.1%
0.1544301360846	-	1	0.1%
0.1553555876017	-	1	0.1%
0.1555374711752	-	1	0.1%
0.1560754925013	-	1	0.1%
0.1562067717314	-	1	0.1%
0.1565403938293	-	1	0.1%
0.1566513776779	-	1	0.1%
0.1572853922844	-	1	0.1%
0.1574256867170	-	1	0.1%
0.1575071364641	-	1	0.1%
0.1581143587828	-	1	0.1%
0.1581197828054	-	1	0.1%
0.1581219881773	-	1	0.1%
0.1581234633923	-	1	0.1%
0.1582733541727	-	1	0.1%
0.1584629118443	-	1	0.1%
0.1589920073748	-	1	0.1%
0.1596000045538	-	1	0.1%
0.1599813997746	-	1	0.1%
0.1608790010214	-	1	0.1%
0.1610556244850	-	1	0.1%
0.1624547690153	-	1	0.1%
0.1625950187445	-	1	0.1%
0.1625957936049	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1626107245684	-	1	0.1%
0.1629832684994	-	1	0.1%
0.1635166853666	-	1	0.1%
0.1640419065952	-	1	0.1%
0.1641120910645	-	1	0.1%
0.1645457595587	-	1	0.1%
0.1648810207844	-	1	0.1%
0.1651596277952	-	1	0.1%
0.1653860807419	-	1	0.1%
0.1664120554924	-	1	0.1%
0.1664400845766	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2434725187050
- Minimum: 0.0888641625643
- Maximum: 0.4466487765312
- Standard Deviation: 0.0607407263306

Location: 9796-9810 (width: 15; decimal: 13)

Variable Type: numeric

CFRONTAL_ABS_THETAA4A4: Frontal abs_theta

Value	Label	Unweighted Frequency	%
1.374903678894	-	1	0.1%
1.425142765045	-	1	0.1%
1.691212534904	-	1	0.1%
1.724487304688	-	1	0.1%
1.724708676338	-	1	0.1%
1.783840656281	-	1	0.1%
1.825976371765	-	1	0.1%
1.876380562782	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.885983705521	-	1	0.1%
2.008074998856	-	1	0.1%
2.110894918442	-	1	0.1%
2.166373729706	-	1	0.1%
2.198236227036	-	1	0.1%
2.199030637741	-	1	0.1%
2.237641334534	-	1	0.1%
2.268912553787	-	1	0.1%
2.358076810837	-	1	0.1%
2.398031234741	-	1	0.1%
2.398821353912	-	1	0.1%
2.488033056259	-	1	0.1%
2.490545511246	-	1	0.1%
2.588174343109	-	1	0.1%
2.588240623474	-	1	0.1%
2.598201751709	-	1	0.1%
2.604496240616	-	1	0.1%
2.698977470398	-	1	0.1%
2.709759473801	-	1	0.1%
2.711188793182	-	1	0.1%
2.817651271820	-	1	0.1%
2.838871955872	-	1	0.1%
2.842063665390	-	1	0.1%
2.845278739929	-	1	0.1%
2.890632390976	-	1	0.1%
2.894227504730	-	1	0.1%
2.912947416306	-	1	0.1%
2.913728713989	-	1	0.1%
2.916626214981	-	1	0.1%
2.927841186523	-	1	0.1%
2.964926242828	-	1	0.1%
2.979618072510	-	1	0.1%
2.992020606995	-	1	0.1%
2.999925136566	-	1	0.1%
3.018145561218	-	1	0.1%

Value	Label	Unweighted Frequency	%
3.020683765411	-	1	0.1%
3.030289888382	-	1	0.1%
3.031383275986	-	1	0.1%
3.035880088806	-	1	0.1%
3.040504932404	-	1	0.1%
3.043258666992	-	1	0.1%
3.045733690262	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 5.821805918364
- Minimum: 1.374903678894
- Maximum: 16.572053909302
- Standard Deviation: 2.490203013106

Location: 9811-9825 (width: 15; decimal: 12)

Variable Type: numeric

CCENTRAL_ABS_THETAA4A4: Cental abs_theta

Value	Label	Unweighted Frequency	%
0.480867594481	-	1	0.1%
0.481771051884	-	1	0.1%
0.704010307789	-	1	0.1%
0.947700262070	-	1	0.1%
0.953901171684	-	1	0.1%
1.215994834900	-	1	0.1%
1.246671795845	-	1	0.1%
1.295920968056	-	1	0.1%
1.316876769066	-	1	0.1%
1.335081100464	-	1	0.1%
1.449648976326	-	1	0.1%
1.482630729675	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.558026432991	-	1	0.1%
1.585577964783	-	1	0.1%
1.603493213654	-	1	0.1%
1.612138271332	-	1	0.1%
1.676752209663	-	1	0.1%
1.687104701996	-	1	0.1%
1.707708716393	-	1	0.1%
1.712528228760	-	1	0.1%
1.714846491814	-	1	0.1%
1.719084024429	-	1	0.1%
1.732657313347	-	1	0.1%
1.739168047905	-	1	0.1%
1.746040344238	-	1	0.1%
1.765282750130	-	1	0.1%
1.782444119453	-	1	0.1%
1.784977197647	-	1	0.1%
1.787567973137	-	1	0.1%
1.802841901779	-	1	0.1%
1.808777332306	-	1	0.1%
1.814692378044	-	1	0.1%
1.823077321053	-	1	0.1%
1.826877951622	-	1	0.1%
1.849431395531	-	1	0.1%
1.857064723969	-	1	0.1%
1.866132616997	-	1	0.1%
1.875161409378	-	1	0.1%
1.921877264977	-	1	0.1%
1.939760684967	-	1	0.1%
1.993889689445	-	1	0.1%
1.993988037109	-	1	0.1%
2.010269403458	-	1	0.1%
2.024258613586	-	1	0.1%
2.026046276093	-	1	0.1%
2.038243293762	-	1	0.1%
2.056616783142	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.063750028610	-	1	0.1%
2.064279317856	-	1	0.1%
2.064590692520	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.679824089810
- Minimum: 0.480867594481
- Maximum: 17.804979324341
- Standard Deviation: 2.349539665111

Location: 9826-9840 (width: 15; decimal: 12)

Variable Type: numeric

CPARIETAL_ABS_THETAA4A4: Parietal abs_theta

Value	Label	Unweighted Frequency	%
0.332271009684	-	1	0.1%
1.004764318466	-	1	0.1%
1.012518405914	-	1	0.1%
1.171609044075	-	1	0.1%
1.375157713890	-	1	0.1%
1.608084201813	-	1	0.1%
1.653713345528	-	1	0.1%
1.687503218651	-	1	0.1%
1.723784804344	-	1	0.1%
1.754111647606	-	1	0.1%
1.899345755577	-	1	0.1%
1.900892496109	-	1	0.1%
2.020537853241	-	1	0.1%
2.042304039001	-	1	0.1%
2.047139644623	-	1	0.1%
2.175621747971	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.185716629028	-	1	0.1%
2.196275234222	-	1	0.1%
2.228853464127	-	1	0.1%
2.231624841690	-	1	0.1%
2.231800794601	-	1	0.1%
2.289936780930	-	1	0.1%
2.326590776443	-	1	0.1%
2.380958318710	-	1	0.1%
2.412833452225	-	1	0.1%
2.414548397064	-	1	0.1%
2.442941665649	-	1	0.1%
2.467419147491	-	1	0.1%
2.467858314514	-	1	0.1%
2.487843275070	-	1	0.1%
2.494545936584	-	1	0.1%
2.500574111938	-	1	0.1%
2.535194158554	-	1	0.1%
2.558621644974	-	1	0.1%
2.563798427582	-	1	0.1%
2.582797527313	-	1	0.1%
2.590818166733	-	1	0.1%
2.596049308777	-	1	0.1%
2.597255945206	-	1	0.1%
2.611437559128	-	1	0.1%
2.635365009308	-	1	0.1%
2.650562524796	-	1	0.1%
2.663449287415	-	1	0.1%
2.777512550354	-	1	0.1%
2.779692411423	-	1	0.1%
2.805588245392	-	1	0.1%
2.828804731369	-	1	0.1%
2.835119962692	-	1	0.1%
2.837622404099	-	1	0.1%
2.844131708145	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 5.933815563472
- Minimum: 0.332271009684
- Maximum: 26.156194686890
- Standard Deviation: 3.117720277869

Location: 9841-9855 (width: 15; decimal: 12)

Variable Type: numeric

CTEMPORAL_ABS_THETAA4A4: Temporal abs_theta

Value	Label	Unweighted Frequency	%
0.722071766853	-	1	0.1%
1.075963377953	-	1	0.1%
1.110454916954	-	1	0.1%
1.198004722595	-	1	0.1%
1.230340242386	-	1	0.1%
1.249785661697	-	1	0.1%
1.297783493996	-	1	0.1%
1.418974161148	-	1	0.1%
1.450850009918	-	1	0.1%
1.509346961975	-	1	0.1%
1.578894019127	-	1	0.1%
1.606726050377	-	1	0.1%
1.616641044617	-	1	0.1%
1.633264541626	-	1	0.1%
1.637300014496	-	1	0.1%
1.707953691483	-	1	0.1%
1.736376047134	-	1	0.1%
1.824794292450	-	1	0.1%
1.844421625137	-	1	0.1%
1.889709591866	-	1	0.1%
1.913596391678	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.952165961266	-	1	0.1%
1.962002038956	-	1	0.1%
1.968634963036	-	1	0.1%
1.980677962303	-	1	0.1%
2.008755922318	-	1	0.1%
2.026173114777	-	1	0.1%
2.027687072754	-	1	0.1%
2.033360481262	-	1	0.1%
2.037785053253	-	1	0.1%
2.042649507523	-	1	0.1%
2.103385925293	-	1	0.1%
2.111917018890	-	1	0.1%
2.115660905838	-	1	0.1%
2.121228933334	-	1	0.1%
2.133426904678	-	1	0.1%
2.183644056320	-	1	0.1%
2.226715087891	-	1	0.1%
2.258440017700	-	1	0.1%
2.264616012573	-	1	0.1%
2.274976015091	-	1	0.1%
2.289736986160	-	1	0.1%
2.299747943878	-	1	0.1%
2.308691024780	-	1	0.1%
2.325687170029	-	1	0.1%
2.345885038376	-	1	0.1%
2.389705896378	-	1	0.1%
2.410578012466	-	1	0.1%
2.415986061096	-	1	0.1%
2.452935934067	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 5.156593790733
- Minimum: 0.722071766853
- Maximum: 19.409780502319
- Standard Deviation: 2.490254735629

Location: 9856-9870 (width: 15; decimal: 12)

Variable Type: numeric

COCCIPITAL_ABS_THETAA4A4: Occipital abs_theta

Value	Label	Unweighted Frequency	%
0.377781569958	-	1	0.1%
1.092273116112	-	1	0.1%
1.326978087425	-	1	0.1%
1.387698531151	-	1	0.1%
1.405921578407	-	1	0.1%
1.604722857475	-	1	0.1%
1.836168527603	-	1	0.1%
1.902467131615	-	1	0.1%
2.007821321487	-	1	0.1%
2.051772832870	-	1	0.1%
2.353687047958	-	1	0.1%
2.477914333344	-	1	0.1%
2.478724241257	-	1	0.1%
2.495744228363	-	1	0.1%
2.604854345322	-	1	0.1%
2.646211385727	-	1	0.1%
2.678169965744	-	1	0.1%
2.687778711319	-	1	0.1%
2.708081483841	-	1	0.1%
2.801204204559	-	1	0.1%
2.889179944992	-	1	0.1%
2.928805589676	-	1	0.1%
2.945905685425	-	1	0.1%
2.964430093765	-	1	0.1%
3.144568681717	-	1	0.1%
3.163354158401	-	1	0.1%
3.195904254913	-	1	0.1%

Value	Label	Unweighted Frequency	%
3.197550058365	-	1	0.1%
3.229807138443	-	1	0.1%
3.259138584137	-	1	0.1%
3.264104366302	-	1	0.1%
3.327855587006	-	1	0.1%
3.336438655853	-	1	0.1%
3.340167045593	-	1	0.1%
3.341395616531	-	1	0.1%
3.348054409027	-	1	0.1%
3.348927259445	-	1	0.1%
3.353301286697	-	1	0.1%
3.370881319046	-	1	0.1%
3.442780017853	-	1	0.1%
3.447954416275	-	1	0.1%
3.507258653641	-	1	0.1%
3.514741420746	-	1	0.1%
3.532211303711	-	1	0.1%
3.532639980316	-	1	0.1%
3.545378446579	-	1	0.1%
3.563588619232	-	1	0.1%
3.569031476974	-	1	0.1%
3.577555656433	-	1	0.1%
3.584644794464	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 8.026105034370
- Minimum: 0.377781569958
- Maximum: 27.630313873291
- Standard Deviation: 3.664733011024

Location: 9871-9885 (width: 15; decimal: 12)

Variable Type: numeric

CFRONTAL_ABS_ALPHAA4A4: Frontal abs_alpha

Value	Label	Unweighted Frequency	%
0.382762759924	-	1	0.1%
0.447540760040	-	1	0.1%
0.451585501432	-	1	0.1%
0.475678741932	-	1	0.1%
0.491142362356	-	1	0.1%
0.496076256037	-	1	0.1%
0.535755157471	-	1	0.1%
0.553558826447	-	1	0.1%
0.587352812290	-	1	0.1%
0.591276049614	-	1	0.1%
0.617106556892	-	1	0.1%
0.630016267300	-	1	0.1%
0.640593886375	-	1	0.1%
0.659223735332	-	1	0.1%
0.688942909241	-	1	0.1%
0.705303847790	-	1	0.1%
0.707319676876	-	1	0.1%
0.712835669518	-	1	0.1%
0.717391610146	-	1	0.1%
0.726711869240	-	1	0.1%
0.735792815685	-	1	0.1%
0.743251562119	-	1	0.1%
0.748603701591	-	1	0.1%
0.748668074608	-	1	0.1%
0.764271140099	-	1	0.1%
0.767146825790	-	1	0.1%
0.774195790291	-	1	0.1%
0.776609063148	-	1	0.1%
0.777425706387	-	1	0.1%
0.787868142128	-	1	0.1%
0.789789915085	-	1	0.1%
0.796705603600	-	1	0.1%
0.805006921291	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.808405876160	-	1	0.1%
0.808493912220	-	1	0.1%
0.810125946999	-	1	0.1%
0.812123835087	-	1	0.1%
0.828629195690	-	1	0.1%
0.829322338104	-	1	0.1%
0.830553472042	-	1	0.1%
0.838793277740	-	1	0.1%
0.850232958794	-	1	0.1%
0.860873341560	-	1	0.1%
0.873956859112	-	1	0.1%
0.877239048481	-	1	0.1%
0.880059421062	-	1	0.1%
0.880828678608	-	1	0.1%
0.882681608200	-	1	0.1%
0.889769911766	-	1	0.1%
0.892242312431	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.925943206800
- Minimum: 0.382762759924
- Maximum: 11.834186553955
- Standard Deviation: 1.106985603810

Location: 9886-9900 (*width:* 15; *decimal:* 12)

Variable Type: numeric

CCENTRAL_ABS_ALPHAA4A4: Cental abs_alpha

Value	Label	Unweighted Frequency	%
0.137712791562	-	1	0.1%
0.208317533135	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.238093808293	-	1	0.1%
0.263983547688	-	1	0.1%
0.267182946205	-	1	0.1%
0.284283190966	-	1	0.1%
0.344810128212	-	1	0.1%
0.346584737301	-	1	0.1%
0.365653067827	-	1	0.1%
0.374912083149	-	1	0.1%
0.407780945301	-	1	0.1%
0.421588927507	-	1	0.1%
0.433758854866	-	1	0.1%
0.455080389977	-	1	0.1%
0.476894944906	-	1	0.1%
0.481388062239	-	1	0.1%
0.503521740437	-	1	0.1%
0.507564246655	-	1	0.1%
0.511924266815	-	1	0.1%
0.516901910305	-	1	0.1%
0.518214523792	-	1	0.1%
0.532932460308	-	1	0.1%
0.535499572754	-	1	0.1%
0.536566853523	-	1	0.1%
0.539213776588	-	1	0.1%
0.540253460407	-	1	0.1%
0.550909757614	-	1	0.1%
0.552160322666	-	1	0.1%
0.552237927914	-	1	0.1%
0.553414285183	-	1	0.1%
0.554473519325	-	1	0.1%
0.557443678379	-	1	0.1%
0.559849143028	-	1	0.1%
0.565010011196	-	1	0.1%
0.578474283218	-	1	0.1%
0.580320894718	-	1	0.1%
0.583777904510	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.586859643459	-	1	0.1%
0.587992906570	-	1	0.1%
0.597608447075	-	1	0.1%
0.604132294655	-	1	0.1%
0.613597869873	-	1	0.1%
0.616870582104	-	1	0.1%
0.623086392879	-	1	0.1%
0.631152570248	-	1	0.1%
0.632218718529	-	1	0.1%
0.632638096809	-	1	0.1%
0.636377155781	-	1	0.1%
0.639452517033	-	1	0.1%
0.641260862350	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.859335308866
- Minimum: 0.137712791562
- Maximum: 12.633514404297
- Standard Deviation: 1.219212640293

Location: 9901-9915 (*width:* 15; *decimal:* 12)

Variable Type: numeric

CPARIETAL_ABS_ALPHA4A4: Parietal abs_alpha

Value	Label	Unweighted Frequency	%
0.179927006364	-	1	0.1%
0.320007175207	-	1	0.1%
0.329124987125	-	1	0.1%
0.349648654461	-	1	0.1%
0.365507572889	-	1	0.1%
0.427905261517	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.429163157940	-	1	0.1%
0.473367512226	-	1	0.1%
0.476783573627	-	1	0.1%
0.482247650623	-	1	0.1%
0.483864843845	-	1	0.1%
0.548523664474	-	1	0.1%
0.592549979687	-	1	0.1%
0.600155770779	-	1	0.1%
0.606712996960	-	1	0.1%
0.665152013302	-	1	0.1%
0.677043259144	-	1	0.1%
0.680230438709	-	1	0.1%
0.683335185051	-	1	0.1%
0.684231758118	-	1	0.1%
0.690885722637	-	1	0.1%
0.691584527493	-	1	0.1%
0.692760109901	-	1	0.1%
0.724512398243	-	1	0.1%
0.753004074097	-	1	0.1%
0.753374278545	-	1	0.1%
0.778825581074	-	1	0.1%
0.780550062656	-	1	0.1%
0.790986835957	-	1	0.1%
0.794437766075	-	1	0.1%
0.795840919018	-	1	0.1%
0.804755687714	-	1	0.1%
0.819904983044	-	1	0.1%
0.819972336292	-	1	0.1%
0.824056684971	-	1	0.1%
0.824791252613	-	1	0.1%
0.833417475224	-	1	0.1%
0.844238400459	-	1	0.1%
0.848224759102	-	1	0.1%
0.851469397545	-	1	0.1%
0.851643443108	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.853110015392	-	1	0.1%
0.857828915119	-	1	0.1%
0.864847004414	-	1	0.1%
0.869574189186	-	1	0.1%
0.871465504169	-	1	0.1%
0.873957812786	-	1	0.1%
0.875621676445	-	1	0.1%
0.887438774109	-	1	0.1%
0.888998448849	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.373153082381
- Minimum: 0.179927006364
- Maximum: 16.442541122437
- Standard Deviation: 1.603850329574

Location: 9916-9930 (width: 15; decimal: 12)

Variable Type: numeric

CTEMPORAL_ABS_ALPHAA4A4: Temporal abs_alpha

Value	Label	Unweighted Frequency	%
0.397047400475	-	1	0.1%
0.419135510921	-	1	0.1%
0.440637111664	-	1	0.1%
0.462907701731	-	1	0.1%
0.462956607342	-	1	0.1%
0.468971312046	-	1	0.1%
0.485301196575	-	1	0.1%
0.486153006554	-	1	0.1%
0.498048812151	-	1	0.1%
0.511070013046	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.513825893402	-	1	0.1%
0.516137719154	-	1	0.1%
0.523060798645	-	1	0.1%
0.542430877686	-	1	0.1%
0.549004614353	-	1	0.1%
0.580362379551	-	1	0.1%
0.589227676392	-	1	0.1%
0.637400686741	-	1	0.1%
0.641806900501	-	1	0.1%
0.648580610752	-	1	0.1%
0.657159328461	-	1	0.1%
0.668403804302	-	1	0.1%
0.671906411648	-	1	0.1%
0.672713577747	-	1	0.1%
0.674205601215	-	1	0.1%
0.693724215031	-	1	0.1%
0.705637693405	-	1	0.1%
0.707275688648	-	1	0.1%
0.708023428917	-	1	0.1%
0.717106401920	-	1	0.1%
0.719680488110	-	1	0.1%
0.721534907818	-	1	0.1%
0.722004771233	-	1	0.1%
0.749247193336	-	1	0.1%
0.756674289703	-	1	0.1%
0.760673105717	-	1	0.1%
0.765187799931	-	1	0.1%
0.769886076450	-	1	0.1%
0.777807116508	-	1	0.1%
0.781553328037	-	1	0.1%
0.786825001240	-	1	0.1%
0.808765590191	-	1	0.1%
0.829297721386	-	1	0.1%
0.830047011375	-	1	0.1%
0.831798970699	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.847352325916	-	1	0.1%
0.851079583168	-	1	0.1%
0.852674603462	-	1	0.1%
0.855696201324	-	1	0.1%
0.866205036640	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.044012838750
- Minimum: 0.397047400475
- Maximum: 16.710216522217
- Standard Deviation: 1.256080373431

Location: 9931-9945 (width: 15; decimal: 12)

Variable Type: numeric

COCCIPITAL_ABS_ALPHA4A4: Occipital abs_alpha

Value	Label	Unweighted Frequency	%
0.201922863722	-	1	0.1%
0.281475991011	-	1	0.1%
0.308018565178	-	1	0.1%
0.334599435329	-	1	0.1%
0.346588581800	-	1	0.1%
0.409375697374	-	1	0.1%
0.438433021307	-	1	0.1%
0.468767434359	-	1	0.1%
0.520817697048	-	1	0.1%
0.523381829262	-	1	0.1%
0.556051969528	-	1	0.1%
0.602925121784	-	1	0.1%
0.749637126923	-	1	0.1%
0.753555595875	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.777880012989	-	1	0.1%
0.778409302235	-	1	0.1%
0.792583286762	-	1	0.1%
0.797384440899	-	1	0.1%
0.820509135723	-	1	0.1%
0.843954980373	-	1	0.1%
0.844118177891	-	1	0.1%
0.866899013519	-	1	0.1%
0.881743311882	-	1	0.1%
0.930486142635	-	1	0.1%
0.977082312107	-	1	0.1%
1.006958961487	-	1	0.1%
1.018380403519	-	1	0.1%
1.025324106216	-	1	0.1%
1.029721856117	-	1	0.1%
1.032179832458	-	1	0.1%
1.059205532074	-	1	0.1%
1.074223041534	-	1	0.1%
1.074854612350	-	1	0.1%
1.090206384659	-	1	0.1%
1.092049717903	-	1	0.1%
1.095053911209	-	1	0.1%
1.105103254318	-	1	0.1%
1.109047532082	-	1	0.1%
1.113352417946	-	1	0.1%
1.127437829971	-	1	0.1%
1.137912034988	-	1	0.1%
1.148018121719	-	1	0.1%
1.148530840874	-	1	0.1%
1.160241007805	-	1	0.1%
1.165334820747	-	1	0.1%
1.167997121811	-	1	0.1%
1.175778746605	-	1	0.1%
1.176628470421	-	1	0.1%
1.184885025024	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.197160363197	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 3.116682193966
- Minimum: 0.201922863722
- Maximum: 15.778785705566
- Standard Deviation: 1.871294414882

Location: 9946-9960 (width: 15; decimal: 12)

Variable Type: numeric

CFRONTAL_ABS_BETAA4A4: Frontal abs_beta

Value	Label	Unweighted Frequency	%
0.1114853322506	-	1	0.1%
0.1180594265461	-	1	0.1%
0.1227990016341	-	1	0.1%
0.1303461641073	-	1	0.1%
0.1351871341467	-	1	0.1%
0.1514050811529	-	1	0.1%
0.1526615917683	-	1	0.1%
0.1546525657177	-	1	0.1%
0.1621717512608	-	1	0.1%
0.1710833758116	-	1	0.1%
0.1721704453230	-	1	0.1%
0.1745597124100	-	1	0.1%
0.1758926361799	-	1	0.1%
0.1804346293211	-	1	0.1%
0.1807922720909	-	1	0.1%
0.1822000592947	-	1	0.1%
0.1823506206274	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1870191097260	-	1	0.1%
0.1910306215286	-	1	0.1%
0.1952358782291	-	1	0.1%
0.1961101293564	-	1	0.1%
0.1976897269487	-	1	0.1%
0.1994513720274	-	1	0.1%
0.2000028043985	-	1	0.1%
0.2027957439423	-	1	0.1%
0.2061846703291	-	1	0.1%
0.2159110009670	-	1	0.1%
0.2162871956825	-	1	0.1%
0.2171657532454	-	1	0.1%
0.2188113778830	-	1	0.1%
0.2192116230726	-	1	0.1%
0.2197625637054	-	1	0.1%
0.2198574990034	-	1	0.1%
0.2209510803223	-	1	0.1%
0.2217313796282	-	1	0.1%
0.2252097576857	-	1	0.1%
0.2262486964464	-	1	0.1%
0.2270250618458	-	1	0.1%
0.2292992472649	-	1	0.1%
0.2309089303017	-	1	0.1%
0.2316048145294	-	1	0.1%
0.2340161204338	-	1	0.1%
0.2343710660934	-	1	0.1%
0.2363374978304	-	1	0.1%
0.2390999943018	-	1	0.1%
0.2401700615883	-	1	0.1%
0.2408290058374	-	1	0.1%
0.2411674410105	-	1	0.1%
0.2420673221350	-	1	0.1%
0.2434433698654	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5147016778611
- Minimum: 0.1114853322506
- Maximum: 4.2442936897278
- Standard Deviation: 0.3008638145270

Location: 9961-9975 (width: 15; decimal: 13)

Variable Type: numeric

CCENTRAL_ABS_BETAA4A4: Cental abs_beta

Value	Label	Unweighted Frequency	%
0.0247937142849	-	1	0.1%
0.0376295745373	-	1	0.1%
0.0406167842448	-	1	0.1%
0.0536185652018	-	1	0.1%
0.0675880461931	-	1	0.1%
0.0747737735510	-	1	0.1%
0.0776288360357	-	1	0.1%
0.0798446536064	-	1	0.1%
0.0805139765143	-	1	0.1%
0.0900916233659	-	1	0.1%
0.0914604365826	-	1	0.1%
0.0916630849242	-	1	0.1%
0.0962151810527	-	1	0.1%
0.0968208163977	-	1	0.1%
0.0971025675535	-	1	0.1%
0.0973377227783	-	1	0.1%
0.0978978797793	-	1	0.1%
0.0990933999419	-	1	0.1%
0.1029303520918	-	1	0.1%
0.1035387068987	-	1	0.1%
0.1042738407850	-	1	0.1%
0.1049301102757	-	1	0.1%
0.1049888059497	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1080557778478	-	1	0.1%
0.1084352210164	-	1	0.1%
0.1084701716900	-	1	0.1%
0.1095482707024	-	1	0.1%
0.1100845485926	-	1	0.1%
0.1101849228144	-	1	0.1%
0.1105897426605	-	1	0.1%
0.1117319166660	-	1	0.1%
0.1133631467819	-	1	0.1%
0.1152303889394	-	1	0.1%
0.1166369915009	-	1	0.1%
0.1169213280082	-	1	0.1%
0.1174572482705	-	1	0.1%
0.1185382157564	-	1	0.1%
0.1186588779092	-	1	0.1%
0.1191752627492	-	1	0.1%
0.1197462603450	-	1	0.1%
0.1202316656709	-	1	0.1%
0.1222992911935	-	1	0.1%
0.1231643036008	-	1	0.1%
0.1245600506663	-	1	0.1%
0.1246575787663	-	1	0.1%
0.1261601299047	-	1	0.1%
0.1268850862980	-	1	0.1%
0.1273898631334	-	1	0.1%
0.1278553009033	-	1	0.1%
0.1281288564205	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2580303741394
- Minimum: 0.0247937142849
- Maximum: 1.4201773405075
- Standard Deviation: 0.1319107706596

Location: 9976-9990 (width: 15; decimal: 13)

Variable Type: numeric

CPARIETAL_ABS_BETAA4A4: Parietal abs_beta

Value	Label	Unweighted Frequency	%
0.0282068587840	-	1	0.1%
0.0584932565689	-	1	0.1%
0.0671887025237	-	1	0.1%
0.0753842964768	-	1	0.1%
0.0864298194647	-	1	0.1%
0.0884674191475	-	1	0.1%
0.0947305932641	-	1	0.1%
0.1020264402032	-	1	0.1%
0.1209812089801	-	1	0.1%
0.1362805813551	-	1	0.1%
0.1363980919123	-	1	0.1%
0.1369523853064	-	1	0.1%
0.1371713280678	-	1	0.1%
0.1398064643145	-	1	0.1%
0.1435712575912	-	1	0.1%
0.1454859226942	-	1	0.1%
0.1472866684198	-	1	0.1%
0.1488790810108	-	1	0.1%
0.1494590044022	-	1	0.1%
0.1519774943590	-	1	0.1%
0.1536710858345	-	1	0.1%
0.1538754999638	-	1	0.1%
0.1552338898182	-	1	0.1%
0.1556999087334	-	1	0.1%
0.1563300788403	-	1	0.1%
0.1569319218397	-	1	0.1%
0.1569509804249	-	1	0.1%
0.1571678668261	-	1	0.1%
0.1585495322943	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1605161428452	-	1	0.1%
0.1650615781546	-	1	0.1%
0.1674630939960	-	1	0.1%
0.1693332046270	-	1	0.1%
0.1695183962584	-	1	0.1%
0.1698014140129	-	1	0.1%
0.1703806668520	-	1	0.1%
0.1724488139153	-	1	0.1%
0.1745747476816	-	1	0.1%
0.1755559593439	-	1	0.1%
0.1762301623821	-	1	0.1%
0.1764558255672	-	1	0.1%
0.1765467524529	-	1	0.1%
0.1765763312578	-	1	0.1%
0.1794634163380	-	1	0.1%
0.1811840981245	-	1	0.1%
0.1822797507048	-	1	0.1%
0.1825000047684	-	1	0.1%
0.1831123381853	-	1	0.1%
0.1836809962988	-	1	0.1%
0.1840213239193	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3706206209185
- Minimum: 0.0282068587840
- Maximum: 1.3009749650955
- Standard Deviation: 0.1712976019891

Location: 9991-10005 (width: 15; decimal: 13)

Variable Type: numeric

CTEMPORAL_ABS_BETAA4A4: Temporal abs_beta

Value	Label	Unweighted Frequency	%
0.0643239319324	-	1	0.1%
0.0981673374772	-	1	0.1%
0.1148197427392	-	1	0.1%
0.1257775425911	-	1	0.1%
0.1317274719477	-	1	0.1%
0.1384811252356	-	1	0.1%
0.1399939358234	-	1	0.1%
0.1419030725956	-	1	0.1%
0.1455598175526	-	1	0.1%
0.1542768031359	-	1	0.1%
0.1569418013096	-	1	0.1%
0.1615556180477	-	1	0.1%
0.1653718054295	-	1	0.1%
0.1720642000437	-	1	0.1%
0.1721366941929	-	1	0.1%
0.1731479465961	-	1	0.1%
0.1736703664064	-	1	0.1%
0.1739159971476	-	1	0.1%
0.1739424020052	-	1	0.1%
0.1844675987959	-	1	0.1%
0.1856157779694	-	1	0.1%
0.1881844997406	-	1	0.1%
0.1886149942875	-	1	0.1%
0.1924570202827	-	1	0.1%
0.1932110041380	-	1	0.1%
0.1975646018982	-	1	0.1%
0.1983043998480	-	1	0.1%
0.1988815963268	-	1	0.1%
0.2003253549337	-	1	0.1%
0.2042620927095	-	1	0.1%
0.2059134989977	-	1	0.1%
0.2103007584810	-	1	0.1%
0.2107516527176	-	1	0.1%
0.2128639072180	-	1	0.1%
0.2131011337042	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.2147914022207	-	1	0.1%
0.2191087007523	-	1	0.1%
0.2222193032503	-	1	0.1%
0.2223314940929	-	1	0.1%
0.2226973026991	-	1	0.1%
0.2250313013792	-	1	0.1%
0.2262476235628	-	1	0.1%
0.2264669984579	-	1	0.1%
0.2271654009819	-	1	0.1%
0.2274955958128	-	1	0.1%
0.2275502383709	-	1	0.1%
0.2301360070705	-	1	0.1%
0.2350820004940	-	1	0.1%
0.2353274971247	-	1	0.1%
0.2357711046934	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.7891890855950
- Minimum: 0.0643239319324
- Maximum: 3.3687100410461
- Standard Deviation: 0.5433111183777

Location: 10006-10020 (*width:* 15; *decimal:* 13)

Variable Type: numeric

COCCIPITAL_ABS_BETAA4A4: Occipital abs_beta

Value	Label	Unweighted Frequency	%
0.0304518006742	-	1	0.1%
0.0554471425712	-	1	0.1%
0.0706740468740	-	1	0.1%
0.0718291029334	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0764352157712	-	1	0.1%
0.1130538284779	-	1	0.1%
0.1176035180688	-	1	0.1%
0.1305764466524	-	1	0.1%
0.1312178522348	-	1	0.1%
0.1478070020676	-	1	0.1%
0.1527855098248	-	1	0.1%
0.1548088490963	-	1	0.1%
0.1616807132959	-	1	0.1%
0.1656922847033	-	1	0.1%
0.1711188554764	-	1	0.1%
0.1726858019829	-	1	0.1%
0.1774055659771	-	1	0.1%
0.1786201447248	-	1	0.1%
0.1957160085440	-	1	0.1%
0.2036028653383	-	1	0.1%
0.2053602933884	-	1	0.1%
0.2122889906168	-	1	0.1%
0.2130412906408	-	1	0.1%
0.2132669836283	-	1	0.1%
0.2167141437531	-	1	0.1%
0.2170228511095	-	1	0.1%
0.2183331400156	-	1	0.1%
0.2246971428394	-	1	0.1%
0.2252214252949	-	1	0.1%
0.2260150015354	-	1	0.1%
0.2302985638380	-	1	0.1%
0.2325221449137	-	1	0.1%
0.2390279918909	-	1	0.1%
0.2391189932823	-	1	0.1%
0.2398867160082	-	1	0.1%
0.2408860027790	-	1	0.1%
0.2412757128477	-	1	0.1%
0.2416692823172	-	1	0.1%
0.2423985749483	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.2424547225237	-	1	0.1%
0.2432520091534	-	1	0.1%
0.2438558638096	-	1	0.1%
0.2451957166195	-	1	0.1%
0.2467894256115	-	1	0.1%
0.2477725744247	-	1	0.1%
0.2477762997150	-	1	0.1%
0.2511334419250	-	1	0.1%
0.2533130049706	-	1	0.1%
0.2565901577473	-	1	0.1%
0.2566921412945	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5887388261756
- Minimum: 0.0304518006742
- Maximum: 2.4782228469849
- Standard Deviation: 0.3039813391982

Location: 10021-10035 (*width:* 15; *decimal:* 13)

Variable Type: numeric

CFRONTAL_ABS_GAMMAA4A4: Frontal abs_gamma

Value	Label	Unweighted Frequency	%
0.0420902818441	-	1	0.1%
0.0432845801115	-	1	0.1%
0.0448488891125	-	1	0.1%
0.0509806871414	-	1	0.1%
0.0517567619681	-	1	0.1%
0.0572643615305	-	1	0.1%
0.0580388940871	-	1	0.1%
0.0607137940824	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0641004592180	-	1	0.1%
0.0667188838124	-	1	0.1%
0.0689465701580	-	1	0.1%
0.0697218254209	-	1	0.1%
0.0750394761562	-	1	0.1%
0.0757121816278	-	1	0.1%
0.0797938033938	-	1	0.1%
0.0805067569017	-	1	0.1%
0.0819794312119	-	1	0.1%
0.0827931836247	-	1	0.1%
0.0830209627748	-	1	0.1%
0.0832476392388	-	1	0.1%
0.0835077986121	-	1	0.1%
0.0848989412189	-	1	0.1%
0.0852956473827	-	1	0.1%
0.0861120000482	-	1	0.1%
0.0886991098523	-	1	0.1%
0.0932167023420	-	1	0.1%
0.0936853066087	-	1	0.1%
0.0954059734941	-	1	0.1%
0.0959808900952	-	1	0.1%
0.0965182334185	-	1	0.1%
0.0972801595926	-	1	0.1%
0.0975666791201	-	1	0.1%
0.0981270223856	-	1	0.1%
0.1005506068468	-	1	0.1%
0.1057627275586	-	1	0.1%
0.1068719401956	-	1	0.1%
0.1076644435525	-	1	0.1%
0.1078986525536	-	1	0.1%
0.1092848926783	-	1	0.1%
0.1108186990023	-	1	0.1%
0.1114060357213	-	1	0.1%
0.1120696589351	-	1	0.1%
0.1131935194135	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1137208566070	-	1	0.1%
0.1137356758118	-	1	0.1%
0.1137814596295	-	1	0.1%
0.1137847974896	-	1	0.1%
0.1150700673461	-	1	0.1%
0.1158378422260	-	1	0.1%
0.1159340143204	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3138037401975
- Minimum: 0.0420902818441
- Maximum: 3.4987127780914
- Standard Deviation: 0.2652345696282

Location: 10036-10050 (width: 15; decimal: 13)

Variable Type: numeric

CCENTRAL_ABS_GAMMAA4A4: Cental abs_gamma

Value	Label	Unweighted Frequency	%
0.0102105485275	-	1	0.1%
0.0103809181601	-	1	0.1%
0.0129446266219	-	1	0.1%
0.0160880517215	-	1	0.1%
0.0201892592013	-	1	0.1%
0.0208838805556	-	1	0.1%
0.0249617341906	-	1	0.1%
0.0268409997225	-	1	0.1%
0.0278768595308	-	1	0.1%
0.0285644400865	-	1	0.1%
0.0296765733510	-	1	0.1%
0.0314194262028	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0324695520103	-	1	0.1%
0.0325177796185	-	1	0.1%
0.0340267792344	-	1	0.1%
0.0352618731558	-	1	0.1%
0.0353212617338	-	1	0.1%
0.0358110815287	-	1	0.1%
0.0369944348931	-	1	0.1%
0.0379498749971	-	1	0.1%
0.0380326211452	-	1	0.1%
0.0381911881268	-	1	0.1%
0.0382093749940	-	1	0.1%
0.0384715385735	-	1	0.1%
0.0386099405587	-	1	0.1%
0.0389684177935	-	1	0.1%
0.0390849858522	-	1	0.1%
0.0390940010548	-	1	0.1%
0.0393802858889	-	1	0.1%
0.0395031794906	-	1	0.1%
0.0396675392985	-	1	0.1%
0.0400153063238	-	1	0.1%
0.0402160994709	-	1	0.1%
0.0403521470726	-	1	0.1%
0.0406126081944	-	1	0.1%
0.0407646484673	-	1	0.1%
0.0408349148929	-	1	0.1%
0.0412535928190	-	1	0.1%
0.0416312851012	-	1	0.1%
0.0416891388595	-	1	0.1%
0.0417226217687	-	1	0.1%
0.0418365858495	-	1	0.1%
0.0422104857862	-	1	0.1%
0.0424985401332	-	1	0.1%
0.0426734462380	-	1	0.1%
0.0427633337677	-	1	0.1%
0.0428607538342	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0431088991463	-	1	0.1%
0.0434364452958	-	1	0.1%
0.0437260605395	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.0875831505243
- Minimum: 0.0102105485275
- Maximum: 0.5794162750244
- Standard Deviation: 0.0460779611572

Location: 10051-10065 (width: 15; decimal: 13)

Variable Type: numeric

CPARIETAL_ABS_GAMMAA4A4: Parietal abs_gamma

Value	Label	Unweighted Frequency	%
0.0108328936622	-	1	0.1%
0.0215922687203	-	1	0.1%
0.0227946825325	-	1	0.1%
0.0282915085554	-	1	0.1%
0.0285067744553	-	1	0.1%
0.0347516015172	-	1	0.1%
0.0355058684945	-	1	0.1%
0.0368074923754	-	1	0.1%
0.0387985594571	-	1	0.1%
0.0418786667287	-	1	0.1%
0.0424581505358	-	1	0.1%
0.0425049178302	-	1	0.1%
0.0435376316309	-	1	0.1%
0.0443980507553	-	1	0.1%
0.0453342162073	-	1	0.1%
0.0457777753472	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0472222156823	-	1	0.1%
0.0473053082824	-	1	0.1%
0.0473457090557	-	1	0.1%
0.0476189926267	-	1	0.1%
0.0493937842548	-	1	0.1%
0.0494650825858	-	1	0.1%
0.0496409013867	-	1	0.1%
0.0497815087438	-	1	0.1%
0.0506882071495	-	1	0.1%
0.0514857321978	-	1	0.1%
0.0516040772200	-	1	0.1%
0.0529636256397	-	1	0.1%
0.0529820099473	-	1	0.1%
0.0547057427466	-	1	0.1%
0.0547586902976	-	1	0.1%
0.0552712418139	-	1	0.1%
0.0556400604546	-	1	0.1%
0.0560867339373	-	1	0.1%
0.0573058910668	-	1	0.1%
0.0579150430858	-	1	0.1%
0.0580899342895	-	1	0.1%
0.0581070594490	-	1	0.1%
0.0584416314960	-	1	0.1%
0.0586170330644	-	1	0.1%
0.0590210929513	-	1	0.1%
0.0593404173851	-	1	0.1%
0.0606403164566	-	1	0.1%
0.0613711923361	-	1	0.1%
0.0615393258631	-	1	0.1%
0.0618127323687	-	1	0.1%
0.0622354336083	-	1	0.1%
0.0633291974664	-	1	0.1%
0.0637712031603	-	1	0.1%
0.0639123991132	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.1312168536105
- Minimum: 0.0108328936622
- Maximum: 0.5479789376259
- Standard Deviation: 0.0702256642096

Location: 10066-10080 (width: 15; decimal: 13)

Variable Type: numeric

CTEMPORAL_ABS_GAMMAA4A4: Temporal abs_gamma

Value	Label	Unweighted Frequency	%
0.0276219695807	-	1	0.1%
0.0340176187456	-	1	0.1%
0.0468373782933	-	1	0.1%
0.0482545979321	-	1	0.1%
0.0489671006799	-	1	0.1%
0.0492407605052	-	1	0.1%
0.0576484091580	-	1	0.1%
0.0603141672909	-	1	0.1%
0.0649372786283	-	1	0.1%
0.0660470128059	-	1	0.1%
0.0669628903270	-	1	0.1%
0.0700250491500	-	1	0.1%
0.0712172314525	-	1	0.1%
0.0730981081724	-	1	0.1%
0.0738750994205	-	1	0.1%
0.0769357532263	-	1	0.1%
0.0781236290932	-	1	0.1%
0.0818550512195	-	1	0.1%
0.0836689919233	-	1	0.1%
0.0853605940938	-	1	0.1%
0.0860689431429	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0939209386706	-	1	0.1%
0.0945622920990	-	1	0.1%
0.0973690599203	-	1	0.1%
0.0975506976247	-	1	0.1%
0.1031902283430	-	1	0.1%
0.1033757701516	-	1	0.1%
0.1044449955225	-	1	0.1%
0.1045924648643	-	1	0.1%
0.1062736287713	-	1	0.1%
0.1064201816916	-	1	0.1%
0.1065448299050	-	1	0.1%
0.1079055815935	-	1	0.1%
0.1089121624827	-	1	0.1%
0.1091935709119	-	1	0.1%
0.1095022857189	-	1	0.1%
0.1096045002341	-	1	0.1%
0.1096510216594	-	1	0.1%
0.1102897673845	-	1	0.1%
0.1131144762039	-	1	0.1%
0.1140253916383	-	1	0.1%
0.1146843880415	-	1	0.1%
0.1146928220987	-	1	0.1%
0.1150609627366	-	1	0.1%
0.1151647716761	-	1	0.1%
0.1161036938429	-	1	0.1%
0.1180048659444	-	1	0.1%
0.1186710894108	-	1	0.1%
0.1189929544926	-	1	0.1%
0.1212437748909	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.6586975101382
- Minimum: 0.0276219695807
- Maximum: 3.4490180015564
- Standard Deviation: 0.5764218932632

Location: 10081-10095 (width: 15; decimal: 13)

Variable Type: numeric

COCCIPITAL_ABS_GAMMAA4A4: Occipital abs_gamma

Value	Label	Unweighted Frequency	%
0.0100583527237	-	1	0.1%
0.0203764140606	-	1	0.1%
0.0223772432655	-	1	0.1%
0.0280043855309	-	1	0.1%
0.0325152873993	-	1	0.1%
0.0385586693883	-	1	0.1%
0.0390386581421	-	1	0.1%
0.0413607284427	-	1	0.1%
0.0421174429357	-	1	0.1%
0.0467046983540	-	1	0.1%
0.0524391420186	-	1	0.1%
0.0555636286736	-	1	0.1%
0.0559312999249	-	1	0.1%
0.0567804425955	-	1	0.1%
0.0572920441628	-	1	0.1%
0.0597753152251	-	1	0.1%
0.0602089986205	-	1	0.1%
0.0647145956755	-	1	0.1%
0.0647341161966	-	1	0.1%
0.0663202404976	-	1	0.1%
0.0669704675674	-	1	0.1%
0.0679909586906	-	1	0.1%
0.0683353841305	-	1	0.1%
0.0700437724590	-	1	0.1%
0.0701245293021	-	1	0.1%
0.0730727165937	-	1	0.1%
0.0758445262909	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0761100277305	-	1	0.1%
0.0763915032148	-	1	0.1%
0.0775025263429	-	1	0.1%
0.0779648721218	-	1	0.1%
0.0782816112041	-	1	0.1%
0.0786679387093	-	1	0.1%
0.0790562406182	-	1	0.1%
0.0794491469860	-	1	0.1%
0.0796416178346	-	1	0.1%
0.0799106881022	-	1	0.1%
0.0801340565085	-	1	0.1%
0.0803003385663	-	1	0.1%
0.0844722688198	-	1	0.1%
0.0847235545516	-	1	0.1%
0.0854098573327	-	1	0.1%
0.0857784301043	-	1	0.1%
0.0862094163895	-	1	0.1%
0.0873992592096	-	1	0.1%
0.0882309451699	-	1	0.1%
0.0890048146248	-	1	0.1%
0.0891088992357	-	1	0.1%
0.0897423550487	-	1	0.1%
0.0898889154196	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2563990542475
- Minimum: 0.0100583527237
- Maximum: 2.1137690544128
- Standard Deviation: 0.2240653299864

Location: 10096-10110 (width: 15; decimal: 13)

Variable Type: numeric

CRELBETAA4A4: Relative Beta, Whole Brain

Value	Label	Unweighted Frequency	%
0.0217157192528	-	1	0.1%
0.0228633563966	-	1	0.1%
0.0233607050031	-	1	0.1%
0.0235619992018	-	1	0.1%
0.0244490876794	-	1	0.1%
0.0247001275420	-	1	0.1%
0.0261702854186	-	1	0.1%
0.0276046097279	-	1	0.1%
0.0279792826623	-	1	0.1%
0.0283105634153	-	1	0.1%
0.0283333007246	-	1	0.1%
0.0283474028111	-	1	0.1%
0.0290797464550	-	1	0.1%
0.0294305570424	-	1	0.1%
0.0297590028495	-	1	0.1%
0.0298593454063	-	1	0.1%
0.0298832524568	-	1	0.1%
0.0302346181124	-	1	0.1%
0.0305873584002	-	1	0.1%
0.0306610427797	-	1	0.1%
0.0308701489121	-	1	0.1%
0.0310416780412	-	1	0.1%
0.0315707884729	-	1	0.1%
0.0317641347647	-	1	0.1%
0.0318824909627	-	1	0.1%
0.0319037511945	-	1	0.1%
0.0319353938103	-	1	0.1%
0.0319777168334	-	1	0.1%
0.0320152714849	-	1	0.1%
0.0325444526970	-	1	0.1%
0.0328652895987	-	1	0.1%
0.0331245511770	-	1	0.1%
0.0332214161754	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0332249961793	-	1	0.1%
0.0333938933909	-	1	0.1%
0.0335902571678	-	1	0.1%
0.0337599962950	-	1	0.1%
0.0340010486543	-	1	0.1%
0.0342623405159	-	1	0.1%
0.0342857986689	-	1	0.1%
0.0346142090857	-	1	0.1%
0.0346412993968	-	1	0.1%
0.0346978828311	-	1	0.1%
0.0347209870815	-	1	0.1%
0.0354561209679	-	1	0.1%
0.0357581563294	-	1	0.1%
0.0358135215938	-	1	0.1%
0.0361735299230	-	1	0.1%
0.0361737273633	-	1	0.1%
0.0370208099484	-	1	0.1%
	Total	637	63.7%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	363	36.3%
	Total	363	36.3%

This variable has 637 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.0627933119481
- Minimum: 0.0217157192528
- Maximum: 0.1444387733936
- Standard Deviation: 0.0209173996046

Location: 10111-10125 (*width:* 15; *decimal:* 13)

Variable Type: numeric

CRELGAMMAA4A4: Relative Gamma, Whole Brain

Value	Label	Unweighted Frequency	%
0.0065505383536	-	1	0.1%
0.0065679098479	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0075716599822	-	1	0.1%
0.0082430774346	-	1	0.1%
0.0088098039851	-	1	0.1%
0.0089317923412	-	1	0.1%
0.0089475493878	-	1	0.1%
0.0095839733258	-	1	0.1%
0.0100747616962	-	1	0.1%
0.0105127515271	-	1	0.1%
0.0109157478437	-	1	0.1%
0.0111272232607	-	1	0.1%
0.0111521622166	-	1	0.1%
0.0111563354731	-	1	0.1%
0.0113922040910	-	1	0.1%
0.0114108398557	-	1	0.1%
0.0117452526465	-	1	0.1%
0.0118313524872	-	1	0.1%
0.0118514401838	-	1	0.1%
0.0118671311066	-	1	0.1%
0.0122105302289	-	1	0.1%
0.0123347938061	-	1	0.1%
0.0126542598009	-	1	0.1%
0.0126543715596	-	1	0.1%
0.0128128221259	-	1	0.1%
0.0130020100623	-	1	0.1%
0.0130122164264	-	1	0.1%
0.0130138425156	-	1	0.1%
0.0131121482700	-	1	0.1%
0.0131892953068	-	1	0.1%
0.0132744088769	-	1	0.1%
0.0133236339316	-	1	0.1%
0.0133849205449	-	1	0.1%
0.0134847508743	-	1	0.1%
0.0135109145194	-	1	0.1%
0.0135722383857	-	1	0.1%
0.0136603424326	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0136826811358	-	1	0.1%
0.0136875212193	-	1	0.1%
0.0144220087677	-	1	0.1%
0.0144647154957	-	1	0.1%
0.0144783854485	-	1	0.1%
0.0145515631884	-	1	0.1%
0.0146326273680	-	1	0.1%
0.0146716292948	-	1	0.1%
0.0148880891502	-	1	0.1%
0.0149743584916	-	1	0.1%
0.0150107946247	-	1	0.1%
0.0150188449770	-	1	0.1%
0.0152457896620	-	1	0.1%
	Total	637	63.7%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	363	36.3%
	Total	363	36.3%

This variable has 637 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.0386781814915
- Minimum: 0.0065505383536
- Maximum: 0.1638465672731
- Standard Deviation: 0.0206586496605

Location: 10126-10140 (*width:* 15; *decimal:* 13)

Variable Type: numeric

CRELTHETAA4A4: Relative Theta, Whole Brain

Value	Label	Unweighted Frequency	%
0.4497931897640	-	1	0.1%
0.4512316286564	-	1	0.1%
0.4635324180126	-	1	0.1%
0.4742448031902	-	1	0.1%
0.4857870936394	-	1	0.1%
0.4876247346401	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.4898509979248	-	1	0.1%
0.4920208156109	-	1	0.1%
0.4930183887482	-	1	0.1%
0.4994305968285	-	1	0.1%
0.5024714469910	-	1	0.1%
0.5041878223419	-	1	0.1%
0.5046763420105	-	1	0.1%
0.5072649121284	-	1	0.1%
0.5087938904762	-	1	0.1%
0.5125928521156	-	1	0.1%
0.5131981968880	-	1	0.1%
0.5146418213844	-	1	0.1%
0.5148308873177	-	1	0.1%
0.5190383195877	-	1	0.1%
0.5191441178322	-	1	0.1%
0.5244306921959	-	1	0.1%
0.5258636474609	-	1	0.1%
0.5258903503418	-	1	0.1%
0.5274035334587	-	1	0.1%
0.5275763273239	-	1	0.1%
0.5295252799988	-	1	0.1%
0.5325901508331	-	1	0.1%
0.5351420044899	-	1	0.1%
0.5413121581078	-	1	0.1%
0.5417355298996	-	1	0.1%
0.5427452325821	-	1	0.1%
0.5427689552307	-	1	0.1%
0.5428149104118	-	1	0.1%
0.5432258844376	-	1	0.1%
0.5450499057770	-	1	0.1%
0.5455846190453	-	1	0.1%
0.5461197495461	-	1	0.1%
0.5462614893913	-	1	0.1%
0.5465932488441	-	1	0.1%
0.5477883815765	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.5499121546745	-	1	0.1%
0.5506606101990	-	1	0.1%
0.5520077347755	-	1	0.1%
0.5522614717484	-	1	0.1%
0.5534662008286	-	1	0.1%
0.5539709925652	-	1	0.1%
0.5545266270638	-	1	0.1%
0.5556386709213	-	1	0.1%
0.5559853315353	-	1	0.1%
	Total	637	63.7%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	363	36.3%
	Total	363	36.3%

This variable has 637 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.6547091955106
- Minimum: 0.4497931897640
- Maximum: 0.8399236798286
- Standard Deviation: 0.0664411243709

Location: 10141-10155 (width: 15; decimal: 13)

Variable Type: numeric

CRELALPHA99A4A4: relalpha winsorized

Value	Label	Unweighted Frequency	%
0.0888641625643	-	1	0.1%
0.1050407886505	-	1	0.1%
0.1236572712660	-	1	0.1%
0.1259564161301	-	1	0.1%
0.1313437819481	-	1	0.1%
0.1414532214403	-	1	0.1%
0.1420672684908	-	1	0.1%
0.1430300325155	-	1	0.1%
0.1435694694519	-	1	0.1%
0.1464472413063	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1464533507824	-	1	0.1%
0.1465126425028	-	1	0.1%
0.1507615894079	-	1	0.1%
0.1520883589983	-	1	0.1%
0.1533931791782	-	1	0.1%
0.1544301360846	-	1	0.1%
0.1553555876017	-	1	0.1%
0.1555374711752	-	1	0.1%
0.1560754925013	-	1	0.1%
0.1562067717314	-	1	0.1%
0.1565403938293	-	1	0.1%
0.1566513776779	-	1	0.1%
0.1572853922844	-	1	0.1%
0.1574256867170	-	1	0.1%
0.1575071364641	-	1	0.1%
0.1581143587828	-	1	0.1%
0.1581197828054	-	1	0.1%
0.1581219881773	-	1	0.1%
0.1581234633923	-	1	0.1%
0.1582733541727	-	1	0.1%
0.1584629118443	-	1	0.1%
0.1589920073748	-	1	0.1%
0.1596000045538	-	1	0.1%
0.1599813997746	-	1	0.1%
0.1608790010214	-	1	0.1%
0.1610556244850	-	1	0.1%
0.1624547690153	-	1	0.1%
0.1625950187445	-	1	0.1%
0.1625957936049	-	1	0.1%
0.1626107245684	-	1	0.1%
0.1629832684994	-	1	0.1%
0.1635166853666	-	1	0.1%
0.1640419065952	-	1	0.1%
0.1641120910645	-	1	0.1%
0.1645457595587	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1648810207844	-	1	0.1%
0.1651596277952	-	1	0.1%
0.1653860807419	-	1	0.1%
0.1664120554924	-	1	0.1%
0.1664400845766	-	1	0.1%
	Total	646	64.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.2433143200889
- Minimum: 0.0888641625643
- Maximum: 0.4178695678711
- Standard Deviation: 0.0602551364022

Location: 10156-10170 (*width:* 15; *decimal:* 13)

Variable Type: numeric

CRELBETA99A4A4: relbeta winsorized

Value	Label	Unweighted Frequency	%
0.0217157192528	-	1	0.1%
0.0228633563966	-	1	0.1%
0.0233607050031	-	1	0.1%
0.0235619992018	-	1	0.1%
0.0244490876794	-	1	0.1%
0.0247001275420	-	1	0.1%
0.0261702854186	-	1	0.1%
0.0276046097279	-	1	0.1%
0.0279792826623	-	1	0.1%
0.0283105634153	-	1	0.1%
0.0283333007246	-	1	0.1%
0.0283474028111	-	1	0.1%
0.0290797464550	-	1	0.1%
0.0294305570424	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0297590028495	-	1	0.1%
0.0298593454063	-	1	0.1%
0.0298832524568	-	1	0.1%
0.0302346181124	-	1	0.1%
0.0305873584002	-	1	0.1%
0.0306610427797	-	1	0.1%
0.0308701489121	-	1	0.1%
0.0310416780412	-	1	0.1%
0.0315707884729	-	1	0.1%
0.0317641347647	-	1	0.1%
0.0318824909627	-	1	0.1%
0.0319037511945	-	1	0.1%
0.0319353938103	-	1	0.1%
0.0319777168334	-	1	0.1%
0.0320152714849	-	1	0.1%
0.0325444526970	-	1	0.1%
0.0328652895987	-	1	0.1%
0.0331245511770	-	1	0.1%
0.0332214161754	-	1	0.1%
0.0332249961793	-	1	0.1%
0.0333938933909	-	1	0.1%
0.0335902571678	-	1	0.1%
0.0337599962950	-	1	0.1%
0.0340010486543	-	1	0.1%
0.0342623405159	-	1	0.1%
0.0342857986689	-	1	0.1%
0.0346142090857	-	1	0.1%
0.0346412993968	-	1	0.1%
0.0346978828311	-	1	0.1%
0.0347209870815	-	1	0.1%
0.0354561209679	-	1	0.1%
0.0357581563294	-	1	0.1%
0.0358135215938	-	1	0.1%
0.0361735299230	-	1	0.1%
0.0361737273633	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0370208099484	-	1	0.1%
	Total	637	63.7%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	363	36.3%
	Total	363	36.3%

This variable has 637 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.0627135082530
- Minimum: 0.0217157192528
- Maximum: 0.1282832622528
- Standard Deviation: 0.0206428232031

Location: 10171-10185 (width: 15; decimal: 13)

Variable Type: numeric

CRELGAMMA99A4A4: relgamma winsorized

Value	Label	Unweighted Frequency	%
0.0065505383536	-	1	0.1%
0.0065679098479	-	1	0.1%
0.0075716599822	-	1	0.1%
0.0082430774346	-	1	0.1%
0.0088098039851	-	1	0.1%
0.0089317923412	-	1	0.1%
0.0089475493878	-	1	0.1%
0.0095839733258	-	1	0.1%
0.0100747616962	-	1	0.1%
0.0105127515271	-	1	0.1%
0.0109157478437	-	1	0.1%
0.0111272232607	-	1	0.1%
0.0111521622166	-	1	0.1%
0.0111563354731	-	1	0.1%
0.0113922040910	-	1	0.1%
0.0114108398557	-	1	0.1%
0.0117452526465	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0118313524872	-	1	0.1%
0.0118514401838	-	1	0.1%
0.0118671311066	-	1	0.1%
0.0122105302289	-	1	0.1%
0.0123347938061	-	1	0.1%
0.0126542598009	-	1	0.1%
0.0126543715596	-	1	0.1%
0.0128128221259	-	1	0.1%
0.0130020100623	-	1	0.1%
0.0130122164264	-	1	0.1%
0.0130138425156	-	1	0.1%
0.0131121482700	-	1	0.1%
0.0131892953068	-	1	0.1%
0.0132744088769	-	1	0.1%
0.0133236339316	-	1	0.1%
0.0133849205449	-	1	0.1%
0.0134847508743	-	1	0.1%
0.0135109145194	-	1	0.1%
0.0135722383857	-	1	0.1%
0.0136603424326	-	1	0.1%
0.0136826811358	-	1	0.1%
0.0136875212193	-	1	0.1%
0.0144220087677	-	1	0.1%
0.0144647154957	-	1	0.1%
0.0144783854485	-	1	0.1%
0.0145515631884	-	1	0.1%
0.0146326273680	-	1	0.1%
0.0146716292948	-	1	0.1%
0.0148880891502	-	1	0.1%
0.0149743584916	-	1	0.1%
0.0150107946247	-	1	0.1%
0.0150188449770	-	1	0.1%
0.0152457896620	-	1	0.1%
	Total	637	63.7%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	363	36.3%
	Total	363	36.3%

This variable has 637 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.0385265115662
- Minimum: 0.0065505383536
- Maximum: 0.1102665439248
- Standard Deviation: 0.0199785635384

Location: 10186-10200 (width: 15; decimal: 13)

Variable Type: numeric

CRELTHETA99A4A4: reltheta winsorized

Value	Label	Unweighted Frequency	%
0.4497931897640	-	1	0.1%
0.4512316286564	-	1	0.1%
0.4635324180126	-	1	0.1%
0.4742448031902	-	1	0.1%
0.4857870936394	-	1	0.1%
0.4876247346401	-	1	0.1%
0.4898509979248	-	1	0.1%
0.4920208156109	-	1	0.1%
0.4930183887482	-	1	0.1%
0.4994305968285	-	1	0.1%
0.5024714469910	-	1	0.1%
0.5041878223419	-	1	0.1%
0.5046763420105	-	1	0.1%
0.5072649121284	-	1	0.1%
0.5087938904762	-	1	0.1%
0.5125928521156	-	1	0.1%
0.5131981968880	-	1	0.1%
0.5146418213844	-	1	0.1%
0.5148308873177	-	1	0.1%
0.5190383195877	-	1	0.1%
0.5191441178322	-	1	0.1%
0.5244306921959	-	1	0.1%
0.5258636474609	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.5258903503418	-	1	0.1%
0.5274035334587	-	1	0.1%
0.5275763273239	-	1	0.1%
0.5295252799988	-	1	0.1%
0.5325901508331	-	1	0.1%
0.5351420044899	-	1	0.1%
0.5413121581078	-	1	0.1%
0.5417355298996	-	1	0.1%
0.5427452325821	-	1	0.1%
0.5427689552307	-	1	0.1%
0.5428149104118	-	1	0.1%
0.5432258844376	-	1	0.1%
0.5450499057770	-	1	0.1%
0.5455846190453	-	1	0.1%
0.5461197495461	-	1	0.1%
0.5462614893913	-	1	0.1%
0.5465932488441	-	1	0.1%
0.5477883815765	-	1	0.1%
0.5499121546745	-	1	0.1%
0.5506606101990	-	1	0.1%
0.5520077347755	-	1	0.1%
0.5522614717484	-	1	0.1%
0.5534662008286	-	1	0.1%
0.5539709925652	-	1	0.1%
0.5545266270638	-	1	0.1%
0.5556386709213	-	1	0.1%
0.5559853315353	-	1	0.1%
	Total	637	63.7%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	363	36.3%
	Total	363	36.3%

This variable has 637 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.6546072746558
- Minimum: 0.4497931897640
- Maximum: 0.8041195869446
- Standard Deviation: 0.0661908501181

Location: 10201-10215 (*width:* 15; *decimal:* 13)

Variable Type: numeric

CABSALPHA99A4A4: absalpha winsorized

Value	Label	Unweighted Frequency	%
0.4087643027306	-	1	0.1%
0.4399601221085	-	1	0.1%
0.4558310210705	-	1	0.1%
0.4993073046207	-	1	0.1%
0.5639346837997	-	1	0.1%
0.5706115961075	-	1	0.1%
0.5878341794014	-	1	0.1%
0.5985518097878	-	1	0.1%
0.5992327928543	-	1	0.1%
0.6129664778709	-	1	0.1%
0.6154552102089	-	1	0.1%
0.6173019409180	-	1	0.1%
0.6898520588875	-	1	0.1%
0.7090557217598	-	1	0.1%
0.7124394774437	-	1	0.1%
0.7183015346527	-	1	0.1%
0.7331507205963	-	1	0.1%
0.7726597785950	-	1	0.1%
0.7808574438095	-	1	0.1%
0.7824664711952	-	1	0.1%
0.7950174808502	-	1	0.1%
0.8161242604256	-	1	0.1%
0.8328191041946	-	1	0.1%
0.8338274359703	-	1	0.1%
0.8401489257813	-	1	0.1%
0.8516179919243	-	1	0.1%
0.8536925315857	-	1	0.1%
0.8593814373016	-	1	0.1%
0.8656154274940	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.8815221190453	-	1	0.1%
0.8843026757240	-	1	0.1%
0.8915130496025	-	1	0.1%
0.8923078179359	-	1	0.1%
0.8960917592049	-	1	0.1%
0.9022195339203	-	1	0.1%
0.9158861637115	-	1	0.1%
0.9192271828651	-	1	0.1%
0.9220131635666	-	1	0.1%
0.9302021861076	-	1	0.1%
0.9468823075294	-	1	0.1%
0.9471822977066	-	1	0.1%
0.9535073041916	-	1	0.1%
0.9539285898209	-	1	0.1%
0.9539750814438	-	1	0.1%
0.9641347527504	-	1	0.1%
0.9705748558044	-	1	0.1%
0.9763842225075	-	1	0.1%
0.9870160818100	-	1	0.1%
0.9901644587517	-	1	0.1%
0.9925216436386	-	1	0.1%
	Total	637	63.7%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	363	36.3%
	Total	363	36.3%

This variable has 637 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.1175616626837
- Minimum: 0.4087643027306
- Maximum: 6.3677129745483
- Standard Deviation: 1.0644457603866

Location: 10216-10230 (*width:* 15; *decimal:* 13)

Variable Type: numeric

CABSBETA99A4A4: absbeta winsorized

Value	Label	Unweighted Frequency	%
0.0872698053718	-	1	0.1%
0.1184907853603	-	1	0.1%
0.1255874037743	-	1	0.1%
0.1286879181862	-	1	0.1%
0.1343908160925	-	1	0.1%
0.1595250517130	-	1	0.1%
0.1613397151232	-	1	0.1%
0.1634293943644	-	1	0.1%
0.1707545369864	-	1	0.1%
0.1733042597771	-	1	0.1%
0.1886423975229	-	1	0.1%
0.1887423396111	-	1	0.1%
0.1926418244839	-	1	0.1%
0.1929065436125	-	1	0.1%
0.1938707381487	-	1	0.1%
0.1939928084612	-	1	0.1%
0.1951025724411	-	1	0.1%
0.2053002864122	-	1	0.1%
0.2076884806156	-	1	0.1%
0.2077163457870	-	1	0.1%
0.2100734114647	-	1	0.1%
0.2156333923340	-	1	0.1%
0.2183249294758	-	1	0.1%
0.2240886390209	-	1	0.1%
0.2243995368481	-	1	0.1%
0.2284913361073	-	1	0.1%
0.2289056032896	-	1	0.1%
0.2294266521931	-	1	0.1%
0.2312288284302	-	1	0.1%
0.2316883057356	-	1	0.1%
0.2318774312735	-	1	0.1%
0.2319291830063	-	1	0.1%
0.2358769625425	-	1	0.1%
0.2360102087259	-	1	0.1%
0.2404516488314	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.2448493391275	-	1	0.1%
0.2453133910894	-	1	0.1%
0.2476194947958	-	1	0.1%
0.2480104118586	-	1	0.1%
0.2483404725790	-	1	0.1%
0.2490774840117	-	1	0.1%
0.2499859482050	-	1	0.1%
0.2502962648869	-	1	0.1%
0.2530726194382	-	1	0.1%
0.2536412179470	-	1	0.1%
0.2537183463573	-	1	0.1%
0.2546983361244	-	1	0.1%
0.2575658559799	-	1	0.1%
0.2585754394531	-	1	0.1%
0.2621009051800	-	1	0.1%
	Total	637	63.7%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	363	36.3%
	Total	363	36.3%

This variable has 637 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.5205940292268
- Minimum: 0.0872698053718
- Maximum: 1.2841373682022
- Standard Deviation: 0.2245785919267

Location: 10231-10245 (*width:* 15; *decimal:* 13)

Variable Type: numeric

CABSGAMMA99A4A4: absgamma winsorized

Value	Label	Unweighted Frequency	%
0.0381424054503	-	1	0.1%
0.0424040667713	-	1	0.1%
0.0544604249299	-	1	0.1%
0.0546720810235	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.0558350756764	-	1	0.1%
0.0563752688468	-	1	0.1%
0.0642049163580	-	1	0.1%
0.0664424821734	-	1	0.1%
0.0675121173263	-	1	0.1%
0.0717404484749	-	1	0.1%
0.0758012756705	-	1	0.1%
0.0769907161593	-	1	0.1%
0.0802595987916	-	1	0.1%
0.0808537974954	-	1	0.1%
0.0822988077998	-	1	0.1%
0.0867516472936	-	1	0.1%
0.0875077694654	-	1	0.1%
0.0879014506936	-	1	0.1%
0.0886832699180	-	1	0.1%
0.0886951461434	-	1	0.1%
0.0894552394748	-	1	0.1%
0.0900144279003	-	1	0.1%
0.0905379578471	-	1	0.1%
0.0931299030781	-	1	0.1%
0.0933285728097	-	1	0.1%
0.0945905372500	-	1	0.1%
0.0955029353499	-	1	0.1%
0.0993089526892	-	1	0.1%
0.1003467962146	-	1	0.1%
0.1018727645278	-	1	0.1%
0.1046349033713	-	1	0.1%
0.1076122671366	-	1	0.1%
0.1083379983902	-	1	0.1%
0.1116204485297	-	1	0.1%
0.1121337413788	-	1	0.1%
0.1124579682946	-	1	0.1%
0.1134524494410	-	1	0.1%
0.1145560219884	-	1	0.1%
0.1148401722312	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.1149966493249	-	1	0.1%
0.1181620806456	-	1	0.1%
0.1200422346592	-	1	0.1%
0.1205395087600	-	1	0.1%
0.1217564940453	-	1	0.1%
0.1223135739565	-	1	0.1%
0.1223727390170	-	1	0.1%
0.1239028349519	-	1	0.1%
0.1252092570066	-	1	0.1%
0.1264837682247	-	1	0.1%
0.1268353313208	-	1	0.1%
	Total	637	63.7%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	363	36.3%
	Total	363	36.3%

This variable has 637 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.3165016647317
- Minimum: 0.0381424054503
- Maximum: 1.0130519866943
- Standard Deviation: 0.1848104396956

Location: 10246-10260 (*width:* 15; *decimal:* 13)

Variable Type: numeric

CABSTHETA99A4A4: abstheta winsorized

Value	Label	Unweighted Frequency	%
1.249410629272	-	1	0.1%
1.491891384125	-	1	0.1%
1.694298386574	-	1	0.1%
1.768100857735	-	1	0.1%
1.884171009064	-	1	0.1%
1.948167443275	-	1	0.1%
1.958170652390	-	1	0.1%
2.092449665070	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.169843196869	-	1	0.1%
2.197610139847	-	1	0.1%
2.273112773895	-	1	0.1%
2.301605463028	-	1	0.1%
2.358965873718	-	1	0.1%
2.391628742218	-	1	0.1%
2.430880308151	-	1	0.1%
2.432739496231	-	1	0.1%
2.473039627075	-	1	0.1%
2.495616912842	-	1	0.1%
2.496079683304	-	1	0.1%
2.555620670319	-	1	0.1%
2.611915111542	-	1	0.1%
2.630791425705	-	1	0.1%
2.652147054672	-	1	0.1%
2.667586326599	-	1	0.1%
2.685412645340	-	1	0.1%
2.696120262146	-	1	0.1%
2.721551895142	-	1	0.1%
2.728123188019	-	1	0.1%
2.731617927551	-	1	0.1%
2.736198663712	-	1	0.1%
2.736509561539	-	1	0.1%
2.741661787033	-	1	0.1%
2.751656532288	-	1	0.1%
2.771848678589	-	1	0.1%
2.779318571091	-	1	0.1%
2.795372724533	-	1	0.1%
2.812195062637	-	1	0.1%
2.835976123810	-	1	0.1%
2.844179153442	-	1	0.1%
2.849812269211	-	1	0.1%
2.865241289139	-	1	0.1%
2.895344257355	-	1	0.1%
2.898614168167	-	1	0.1%

Value	Label	Unweighted Frequency	%
2.928041458130	-	1	0.1%
2.974565505981	-	1	0.1%
2.998967647552	-	1	0.1%
3.041333913803	-	1	0.1%
3.046886444092	-	1	0.1%
3.052706003189	-	1	0.1%
3.068031311035	-	1	0.1%
	Total	637	63.7%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	363	36.3%
	Total	363	36.3%

This variable has 637 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 5.594070535814
- Minimum: 1.249410629272
- Maximum: 12.814707756042
- Standard Deviation: 2.182793594140

Location: 10261-10275 (width: 15; decimal: 12)

Variable Type: numeric

CHIGHFREQCOMP99A4A4: highfreqcomp winsorized

Value	Label	Unweighted Frequency	%
0.5384382009506	-	1	0.1%
0.6129113435745	-	1	0.1%
0.7594612240791	-	1	0.1%
0.7629625797272	-	1	0.1%
0.7810000777245	-	1	0.1%
0.7952001690865	-	1	0.1%
0.8767397403717	-	1	0.1%
0.8957994580269	-	1	0.1%
0.9079341888428	-	1	0.1%
0.9233766198158	-	1	0.1%
0.9935859441757	-	1	0.1%
1.0095372200012	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.0389268398285	-	1	0.1%
1.0795556306839	-	1	0.1%
1.1130014657974	-	1	0.1%
1.1252061128616	-	1	0.1%
1.1298533678055	-	1	0.1%
1.1527618169785	-	1	0.1%
1.1548317670822	-	1	0.1%
1.1549891233444	-	1	0.1%
1.2052693367004	-	1	0.1%
1.2106689214706	-	1	0.1%
1.2473887205124	-	1	0.1%
1.2497752904892	-	1	0.1%
1.2500118017197	-	1	0.1%
1.2648439407349	-	1	0.1%
1.2671866416931	-	1	0.1%
1.2688654661179	-	1	0.1%
1.2755098342896	-	1	0.1%
1.2785840034485	-	1	0.1%
1.2877933979034	-	1	0.1%
1.2880846261978	-	1	0.1%
1.3265111446381	-	1	0.1%
1.3332061767578	-	1	0.1%
1.3339021205902	-	1	0.1%
1.3387497663498	-	1	0.1%
1.3454169034958	-	1	0.1%
1.3507356643677	-	1	0.1%
1.3743727207184	-	1	0.1%
1.3837130069733	-	1	0.1%
1.3978748321533	-	1	0.1%
1.4246193170547	-	1	0.1%
1.4333051443100	-	1	0.1%
1.4602247476578	-	1	0.1%
1.4645953178406	-	1	0.1%
1.4660257101059	-	1	0.1%
1.4781376123428	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.4858565330505	-	1	0.1%
1.4862483739853	-	1	0.1%
1.4974331855774	-	1	0.1%
	Total	637	63.7%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	363	36.3%
	Total	363	36.3%

This variable has 637 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.9583411610669
- Minimum: 0.5384382009506
- Maximum: 7.5082154273987
- Standard Deviation: 1.2606659898878

Location: 10276-10290 (width: 15; decimal: 13)

Variable Type: numeric

CHIGHFREQCOMP99V2A4A4: Composite, Adding Winsorized Bands

Value	Label	Unweighted Frequency	%
0.5384382009506	-	1	0.1%
0.6129113435745	-	1	0.1%
0.7594612240791	-	1	0.1%
0.7629625797272	-	1	0.1%
0.7810000777245	-	1	0.1%
0.7952001690865	-	1	0.1%
0.8767397403717	-	1	0.1%
0.8957994580269	-	1	0.1%
0.9079341888428	-	1	0.1%
0.9233766198158	-	1	0.1%
0.9935859441757	-	1	0.1%
1.0095372200012	-	1	0.1%
1.0389268398285	-	1	0.1%
1.0795556306839	-	1	0.1%
1.1130014657974	-	1	0.1%
1.1252061128616	-	1	0.1%

Value	Label	Unweighted Frequency	%
1.1298533678055	-	1	0.1%
1.1527618169785	-	1	0.1%
1.1548317670822	-	1	0.1%
1.1549891233444	-	1	0.1%
1.2052693367004	-	1	0.1%
1.2106689214706	-	1	0.1%
1.2473887205124	-	1	0.1%
1.2497752904892	-	1	0.1%
1.2500118017197	-	1	0.1%
1.2648439407349	-	1	0.1%
1.2671866416931	-	1	0.1%
1.2688654661179	-	1	0.1%
1.2755098342896	-	1	0.1%
1.2785840034485	-	1	0.1%
1.2877933979034	-	1	0.1%
1.2880846261978	-	1	0.1%
1.3265111446381	-	1	0.1%
1.3332061767578	-	1	0.1%
1.3339021205902	-	1	0.1%
1.3387497663498	-	1	0.1%
1.3454169034958	-	1	0.1%
1.3507356643677	-	1	0.1%
1.3743727207184	-	1	0.1%
1.3837130069733	-	1	0.1%
1.3978748321533	-	1	0.1%
1.4246193170547	-	1	0.1%
1.4333051443100	-	1	0.1%
1.4602247476578	-	1	0.1%
1.4645953178406	-	1	0.1%
1.4660257101059	-	1	0.1%
1.4781376123428	-	1	0.1%
1.4858565330505	-	1	0.1%
1.4862483739853	-	1	0.1%
1.4974331855774	-	1	0.1%
	Total	637	63.7%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	363	36.3%
	Total	363	36.3%

This variable has 637 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.9546573634612
- Minimum: 0.5384382009506
- Maximum: 8.0398321151733
- Standard Deviation: 1.2532518768972

Location: 10291-10305 (width: 15; decimal: 13)

Variable Type: numeric

CEEGFINALSAMPLEA4A4: Participant in Final Age-4 Resting EEG Sample

Value	Label	Unweighted Frequency	%
0	-	9	0.9%
1	-	637	63.7%
	Total	646	64.6%

Value	Missing Data	Unweighted Frequency	%
.	-	354	35.4%
	Total	354	35.4%

This variable has 646 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.99
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

Location: 10306-10306 (width: 1; decimal: 0)

Variable Type: numeric

CMEFSSTANDARD4: Child MEFS standard score

Value	Label	Unweighted Frequency	%
61	-	45	4.5%
69	-	1	0.1%
77	-	2	0.2%

Value	Label	Unweighted Frequency	%
79	-	2	0.2%
81	-	2	0.2%
82	-	1	0.1%
83	-	2	0.2%
84	-	7	0.7%
85	-	2	0.2%
86	-	12	1.2%
87	-	19	1.9%
88	-	23	2.3%
89	-	23	2.3%
90	-	57	5.7%
91	-	68	6.8%
92	-	88	8.8%
93	-	51	5.1%
94	-	16	1.6%
95	-	29	2.9%
96	-	15	1.5%
97	-	22	2.2%
98	-	11	1.1%
99	-	14	1.4%
100	-	30	3.0%
101	-	28	2.8%
102	-	20	2.0%
103	-	30	3.0%
104	-	37	3.7%
105	-	67	6.7%
106	-	31	3.1%
107	-	20	2.0%
111	-	1	0.1%
112	-	3	0.3%
113	-	2	0.2%
114	-	1	0.1%
115	-	1	0.1%
Total		783	78.3%

Value	Missing Data	Unweighted Frequency	%
-999	.r = Refused	31	3.1%
.	-	186	18.6%
	Total	217	21.7%

This variable has 783 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 94.09
- Median: 93.00
- Mode: 92.00
- Minimum: 61.00
- Maximum: 115.00
- Standard Deviation: 10.53

Location: 10307-10310 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -999 , .

CMEFSSTANDARDROPA4: Child MEFS removed due to being invalid

Value	Label	Unweighted Frequency	%
0	No	861	86.1%
1	Yes	31	3.1%
	Total	892	89.2%

Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 10311-10311 (width: 1; decimal: 0)

Variable Type: numeric

CMEFSROBUSTA4: Child MEFS robustness marker

Value	Label	Unweighted Frequency	%
0	No	847	84.7%
1	Yes	45	4.5%
	Total	892	89.2%

Value	Missing Data	Unweighted Frequency	%
-		108	10.8%
Total		108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 10312-10312 (width: 1; decimal: 0)

Variable Type: numeric

CMEFSSTANDARDSTDA4: Child MEFS standard score - standardized

Value	Label	Unweighted Frequency	%
-3.157409667969	-	45	4.5%
-2.394074678421	-	1	0.1%
-1.630739450455	-	2	0.2%
-1.439905643463	-	2	0.2%
-1.249071836472	-	2	0.2%
-1.153654932976	-	1	0.1%
-1.058238029480	-	2	0.2%
-0.962821185589	-	7	0.7%
-0.867404282093	-	2	0.2%
-0.771987378597	-	12	1.2%
-0.676570415497	-	19	1.9%
-0.581153512001	-	23	2.3%
-0.485736608505	-	23	2.3%
-0.390319705009	-	57	5.7%
-0.294902801514	-	68	6.8%
-0.199485898018	-	88	8.8%
-0.104069009423	-	51	5.1%
-0.008652106859	-	16	1.6%
0.086764797568	-	29	2.9%
0.182181701064	-	15	1.5%
0.277598619461	-	22	2.2%
0.373015522957	-	11	1.1%
0.468432426453	-	14	1.4%
0.563849329948	-	30	3.0%

Value	Label	Unweighted Frequency	%
0.659266233444	-	28	2.8%
0.754683136940	-	20	2.0%
0.850099980831	-	30	3.0%
0.945516884327	-	37	3.7%
1.040933847427	-	67	6.7%
1.136350750923	-	31	3.1%
1.231767654419	-	20	2.0%
1.613435268402	-	1	0.1%
1.708852171898	-	3	0.3%
1.804269075394	-	2	0.2%
1.899685978889	-	1	0.1%
1.995102882385	-	1	0.1%
	Total	783	78.3%

Value	Missing Data	Unweighted Frequency	%
.	-	217	21.7%
	Total	217	21.7%

This variable has 783 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.000000021314
- Median: -0.104069009423
- Mode: -0.199485898018
- Minimum: -3.157409667969
- Maximum: 1.995102882385
- Standard Deviation: 1.004784547621

Location: 10313-10327 (width: 15; decimal: 12)

Variable Type: numeric

MEFSEXPERIMENTERCHILDA4: Child MEFS experimenter

Value	Label	Unweighted Frequency	%
1	-	46	4.6%
2	-	1	0.1%
3	-	86	8.6%
4	-	64	6.4%
5	-	49	4.9%
6	-	67	6.7%

Value	Label	Unweighted Frequency	%
7	-	65	6.5%
8	-	62	6.2%
9	-	16	1.6%
10	-	71	7.1%
11	-	96	9.6%
12	-	32	3.2%
13	-	33	3.3%
14	-	29	2.9%
15	-	70	7.0%
16	-	60	6.0%
17	-	2	0.2%
Total		849	84.9%
Value	Missing Data	Unweighted Frequency	%
.	-	151	15.1%
Total		151	15.1%

This variable has 849 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 8.64
- Median: 8.00
- Mode: 11.00
- Minimum: 1.00
- Maximum: 17.00
- Standard Deviation: 4.46

Location: 10328-10329 (width: 2; decimal: 0)

Variable Type: numeric

MMEFSSTANDARD4: Mom MEFS standard score

Value	Label	Unweighted Frequency	%
65	-	3	0.3%
69	-	3	0.3%
72	-	3	0.3%
74	-	16	1.6%
80	-	2	0.2%
81	-	23	2.3%
83	-	44	4.4%

Value	Label	Unweighted Frequency	%
86	-	53	5.3%
88	-	104	10.4%
90	-	76	7.6%
92	-	72	7.2%
93	-	23	2.3%
94	-	26	2.6%
95	-	31	3.1%
96	-	31	3.1%
97	-	53	5.3%
98	-	14	1.4%
99	-	16	1.6%
102	-	30	3.0%
105	-	27	2.7%
111	-	46	4.6%
116	-	1	0.1%
118	-	71	7.1%
128	-	31	3.1%
139	-	31	3.1%
Total		830	83.0%

Value	Missing Data	Unweighted Frequency	%
-999	.r = Refused	7	0.7%
.	-	163	16.3%
Total		170	17.0%

This variable has 830 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 97.62
- Median: 93.00
- Mode: 88.00
- Minimum: 65.00
- Maximum: 139.00
- Standard Deviation: 14.71

Location: 10330-10333 (*width:* 4; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -999 , .

MMEFSSTANDARDROPA4: Mom MEFS removed due to invalid

Value	Label	Unweighted Frequency	%
0	No	885	88.5%
1	Yes	7	0.7%
	Total	892	89.2%

Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 10334-10334 (width: 1; decimal: 0)

Variable Type: numeric

MMEFSROBUSTA4: Mom MEFS robustness marker

Value	Label	Unweighted Frequency	%
0	No	874	87.4%
1	Yes	18	1.8%
	Total	892	89.2%

Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 10335-10335 (width: 1; decimal: 0)

Variable Type: numeric

MMEFSSTANDARDSTDA4: Mom MEFS standard score - standardized

Value	Label	Unweighted Frequency	%
-2.221999406815	-	3	0.3%
-1.949522495270	-	3	0.3%
-1.745164871216	-	3	0.3%

Value	Label	Unweighted Frequency	%
-1.608926415443	-	16	1.6%
-1.200211167336	-	2	0.2%
-1.132091999054	-	23	2.3%
-0.995853543282	-	44	4.4%
-0.791495919228	-	53	5.3%
-0.655257523060	-	104	10.4%
-0.519019067287	-	76	7.6%
-0.382780671120	-	72	7.2%
-0.314661473036	-	23	2.3%
-0.246542274952	-	26	2.6%
-0.178423061967	-	31	3.1%
-0.110303871334	-	31	3.1%
-0.042184665799	-	53	5.3%
0.025934539735	-	14	1.4%
0.094053745270	-	16	1.6%
0.298411369324	-	30	3.0%
0.502768993378	-	27	2.7%
0.911484241486	-	46	4.6%
1.252080202103	-	1	0.1%
1.388318538666	-	71	7.1%
2.069510698318	-	31	3.1%
2.818821907043	-	31	3.1%
	Total	830	83.0%
Value	Missing Data	Unweighted Frequency	%
.	-	170	17.0%
	Total	170	17.0%

This variable has 830 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: -0.000000007567
- Median: -0.314661473036
- Mode: -0.655257523060
- Minimum: -2.221999406815
- Maximum: 2.818821907043
- Standard Deviation: 1.002003534902

Location: 10336-10350 (width: 15; decimal: 12)

Variable Type: numeric

MEFSEXPERIMENTERMOMA4: Mom MEFS experimenter

Value	Label	Unweighted Frequency	%
1	-	46	4.6%
2	-	1	0.1%
3	-	86	8.6%
4	-	64	6.4%
5	-	49	4.9%
6	-	67	6.7%
7	-	65	6.5%
8	-	62	6.2%
9	-	16	1.6%
10	-	71	7.1%
11	-	96	9.6%
12	-	32	3.2%
13	-	33	3.3%
14	-	29	2.9%
15	-	70	7.0%
16	-	60	6.0%
17	-	2	0.2%
Total		849	84.9%

Value	Missing Data	Unweighted Frequency	%
.	-	151	15.1%
Total		151	15.1%

This variable has 849 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 8.64
- Median: 8.00
- Mode: 11.00
- Minimum: 1.00
- Maximum: 17.00
- Standard Deviation: 4.46

Location: 10351-10352 (width: 2; decimal: 0)

Variable Type: numeric

ANYASSESSSPANISHA4: Any assessment done in Spanish

Value	Label	Unweighted Frequency	%
0	No	544	54.4%
1	Yes	288	28.8%
	Total	832	83.2%
Value	Missing Data	Unweighted Frequency	%
.	-	168	16.8%
	Total	168	16.8%

This variable has 832 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 10353-10353 (width: 1; decimal: 0)

Variable Type: numeric

MBILINGMOMA4: Language child speaks to mom- recoded

Value	Label	Unweighted Frequency	%
1	-	64	6.4%
2	-	101	10.1%
3	-	57	5.7%
	Total	222	22.2%
Value	Missing Data	Unweighted Frequency	%
.	-	778	77.8%
	Total	778	77.8%

This variable has 222 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.97
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.74

Location: 10354-10354 (width: 1; decimal: 0)

Variable Type: numeric

MBILINGADULTA4: Language child speaks to other adults- recoded

Value	Label	Unweighted Frequency	%
1	-	56	5.6%
2	-	89	8.9%
3	-	76	7.6%
	Total	221	22.1%
Value	Missing Data	Unweighted Frequency	%
.	-	779	77.9%
	Total	779	77.9%

This variable has 221 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.09
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.77

Location: 10355-10355 (width: 1; decimal: 0)

Variable Type: numeric

MBILINGCHILDA4: Language child speaks to other children- recoded

Value	Label	Unweighted Frequency	%
1	-	53	5.3%
2	-	80	8.0%
3	-	88	8.8%
	Total	221	22.1%
Value	Missing Data	Unweighted Frequency	%
.	-	779	77.9%
	Total	779	77.9%

This variable has 221 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.16
- Median: 2.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.78

Location: 10356-10356 (width: 1; decimal: 0)

Variable Type: numeric

MBILINGSCOREA4: Bilingualism score

Value	Label	Unweighted Frequency	%
0	-	508	50.8%
2	-	1	0.1%
3	-	25	2.5%
4	-	18	1.8%
5	-	25	2.5%
6	-	50	5.0%
7	-	52	5.2%
8	-	21	2.1%
9	-	30	3.0%
Total		730	73.0%
Value	Missing Data	Unweighted Frequency	%
.	-	270	27.0%
Total		270	27.0%

This variable has 730 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 1.88
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 3.02

Location: 10357-10357 (width: 1; decimal: 0)

Variable Type: numeric

BILINGNEITHERA4: Child is bilingual, but not Eng/Span bilingual

Value	Label	Unweighted Frequency	%
0	No	871	87.1%
1	Yes	21	2.1%
Total		892	89.2%
Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%

Value	Missing Data	Unweighted Frequency	%
Total		108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 10358-10358 (width: 1; decimal: 0)

Variable Type: numeric

HHINCOMEWGIFTA4: HH income including BFY gift (not infl-adj, last CY)

Value	Label	Unweighted Frequency	%
240.00000000	-	19	1.9%
268.00000000	-	1	0.1%
270.00000000	-	1	0.1%
272.00000000	-	1	0.1%
290.00000000	-	1	0.1%
307.00000000	-	1	0.1%
315.00000000	-	1	0.1%
960.00000000	-	1	0.1%
990.00000000	-	1	0.1%
1118.00000000	-	1	0.1%
1140.00000000	-	2	0.2%
1240.00000000	-	4	0.4%
1453.00000000	-	1	0.1%
2140.00000000	-	1	0.1%
2160.00000000	-	1	0.1%
2284.00000000	-	1	0.1%
2640.00000000	-	1	0.1%
2740.00000000	-	1	0.1%
3120.00000000	-	1	0.1%
3240.00000000	-	1	0.1%
3560.00000000	-	1	0.1%
3740.00000000	-	1	0.1%
3840.00000000	-	1	0.1%
3996.00000000	-	24	2.4%
4231.00000000	-	1	0.1%

Value	Label	Unweighted Frequency	%
4240.00000000	-	2	0.2%
4355.00000000	-	1	0.1%
4540.00000000	-	1	0.1%
4596.00000000	-	1	0.1%
4796.00000000	-	1	0.1%
4996.00000000	-	2	0.2%
5196.00000000	-	1	0.1%
5240.00000000	-	15	1.5%
5496.00000000	-	1	0.1%
5540.00000000	-	1	0.1%
5700.00000000	-	1	0.1%
5740.00000000	-	1	0.1%
5796.00000000	-	1	0.1%
5996.00000000	-	2	0.2%
6240.00000000	-	7	0.7%
6496.00000000	-	1	0.1%
6796.00000000	-	1	0.1%
6996.00000000	-	1	0.1%
7240.00000000	-	6	0.6%
7440.00000000	-	1	0.1%
7496.00000000	-	1	0.1%
7680.00000000	-	1	0.1%
7740.00000000	-	1	0.1%
7996.00000000	-	3	0.3%
8196.00000000	-	2	0.2%
	Total	821	82.1%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	179	17.9%
	Total	179	17.9%

This variable has 821 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 31320.94780803
- Median: 23996.00000000
- Minimum: 240.00000000

- Maximum: 730240.00000000
- Standard Deviation: 38118.75774170

Location: 10359-10373 (width: 15; decimal: 8)

Variable Type: numeric

HHINCOMEWGIFTINFLA4: HH income including BFY gift (infl-adj, last CY)

Value	Label	Unweighted Frequency	%
209.66091919	-	12	1.2%
226.43804932	-	7	0.7%
252.85583496	-	1	0.1%
254.74281311	-	1	0.1%
256.62979126	-	1	0.1%
268.19125366	-	1	0.1%
273.61264038	-	1	0.1%
297.19995117	-	1	0.1%
838.64367676	-	1	0.1%
934.05700684	-	1	0.1%
976.67041016	-	1	0.1%
1075.58081055	-	2	0.2%
1083.24804688	-	3	0.3%
1169.92993164	-	1	0.1%
1269.32214356	-	1	0.1%
1869.47656250	-	1	0.1%
1886.94824219	-	1	0.1%
2154.93554688	-	1	0.1%
2306.27001953	-	1	0.1%
2585.16772461	-	1	0.1%
2943.69482422	-	1	0.1%
3056.91381836	-	1	0.1%
3109.97021485	-	1	0.1%
3267.21606446	-	1	0.1%
3354.57470703	-	1	0.1%
3490.85424805	-	13	1.3%
3696.14721680	-	1	0.1%
3770.19360352	-	11	1.1%
3966.08569336	-	1	0.1%
4000.40576172	-	2	0.2%

Value	Label	Unweighted Frequency	%
4108.90722657	-	1	0.1%
4336.28857422	-	1	0.1%
4364.44140625	-	1	0.1%
4524.98730469	-	1	0.1%
4577.59667969	-	6	0.6%
4713.68554688	-	1	0.1%
4839.67285157	-	1	0.1%
4902.38378907	-	1	0.1%
4943.89746094	-	9	0.9%
4979.44677735	-	1	0.1%
5185.43164063	-	1	0.1%
5415.64355469	-	1	0.1%
5451.18359375	-	4	0.4%
5468.47900391	-	1	0.1%
5657.17724610	-	2	0.2%
5674.82226563	-	1	0.1%
5887.38964844	-	3	0.3%
6324.77099610	-	5	0.5%
6411.97119141	-	1	0.1%
6499.48828125	-	1	0.1%
	Total	821	82.1%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	179	17.9%
	Total	179	17.9%

This variable has 821 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 28227.06864015
- Minimum: 209.66091919
- Maximum: 637928.31250000
- Standard Deviation: 34017.69086212

Location: 10374-10388 (*width:* 15; *decimal:* 8)

Variable Type: numeric

HHCHILDRENA4: Total number of children in HH

Value	Label	Unweighted Frequency	%
1	-	183	18.3%
2	-	252	25.2%
3	-	219	21.9%
4	-	121	12.1%
5	-	64	6.4%
6	-	22	2.2%
7	-	13	1.3%
8	-	3	0.3%
9	-	1	0.1%
10	-	2	0.2%
11	-	1	0.1%
16	-	1	0.1%
Total		882	88.2%

Value	Missing Data	Unweighted Frequency	%
-888	.d = Don't know	5	0.5%
.	-	113	11.3%
Total		118	11.8%

This variable has 882 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.78
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 16.00
- Standard Deviation: 1.57

Location: 10389-10392 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -888 , .

HHADULTSA4: Total number of adult in HH

Value	Label	Unweighted Frequency	%
1	-	294	29.4%
2	-	384	38.4%
3	-	128	12.8%
4	-	60	6.0%
5	-	16	1.6%

Value	Label	Unweighted Frequency	%
6	-	1	0.1%
7	-	2	0.2%
8	-	1	0.1%
	Total	886	88.6%
Value	Missing Data	Unweighted Frequency	%
.	-	114	11.4%
	Total	114	11.4%

This variable has 886 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 2.02
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 1.01

Location: 10393-10393 (width: 1; decimal: 0)

Variable Type: numeric

HHALLA4: Total number of HH members

Value	Label	Unweighted Frequency	%
2	-	55	5.5%
3	-	168	16.8%
4	-	215	21.5%
5	-	169	16.9%
6	-	141	14.1%
7	-	76	7.6%
8	-	28	2.8%
9	-	14	1.4%
10	-	9	0.9%
11	-	2	0.2%
12	-	2	0.2%
13	-	1	0.1%
18	-	1	0.1%
23	-	1	0.1%
	Total	882	88.2%

Value	Missing Data	Unweighted Frequency	%
-		118	11.8%
Total		118	11.8%

This variable has 882 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 4.80
- Median: 5.00
- Mode: 4.00
- Minimum: 2.00
- Maximum: 23.00
- Standard Deviation: 1.91

Location: 10394-10395 (width: 2; decimal: 0)

Variable Type: numeric

HHPOVERTYLINEA4: Poverty line based on 2019 Census

Value	Label	Unweighted Frequency	%
17622	-	55	5.5%
20578	-	81	8.1%
20598	-	87	8.7%
25926	-	106	10.6%
26017	-	78	7.8%
26801	-	31	3.1%
30044	-	35	3.5%
30510	-	88	8.8%
31275	-	32	3.2%
32263	-	14	1.4%
33522	-	21	2.1%
34161	-	60	6.0%
35239	-	35	3.5%
35965	-	24	2.4%
36721	-	1	0.1%
36757	-	9	0.9%
38262	-	31	3.1%
39635	-	19	1.9%
40811	-	13	1.3%
41442	-	3	0.3%
41709	-	6	0.6%
42066	-	7	0.7%

Value	Label	Unweighted Frequency	%
42348	-	1	0.1%
43470	-	7	0.7%
44818	-	4	0.4%
45881	-	4	0.4%
49426	-	18	1.8%
51406	-	7	0.7%
51727	-	6	0.6%
53025	-	5	0.5%
54460	-	3	0.3%
55503	-	1	0.1%
Total		892	89.2%
Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%
Total		108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 29523.58
- Median: 30044.00
- Mode: 25926.00
- Minimum: 17622.00
- Maximum: 55503.00
- Standard Deviation: 8138.01

Location: 10396-10400 (width: 5; decimal: 0)

Variable Type: numeric

HHINCOME NEEDSRATIOA4: Income-to-needs ratio (incl. cash gift)

Value	Label	Unweighted Frequency	%
0.005289792549	-	1	0.1%
0.005479611922	-	1	0.1%
0.006254427601	-	1	0.1%
0.006425779779	-	1	0.1%
0.006628554314	-	1	0.1%
0.006871875376	-	1	0.1%
0.006978462450	-	2	0.2%
0.007401886396	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.007512361743	-	1	0.1%
0.007536880672	-	2	0.2%
0.007767496631	-	1	0.1%
0.007822876796	-	1	0.1%
0.008349485695	-	1	0.1%
0.008448865265	-	1	0.1%
0.008703464642	-	1	0.1%
0.008734013885	-	1	0.1%
0.008967965841	-	1	0.1%
0.010178702883	-	1	0.1%
0.010188595392	-	2	0.2%
0.010308308527	-	1	0.1%
0.011897680350	-	2	0.2%
0.021072404459	-	1	0.1%
0.021916562691	-	1	0.1%
0.030522456393	-	1	0.1%
0.032234448940	-	1	0.1%
0.035253386945	-	1	0.1%
0.036027811468	-	1	0.1%
0.037671465427	-	1	0.1%
0.050860423595	-	1	0.1%
0.052589964122	-	1	0.1%
0.056798230857	-	1	0.1%
0.064284220338	-	1	0.1%
0.067907527089	-	1	0.1%
0.072030536830	-	1	0.1%
0.082659237087	-	1	0.1%
0.091235540807	-	1	0.1%
0.091608323157	-	1	0.1%
0.094971142709	-	1	0.1%
0.099439494312	-	1	0.1%
0.104136213660	-	2	0.2%
0.104829519987	-	1	0.1%
0.108747705817	-	1	0.1%
0.111655399203	-	1	0.1%

Value	Label	Unweighted Frequency	%
0.111965723336	-	1	0.1%
0.112469233572	-	1	0.1%
0.114166453481	-	1	0.1%
0.114416725934	-	2	0.2%
0.116191394627	-	1	0.1%
0.121145434678	-	1	0.1%
0.125489071012	-	3	0.3%
	Total	821	82.1%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	179	17.9%
	Total	179	17.9%

This variable has 821 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 0.987485766488
- Minimum: 0.005289792549
- Maximum: 20.908826828003
- Standard Deviation: 1.153989060101

Location: 10401-10415 (width: 15; decimal: 12)

Variable Type: numeric

HHPOVERTY50A4: Below 50% of FPL incl. cash gift (Income to needs <.5)

Value	Label	Unweighted Frequency	%
0	No	568	56.8%
1	Yes	253	25.3%
	Total	821	82.1%

Value	Missing Data	Unweighted Frequency	%
.	-	179	17.9%
	Total	179	17.9%

This variable has 821 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 10416-10416 (width: 1; decimal: 0)

Variable Type: numeric

HHPOVERTY100A4: Below 100% of FPL incl. cash gift (Income to needs <1)

Value	Label	Unweighted Frequency	%
0	No	284	28.4%
1	Yes	537	53.7%
	Total	821	82.1%
Value	Missing Data	Unweighted Frequency	%
.	-	179	17.9%
	Total	179	17.9%

This variable has 821 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 10417-10417 (width: 1; decimal: 0)

Variable Type: numeric

HHPOVERTY200A4: Below 200% of FPL incl. cash gift (Income to needs <2)

Value	Label	Unweighted Frequency	%
0	No	75	7.5%
1	Yes	746	74.6%
	Total	821	82.1%
Value	Missing Data	Unweighted Frequency	%
.	-	179	17.9%
	Total	179	17.9%

This variable has 821 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 10418-10418 (width: 1; decimal: 0)

Variable Type: numeric

HHPOVERTYCATA4: FPL category incl. cash gift (mutually exclusive)

Value	Label	Unweighted Frequency	%
1	<50% FPL	253	25.3%
2	50% - <100% FPL	284	28.4%
3	100% - <200% FPL	209	20.9%
4	>=200% FPL	75	7.5%
	Total	821	82.1%

Value	Missing Data	Unweighted Frequency	%
.	-	179	17.9%
	Total	179	17.9%

This variable has 821 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 10419-10419 (width: 1; decimal: 0)

Variable Type: numeric

HHPOVERTYCAT50A4: Below 50% of FPL incl. cash gift (Income to needs <.5)

Value	Label	Unweighted Frequency	%
0	No	568	56.8%
1	Yes	253	25.3%
	Total	821	82.1%

Value	Missing Data	Unweighted Frequency	%
.	-	179	17.9%
	Total	179	17.9%

This variable has 821 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 10420-10420 (width: 1; decimal: 0)

Variable Type: numeric

HHPOVERTYCAT50_100A4: 50% - <100% FPL incl. cash gift (Income to needs .5- <1)

Value	Label	Unweighted Frequency	%
0	No	537	53.7%

Value	Label	Unweighted Frequency	%
1	Yes	284	28.4%
	Total	821	82.1%
Value	Missing Data	Unweighted Frequency	%
.	-	179	17.9%
	Total	179	17.9%

This variable has 821 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 10421-10421 (width: 1; decimal: 0)

Variable Type: numeric

HHPOVERTYCAT100_200A4: 100% - <200% FPL incl. cash gift (Income to needs 1 - <2)

Value	Label	Unweighted Frequency	%
0	No	612	61.2%
1	Yes	209	20.9%
	Total	821	82.1%
Value	Missing Data	Unweighted Frequency	%
.	-	179	17.9%
	Total	179	17.9%

This variable has 821 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 10422-10422 (width: 1; decimal: 0)

Variable Type: numeric

HHPOVERTYCAT200PLUS4: >=200% FPL incl. cash gift (Income to needs >=2)

Value	Label	Unweighted Frequency	%
0	No	746	74.6%
1	Yes	75	7.5%
	Total	821	82.1%
Value	Missing Data	Unweighted Frequency	%
.	-	179	17.9%
	Total	179	17.9%

Value	Missing Data	Unweighted Frequency	%
.	-	179	17.9%
	Total	179	17.9%

This variable has 821 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 10423-10423 (width: 1; decimal: 0)

Variable Type: numeric

EXTRACASHINDA4: Mom received extra payments at wave 4

Value	Label	Unweighted Frequency	%
0	No	882	88.2%
1	Yes	10	1.0%
	Total	892	89.2%

Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%
	Total	108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 10424-10424 (width: 1; decimal: 0)

Variable Type: numeric

EXTRACASHAMTA4: Amount of extra payments at wave 4

Value	Label	Unweighted Frequency	%
0	-	882	88.2%
120	-	1	0.1%
140	-	1	0.1%
160	-	1	0.1%
1665	-	1	0.1%
2331	-	3	0.3%
3663	-	3	0.3%

Value	Label	Unweighted Frequency	%
Total		892	89.2%
Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%
Total		108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Mean: 22.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3663.00
- Standard Deviation: 257.18

Location: 10425-10428 (width: 4; decimal: 0)

Variable Type: numeric

EXTRACASHEVERINDA4: Mom ever received extra payments from wave 2 or wave 4

Value	Label	Unweighted Frequency	%
Total		892	89.2%
Value	Missing Data	Unweighted Frequency	%
.	-	108	10.8%
Total		108	10.8%

This variable has 892 valid cases out of 1,000 total cases.

Percentages for valid and missing data are based on 1,000 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 10429-10429 (width: 1; decimal: 0)

Variable Type: numeric