

Nobody's Unhappy at 6 AM

Timestamp-Clustering a Restroom Satisfaction Kiosk's Button Presses Against the Cleaning Roster

Mirela Hanke · Thandiwe Solberg — School of Continuous Improvement

Background

Each restroom exit carries a four-button satisfaction kiosk feeding a monthly hygiene score into the cleaning contractor's service agreement. The score records who pressed something; whether that person was ever a restroom visitor has not been checked.

Aims


- Match each press timestamp against the nearest preceding cleaning-service scan
- Test whether “very satisfied” presses cluster closer to a service event than other ratings do
- Check whether any clustering holds across buildings and shifts

Methods

- n = 6 kiosks · 2 buildings · Semester 1 term, 2 March-24 May 2026
- press timestamps matched to the nearest prior badge-tap service scan (roughly 3-hourly round)
- uniform-arrival null simulated by Monte Carlo, 5,000 draws per kiosk

Results

Very satisfied presses cluster tightly against the preceding service scan; every other rating spreads across the full round interval.



41% of “very satisfied” presses (n = 2,148 total presses) land within 90 seconds of the nearest preceding service scan, against a 4% share expected under the uniform-arrival null (Monte Carlo, 5,000 draws), 2 March-24 May 2026.

Discussion & conclusions

A press within ninety seconds of a service scan is not a visitor's report; it reads more like a colleague's sign-off. The contractor's monthly score cannot currently tell the two apart, and nothing in the kiosk's design asks it to.

Next: withhold the round schedule from cleaning staff for one round per shift and see whether the clustering moves with it.

References

1. Tyser, A. R., Abtahi, A. M., McFadden, M., & Presson, A. P. (2016). Evidence of non-response bias in the Press-Ganey patient satisfaction survey. *BMC Health Services Research*, 16, 350. doi:10.1186/s12913-016-1595-z
2. Lassen, N., Goia, F., Schiavon, S., & Pantelic, J. (2020). Field investigations of a smiley-face polling station for recording occupant satisfaction with indoor climate. *Building and Environment*, 185, 107266. doi:10.1016/j.buildenv.2020.107266
3. Park, K., Cha, M., & Rhim, E. (2018). Positivity bias in customer satisfaction ratings. arXiv:1803.03346
4. Bose, R. P. J. C. (2019). Multiperspective conformance analysis of central venous catheter installation procedure. arXiv:1908.07938
5. Solberg, T., & Okwuosa, S. (2026). Off the books, not off the shelf: validating a library book-swap shelf's QR circulation tracker against a term of twice-daily physical counts. *Slop University Research Poster*. doi:10.5555/slop.zlggzm

Service-scan timestamps supplied by Facilities under an internal data-sharing agreement; no individual staff member identified. Thresholds pre-registered.

Office of Research Outputs · slop.university