

Lista VI

Bento Rabello Botega (186461)

Inicialização

```
library(DBI)
library(RSQLite)

# Conecta/Cria o arquivo
con <- dbConnect(RSQLite::SQLite(), "../datasets/me315.sqlite")
```

1.

```
SELECT STATE, MIN(ACRES) FROM PRESERVE
GROUP BY STATE
```

Table 1: 3 records

STATE	MIN(ACRES)
AZ	380
MA	4
MT	121

2.

```
SELECT STATE, MAX(ACRES) FROM PRESERVE
WHERE ACRES <= 10000
GROUP BY STATE
```

Table 2: 3 records

STATE	MAX(ACRES)
AZ	1200
MA	830
MT	1130

3.

```
SELECT STATE, MAX(ACRES) FROM PRESERVE
WHERE ACRES <= 10000
GROUP BY STATE
ORDER BY ACRES DESC
```

Table 3: 3 records

STATE	MAX(ACRES)
AZ	1200
MT	1130
MA	830

4.

```
SELECT STATE, MAX(ACRES) FROM PRESERVE
WHERE ACRES < 25000
GROUP BY STATE
```

Table 4: 3 records

STATE	MAX(ACRES)
AZ	1200
MA	830
MT	15000

5.

```
SELECT STATE, MIN(ACRES) FROM PRESERVE
WHERE ACRES < 100
GROUP BY STATE
```

Table 5: 1 records

STATE	MIN(ACRES)
MA	4

6.

```
SELECT PNAME, MAX(ACRES) FROM PRESERVE
WHERE ACRES > 1000
GROUP BY STATE
HAVING MAX(ACRES) < 25000
```

Table 6: 1 records

PNAME	MAX(ACRES)
PINE BUTTE SWAMP	15000

7.

```
SELECT STATE, SUM(ACRES) FROM PRESERVE
GROUP BY STATE
HAVING SUM(ACRES) >= 10000 AND ACRES <= 50000
```

Table 7: 2 records

STATE	SUM(ACRES)
AZ	51360
MT	16931

8.

```
SELECT STATE, AVG(ACRES) FROM PRESERVE  
GROUP BY STATE  
ORDER BY AVG(ACRES) DESC
```

Table 8: 3 records

STATE	AVG(ACRES)
AZ	12840.0000
MT	4232.7500
MA	293.3333

```
SELECT STATE, AVG(ACRES) FROM PRESERVE  
GROUP BY STATE  
ORDER BY AVG(ACRES) DESC  
LIMIT 1
```

Table 9: 1 records

STATE	AVG(ACRES)
AZ	12840

9.

```
SELECT DNO, AVG(SALARY) FROM EMPLOYEE  
GROUP BY DNO
```

Table 10: 3 records

DNO	AVG(SALARY)
10	1200.000
20	4666.667
40	500.000

10.

```
SELECT DNO, AVG(SALARY), SUM(SALARY), MAX(SALARY), MIN(SALARY) FROM EMPLOYEE  
GROUP BY DNO
```

Table 11: 3 records

DNO	AVG(SALARY)	SUM(SALARY)	MAX(SALARY)	MIN(SALARY)
10	1200.000	2400	2000	400
20	4666.667	14000	9000	2000
40	500.000	500	500	500

11.

```
SELECT DNO, COUNT(ENO) FROM EMPLOYEE  
WHERE DNO != 40  
GROUP BY DNO
```

Table 12: 2 records

DNO	COUNT(ENO)
10	2
20	3

12.

```
SELECT DNO, COUNT(ENO) FROM EMPLOYEE  
GROUP BY DNO  
HAVING COUNT(ENO) >= 2
```

Table 13: 2 records

DNO	COUNT(ENO)
10	2

DNO	COUNT(ENO)
20	3

13.

```
SELECT STATE, SUM(ACRES) AS Total FROM PRESERVE
GROUP BY STATE
UNION ALL
SELECT "Total", SUM(ACRES) FROM PRESERVE
```

Table 14: 4 records

STATE	Total
AZ	51360
MA	1760
MT	16931
Total	70051

Momento de compilação

```
Sys.setenv(TZ = "America/Sao_Paulo")
Sys.time()
```

```
[1] "2026-09-24 11:05:19 -03"
```