

Conexão ao servidor Oracle utilizado em sala de aula,
usando um computador fora da rede interna da grad.


Pré-requisito: instalar o cliente de SSH PuTTY

Link para download do PuTTY:


<http://www.chiark.greenend.org.uk/~sgtatham/putty/download.html>

Primeiro Passo


- Conectar no servidor da grad
- Via SSH
- Utilizando o PuTTY




Tela inicial do PuTTY




Clique aqui






Source Port: 1521

Destination: 192.168.183.2:1521




Source Port: 1521


Destination: 192.168.183.2:1521





Clique aqui




Clique aqui









Hostname: lab3-01.grad.icmc.usp.br




Clique aqui

Hostname: lab3-01.grad.icmc.usp.br





login as: <username da grad>



Password: senha da grad



The image shows a PuTTY terminal window with a blue title bar that reads "lab3-01.grad.icmc.usp.br - PuTTY". The terminal output is as follows:


```
login as: tomazela
Password:
Last login: Fri May  8 10:22:09 2009 from bdserver.icmc.usp.br
Have a lot of fun...
tomazela@apoena:~>
```


The prompt "tomazela@apoena:~>" is followed by a green cursor block.

Conexão estabelecida com a grad!

Próximo passo:

- Abrir o sqldeveloper
- Criar uma conexão para acessar o servidor Oracle





New / Select Database Connection

Connectio... Connectio...

Connection Name

Username

Password

☐ Save Password

Oracle Access

Role default

Connection Type Basic

☐ OS Authentication

☐ Proxy Connection

Hostname localhost

Port 1521

☒ SID

☐ Service name

xe

Status :

Auxílio Save Clear Test Connect Cancelar

Tela para criar a conexão

The screenshot shows the 'New / Select Database Connection' dialog box. On the left, there is a list of existing connections with columns 'Connectio...' and 'Connectio...'. The main area contains the following fields and options:

- Connection Name:** teste
- Username:** username
- Password:** masked with asterisks
- ☐ Save Password
- Oracle** (selected tab) / Access
- Role:** default (dropdown)
- ☐ OS Authentication
- Connection Type:** Basic (dropdown)
- ☐ Proxy Connection
- Hostname:** localhost
- Port:** 1521
- ☒ SID
- ☐ Service name
- SID:** orcl

At the bottom, the status is 'Status : Success'. There are five buttons: Auxílio, Save, Clear, Test, and Conectar.

Username: seu username do oracle no servidor

Password: seu password do oracle no servidor

Hostname: localhost

Port: 1521

SID: orcl

New / Select Database Connection

Connectio...	Connectio...
server	sys@//19...

Connection Name: teste

Username: username

Password: *****

☐ Save Password

Oracle Access

Role: default

Connection Type: Basic

☐ OS Authentication

☐ Proxy Connection

Hostname: localhost

Port: 1521

☒ SID


☐ Service name

orcl

Status: Success

Auxílio Save Clear Test **Connect** Cancelar

Clique aqui



Conexão estabelecida no oracle do servidor!