## Class 12 Clabsch-Gordon Exercises

We showed that a system of 2 spin 12 particles. forms the following eigen states of the operators  $\vec{S}^2 = (\vec{S}, +\vec{S}_2)^2$  and  $\vec{S}_2 = \vec{S}_{12} + \vec{S}_{22}$ , the total spin and total 2 component respectively.  $|S_1, m_1\rangle = E|S_1, S_2, m_1, m_2\rangle$   $|S_1, m_2\rangle = |\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|\frac{1}{2}|$ 

This in formation is summarized in the fix t Section of the Clebsch Gordan table. See if you can figure out how it works.

- 2. A spin = and a spin I particle form a 2-particle state that we could label with the eigenvalues of \$2 and \$2 as follows: 13,-27 use your C.G. table to write this as a superposition of single-particle states.
- 3. If you operate on 13 = 7 with Sz, you get st 13 17 = 52 13 17. If you operate on the answer to number 2 with Siz + 52 z, you should get the same eigenvalue. Check.
- 4. If you of evale on  $1\frac{3}{4}-\frac{1}{4}$ ) with  $\frac{3}{5}^2$ , you get  $\frac{3}{5}^2[\frac{3}{4}-\frac{1}{4}]=\frac{3}{4}[\frac{3}{4}+1]+\frac{3}{4}[\frac{3}{4}-\frac{1}{4}]$ . If you operate on the answer to number 2 with  $\frac{3}{5}(\frac{3}{4}+\frac{3}{4}+\frac{3}{5}(\frac{3}{4}+\frac{3}{4}+\frac{3}{5}(\frac{3}{4}+\frac{3}{4}+\frac{3}{5}(\frac{3}{4}+\frac{3}{4}+\frac{3}{5}(\frac{3}{4}+\frac{3}{4}+\frac{3}{5}(\frac{3}{4}+\frac{3}{4$