Mode names — keep in sync

The grid runs **72 animations** (indices `0..71`). The mode **index and order are the contract**: a module in FOLLOW mode renders row `k` of its `MODE_TABLE` while the grid runs anim `k`. If the order changes in one place and not the other, every strip cites the wrong animation from the changed index onward.

The two authoritative lists (must match 1:1)

#	Place	What it holds	Count symbol
1	grid/grid.ino — `case 0..71:` in the anim switch (~line 888)	the real `anim_*()` called per index	`TOTAL_ANIMS` = 72 (grid/grid_config.h:44)
2	module/module_effects.h — `MODE_TABLE[]` (~line 78)	one `ModeSpec` row per grid anim, same order	`MOD_MODE_COUNT` = 72 (module/module_effects.h:77)

Invariant: `TOTAL_ANIMS == MOD_MODE_COUNT` **and** row `k` of `MODE_TABLE` describes the same animation as `case k:` in `grid.ino`.

> The **module-manager UI** (controller/controller.ino) refers to modes **by index only** — it carries no name list, so it needs no edit when names change. But if you **add / remove / reorder** modes, bump the index range there too.

When something changes — checklist

- **Add a mode:** append `case 68:` in `grid.ino`, append row 68 to `MODE_TABLE`, bump `TOTAL_ANIMS` **and** `MOD_MODE_COUNT` to 69 (check `MAX_MODES` ≥ new count).
- **Remove a mode:** delete the `case` **and** the `MODE_TABLE` row, renumber every later comment, decrement both counts. Never leave a hole.
- **Reorder / rename:** change **both** lists together and re-check the four citation axes (colour / density / motion / rhythm) for each moved row.
- After any change, confirm the trailing `/* k name */` comment in `MODE_TABLE` matches the `anim_*` at `case k:`.

The 72 modes (source of truth = grid.ino case order)

#	Name (`anim_*`)	#	Name (`anim_*`)
0	setupGrid	34	spiralGalaxy
1	heartbeat	35	boids
2	binaryRain	36	fireworks
3	vortex	37	textTOGA
4	earthquake	38	stickman
5	supernova	39	paddleBall
6	blackHole	40	smiley
7	wormhole	41	eye
8	mitosis	42	starfield2
9	collider	43	warp
10	shockwaveChain	44	shootingStars
11	pulsar	45	blackHole2
12	liquidMetal	46	pulsar2
13	coriolisStorm	47	horsehead
14	aurora	48	auroraCurtains ⭐
15	lavaLamp	49	radar
16	nerveSystem	50	sineWaves
17	gravityLens	51	rocketFire
18	cymatics	52	warningLight
19	starfieldWarp	53	aliens
20	concentricSquares	54	rain2
21	squareRain	55	levitate
22	depthMap	56	confetti
23	cosmicDust	57	spiralEject
24	heartglow	58	clouds3d
25	evolution	59	pulseHeart
26	morph	60	rainUp
27	strangeAttractor	61	starsFlying
28	harmonicResonance	62	firework2
29	snake	63	vuColumns
30	tetris	64	vuGrid
31	bouncingLogo	65	superHexagon
32	starTunnel3D	66	squareImplode
33	rippleRain	67	plasmaLightning
		68	neonShockwaves ⭐
		69	emberVortex ⭐
		70	prismShards ⭐
		71	nebulaBreath ⭐

⭐ = new 2026-07-26. Mode **48** was `earthWindow` (deleted per request) and is now `auroraCurtains`, the first of 5 new energy/plasma modes in the style of `plasmaLightning` (67). The other four are **68–71** (`anim_new2.h`). Row **30** is `tetris`. `MODE_TABLE` (module_effects.h) has matching rows 0..71 (MOD_MODE_COUNT=72); `TOGA_EFFECT_COUNT` in toga_proto.h is also 72.