

# Fairness for the People, by the People: Minority Collective Action


Omri Ben-Dov<sup>1</sup>, Samira Samadi<sup>1</sup>, Amartya Sanyal<sup>2</sup>, Alexandru Tifrea<sup>3</sup>

<sup>1</sup>Max Planck Institute for Intelligent Systems, Tübingen AI Center, Tübingen, Germany

<sup>2</sup>Department of Computer Science, University of Copenhagen

<sup>3</sup>ETH Zurich


## Motivation



## Approximating the Counterfactuals


Relabel the  $M$  negative candidates with highest score  $s$ .

RB-prob  
Trained majority regressor




$$s_i = f(x_i)$$

RB-label  
Labels of Majority  $k$ -NN



$$s_i = \sum_{j \in K_i} \mathbf{1}\{y_j = 1\}$$


RB-dist  
Distance of majority  $k$ -NN



$$s_i = -\frac{1}{k} \sum_{j \in K_i} \|x_i - x_j\|_2$$

## Varying Knowledge

$k$ -NN methods are effective even with a few majority points.



## Algorithmic Collective Action

A firm trains a classifier  $h$  on user-data and a  $\alpha$ -sized group of users collaborate to modify their data.

To make a classifier ignore a signal  $g$

$$S(\alpha) = \mathbb{P}_0[h(g(x)) = h(x)],$$

the collective can apply a relabeling strategy [1]

$$y \rightarrow \operatorname{argmax}_{y' \in \{0,1\}} \mathbb{P}_0(y'|g(x)).$$

Setting the signal as a group counterfactual

$$g(x) = x_{A \leftarrow 0}$$


leads towards counterfactual fairness, in some cases promoting other forms of group fairness [2].

## References

- [1] Moritz Hardt, Eric Mazumdar, Celeste Mendl-Dünner, and Tijana Zrnic. Algorithmic Collective Action in Machine Learning. In *Proceedings of the 40th International Conference on Machine Learning*, volume 202, pages 12570–12586, 2023.
- [2] Jacy Anthis and Victor Veitch. Causal context connects counterfactual fairness to robust prediction and group fairness. In *Advances in Neural Information Processing Systems*, volume 36, pages 34122–34138. Curran Associates, Inc., 2023.
- [3] Nikola Jovanović, Mislav Balunovic, Dimitar Iliev Dimitrov, and Martin Vechev. FARE: Provably Fair Representation Learning with Practical Certificates. In *Proceedings of the 40th International Conference on Machine Learning*, pages 15401–15420. PMLR, 2023.
- [4] Geoff Pleiss, Manish Raghavan, Felix Wu, Jon Kleinberg, and Kilian Q Weinberger. On fairness and calibration. In *Advances in Neural Information Processing Systems*, volume 30. Curran Associates, Inc., 2017.


## Importance of Collective Size

20–30% of the minority attains the least fairness violation.



## Relabeling Efficiency

Our methods are more efficient than relabeling baselines.



## Comparison With Firm-Side Methods

Unlike firm-side FARE [3] and calibrated equalized odds [4], a minority cannot get perfect fairness, but adds smaller error.

