

EASY MODE

Select tracks in Logic's Mixer, press your hotkey — EasyBounce picks them up and adds them to the queue. No switching apps, no clicking panels.

1 Grant Accessibility access

Go to **System Settings** → **Privacy & Security** → **Accessibility** and turn EasyBounce **ON**. If the toggle doesn't stick — use **–** to remove, then **+** to re-add.

SYSTEM SETTINGS → ACCESSIBILITY



EasyBounce


**+** **–** Use + to add manually if toggle doesn't respond**2 Scan Logic, then Pin the window**

Click **Scan Logic** — EasyBounce reads all mixer channels in 15–30s. If you want the app to always stay on top, click  **Pin**.


EASYBOUNCE – TITLEBAR

EASY  PRO **Scan Logic**


- 3 **Set your hotkeys once**
Click ⚙️ → **HOTKEYS** tab. Click each field and press your key combo. Hotkeys work system-wide — no need to leave Logic.



- 4 **Select track in Logic → press hotkey**
Click a channel in the **Logic Mixer**, press your hotkey — EasyBounce captures it instantly and adds it to the bounce queue.




- 5 **Output folder & naming**
EasyBounce auto-selects the folder where your Logic project is saved. To change it, click **Output** and select the folder you need. Add a custom **prefix** or **suffix** to file names from the naming field. Click **Format** to choose how you want to render.



- 6 **Choose output format**
Select **WAV**, **M4A**, or **MP3** and set bit depth / sample rate. Choose your settings and click **Save**.

FORMAT & MODE SETTINGS



- 7 **Click Bounce — sit back**
Hit **Bounce**. EasyBounce solos, renders, and unsolos each item automatically. A progress bar shows render status — done when it disappears.

BOUNCE IN PROGRESS

BOUNCE (1)

8 Interface overview — every button explained

All controls at a glance: mode switch, scanning, hotkeys, queue management, output settings, and the Bounce button.

EASYBOUNCE — FULL INTERFACE

Easy / Pro

interface mode toggle

Scan Logic

fetch channels from Logic mixer, hotkeys, theme, behavior

Settings

BOUNCE QUEUE 1 files

Full Version

Markers

Sidechain

01 DRUMS STEM

Full

Full Version

add full mix to queue

Markers

Bounce individual sections

OUTPUT ~/Desktop

NAME

FORMAT WAV M4A WAV / 24-bit / 48 kHz / MP3 320 kbit/s

Ready

BOUNCE (1)

Always on top

keep window above others

Sidechain

pick channel as sidechain source

Item options

fade, normalize, length limits

Delete stem

remove this item from queue

Wildcards { }

\$project, \$stem, \$date, \$bpm

Output

where to save bounced

Name

filename template

Format

codec & quality

BOUNCE button


start render of queued stems

notif / schedule / sound / feedback / help

PRO MODE

Full Interface Overview

Switch from Easy to Pro to unlock the complete EasyBounce workflow: channels panel, bounce queue, activity tracking, and advanced delivery controls — all in one window.



Channels Panel

Lists all Logic channels. Filter by type, search by name, click to add to the bounce queue.

Bounce Queue

Central staging area — every item queued for rendering with version type, effects state, and status.

Activity Panel

Stats (lifetime totals), History (past sessions), Log (real-time events) — three tabs on the right.

Render Controls

Master bus, sidechain, effects mode, and scheduling — configure the entire render pass in one bar.

STEP 1

Channels Panel — Browse & Select Logic Channels

The left panel lists every channel detected in your Logic project after scanning. Filter by type, search by name, and select what to bounce.



1 Browse, filter and select channels

After scanning Logic, all detected channels appear in the panel. Use the type filter buttons to narrow the list: **Audio**, **Inst**, **Aux**, **Bus**, **Input**, **Output**, **Master/VCA**, **MIDI**. Type in the search bar to find channels by name. Click any channel to add it to the queue.

The **filter toggle switch** at the top of the panel enables smart channel filtering. When on, EasyBounce analyses your full Logic routing — bus sends, aux assignments, sidechain connections — and shows only the channels that are meaningful to bounce. This significantly improves how the app understands complex project structures with many routed channels, and avoids cluttering the list with utility or passthrough channels.

2 Mixer-only channels

At the bottom of the panel, **MIXER-ONLY** channels — such as Preview and Click — are listed separately. These channels exist in the Logic mixer but are not intended for bouncing. They are grouped apart so you can skip them easily.




ACTIVITY

Activity Panel — Stats, History & Log

The right panel tracks everything EasyBounce does across three tabs: Stats shows lifetime totals, History lists past sessions with full signal chain details, and Log shows real-time events.


1 Stats

Lifetime bounce statistics: total files rendered, time saved vs. manual export, session count, and total render time.




2 History

Every past bounce session listed with timestamp, project name, and stem count. Each entry also stores the full signal chain state: **master channel plugin parameters**, **sidechain channel assignments**, and the **wet or dry** render mode used — so you always know the exact delivery configuration for any past job. Undo the latest session or clear entries individually.



3 Log

Real-time timestamped log of all EasyBounce events: scan progress, channel detection, bounce start/finish, and errors. Useful when something doesn't behave as expected.



STEP 2

Delivery Filters & Toolbar Controls


Use the filter bar to define the scope of each render, and the toolbar to manage scanning and connection status.

1 Version, Stems & Sets filter bar

The filter bar defines the scope and structure of what gets rendered:

- **Full Version** — renders the entire Logic project as a single file. All active channels play together through the signal chain. This is your complete mix render — the final stereo output of the project.
- **Stems** — activates a stem delivery preset. A stem preset tells EasyBounce to render each channel in the queue individually as a separate file. You can create and save different stem groupings — for example "All Drums" renders every drum-related channel. Stems always render in one pass.
- **Sets** — a complete delivery preset that bundles stems, versions, and merges together in a single saved configuration. Use Sets when you work on recurring projects with the same delivery requirements: one click applies the full job — stems, full version, custom merges — without rebuilding the queue each time.
- **Save set** — saves the current queue configuration (all items, their types, and filter settings) as a named Set for reuse.

Click **X** on any active chip to clear that filter.




2 Queue action buttons — RENDER, Reset & Clear

- RENDER** Starts the bounce for all items currently in the queue. EasyBounce processes every staged stem, version, and merge in sequence according to the active render controls settings.
- Reset** Resets the render state of all queue items back to pending — useful if you want to re-run the same queue without rebuilding it from scratch.
- Clear Done** Removes only completed items from the queue. Pending or in-progress items remain — lets you clean up after a partial render without losing the rest of the job.
- Clear All** Empties the entire queue. Use this to start fresh with a new delivery configuration.

3 Main toolbar

- **Scan Logic** — re-scan the open Logic project to pick up channel additions or routing changes
- **Theme toggle** — switch between light and dark UI
- **Click toggle** — show or hide the Click channel in the channels panel
- **Logic On / Off indicator** — green when Logic is connected and responding to EasyBounce commands
- **Settings** — open app preferences: hotkeys, file suffixes, rename memory



STEP 3


Versions — Custom Mixes from the Same Queue

A Version is a named bounce with a specific subset of channels active. Add multiple versions to the queue and render them all in a single pass — No Drums, No Vocals, Underscore, and a full mix at the same time.

1 Add a new version

Click the **+** icon or right-click a queue item and choose **Add Version**. In the dialog:

- Type a version name in the **Mix Name** field — e.g. **No Vocals**, **No Drums**
- Use **Quick Names** chips to apply common presets instantly (No Drums, No Vocals, No Strings, Underscore)
- Save your own name shortcuts with **+ Save**
- In the **Channels** list, check the stems to **include** in this version. Unchecked channels will be muted during the render
- Click **Add to Queue** to stage it — or **Save preset** to store this configuration for reuse



STEP 3B

Merge Stems — Combine Channels into One File


Merge lets you combine multiple channels into a single rendered output file. Useful for composite deliverables where several stems should be summed together: Lo, Bro, Perc, Orchestral into one "Ensemble" file.

2 Create a merge

Right-click a queue item and choose **Merge Stems**, or use the Merge action in the queue toolbar. In the dialog:

- **Quick Names** chips at the top let you select common channel groupings — click a chip to pre-select those channels in the list
- Type a name for the merged output in the **Merge Name** field (e.g. **Ensemble**, **Perc Group**)
- In the **Channels** list, check every channel to include in this merged stem
- Click **Add to Queue** — EasyBounce will sum all selected channels and render them as a single file

Merges appear in the queue alongside regular stems and versions. They render in the same pass.




STEP 4

Drop to Version — Route a Stem Instantly

Drag any channel from the panel and drop it onto the **Drop to Version** target to add it to an existing version in the queue — no dialogs, no menus.

1 Drop to Version

Drag a channel from the channels panel. While dragging, the **Drop to Version** target zone appears and highlights in green. Release the channel onto it to add the stem to the current version in the queue. The version is updated instantly without reopening the New Version dialog.



STEP 4B

Drop to Merge — Build a Merge on the Fly

Drop a channel onto the **Drop to Merge** target to add it to an existing merge group in the queue without opening the Merge Stems dialog.

2 Drop to Merge

Drag a channel from the channels panel. The **Drop to Merge** target zone appears below the Drop to Version area. Release the channel onto it to combine it with the existing merge group. The channel is added and the merge output is updated immediately — useful when building a composite stem on the fly without pausing to open the Merge dialog.

DROP TO MERGE — ADD A CHANNEL TO THE MERGE GROUP

The screenshot shows the EasyBounce software interface. On the left, the 'CHANNELS' panel lists various audio channels: Drums, Bass, Guitar, Keys, Strings, and Fx. Below this, there's a 'MIXER-ONLY (2)' section with 'Preview' and 'Click' buttons. The main workspace displays a 'BOUNCE QUEUE' with 1 file, 'Markers', and buttons for 'Save set', 'Reset all', 'Clear done', and 'Clear all'. The 'RENDER' section shows 'Wet' and 'Master' tabs. The 'Full Version' track is selected, showing 'All tracks' and 'Full' options. Below the track, there are two target zones: 'Drop to version' and 'Drop to merge'. The 'Drop to merge' zone is highlighted with a dashed blue border and contains a 'Drums' channel with a green plus icon. The 'OUTPUT' section shows the path '~/Desktop', a 'NAME' field with a placeholder 'Type or insert wildcards...', and 'FORMAT' options: WAV, MP3, and M4A. The 'WAV' format is selected, showing 'WAV / 24-bit / 48 kHz / MP3 320 kbit/s' and a 'PRESET' button. At the bottom, there's a 'BOUNCE (1)' button and a status bar with 'Ready' and various icons.

STEP 5

Bounce Queue — Delivery Sets

A Set is a saved delivery configuration that bundles stems, versions, and merges into one reusable preset. When a Set is applied, all its items appear in the queue tagged with the **SET** badge.

1 How Sets work in the queue

Each item in the queue shows a type badge — **STEM**, **FULL**, or **MERGE**. Items that belong to a saved Set are additionally tagged **SET**. A single Set can contain any combination of stems, a full version, and merges — everything that defines your complete delivery for a project type.

Sets are most useful when you regularly deliver the same structure across multiple projects: configure the queue once, save it as a Set, and recall it with a single click on any future project. The queue is populated automatically with all the right items in the right configuration.

Individual items inside a Set can still have their own per-item effects presets. The Set stores item types and groupings, not the global render settings — those are always configured separately in the Render Controls bar.


BOUNCE QUEUE — FULL VERSION, STEMS, MERGES IN A SET

▼	Full	SET	6 jobs	✎	×
01	Drums	STEM			×
02	Bass	STEM			×
03	Guitar	STEM			×
04	Keys	STEM			×
05	Drums and Bass	MERGE			×
06	No Drums	MIX		✎	×
	✕ Drums				

STEP 5B

Render Controls Bar — In Depth

The bar above the queue configures the global render pass. Every setting here applies to all queue items unless overridden by a per-item preset.



MASTER

Controls the Logic **Master channel** during the bounce.

On — master bus plugins (limiters, EQ, compression) are applied to every rendered stem. Use for *print with master chain* deliveries.

Off — master bus is bypassed entirely. Stems are rendered pre-master — clean, flat signal. Standard for delivering stems to a mixing or mastering engineer.

M + NoM — renders two files per stem simultaneously: one with master On and one with master Off. Most efficient when you need both versions in one pass.

SC

Controls **sidechain routing** during the bounce.

On — sidechain is active. The channel selected in the SC panel feeds all plugins that use sidechain input. Compressors and duckers respond as they do in the original mix.

Off — no sidechain signal. All SC-enabled plugins behave as if no trigger source is connected — useful for clean, isolated stem renders.

SC + NoSC — renders two files per stem simultaneously: one with sidechain active and one without. Covers both delivery variants in a single pass.

Search

Filter the queue list by typing a name. Useful when the queue holds many stems and you need to quickly find or verify a specific item before rendering.

EFFECTS

Controls the FX chain for all stems in the queue.

Wet — full effects chain active. Reverbs, delays, FX returns, and all processing are included in every rendered stem. Standard for most deliveries.

Dry — effects muted. Stems are rendered without any reverbs, delays, or FX returns — pure, dry audio. FX returns set to stay active in *Keep on Dry* settings are the only exception.

Wet+Dry — EasyBounce renders **both versions simultaneously**. Every stem in the queue produces two output files: one suffixed `_Wet` and one `_Dry`. Most efficient method when you need both formats.

+FX

Adds all detected FX return channels (reverbs, delays, plates, etc.) to the queue as additional individual stems. Each FX return becomes a separate bounce entry — use this when you need to deliver FX channels as standalone files alongside main stems.

Aa

Controls the naming format for all render parameters across the queue. Switches how EasyBounce labels render states — effects, master, sidechain — on each queue item and in output filenames.


STEP 6

Sidechain & FX Channel Routing

Route specific channels through a sidechain bus, capture FX returns as stems, and control which FX channels appear in Wet vs. Dry renders.


1 Sidechain channel selector

Select which Logic channel feeds the sidechain input during the bounce. Useful when a plugin (compressor, ducker) needs a specific trigger signal — e.g. kick drum sidechaining a bass channel.




2 FX channels — render returns as stems

Lists all FX return channels (reverbs, plates, delays) detected in your Logic project. Use **Each to Queue** to add every return as its own stem, or **Bounce All** to render them combined in a single pass.




3 Keep on Dry — FX active in Dry mode

Choose which FX returns remain audible when rendering in **Dry** mode. Toggle a channel **On** here to include it in the Dry bounce even though effects are globally off — useful for essential room sounds that define the stem character.



4 Mute from Wet — silence FX in Wet mode

Toggle which FX returns are silenced during the **Wet** render. Toggle a channel **Off** here to exclude it from the Wet version — for example when a reverb should only appear in a specific stem and not in the full Wet render.



STEP 7

Effects Presets — Per-Item Render Configuration

Every queue item can have its own effects configuration that overrides the global render controls bar. Click the preset icon on any queue item to open its individual settings.

PER-ITEM EFFECTS PRESET DROPDOWN



FOR: FULL VERSION

EFFECTS

✓

Inherit global

Wet

Wet

Dry

Wet + Dry

MASTER

✓

Inherit global

On

On

Off

M + NoM

Custom...

SC

✓

Inherit global

Off

On

Off

SC + NoSC

Custom...

+FX

✓

Inherit global

no FX

Custom...

EFFECTS

Render effects state for this stem only:

- Inherit global** — follows the global EFFECTS control in the render bar
- Wet** — this stem is always rendered with full effects, regardless of global setting
- Dry** — this stem is always rendered without effects
- Wet + Dry** — renders two output files for this stem only: one Wet, one Dry

MASTER

Master bus for this stem:

- Inherit global** — follows the global MASTER toggle
- On / Off** — override master bus on or off for this stem only
- M + NoM** — renders two files: one with master On, one without
- Custom** — define a specific master chain configuration for this stem

SC

Sidechain routing for this stem:

- Inherit global** — follows the global SC toggle
- On / Off** — override sidechain on or off for this stem only
- SC + NoSC** — renders two files: one with sidechain, one without
- Custom** — assign a specific sidechain source channel for this stem only

+FX

FX return inclusion for this stem:

- Inherit global** — follows the global +FX setting
- Custom option: add or exclude specific FX channels for this item only, independent of what other stems receive

When to use per-item presets: when different stems in the same queue need different configurations — for example, Full Version with Master On while individual stems use Master Off. This avoids splitting your job into multiple separate render passes.

STEP 8

Notifications — Get Alerted When Your Bounce Finishes

Connect Telegram, Discord, or Email to receive a notification the moment your bounce job completes — useful for long overnight renders.

NOTIFICATION SERVICES — TELEGRAM / DISCORD / EMAIL

Notifications

Telegram ● Connected

Connected

Test

Disconnect

Discord ○ Not connected

Open Discord →

Paste webhook URL: ⓘ

https://discord.com/api/webhooks/...

Connect

Email ● Configured

your@email.com

Save

1

Connect a service

Open notifications from the bell icon in the footer.

Three services are available:

- **Telegram** — connect your bot token. Sends a message to your Telegram chat when the bounce finishes. Use **Test** to verify the connection sends correctly.
- **Discord** — enter a webhook URL to post a completion message to a Discord channel. Use **Connect** to save and activate.
- **Email** — enter your email address and click **Save**. EasyBounce sends a completion email via its notification server.

Each service is independent — connect one, two, or all three at the same time.

STEP 8B

Schedule a Bounce & Notification Sound


Set a future start time for your queued render, and choose the sound EasyBounce plays locally when the job completes.

2 Schedule Bounce

Click the clock icon in the footer to open the Schedule dialog. Set a start time (e.g. **23:00**) — EasyBounce will wait until that time and then trigger the queued render automatically.


Perfect for overnight or between-session renders: stage your queue, schedule it, and put your machine to work while you sleep.

EasyBounce stays running in the background and starts the bounce at the set time without any further input.



3 Notification sound

Click the volume icon in the footer to choose the sound EasyBounce plays on your Mac when a bounce completes. Options: **Bell**, **Chime**, **Ping**, **Soft**, or **None**. Click each option to preview it before selecting.



STEP 9

File Naming — Suffixes & Rename Memory

Customize how rendered files are named: define suffixes for each render state, and build auto-rename rules so EasyBounce abbreviates channel names for you automatically.

1 File suffixes per render state

Each render state appends a suffix to the output filename. Edit any field to customise it:

- **Effects Wet** → `_Wet` · **Effects Dry** → `_Dry`
- **Master On** → `_Master` · **Master Off** → `_NoMaster`
- **SC On** → `_SC` · **SC Off** → `_NoSC`

Logic: if you *clear* a suffix field, that state adds nothing to the filename — the file is named as-is with no render-state indicator. If you render **Wet + Dry** simultaneously, EasyBounce creates two files per stem: the Wet file gets the Wet suffix, the Dry file gets the Dry suffix. If both suffix fields are cleared, the two files will have identical names and one will overwrite the other. Suffixes *stack* — a stem rendered Master On + SC On + Wet becomes `StemName_Master_SC_Wet.wav`.

Click **Reset** to restore all defaults at once.

SUFFIXES — FILE NAME PER RENDER STATE

Search channel... | EFFECTS **Wet** | +FX v | Aa

FILE-NAME SUFFIXES

RESET

EFFECTS · WET	—	Wet
EFFECTS · DRY	—	Dry
MASTER · ON	—	Master
MASTER · OFF	—	NoMaster
SC · ON	—	SC
SC · OFF	—	NoSC

Filled field = suffix is always added when that state is active. Empty field = no suffix on that pass. Collisions are auto-resolved with default labels.

2 Rename Memory — auto-abbreviate names

Rename Memory stores channel name → output name mapping rules. To add a rule: type the channel name exactly as it appears in Logic (e.g. `All Drums`), then the desired output name (e.g. `Drums`), and set the **multiplier**.

The multiplier controls how many consecutive files from that channel are renamed. Set it to `2×` when you render Wet + Dry — both output files come from the same channel and both need to be renamed. Set `1×` for single-file renders.

Once a rule is saved, whenever that channel name appears in the queue, EasyBounce automatically applies the shorter output name — no manual typing required.

The **Autocomplete history** section stores every name you have previously typed in the queue naming field. These appear as suggestions when you start typing, so you can reuse past stem names with a single click rather than typing them in full each time.

RENAME MEMORY — RULES & AUTOCOMPLETE HISTORY

Settings

HOTKEYS **RENAME MEMORY**

AUTO-RENAME RULES

+ Add Clear all

All Drums	>	Drums	2×	×
-----------	---	-------	----	---

AUTOCOMPLETE HISTORY

+ Add Clear all

Drums	used 4×	×
Hits	used 4×	×
Boom	used 4×	×
Choir	used 4×	×
Base	used 4×	×

FEEDBACK

Report a Bug or Share an Idea

The built-in Feedback tool lets you report issues, ask questions, suggest improvements, or leave a rating — directly from within EasyBounce.

1 Open the Feedback dialog

Click the chat bubble icon in the footer bar. Select a report type:

- **Bug Report** — describe what went wrong and when
- **Question** — ask how a feature works
- **Suggestion** — propose a new feature or improvement
- **Rating** — leave a star rating for EasyBounce

2 Describe and send

Write your description in the text area. If reporting a bug, attach a file (screenshot or log export) using the attachment button. Click **Send** — your feedback goes directly to the EasyBounce team.

FEEDBACK DIALOG

Feedback

TYPE

☒ Bug Report

☐ Question

☐ Suggestion

☐ Rating

DESCRIPTION

Describe the issue or idea...

 Attach file 1...

Send