DISTINCTIVA strategies

The newsjacking toolkit

3 ways to automate breaking news into LinkedIn posts

Every prompt, config file, and workflow template.

Copy it. Customize it. Run it.

Built by Diandra Escobar | distinctiva.io

What is newsjacking (and why it works)

Newsjacking is when you take something that just happened in your industry and add your own perspective to it before anyone else does.

You're not summarizing the news. You're contextualizing it - telling your audience what it actually means for them, their strategy, their jobs.

It works because you're attaching your expertise to something that already has an audience. The news story does the heavy lifting of getting people to stop scrolling. Your job is to break it down.

Real result from this system

One of our clients covered the revelation that ChatGPT pulls directly from Google search results and broke down what that means for SEO strategy. 293 comments. 234 reposts. 208,000 impressions. From a single post.

The bottleneck has always been finding the right story at the right time and having the angle ready to go. That's exactly what we automated.

This toolkit gives you three ways to build the system, from simple to fully autonomous. Pick the one that fits your setup.

How to use this toolkit

- **Level 1 - Claude Cowork:** Simplest setup. Works inside a tool you probably already have. Great starting point.
- **Level 2 - N8N workflow:** Scrapes X accounts live, pulls real-time news, delivers everything to your inbox on a schedule. More setup, but you'll be the first person on LinkedIn with the take.
- **Level 3 - OpenClaw agent:** A full AI agent that runs 24/7. It thinks, decides, and acts on its own. Like having a content employee who never stops working.

X accounts to track

These are the accounts we monitor for breaking AI, tech, and startup news. By the time a story trends on LinkedIn, it already happened on X days ago. This list is your early warning system.

Swap in accounts that are relevant to your specific niche. The ones below are tuned for AI, SaaS, and VC/startup content.

Handle	Who they are	Why we track them
@karpathy	Andrej Karpathy	AI research, deep takes
@OpenAI	OpenAI	Product launches, model updates
@AnthropicAI	Anthropic	Claude updates, safety research
@deepseek_ai	DeepSeek	Open-source AI models
@MistralAI	Mistral AI	European AI, open models
@Alibaba_Qwen	Qwen (Alibaba)	Chinese AI, multimodal
@perplexity_ai	Perplexity	AI search, product news
@GeminiApp	Google Gemini	Google AI products
@grok	Grok (xAI)	Elon's AI, real-time data
@gregisenberg	Greg Isenberg	Startup ideas, trends
@daveholtz	David Holtz	Midjourney, creative AI
@bcherny	Boris Cherny	Dev tools, AI engineering
@galnagli	Gal Nagli	SEO and AI overlap
@JulianGoldieSEO	Julian Goldie	SEO, AI content strategy
@ollama	Ollama	Local AI, open-source tools

Pro tip

Add 5-10 accounts specific to your client's niche. If you're in fintech, track @a16z, @ycombinator, and the founders who post deal flow updates. The more specific the signal, the better your newsjacking angle.

LEVEL 1

Claude Cowork

If you've never built anything with AI beyond chatting with it, this is your entry point. Claude Cowork is a desktop tool from Anthropic that lets you give Claude a task and it runs it on your computer in real time. You watch it work.

We're using it as a newsjacking research assistant that scans the latest news in your niche and drafts LinkedIn posts based on what it finds.

Setup steps

1. Open Claude and click **Cowork**
2. Click **Work in a folder** and choose (or create) a folder where your daily reports will be saved or choose to send them through an Email or Slack thread
3. Paste the prompt below
4. Let Claude build the skill, then click Schedule and set it to run at 6 AM EST (or whatever time works for you)
5. Click **Copy to your skills** and confirm

Option A: ideas only (fast, lightweight)

Use this prompt if you want to do the writing yourself and just need the research and angles delivered every morning.

```
I want to create a new skill which will research and find the latest news for LinkedIn
newsjacking post ideas.

Research the latest news from the last 24 hours on: [YOUR NICHE - e.g., AI, LLMs, tech
industry, VC, startups]

Also check recent posts from these X accounts:
[PASTE YOUR X ACCOUNT LIST FROM PAGE 3]

You will likely need to use Google search to find these.

For each story, give me:
```

```
- The news headline and source URL
- 2 hook options. Format: Line 1 (the hook), line break, Line 2 (the rehook). Total
under 100 characters. Line 1 creates tension or curiosity. Line 2 adds new information
or stakes that make the reader click "see more."
- The angle: one sentence explaining what take to write and why it matters to my
audience

Give me roughly 10 ideas. Prioritize contrarian takes, debate-worthy topics, and stories
that directly impact my audience's strategy.

Deliver the results using one of the following methods (pick one and delete the rest):

Option 1 - PDF: Save the result as a PDF in the folder with today's date. Example:
2026-03-15.pdf

Option 2 - Email: Send the result to [YOUR EMAIL] with the subject line "Newsjacking
Report - [today's date]"

Option 3 - Slack thread: Post to Slack channel #[YOUR CHANNEL NAME]. Send a parent
message with just "[today's date - Newsjacking Report]" and then reply in the thread
with all the ideas. Add clear spacing between each idea using blank lines and separators
(——).
```

Option B: full post drafts (ready to edit)

Use this prompt if you want posts you can edit and publish.. The writing rules are baked in so the output sounds like a real person, not a LinkedIn bot. But you still need to go in and make it yours.

```
I want to create a new skill which will research breaking news and draft LinkedIn
newsjacking posts.

Every morning, search for the top 5-8 breaking stories from the last 24 hours in: [YOUR
NICHE - e.g., AI, SaaS, fintech, marketing, ecommerce]

Also check recent posts from these X accounts:
[PASTE YOUR X ACCOUNT LIST FROM PAGE 3]

You will likely need to use Google search to find these.

For each story, write 2 LinkedIn post drafts I can choose from.

Post structure:
```

```
- Hook: Line 1 (the hook), line break, Line 2 (the rehook). Total under 100 characters.
Line 1 creates tension or curiosity. Line 2 adds new specificity or stakes.
- Context (2-3 sentences explaining the news)
- My take (connect it to something my audience cares about - what this means for them,
what they should do differently, or why it matters for their business)
- One actionable insight or open question to close

Writing rules (follow these strictly):
- Casual and direct. Write how a smart person talks, not how a brand posts.
- Short paragraphs. Max 2 sentences each. Line break between every paragraph.
- Use contractions (you're, it's, don't). Sentence case only. No title case.
- No emojis. No hashtags.
- Vary sentence length. Don't make every sentence the same rhythm.
- Cut adverbs. Cut filler words (just, basically, actually, literally, really).
- Never use: game-changer, unlock, leverage, dive deep, double down, cutting-edge,
transformative, revolutionize, synergy, move the needle, or any word that sounds like a
LinkedIn bot wrote it.
- Never write "it's not about X, it's about Y." Just say the thing directly.
- Never use rhetorical question takeaways like "The lesson? Always do X." Just write the
sentence.
- No em dashes. Use commas, periods, or rewrite the sentence.
- Find the most dramatic, specific, or tension-creating element and create the hook from
it
- Prioritize "how I" framing over "how to" when possible.

For each story, include:
- News headline + source URL
- Which draft I should pick and why (one sentence)

Deliver the results using one of the following methods (pick one and delete the rest):

Option 1 - PDF: Save the result as a PDF in the folder with today's date. Example:
2026-03-15.pdf

Option 2 - Email: Send the result to [YOUR EMAIL] with the subject line "Newsjacking
Report - [today's date]"

Option 3 - Slack thread: Post to Slack channel #[YOUR CHANNEL NAME]. Send a parent
message with just "[today's date - Newsjacking Report]" and then reply in the thread
with all the post drafts. Add clear spacing between each draft using blank lines and
separators (———).
```

Which one should you pick?

If you have a strong voice and just need ideas to riff on, go with Option A. If you want something closer to a finished post that you can tighten up in 5-10 minutes, go with Option B. Either way, swap in your niche, your X accounts, and your audience.

What you'll get

Every morning, a PDF waiting in your folder with three sections:

- **Raw news and sources** with links so you can verify and dig in
- **Key tweets** from tracked accounts
- **10 drafted LinkedIn posts** ready to edit

Limitation

Your laptop needs to be on for the schedule to run. If it's off, the task runs the moment you turn it on. For most people, that's more than enough.

Cowork researches through Google, so if a story breaks on X first, you're waiting for it to get indexed. That can take a couple of days. If you want real-time signal, that's where Level 2 comes in.

LEVEL 2

N8N workflow

N8N is a workflow automation tool - think Zapier but way more powerful for AI workflows. This method does something Cowork can't: it scrapes X accounts directly. The people in your industry who break news first, the ones whose tweets become LinkedIn posts 48 hours later.

On top of that, it pulls from Google News and passes everything through an AI node that evaluates newsjacking potential, drafts the post ideas, and delivers them to your inbox or Slack on a schedule.

What you'll need

- An N8N account (self-hosted or cloud)
- An Anthropic API key (for the Claude AI node)
- An Apify API token (for scraping X and Google News - free tier works to start)
- Gmail OAuth or Slack OAuth (for delivery - the workflow supports both)
- The JSON workflow file (included with this toolkit)

Workflow architecture

The workflow has 10 nodes. The trigger fires three scraping nodes in parallel, then everything merges, gets analyzed by Claude, formatted, and delivered to both email and Slack. Here's the breakdown:

Node	What it does	Config notes
1. Daily trigger	Fires every day at 7 AM	Change the hour to your timezone
2. Tracked tweets	Scrapes tweets from @OpenAI, @AnthropicAI, @karpathy, @gregisenberg via Apify	Add your Apify token. Edit the "from:" search terms to track different accounts
3. Trending tweets	Finds top trending AI/LLM tweets with 500+ likes via Apify	Customize the keyword filters for your niche
4. Google News	Pulls the latest AI news stories using Apify's Google News scraper	Swap keywords for your industry
5. Combine data	JavaScript node that cleans and merges all three data streams into one payload	No changes needed

6. Claude AI	Claude Haiku analyzes everything, evaluates newsjacking potential, and drafts 10 LinkedIn posts with hooks, angles, and source links	Already prompted. Swap model to Sonnet if you want higher quality drafts
7. Clean HTML	JavaScript node that strips code fences and formats Claude's output as clean HTML	No changes needed
8. Slack formatter	Converts the HTML report into Slack-compatible markdown with links	No changes needed
9. Gmail	Sends the HTML report as a Gmail draft with today's date in the subject line	Connect your Gmail OAuth
10. Slack	Posts the formatted report to your Slack channel	Connect your Slack OAuth, pick your channel

What the Claude AI node does

The Claude node is already fully prompted inside the workflow JSON. It receives all three data streams and outputs a polished HTML email report with four sections: tracked account posts, trending AI posts, top news stories, and 10 LinkedIn post ideas with hooks, angles, and source links.

The prompt prioritizes contrarian takes, human angles, breaking news, debate-worthy topics, and practical takeaways. It de-duplicates stories and formats everything as a scannable email.

Want higher quality drafts?

The workflow uses Claude Haiku for speed and cost. If you want sharper drafts, swap the model to claude-sonnet-4-20250514 in the Claude AI Analysis node. It's more expensive per run but the post ideas will be noticeably better.

How to import the workflow

1. Download the **newsjacking-workflow-n8n.json** file (included with this toolkit)
2. In N8N, go to **Workflows > Import from file** and select the JSON
3. Replace **`<ADD YOUR APIFY API TOKEN>`** in the three HTTP Request nodes (Tracked Tweets, Trending Tweets, News Stories) with your actual Apify token
4. Connect your Anthropic API credentials in the Claude AI Analysis node
5. Connect Gmail OAuth and/or Slack OAuth in the delivery nodes
6. Customize the X account search terms and news keywords for your niche (see the "Config notes" column above)

7. Activate the workflow

Advantage over Cowork

Real-time data from X. It runs without you. Every morning you wake up to newsjacking drafts sitting in your inbox. You didn't open a tool, you didn't paste a prompt. The workflow handled it overnight.

The trade-off: more setup, more tools, you need API keys. But you're not building from scratch - you import the JSON and customize a few fields.

LEVEL 2 - APPENDIX

N8N workflow JSON

Copy the entire JSON below and save it as a .json file, then import it into N8N. Or if you downloaded this toolkit as part of the bundle, the file is already included separately as newsjacking-workflow-n8n.json.

Before you import

Search for <ADD YOUR APIFY API TOKEN> in the JSON and replace all three instances with your actual Apify API token. After importing, you'll also need to connect your Anthropic, Gmail, and Slack credentials inside N8N.


```
{
  "name": "Daily Newsjacking Report Automation",
  "nodes": [
    {
      "parameters": {
        "rule": {
          "interval": [
            {
              "triggerAtHour": 7
            }
          ]
        }
      },
      "id": "eb504263-0ecd-474b-b3a7-bc2415c8e0c0",
      "name": "Daily 7 AM Trigger",
      "type": "n8n-nodes-base.scheduleTrigger",
      "typeVersion": 1.3,
      "position": [
        240,
        400
      ]
    },
    {
      "parameters": {
        "method": "POST",
        "url": "https://api.apify.com/v2/acts/apidojo~tweet-scraper/run-sync-get-dataset-items?token=<ADD YOUR APIFY API
TOKEN>\n",
        "sendBody": true,
        "specifyBody": "json",
        "jsonBody": "{\n  \"searchTerms\": [\n    \"from:OpenAI -filter:replies -filter:nativeretweets min_faves:50\",\n
\"from:AnthropicAI -filter:replies -filter:nativeretweets min_faves:50\",\n    \"from:karpathy -filter:replies
-filter:nativeretweets min_faves:50\",\n    \"from:gregisenberg -filter:replies -filter:nativeretweets min_faves:50\"\n
],\n  \"maxItems\": 10,\n  \"sort\": \"Latest\",\n  \"tweetLanguage\": \"en\"\n}",
        "options": {
          "timeout": 120000
        }
      },
      "id": "5d3d0972-4762-4a38-8046-9ed5ee80c6bb",
      "name": "Fetch Tracked Account Tweets",
      "type": "n8n-nodes-base.httpRequest",
      "typeVersion": 4.4,
      "position": [
        464,
        208
      ],
      "executeOnce": true
    },
    {
      "parameters": {
        "method": "POST",
        "url": "https://api.apify.com/v2/acts/apidojo~tweet-scraper/run-sync-get-dataset-items?token=<ADD YOUR APIFY API
TOKEN>",
        "sendBody": true,
        "specifyBody": "json",
        "jsonBody": "{\n  \"searchTerms\": [\n    \"AI OR artificial intelligence OR LLM -filter:replies
-filter:nativeretweets min_faves:500\",\n    \"AI agent OR AI startup OR foundation model -filter:replies
-filter:nativeretweets min_faves:500\"\n  ],\n  \"maxItems\": 15,\n  \"sort\": \"Top\",\n  \"tweetLanguage\": \"en\"\n}",
        "options": {
          "timeout": 120000
        }
      },
      "id": "a72c9ab6-f962-471f-99ca-13f2a2f5b262",
```

```
      "name": "Fetch Trending AI Tweets",
      "type": "n8n-nodes-base.httpRequest",
      "typeVersion": 4.4,
      "position": [
        464,
        400
      ],
      "executeOnce": true
    },
    {
      "parameters": {
        "method": "POST",
        "url": "https://api.apify.com/v2/acts/data_xplorer~google-news-scraper-fast/run-sync-get-dataset-items?token=<ADD
YOUR APIFY API TOKEN>",
        "sendBody": true,
        "specifyBody": "json",
        "jsonBody": "{\n  \"keywords\": [\n    \"OpenAI OR Anthropic OR Google DeepMind OR Meta AI\",\n    \"AI model OR AI
agent OR AI startup\",\n    \"AI regulation OR AI safety OR AI copyright\"\n  ],\n  \"maxArticles\": 10,\n  \"timeframe\":
\"1d\",\n  \"region_language\": \"US:en\",\n  \"decodeUrls\": true,\n  \"extractDescriptions\": true,\n  \"extractImages\":
false\n}",
        "options": {
          "timeout": 120000
        }
      },
      "id": "3fa17cf5-f010-4ab7-b095-561be8e50200",
      "name": "Fetch AI News Stories",
      "type": "n8n-nodes-base.httpRequest",
      "typeVersion": 4.4,
      "position": [
        464,
        592
      ],
      "executeOnce": true
    },
    {
      "parameters": {
        "modelId": {
          "__rl": true,
          "value": "claude-haiku-4-5-20251001",
          "mode": "list",
          "cachedResultName": "claude-haiku-4-5-20251001"
        },
        "messages": {
          "values": [
            {
              "content": "=You are a LinkedIn content strategist specializing in AI and marketing.\n\nAnalyze the data below
and produce a newsjacking report formatted in clean HTML for email delivery.\n\nUse this exact HTML structure. Keep styling
inline. Use a white background, dark text, and subtle accent colors. Make it scannable and visually
polished.\n\n---\n\nOUTPUT FORMAT (return ONLY the HTML, no markdown, no code blocks):\n\n<div style=\"font-family:
'Helvetica Neue', Arial, sans-serif; max-width: 640px; margin: 0 auto; color: #1a1a1a; line-height: 1.6;\">\n\n  <div
style=\"text-align: center; padding: 32px 0 24px;\">\n    <h1 style=\"font-size: 28px; font-weight: 700; margin: 0;\">Your
Daily AI Newsjacking Report</h1>\n    <p style=\"color: #666; font-size: 14px; margin: 8px 0 0;\">Fresh post ideas based on
what is trending right now</p>\n  </div>\n\n  <div style=\"border-top: 3px solid #0A66C2; padding-top: 24px; margin-bottom:
32px;\">\n    <h2 style=\"font-size: 18px; text-transform: uppercase; letter-spacing: 1px; color: #0A66C2; margin-bottom:
16px;\">Tracked Account Posts</h2>\n    <!-- For each post, use this card format: -->\n    <div style=\"background: #f8f9fa;
border-radius: 8px; padding: 16px; margin-bottom: 12px;\">\n      <p style=\"font-weight: 600; font-size: 14px; margin: 0 0
4px;\"><a href=\"POST_URL\" style=\"color: #1a1a1a; text-decoration: none;\">Author Name</a> <span style=\"color: #666;
font-weight: 400;\">@handle</span></p>\n      <p style=\"margin: 0; font-size: 14px;\">Post text here</p>\n      <a
href=\"POST_URL\" style=\"font-size: 12px; color: #0A66C2; text-decoration: none; margin-top: 8px; display:
inline-block;\">View post →</a>\n    </div>\n  </div>\n\n  <div style=\"border-top: 3px solid #0A66C2; padding-top: 24px;
margin-bottom: 32px;\">\n    <h2 style=\"font-size: 18px; text-transform: uppercase; letter-spacing: 1px; color: #0A66C2;
margin-bottom: 16px;\">Trending AI Posts</h2>\n    <!-- Same card format as above with clickable links -->\n  </div>\n\n
<div style=\"border-top: 3px solid #0A66C2; padding-top: 24px; margin-bottom: 32px;\">\n    <h2 style=\"font-size: 18px;
text-transform: uppercase; letter-spacing: 1px; color: #0A66C2; margin-bottom: 16px;\">Top News Stories</h2>\n    <!-- For
each story, use this format: -->\n    <div style=\"background: #f8f9fa; border-radius: 8px; padding: 16px; margin-bottom:
12px;\">\n      <a href=\"ARTICLE_URL\" style=\"font-weight: 700; font-size: 15px; margin: 0 0 4px; color: #1a1a1a;
text-decoration: none; display: block;\">Story title</a>\n      <p style=\"font-size: 12px; color: #0A66C2; text-transform:
uppercase; letter-spacing: 0.5px; margin: 0 0 8px;\">Source Name</p>\n      <p style=\"margin: 0; font-size: 14px; color:
#444;\">One line description</p>\n      <a href=\"ARTICLE_URL\" style=\"font-size: 12px; color: #0A66C2; text-decoration:
none; margin-top: 8px; display: inline-block;\">Read article →</a>\n    </div>\n  </div>\n\n  <div style=\"border-top: 3px
solid #0A66C2; padding-top: 24px; margin-bottom: 32px;\">\n    <h2 style=\"font-size: 18px; text-transform: uppercase;
letter-spacing: 1px; color: #0A66C2; margin-bottom: 16px;\">10 LinkedIn Post Ideas</h2>\n    <!-- For each idea, use this
format: -->\n    <div style=\"background: #f8f9fa; border-radius: 8px; padding: 20px; margin-bottom: 16px; border-left: 4px
solid #0A66C2;\">\n      <p style=\"font-size: 12px; color: #0A66C2; text-transform: uppercase; letter-spacing: 0.5px;
margin: 0 0 8px;\">Idea #1 | Source: [source reference]</p>\n      <p style=\"font-size: 17px; font-weight: 700; margin: 0 0
12px; line-height: 1.4;\">\"Hook goes here\"</p>\n      <p style=\"font-size: 14px; margin: 0 0
8px;\"><strong>Angle:</strong> The take or argument explained in one to two sentences</p>\n      <p style=\"font-size: 13px;
color: #666; margin: 0;\"><strong>Why it works:</strong> Why this will perform on LinkedIn</p>\n    </div>\n  </div>\n\n
<div style=\"text-align: center; padding: 24px 0; border-top: 1px solid #e0e0e0; color: #999; font-size: 12px;\">\n
Generated by your AI Newsjacking Workflow\n  </div>\n\n</div>\n\n---\n\nRULES:\n- Return ONLY the final HTML. No
explanations, no markdown, no code fences.\n- Do not skip any posts or stories from the data.\n- For tracked account posts
and trending posts, link the author name and the \"View post\" link to the post URL from the data.\n- For news stories, link
the title and the \"Read article\" link to the article URL from the data.\n- All links should open in a new tab
(target=\"_blank\").\n- For the 10 LinkedIn Post Ideas, prioritize: contrarian takes, human angles, breaking news,
debate-worthy topics, and practical takeaways.\n- Write punchy hooks. No generic openings like \"In today's world...\" or
\"AI is changing everything.\" Every hook should make someone stop scrolling.\n- Remove any duplicate news stories (same
headline from different sources). Keep the version from the most credible source.\n\n---\n\nHERE IS THE DATA:\n\nTRACKED
ACCOUNT POSTS:\n{{ JSON.stringify($json.trackedAccountPosts) }}\n\nTRENDING AI POSTS:\n{{
JSON.stringify($json.trendingAIPosts) }}\n\nNEWS STORIES:\n{{ JSON.stringify($json.newsStories) }}"
            }
          ]
        },
        "options": {
```

```
          "maxTokens": 16384
        }
      },
      "id": "68008206-a8c9-4ad3-a81a-ec326b4aee03",
      "name": "Claude AI Analysis",
      "type": "@n8n/n8n-nodes-langchain.anthropic",
      "typeVersion": 1,
      "position": [
        912,
        400
      ],
      "executeOnce": true,
      "credentials": {
        "anthropicApi": {
          "id": "qqNT8tiwFdewS6hu",
          "name": "Anthropic account"
        }
      }
    },
    {
      "parameters": {
        "resource": "draft",
        "subject": "=Daily Newsjacking Report - {{ $now.toFormat(\"MMMM d, yyyy\") }}",
        "emailType": "html",
        "message": "={{ $json.html }}",
        "options": {}
      },
      "id": "6403f67f-9f21-4e28-905e-ee8f6dccfd1c",
      "name": "Send Daily Report Email",
      "type": "n8n-nodes-base.gmail",
      "typeVersion": 2.2,
      "position": [
        1424,
        288
      ],
      "webhookId": "bf7cec0b-b693-4997-8eab-952108fe3989",
      "executeOnce": true,
      "credentials": {
        "gmailOAuth2": {
          "id": "oU1ShyP2NWQs0ze8",
          "name": "Gmail account"
        }
      }
    },
    {
      "parameters": {
        "jsCode": "const trackedTweets = $(\"Fetch Tracked Account Tweets\").all().map(item => item.json);\nconst
trendingTweets = $(\"Fetch Trending AI Tweets\").all().map(item => item.json);\nconst newsStories = $(\"Fetch AI News
Stories\").all().map(item => item.json);\n\nconst cleanTweets = (tweets) => tweets\n  .filter(t => !t.isReply)\n  .slice(0,
10)\n  .map(t => ({\n    text: t.fullText || t.text,\n    author: t.author?.name || \"Unknown\",\n    handle:
t.author?.userName || \"\",\n    url: t.url || \"\"\n  }));\n\nconst cleanNews = (stories) => stories.slice(0, 10).map(s =>
({\n  title: s.title || \"\",\n  source: s.source || \"\",\n  description: s.description || \"\",\n  url: (s.url ||
\"\").split('?')[0]\n}));\n\nconst output = {\n  trackedAccountPosts: cleanTweets(trackedTweets),\n  trendingAIPosts:
cleanTweets(trendingTweets),\n  newsStories: cleanNews(newsStories)\n};\n\nreturn [{ json: output }];"
      },
      "id": "9806c9e8-a239-408c-91c6-43e90f43d335",
      "name": "Combine All Data",
      "type": "n8n-nodes-base.code",
      "typeVersion": 2,
      "position": [
        688,
        400
      ]
    },
    {
      "parameters": {
        "jsCode": "const raw = $input.first().json.content[0].text;\nconst clean = raw\n  .replace(/```html\\n?/g, '')\n
.replace(/```\\n?/g, '')\n  .replace(/\\\\\"/g, '\"')\n  .replace(/\\\\n/g, '\\n')\n  .trim();\n\nreturn [{ json: { html:
clean } }];"
      },
      "type": "n8n-nodes-base.code",
      "typeVersion": 2,
      "position": [
        1232,
        400
      ],
      "id": "c920f0a3-a0ae-45eb-9dc3-99def6f68365",
      "name": "Code in JavaScript"
    },
    {
      "parameters": {
        "authentication": "oAuth2",
        "select": "channel",
        "channelId": {
          "__rl": true,
          "value": "C0ALKKMKQTD",
          "mode": "list",
          "cachedResultName": "ai-newsjacking"
        },
        "text": "={{ $json.slackMessage }}",
        "otherOptions": {}
      },
      "type": "n8n-nodes-base.slack",
```

```
      "typeVersion": 2.4,
      "position": [
        1632,
        528
      ],
      "id": "363ab22f-2d11-4419-b678-690a31c53b71",
      "name": "Send a message",
      "webhookId": "f7e5238b-fec5-4143-bc10-acdfa521c24d",
      "credentials": {
        "slackOAuth2Api": {
          "id": "RnZ8XGX3Adrb2fmp",
          "name": "Slack account"
        }
      }
    },
    {
      "parameters": {
        "jsCode": "for (const item of $input.all()) {\n  const html = item.json.html;\n\n  function strip(str) {\n    return
str.replace(/<[^>]+>/g, '').replace(/&amp;/g, '&').replace(/&lt;/g, '<').replace(/&gt;/g, '>').replace(/&#39;/g,
\"'\").replace(/&quot;/g, \"').replace(/\\u2014/g, '-').replace(/\\u2019/g, \"'\").trim();\n  }\n\n  let msg = '*Your Daily
AI Newsjacking Report*\\nFresh post ideas based on what is trending right now\\n\\n';\n\n  const parts =
html.split(/<h2[^>]*>/);\n\n  for (let i = 1; i < parts.length; i++) {\n    const part = parts[i];\n    const titleEnd =
part.indexOf('</h2>');\n    if (titleEnd === -1) continue;\n    const sectionTitle = strip(part.substring(0, titleEnd));\n
const sectionBody = part.substring(titleEnd);\n\n    msg +=
`━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━\\n*${sectionTitle}*\\n━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━\\n\\n`;\n\n    if
(sectionTitle.includes('Post Ideas')) {\n      const ideaParts = sectionBody.split(/border-left:\\s*4px solid[^\"]*\"/);\n
for (let j = 1; j < ideaParts.length; j++) {\n        const idea = ideaParts[j];\n        const pMatches =
[...idea.matchAll(/<p[^>]*>([\\s\\S]*?)<\\/p>/g)];\n        if (pMatches.length >= 4) {\n          const label =
strip(pMatches[0][1]);\n          const hook = strip(pMatches[1][1]);\n          const angle =
strip(pMatches[2][1]).replace(/^Angle:\\s*/, '');\n          const why = strip(pMatches[3][1]).replace(/^Why it works:\\s*/,
'');\n          msg += `${label}\\n*${hook}*\\n>_Angle:_ ${angle}\\n>_Why it works:_ ${why}\\n\\n`;\n        }\n      }\n
} else {\n      const cardParts = sectionBody.split(/background:\\s*#f8f9fa/);\n      for (let j = 1; j < cardParts.length;
j++) {\n        const card = cardParts[j];\n        const linkMatches =
[...card.matchAll(/<a\\s+href=\"([^\"]+)\"[^>]*>([^<]*)<\\/a>/g)];\n        const pMatches =
[...card.matchAll(/<p[^>]*>([\\s\\S]*?)<\\/p>/g)];\n        const handleMatch =
card.match(/<span[^>]*>([^<]+)<\\/span>/);\n\n        if (linkMatches.length > 0) {\n          const url =
linkMatches[0][1];\n          const name = linkMatches[0][2].trim();\n          const handle = handleMatch ?
handleMatch[1].trim() : '';\n\n          let description = '';\n          for (const pm of pMatches) {\n            const
cleaned = strip(pm[1]);\n            const rawP = pm[0];\n            if (cleaned.includes(name) && (cleaned.includes('@')
|| cleaned.includes(handle))) continue;\n            if (cleaned.startsWith('View post') || cleaned.startsWith('Read
article')) continue;\n            if (cleaned.length < 10) continue;\n            if (rawP.includes('text-transform:
uppercase') || rawP.includes('text-transform:uppercase')) continue;\n            description = cleaned;\n
break;\n          }\n\n          if (description) {\n            msg += `<${url}|${name}>`;\n            if (handle) msg +=
` ${handle}`;\n            msg += `\\n${description}\\n\\n`;\n          }\n        }\n      }\n    }\n  }\n\n  msg +=
'_Generated by your AI Newsjacking Workflow_';\n  item.json.slackMessage = msg;\n}\n\nreturn $input.all().map(item => ({\n
json: { slackMessage: item.json.slackMessage }\n}));"
      },
      "type": "n8n-nodes-base.code",
      "typeVersion": 2,
      "position": [
        1424,
        528
      ],
      "id": "701560fd-598b-455f-8f2a-9e786b595f94",
      "name": "Code in JavaScript1"
    }
  ],
  "connections": {
    "Daily 7 AM Trigger": {
      "main": [
        [
          {
            "node": "Fetch Tracked Account Tweets",
            "type": "main",
            "index": 0
          },
          {
            "node": "Fetch Trending AI Tweets",
            "type": "main",
            "index": 0
          },
          {
            "node": "Fetch AI News Stories",
            "type": "main",
            "index": 0
          }
        ]
      ]
    },
    "Fetch Tracked Account Tweets": {
      "main": [
        [
          {
            "node": "Combine All Data",
            "type": "main",
            "index": 0
          }
        ]
      ]
    },
    "Fetch Trending AI Tweets": {
      "main": [
        [
```

```
          {
            "node": "Combine All Data",
            "type": "main",
            "index": 0
          }
        ]
      ]
    },
    "Fetch AI News Stories": {
      "main": [
        [
          {
            "node": "Combine All Data",
            "type": "main",
            "index": 0
          }
        ]
      ]
    },
    "Claude AI Analysis": {
      "main": [
        [
          {
            "node": "Code in JavaScript",
            "type": "main",
            "index": 0
          }
        ]
      ]
    },
    "Combine All Data": {
      "main": [
        [
          {
            "node": "Claude AI Analysis",
            "type": "main",
            "index": 0
          }
        ]
      ]
    },
    "Code in JavaScript": {
      "main": [
        [
          {
            "node": "Code in JavaScript1",
            "type": "main",
            "index": 0
          },
          {
            "node": "Send Daily Report Email",
            "type": "main",
            "index": 0
          }
        ]
      ]
    },
    "Send Daily Report Email": {
      "main": [
        []
      ]
    },
    "Code in JavaScript1": {
      "main": [
        [
          {
            "node": "Send a message",
            "type": "main",
            "index": 0
          }
        ]
      ]
    }
  },
  "active": true,
  "settings": {
    "availableInMCP": false
  },
  "meta": {
    "templateCredsSetupCompleted": true
  },
  "tags": []
}
```

LEVEL 3

OpenClaw AI agent

OpenClaw isn't a workflow builder. It's an AI agent platform. You define a task and it executes autonomously on a server. No trigger, no manual run. It just works.

We're at the same moment with AI agents that we were with ChatGPT two years ago. The people who figure this out early are going to have a serious advantage.

Setup steps

Step 1: Deploy on Hostinger

1. Go to Hostinger and find the one-click OpenClaw deploy option
2. Choose a plan (start with the monthly option - you don't need 24 months upfront)
3. Press "Ready to use AI" - this gives you OpenAI, Anthropic, Google, and xAI all built in
4. Enable "Instant web scraping" for real-time data
5. Register and deploy (don't change the default settings)

Step 2: Connect Telegram

OpenClaw works through Telegram, so your agent lives right in your messages like a team member.

- In OpenClaw, press Gateway Token, then open the OpenClaw dashboard
- Go to Channels and open Telegram. Search for **@BotFather**
- Type /newbot and give your agent a name and username
- Copy the token BotFather gives you and paste it into the OpenClaw channel config
- Copy your Telegram user ID and paste it in the user field. Save.

Step 3: Prompt your agent

Now you can chat with your agent directly in Telegram. Same as Level 1, you've got two options here - ideas only or full drafts.

Option A: ideas only

```
Every day at 8 AM Eastern, research the 10 biggest stories from the last 24 hours in
[YOUR NICHE - e.g., AI, SaaS, fintech, marketing].

For each story, give me:

    - The news headline and source URL

    - 2 hook options. Format: Line 1 (the hook), line break, Line 2 (the rehook). Total
    under 100 characters. Line 1 creates tension or curiosity. Line 2 adds new
    information or stakes that make the reader click "see more."

    - The angle: one sentence explaining what take to write and why it matters to my
    audience

Prioritize contrarian takes, debate-worthy topics, and stories that directly impact my
audience's strategy. Skip anything generic or already trending on LinkedIn.

Include all URLs so I can verify sources. Do this automatically every day.
```

Option B: full post drafts

```
Every day at 8 AM Eastern, research the top 5-8 breaking stories from the last 24 hours
in [YOUR NICHE - e.g., AI, SaaS, fintech, marketing].

For each story, write 2 LinkedIn post drafts I can choose from.

Post structure:

    - Hook: Line 1 (the hook), line break, Line 2 (the rehook). Total under 100
    characters. Line 1 creates tension or curiosity. Line 2 adds new specificity or
    stakes.

    - Context (2-3 sentences explaining the news)

    - My take (what this means for my audience, what they should do differently)

    - One actionable insight or open question to close

Writing rules (follow these strictly):

    - Casual and direct. Write how a smart person talks, not how a brand posts.

    - Short paragraphs. Max 2 sentences each. Line break between every paragraph.

    - Contractions always. Sentence case only. No emojis. No hashtags.

    - Vary sentence length. Cut adverbs and filler words (just, basically, actually,
    literally, really).

    - Never use: game-changer, unlock, leverage, dive deep, double down, cutting-edge,
    transformative, revolutionize, synergy, move the needle, or any word that sounds
    like a LinkedIn bot.

    - Never write "it's not about X, it's about Y." Just say the thing directly.
```

```
    - No rhetorical question takeaways. No em dashes.
    - Find the most dramatic, specific, or tension-creating element and create the hook
    from it
    - "How I" framing over "how to" when possible.

For each story, tell me which draft to pick and why (one sentence). Include all source
URLs.

Do this automatically every day.
```

Why this is different

The first two methods are tools. You give them a task, they do it. OpenClaw is an agent. It scrapes the web the same way the N8N method does, but the difference is what happens after the data comes in. It makes decisions and runs on its own without going through nodes, tabs, and complicated setups.

You give it a prompt and it executes. Like an employee. It sits in your Telegram messages and delivers results as if it were another team member.

Newsjacking post structure

The drafts from all three methods won't be perfect. They never are with any AI tool. You'll want to spend enough time editing, adding your voice, and sharpening the take. But the research part - the hour of scanning news sites and X - that's done in seconds.

When you're editing, use this structure:

Section	What to write
Hook	Bold first line that stops the scroll. Lead with the news, not your opinion.
Context	2-3 sentences explaining what happened. Keep it tight. Your audience doesn't need a full article recap.
Your take	This is the whole point. What does this mean for your audience? What should they think about differently? Add your expertise and perspective here.
Takeaways	2-4 concrete implications or action items. Make it practical.
Engage	End with a question that invites real discussion, not just "thoughts?" Something specific that people actually want to answer.

The key principle

You're not summarizing the news. You're contextualizing it. Telling your audience what it means for them, their strategy, their jobs. The news story gets people to stop scrolling. Your job is to tell them what it actually means.

Quick reference: which level should you pick?

	Cowork	N8N	OpenClaw
Setup time	5 min	20-30 min	15-20 min
Runs without you	No (laptop on)	Yes	Yes
Real-time X data	No (Google only)	Yes	Yes

Cost	Claude Pro ($20/mo)	Apify free tier + Anthropic API + N8N ($0-50/mo depending on setup)	Hostinger VPS (~$6-9/mo) + AI API costs (~$5-30/mo)
Best for	Getting started today	Teams who want full control	People who want autonomous AI

DISTINCTIVA

Want us to build and run this entire system for your company?

That's what Distinctiva does. We build content engines that drive pipeline, not just impressions.

---

distinctiva.io

Subscribe to The Workflow newsletter - theworkflow.digital

YouTube - @diandraescobarr

LinkedIn - /in/diandraescobar

We're building a course and community around everything we teach on this channel. Real systems, real workflows, no fluff. Join the waitlist here https://forms.gle/Nw9Jc9LzG3fY4tsj8 and get founding member pricing when we launch.