

Database Schema Reconciliation Report

Comprehensive Comparative Column-Level Audit | Source vs Destination

Authoritative Source: bwwocmhcledbwlpcswp | Target: jrsydiofzceoeddjogov (PostgreSQL 17.6) Audit Date: September 2026 | Mode: Strict Read-Only

Lovable Supabase		Dedicated Supabase Strict Read-Only		15 Tables	99 Columns	0 DDL Executed
Authoritative Source	Target Database	Audit Mode	Impacted Tables	Missing Columns	Executions Run	

Audit Scope & Verification Standard

Every missing column evaluated across 12 criteria: Table, Column Name, Source Data Type, Destination Type (Missing), Source Nullability, Destination Nullability, Source Default, Destination Default, Constraints/Indexes/FKs, Migration Requirement, App Impact, and DDL Recommendation.

1. applications

22 Missing Columns

Contains applicant consent flags, recycling lineage, and guarantor/referee contact fields verified by validate_application_submission()

Missing Column	Data Type	Nullability / Default	Constraints / FK	Migration & App Impact
street_address	text	Nullable Def: None	None	Yes (applicant address) — nullable text ADD
messaging_consent	boolean	NOT NULL Def: false	None	Yes (communication compliance) — Safe default false ADD
messaging_channel	text	NOT NULL Def: 'none'	None	Yes (SMS/WhatsApp chat) — Safe default 'none' ADD
data_sharing_consent	boolean	NOT NULL Def: false	None	Yes (vetting consent) — Safe default false ADD
consent_recorded_at	timestampz	Nullable Def: None	None	Yes (consent timestamp) — Safe nullable timestamp ADD
recovered_from_application_id	uuid	Nullable Def: None	FK applications(id) ON DELETE SET NULL	Yes (lineage for recycled records) — Self-referential ADD
recovery_status	text	NOT NULL Def: 'none'	None	Yes (lifecycle state) — Safe default 'none' ADD
recovery_eligible_at	timestampz	Nullable Def: None	None	Yes (cooldown timer) — Safe nullable timestamp ADD
recycle_count	integer	NOT NULL Def: 0	None	Yes (recycling iteration) — default 0 ADD
security_deposit_acknowledged	boolean	Nullable Def: false	None	Yes (deposit agreement) — Used in review pipeline ADD
referee1_name	text	Nullable Def: None	Validated in validate_application_submission()	Yes (referee 1 profile) — Fixes trigger compatibility ADD
referee1_phone	text	Nullable Def: None	Phone len <= 32	Yes (referee 1 contact) — Fixes trigger compatibility ADD
referee1_email	text	Nullable Def: None	Email validation	Yes (referee 1 email) — Fixes trigger compatibility ADD
referee1_address	text	Nullable Def: None	Address len <= 300	Yes (referee 1 address) — Fixes trigger compatibility ADD
referee2_name	text	Nullable Def: None	Validated in validate_application_submission()	Yes (referee 2 profile) — Fixes trigger compatibility ADD
referee2_phone	text	Nullable Def: None	Phone len <= 32	Yes (referee 2 contact) — Fixes trigger compatibility ADD
referee2_email	text	Nullable Def: None	Email validation	Yes (referee 2 email) — Fixes trigger compatibility ADD
referee2_address	text	Nullable Def: None	Address len <= 300	Yes (referee 2 address) — Fixes trigger compatibility ADD
referee3_name	text	Nullable Def: None	Validated in validate_application_submission()	Yes (referee 3 profile) — Fixes trigger compatibility ADD
referee3_phone	text	Nullable Def: None	Phone len <= 32	Yes (referee 3 contact) — Fixes trigger compatibility ADD

referee3_email	text	Nullable Def: None	Email validation	Yes (referee 3 email) — Safe default false trigger compatibility	ADD
referee3_address	text	Nullable Def: None	Address len <= 300	Yes (referee 3 address) — Safe default false Fixes trigger compatibility	ADD

2. communication_providers1 Missing Column

Identifies WhatsApp Business Solution Provider (Twilio / Infobip / Meta)

MISSING COLUMN	DATA TYPE	NULLABILITY / DEFAULT	CONSTRAINTS / FK	MIGRATION & APP IMPACT	
whatsapp_provider	text	Nullable Def: None	None	Yes (provider selection) — Safe default false nullable text	ADD

3. driver_call_ins5 Missing Columns

Maintenance fault call-in renewals & vehicle recall linkage (Migration 20260910103000)

MISSING COLUMN	DATA TYPE	NULLABILITY / DEFAULT	CONSTRAINTS / FK	MIGRATION & APP IMPACT	
renewal_count	integer	NOT NULL Def: 0	None	Yes (deferral counter) — Safe default 0	ADD
max_renewals	integer	NOT NULL Def: 3	None	Yes (deferral limit) — Safe default 3	ADD
last_renewed_at	timestamptz	Nullable Def: None	None	Yes (extension timestamp) — Safe nullable timestamp	ADD
recall_initiated	boolean	NOT NULL Def: false	None	Yes (recall escalation flag) — Safe default false	ADD
recall_id	uuid	Nullable Def: None	FK vehicle_recalls(id)	Yes (recall linkage) — Safe nullable FK	ADD

4. driver_vehicle_matches1 Missing Column

Referee-gated vehicle provisioning gate (Migration 20260910113000)

MISSING COLUMN	DATA TYPE	NULLABILITY / DEFAULT	CONSTRAINTS / FK	MIGRATION & APP IMPACT	
vehicle_enabled	boolean	NOT NULL Def: false	None	Yes (IoT ignition enable status) — Safe default false	ADD

5. inbox_conversations2 Missing Columns

In-app messaging archival status and conversation flagging flags

MISSING COLUMN	DATA TYPE	NULLABILITY / DEFAULT	CONSTRAINTS / FK	MIGRATION & APP IMPACT	
archived_at	timestamptz	Nullable Def: None	None	Yes (archival state) — Safe nullable timestamp	ADD
is_flagged	boolean	NOT NULL Def: false	None	Yes (escalation indicator) — Safe default false	ADD

6. outreach_contacts2 Missing Columns

Marketing and outbound driver onboarding recruitment channels

MISSING COLUMN	DATA TYPE	NULLABILITY / DEFAULT	CONSTRAINTS / FK	MIGRATION & APP IMPACT	
email	text	Nullable Def: None	None	Yes (prospect email) — Safe nullable text	ADD
signup_role	text	Nullable Def: None	None	Yes (prospect role) — Safe nullable text	ADD

7. payments

6 Missing Columns

Financial distribution: Host payout share, platform commissions, tax amounts, settlement timestamps

MISSING COLUMN	DATA TYPE	NULLABILITY / DEFAULT	CONSTRAINTS / FK	MIGRATION & APP IMPACTION
purpose	text	NOT NULL Def: 'rental'	None	Yes (payment categorization) — Safe default 'rental' ADD
owner_share_amount	numeric(14,2)	Nullable Def: None	None	Yes (host payout reconciliation) — Safe nullable numeric ADD
platform_fee_amount	numeric(14,2)	Nullable Def: None	None	Yes (platform commission) — Safe nullable numeric ADD
tax_amount	numeric(14,2)	NOT NULL Def: 0	None	Yes (VAT/tax accounting) — Safe default 0 ADD
settled_at	timestamptz	Nullable Def: None	None	Yes (settlement timestamp) — Safe nullable timestamp ADD
subscription_plan_id	uuid	Nullable Def: None	FK subscription_plans(id)	Yes (SaaS plan linkage) — Safe nullable FK ADD

8. persona_template_config

1 Missing Column

KYC persona requirement gating for driver onboarding

MISSING COLUMN	DATA TYPE	NULLABILITY / DEFAULT	CONSTRAINTS / FK	MIGRATION & APP IMPACTION
requires_drivers_license	boolean	NOT NULL Def: false	None	Yes (KYC document policy) — Safe default false ADD

9. profiles

30 Missing Columns

Contains 39 existing destination rows. Adding columns with source defaults backfills all rows cleanly without locks

MISSING COLUMN	DATA TYPE	NULLABILITY / DEFAULT	CONSTRAINTS / FK	MIGRATION & APP IMPACTION
username	text	Nullable Def: None	UNIQUE LOWER(username)	Yes (unique handle) — Fix check_unique_credentials RPC ADD
street_address	text	Nullable Def: None	None	Yes (physical address) — nullable text ADD
city	text	Nullable Def: None	None	Yes (user city) — Safe nullable text ADD
public_uuid	uuid	NOT NULL Def: gen_random_uuid()	UNIQUE NOT NULL	Yes (public obfuscated ID) — Auto-generates for existing rows ADD
access_level	access_level_enum	NOT NULL Def: 'view_only'	Enum access_level_enum	Yes (granular RBAC) — Default 'view_only' ADD
registration_stage	registration_stage_enum	Nullable Def: None	Enum registration_stage_enum	Yes (wizard stage) — Safe nullable enum ADD
stage_updated_at	timestamptz	Nullable Def: None	None	Yes (stage transition time) — Safe nullable timestamp ADD
onboarding_state	jsonb	NOT NULL Def: '{}::jsonb	None	Yes (onboarding checklist) — Safe default '{}' ADD
onboarding_completed_at	timestamptz	Nullable Def: None	None	Yes (onboarding signoff) — Safe nullable timestamp ADD
profile_completion_skipped_at	timestamptz	Nullable Def: None	None	Yes (modal dismissal state) — Safe nullable timestamp ADD
owns_vehicle	boolean	Nullable Def: None	None	Yes (role survey) — Safe nullable boolean ADD
has_payment_method	boolean	NOT NULL Def: false	None	Yes (payment readiness check) — Safe default false ADD
payment_proxy_verified	boolean	NOT NULL Def: false	None	Yes (card debit auth) — Safe default false ADD
driver_license_number	text	Nullable Def: None	None	Yes (driver license record) — Safe nullable text ADD
driver_license_expiry	date	Nullable Def: None	None	Yes (license validity date) — Safe nullable date ADD

emergency_contact_name	text	Nullable Def: None	None	Yes (next-of-kin contact) — Safe nullable text	ADD
emergency_contact_phone	text	Nullable Def: None	None	Yes (next-of-kin phone) — nullable text	ADD
referee_verified	boolean	NOT NULL Def: false	None	Yes (guarantor verified flag) — Safe default false	ADD
persona_verified	boolean	NOT NULL Def: false	None	Yes (Persona KYC pass) — Safe default false	ADD
identity_verification_status	text	Nullable Def: None	None	Yes (KYC status string) — nullable text	ADD
identity_verified_at	timestamptz	Nullable Def: None	None	Yes (KYC completion time) — Safe nullable timestamp	ADD
identity_verified_inquiry_id	text	Nullable Def: None	None	Yes (external inquiry ID) — Safe nullable text	ADD
persona_notification_frequency	text	NOT NULL Def: 'immediate'	None	Yes (notification schedule) — Safe default 'immediate'	ADD
role_change_used	boolean	NOT NULL Def: false	None	Yes (role change enforcer) — Safe default false	ADD
role_changed_at	timestamptz	Nullable Def: None	None	Yes (role change timestamp) — Safe nullable timestamp	ADD
data_sharing_consent	boolean	NOT NULL Def: false	None	Yes (vetting consent) — Safe default false	ADD
data_sharing_consent_at	timestamptz	Nullable Def: None	None	Yes (vetting consent time) — Safe nullable timestamp	ADD
messaging_consent_at	timestamptz	Nullable Def: None	None	Yes (messaging consent time) — Safe nullable timestamp	ADD
cookie_consent	jsonb	Nullable Def: None	None	Yes (cookie preferences) — Safe nullable JSONB	ADD
cookie_consent_at	timestamptz	Nullable Def: None	None	Yes (cookie decision time) — Safe nullable timestamp	ADD

10. rentals

5 Missing Columns

Rental contract price negotiation linkage and security deposit accounting lifecycle

MISSING COLUMN	DATA TYPE	NULLABILITY / DEFAULT	CONSTRAINTS / FK	MIGRATION & APP IMPACT
negotiation_id	uuid	Nullable Def: None	FK price_negotiations(id) ON DELETE SET NULL	Yes (negotiation link) — Safe nullable FK ADD
security_deposit_amount	numeric(12,2)	Nullable Def: None	None	Yes (deposit accounting) — Safe nullable numeric ADD
security_deposit_currency	text	Nullable Def: None	None	Yes (currency code) — Safe nullable text ADD
security_deposit_status	text	NOT NULL Def: 'pending'	None	Yes (deposit status) — Safe default 'pending' ADD
security_deposit_released_at	timestamptz	Nullable Def: None	None	Yes (refund timestamp) — Safe nullable timestamp ADD

11. sms_consent_records

4 Missing Columns

TCPA compliance disclosures, keyword verification, and program versioning

MISSING COLUMN	DATA TYPE	NULLABILITY / DEFAULT	CONSTRAINTS / FK	MIGRATION & APP IMPACT	
keywords_shown	jsonb	NOT NULL Def: '[]'::jsonb	None	Yes (TCPA keywords) — Safe default '[]'	<button>ADD</button>
timing_shown	jsonb	NOT NULL Def: '[]'::jsonb	None	Yes (disclosure timing) — Safe default '[]'	<button>ADD</button>
program_version	text	Nullable Def: None	None	Yes (terms version) — Safe nullable text	<button>ADD</button>
page_url	text	Nullable Def: None	None	Yes (opt-in URL) — Safe nullable text	<button>ADD</button>

12. support_tasks				8 Missing Columns
Field operations insurance status, technician feedback, and supervisor verification				
MISSING COLUMN	DATA TYPE	NULLABILITY / DEFAULT	CONSTRAINTS / FK	MIGRATION & APP IMPACTION
insurance_status	insurance_task_status	Nullable Def: None	Enum insurance_task_status	Yes (field insurance state) — Safe nullable enum ADD
verification_state	text	NOT NULL Def: 'not_submitted'	None	Yes (review status) — Safe default 'not_submitted' ADD
verification_notes	text	Nullable Def: None	None	Yes (supervisor notes) — nullable text ADD
verified_at	timestamptz	Nullable Def: None	None	Yes (signoff timestamp) — nullable timestamp ADD
verified_by	uuid	Nullable Def: None	Admin auth UID	Yes (supervisor UUID) — nullable UUID ADD
staff_feedback	text	Nullable Def: None	None	Yes (technician notes) — nullable text ADD
staff_resolved_at	timestamptz	Nullable Def: None	None	Yes (resolution timestamp) — Safe nullable timestamp ADD
staff_resolved_by	uuid	Nullable Def: None	Staff auth UID	Yes (technician UUID) — nullable UUID ADD

13. training_completions				4 Missing Columns
Driver training module approval lifecycle and admin supervisor signoff				
MISSING COLUMN	DATA TYPE	NULLABILITY / DEFAULT	CONSTRAINTS / FK	MIGRATION & APP IMPACTION
verification_status	text	NOT NULL Def: 'pending'	None	Yes (approval status) — Safe default 'pending' ADD
review_notes	text	Nullable Def: None	None	Yes (reviewer notes) — Safe nullable text ADD
verified_at	timestamptz	Nullable Def: None	None	Yes (approval timestamp) — Safe nullable timestamp ADD
verified_by	uuid	Nullable Def: None	Admin auth UID	Yes (validator UUID) — Safe nullable UUID ADD

14. vehicle_geofences				3 Missing Columns
Human-readable zone naming and administrative audit trail metadata				
MISSING COLUMN	DATA TYPE	NULLABILITY / DEFAULT	CONSTRAINTS / FK	MIGRATION & APP IMPACTION
name	text	Nullable Def: None	None	Yes (geofence name) — Safe nullable text ADD
created_by	uuid	Nullable Def: None	Admin auth UID	Yes (creator UUID) — Safe nullable UUID ADD
updated_by	uuid	Nullable Def: None	Admin auth UID	Yes (updater UUID) — Safe nullable UUID ADD

15. vehicles				5 Missing Columns
Destination contains 9 active vehicles. Adding is_enabled with DEFAULT true guarantees all stay operational				
MISSING COLUMN	DATA TYPE	NULLABILITY / DEFAULT	CONSTRAINTS / FK	MIGRATION & APP IMPACTION
is_enabled	boolean	NOT NULL Def: true	None	Yes (dispatch gate switch) — DEFAULT true keeps active cars operational ADD
disabled_at	timestamptz	Nullable Def: None	None	Yes (immobilization time) — Safe nullable timestamp ADD
disabled_reason	text	Nullable Def: None	None	Yes (disable reason code) — Safe nullable text ADD
enabled_at	timestamptz	Nullable Def: None	None	Yes (reactivation time) — nullable timestamp ADD

lockdown_reason	text	Nullable Def: None	None	Yes (lockdown details) — nullable text	ADD
-----------------	------	----------------------	------	--	-----

Executive Recommendations & Zero-Downtime Migration Certification

1. All 99 Missing Columns are recommended for ADD: Every single column is authentic to the production source schema.
2. Non-Destructive Backfill Guarantee: All NOT NULL additions carry safe defaults ('false', 0, 'none', 'pending', true, gen_random_uuid()). Existing records (including the 39 user profiles and 9 fleet vehicles) will backfill seamlessly without row locking.
3. Critical Trigger & RPC Integrity Restored: Adding referee contact fields to applications fixes validate_application_submission() trigger failures, and adding username to profiles resolves check_unique_credentials() RPC queries.
4. Strict Read-Only Verification: Zero DDL operations were executed during this audit. Target database jrsydiofzceoeddjogov remains completely untouched and pristine.