

```

// netlify/functions/subscribe.js
// MailerLite API v2 - lookup group by NAME, no IDs needed

exports.handler = async (event) => {

  if (event.httpMethod !== "POST") {
    return { statusCode: 405, body: JSON.stringify({ error: "Method not allowed"
  })

  let body;
  try { body = JSON.parse(event.body || "{}"); }
  catch { return { statusCode: 400, body: JSON.stringify({ error: "Invalid JSON"

  const { prenom, email, profil, pdfFile, date } = body;

  if (!email || !prenom) {
    return { statusCode: 400, body: JSON.stringify({ error: "Missing prenom or em
  })

  const API_KEY = process.env.MAILERLITE_API_KEY;
  if (!API_KEY) {
    console.error("[RNZ] MAILERLITE_API_KEY not set");
    return { statusCode: 500, body: JSON.stringify({ error: "Server config error"
  })

  const HEADERS = {
    "Content-Type": "application/json",
    "Accept": "application/json",
    "Authorization": `Bearer ${API_KEY}`,
  };

  // — Step 1: find the group ID by name _____
  // profil values from frontend: "MON KÈR LÉ LOUR" / "MI STAGNÉ" / "MI KOMANS, M
  // These must match EXACTLY the group names you created in MailerLite.

  let groupId = null;

  try {
    const groupsRes = await fetch("https://connect.mailerlite.com/api/groups?limi
      headers: HEADERS,
    });
    const groupsData = await groupsRes.json();
    const allGroups = groupsData?.data || [];

```

```

// Case-insensitive match
const match = allGroups.find(
  (g) => g.name.toLowerCase().trim() === profil.toLowerCase().trim()
);

if (match) {
  groupId = match.id;
  console.info("[RNZ] Group found:", profil, "→ ID:", groupId);
} else {
  console.warn("[RNZ] No group found for profil:", profil,
    "| Available groups:", allGroups.map(g => g.name).join(", "));
}
} catch (err) {
  console.error("[RNZ] Error fetching groups:", err);
  // Continue – will create subscriber without group
}

// — Step 2: create or update subscriber —————
try {
  const payload = {
    email: email.toLowerCase().trim(),
    fields: { name: prenom },
    groups: groupId ? [groupId] : [],
    status: "active",
    resubscribe: true,
  };

  const subRes = await fetch("https://connect.mailerlite.com/api/subscribers",
    method: "POST",
    headers: HEADERS,
    body: JSON.stringify(payload),
  );

  const subData = await subRes.json();

  if (!subRes.ok) {
    console.error("[RNZ] MailerLite subscriber error:", subRes.status, JSON.str
    return {
      statusCode: subRes.status,
      body: JSON.stringify({ error: "MailerLite error", detail: subData }),
    };
  }

  console.info("[RNZ] ✅ Subscriber saved:", email, "→ group:", profil, groupId

  return {
    statusCode: 200,

```

```
        body: JSON.stringify({ success: true, groupId }),
    };

    } catch (err) {
        console.error("[RNZ] Network error:", err);
        return { statusCode: 502, body: JSON.stringify({ error: "Network error" }) };
    }
};
```